

Proceedings of the Iowa Academy of Science

Volume 34 | Annual Issue

Article 121

1927

Compilation and Revision of the Fish Records Published for Iowa

George E. Potter

David T. Jones

Copyright ©1927 Iowa Academy of Science, Inc.

Follow this and additional works at: <https://scholarworks.uni.edu/pias>

Recommended Citation

Potter, George E. and Jones, David T. (1927) "Compilation and Revision of the Fish Records Published for Iowa," *Proceedings of the Iowa Academy of Science*, 34(1), 339-366.

Available at: <https://scholarworks.uni.edu/pias/vol34/iss1/121>

This Research is brought to you for free and open access by the Iowa Academy of Science at UNI ScholarWorks. It has been accepted for inclusion in Proceedings of the Iowa Academy of Science by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

COMPILATION AND REVISION OF THE FISH RECORDS PUBLISHED FOR IOWA

GEORGE E. POTTER AND DAVID T. JONES

For some time the writers have been very much interested in a study of the fishes of Iowa. On investigating the matter of fish lists of the state, it was found that they were very scattered and that no attempt had been made in the last thirty-five years to make them more compact. The nomenclature, in the meantime, had become quite confused and somewhat antiquated. The need for work on synonymy was very much in evidence also.

This article is an attempt to bring together into a compact form and revise all of the available published records for Iowa fish. The 1923 edition of Pratt's Manual of Vertebrates has been followed all the way through for the nomenclature. In the case of each species listed, there is given: name as in Pratt; common name, where known; each separate record of the fish with the date, scientific name as originally published, localities in which the species was found and the reference; the synonymy, if there be such and interpretations of any irregularities. Besides the actual recorded list there is included an hypothetical list of those species which might possibly occur in the state.

The method for collecting the information and preparing the material for such a list must be quite systematic and painstaking. First there was prepared a list of the species with a possible range over Iowa as given by Pratt. Then each of the known lists for the various parts of the state was carefully checked and recorded on the above list. A complete bibliography was prepared with all publication and page references. Locality records were laboriously searched out for each record of a species and listed with it. The species lists, locality records and bibliography were all transferred and kept in order on index cards in a file, thus becoming quite adaptable to any further additions or changes that might be found. Two identical card indexes were kept. On copying for this article, the two records were checked against each other, and against the original where necessary.

Any synonymy that is given has been traced through all of the available sources and given as found with the reference or refer-

ences. Interpretations which have been placed along with the handling of certain cases in the lists, include where possible, the references to show the logic of the procedure.

The recognized species and subspecies listed as actually recorded from Iowa, numbers one hundred twenty-seven. The hypothetical list as given includes twenty-one species and subspecies. There are, no doubt, other species in the state at the present and in all probability a number of those listed have ceased to exist here. A check on this point can be made only by collections and the preparation of up-to-date lists.

It can hardly be hoped that this list will prove to be entirely free from error, but many mistakes have been checked up and corrected from the existing lists. The writers feel that this effort has at least brought the records into a more useable form.

The authors wish to thank Prof. H. F. Wickham for the use of his personal copy of Osborn's article, which was otherwise unavailable, and Dr. F. A. Stromsten for the use of his personal library and for helpful suggestions concerning tabulating and condensing data.

The authors will appreciate constructive criticism from users of these lists. Reports of mistakes discovered in these lists, unrecorded published records with name of library or source from which records can be secured, new records published after the appearance of this article, and published records of introduction of exotic fish into Iowa waters, will be helpful in keeping our card indexes up to date. We can use no unpublished records of the occurrence of fish. Except in exceptional cases, only records where the scientific name is given can be used, as the common names vary with locality. Meek in 1894 reports that the log perch, *Percina caprodes*, was called "stickleback" in the vicinity of Waterloo, -- a common name ordinarily accorded to *Eucalia inconstans*. Likewise Osborn reports the wall-eyed pike or pike-perch, *Stizostedion vitreum*, as the common "pike" of Spirit Lake, whereas *Esox lucius* is commonly regarded as entitled to that name. "Bullhead" might mean any one of the three species of *Ameiurus* found in the state or might be applied indiscriminately to the young of some of our catfish. The above information may be sent to Geo. E. Potter, Zoology Dept., University of Iowa, Iowa City, Iowa, or to David T. Jones, 818 E. Fifth St., Vinton, Iowa.

The reader will find that each reference in the list proper is given as a bibliographic number. Under the corresponding num-

ber in the bibliography, there is given the record of the date, man's name, title of the paper, publication, and page. By combining the list and the bibliography the reader may readily get the complete information from the original sources for any species listed. An attempt has been made to take the specific rather than the general localities where both are given, e.g. Mississippi River at Davenport, would be listed simply as Davenport. However, there still remains some overlapping of localities. Duplication of localities in different articles was avoided by listing the locality only where it was earliest reported, e.g., if a certain fish were listed in an 1890 report from Cedar Rapids, and in 1894 were listed from the same locality, the locality would be given only under the date 1890, although the 1894 reference without locality or with additional localities would be given. Austin, Minn., Sioux Falls, S. D., some Missouri border records, and one Mississippi River record from the Illinois side have been considered as worthy to rank as Iowa records.

The following abbreviations have been used in the lists.

Bibl.—bibliographic reference	p.—page
Cr.—creek	pp.—pages
Miss.—Mississippi	R.—river
Mo.—Missouri	

The following may help to clear up some doubtful localities. Parentheses are ours.

Bear Cr.—a tributary of the Turkey R. (Probably the one near Elkport.)

Beaver Cr.—a small stream near Des Moines.

Brook R.—(not located).

Clear Lake—situated near the source of the Cedar and Iowa rivers, its outlet is a tributary of the Shellrock R.

College Cr.—a small creek near Ames.

Dry Cr.—a small tributary of the Cedar R. near Palo.

Delhi Cr.—(not found).

Four-Mile Cr.—a tributary of the Des Moines R.

Hickory Cr.—a southern tributary of the Yellow R. arising near Postville.

Indian Cr.—an eastern tributary to the Cedar (Linn Co.).

Lizard Cr.—a small stream near Ft. Dodge.

Mad Cr.—a small stream flowing through Muscatine and emptying into the Mississippi R.

Middle R.—a western tributary of the Des Moines.

Mill Cr.—a tributary of the Little Sioux and outlet of the Spirit Lake group.

Minnow Cr.—a small brook, flowing into Buffalo Cr., Wapsipinicon R. System, near Anamosa.

North R.—a western tributary of the Des Moines.

Prairie Cr.—a western tributary to the Cedar.

Silver Lake—one of the sources of the Little Sioux R.

Springbrook—(Spring Branch near Manchester, Bibl. 19, pp. 218, 241; Spring Creek at Delhi, Bibl. 19, p. 240; "Bear Creek is a spring brook," Bibl. 19, p. 241; the above are possibilities; locality not found).

Squaw Cr.—a tributary to the Skunk R.

Village Cr.—a small brook southwest of Ottumwa.

Walnut Cr.—a small stream near Des Moines.

Yader Cr.—a small creek in the Des Moines River system. (Not located.)

Yellow R.—a small stream of northeastern Iowa.

LIST OF FISHES RECORDED FROM IOWA

Petromyzonidae

Ichthyomyzon concolor (Kirtland)—Silver lamprey.

1888-90 As *Petromyzon concolor* Kirt.; Bibl. 17.

1890 As *P. concolor* (Kirt.); Miss R., Des Moines R., Iowa R. (S. U. I. Museum), Cedar R. (Coe College Museum); Bibl. 19.

1890-91 As *P. concolor* Kirt.; Des Moines; Bibl. 2.

1892 As *P. concolor* (Kirt.); Cedar R.; Bibl. 20.

1892 As *P. castaneus* (Girard); Bibl. 23.

I. concolor (Kirt.) == *P. castaneus* (Gir.) and *P. concolor* (Kirt.); Bibl. 6, p. 9; Bibl. 15, pp. 10 and 11.

Entosphenus appendix (DeKay)—Brook lamprey, small black lamprey.

1888-90 As *Ammocoetes branchialis* Linnaeus; Cedar Rapids; Bibl. 17.

1890 As *A. branchialis* (L.); Skunk R., Iowa R. (S. U. I. Museum); Bibl. 19.

1892 As *A. branchialis* (L.); Bibl. 20.

1892 As *A. niger* (Rafinesque) Jordan; Iowa City; Bibl. 22.

1892 As *A. branchialis* (L.); Ames, Lawler; Bibl. 23.

A. branchialis L. == *A. niger* (Raf.) = *Lamptera wilderi* J. and E. == *Entosphenus appendix* (DeK.); Bibl. 15, p. 10; Bibl. 6, p. 11.

Polyodontidae

Polyodon spathula (Walbaum)—Spoonbill, paddlefish.

1888-90 As *P. spathula* Walb.; Bibl. 17.

1889 As *P. spathula* Walb.; Cedar R., Iowa R., Mo. R., Miss. R.; Bibl. 18.

1890 As *P. spathula* (Walb.); Cedar Rapids (Coe College Museum), Sioux City, Mo. R., in Harrison Co.; Bibl. 19.

1892 As *P. spathula* (Walb.); Bibl. 20.

1892 As *P. spathula* (Walb.); Bibl. 23.

Acipenseridae

Acipenser rubicundus Le Sueur—Lake sturgeon, rock sturgeon, red sturgeon.

1888-90 As *A. rubicundus* Le S.; Miss. R.; Bibl. 17.

1889 As *A. rubicundus* Le S.; Bibl. 18.

1890 As *A. rubicundus* Le S.; Bibl. 19.

1892 As *A. rubicundus* (Le S.); Iowa City; Bibl. 20.

1892 As *Accipenser rubicundus*; Bibl. 23.

Scaphirhynchus platorhynchus (Rafinesque)—Shovel-nosed sturgeon.

1888-90 As *S. platorhynchus* Raf.; Bibl. 17.

1890 As *S. platorhynchus* (Raf.); Miss. R., Cedar R., Mo. R.; Bibl. 19.

1892 As *S. platyrhynchus* (Raf.); Bibl. 20.

1892 As *S. platyrhynchus* (Raf.) ; Bibl. 23.

Lepisosteidae

Lepisosteus osseus (Linnaeus)—Long-nosed garpike, billfish.

1888-90 As *Lepidosteus osseus* L.; Larger streams; Bibl. 17.

1890 As *Lepisosteus osseus* (L.); Muscatine, Davenport, Raccoon R., Des Moines, Adel, Iowa City (S. U. I. Museum), Cedar Rapids, Wheatland, Wapsipinicon R.; Bibl. 19.

1890-91 As *Lepidosteus osseus* L.; Bibl. 2.

1892 As *Lepidosteus osseus* (L.); Bibl. 20.

1892 As *Lepidosteus osseus* (L.); Bibl. 23.

1894 As *Lepisosteus osseus* L.; Spirit Lake; Bibl. 21.

Lepisosteus Lacépède = *Lepidosteus Agassiz*; Bibl. 26, p. 32.

Lepisosteus platostomus Rafinesque—Short-nosed garpike.

1888-90 As *Lepidosteus platostomus* Raf.; Miss. Valley; Bibl. 17.

1890 As *Lepisosteus platostomus* Raf.; Miss R.; Bibl. 19.

1892 As *Lepidosteus platostomus* (Raf.); Cedar Rapids; Bibl. 20.

1892 As *Lepidosteus platostomus* Raf.; Southwest Iowa; Bibl. 23.

1926 As *Lepidosteus platostomus*; Okoboji Lakes Dickinson Co.; Bibl. 25.

Amiidae

Amia calva Linnaeus—dogfish, bowfin, mudfish, grindle.

1888-90 As *A. calva* L.; Bibl. 17.

1890 As *A. calva* L.; Miss. R., Iowa City, Amana, Cedar R.; Bibl. 19.

1892 As *A. calva* (L.); Bibl. 20.

1892 As *A. calva* L.; Bibl. 23.

Hiodontidae

Hiodon alosoides (Rafinesque)—Northern mooneye.

1890 As *H. alosoides* (Raf.); Sioux City; Bibl. 19.

1892 As *H. alosoides* (Raf.); Bibl. 20.

1894 As *H. alosoides* (Raf.); Bibl. 21.

Hiodon tergisus Le Sueur—Mooneye, silver bass, toothed herring.

1890 As *H. tergisus* Le S.; Cedar Rapids; Bibl. 19.

1892 As *H. tergisus* (Le S.); Bibl. 20.

1892 As *H. tergisus* Le S.; Bibl. 23.

Dorosomidae

Dorosoma cepedianum (Le Sueur)—Gizzard shad, mud shad, hickory shad.

1890 As *D. cepedianum* (Le S.); Miss. R., Davenport, Palo (Cedar R.), Sioux City; Bibl. 19.

1892 As *D. cepedianum* (Le S.); Bibl. 20.

1892 As *D. cepedianum* (Le S.); Bibl. 23.

1894 As *D. cepedianum* (Le S.); Bibl. 21.

Clupeidae

Pomolobus chrysocloris Rafinesque—Skipjack, golden shad, blue herring.

1890 As *Clupea chrysocloris* Raf.; Muscatine, Davenport; Bibl. 19.

1892 As *C. chrysocloris* (Raf.); Cedar Rapids; Bibl. 20.

1892 As *C. chrysocloris* Raf.; Bibl. 23.

Salmonidae

Salvelinus fontinalis (Mitchill)—Brook trout, speckled trout.

- 1889 As *S. fontinalis* Mit.; Mad Cr., Muscatine, Mt. Vernon (Cedar R.); Bibl. 18.
 1890 As *S. fontinalis* (Mit.); McCloud Run, Cedar Rapids; Bibl. 19.
 1892 As *S. fontinalis* (Mit.); (Introduced by State Commissioner Shaw); Bibl. 20.
 1892 As *S. fontinalis* (Mit.); Spring Brook; Bibl. 23.

Anguillidae

- Anguilla chrysypa* Rafinesque—Freshwater eel.
 1889 As *Anguilla rostrata* Le Sueur; Bibl. 18.
 1890 As *A. chrysypa* (Raf.); Raccoon R., Des Moines R., Adel, Iowa R., Cedar R., Cedar Rapids, Waterloo, (Some introduced at Cedar Rapids); Bibl. 19.
 1890-91 As *A. anguilla* var. *rostrata* Le S.; Des Moines; Bibl. 2.
 1892 As *A. crysypa* (Raf.); Bibl. 20.
 1892 As *A. anguilla* Linnæus; Shell Rock; Bibl. 23.
Anguilla chrysypa Raf. = *A. rostrata* Le S.; Bibl. 26, p. 51.

Catostomidae

- Ictiobus cyprinella* (Cuvier and Valenciennes)—Buffalo, big-mouth buffalo.
 1888-90 As *I. cyprinella* C. & V.; Miss. Valley; Bibl. 17.
 1889 As *I. cyprinella* C. & V.; Bibl. 18.
 1890 As *I. cyprinella* (C. & V.); Miss. R., Squaw Cr., Wheatland, Independence, Anamosa; Bibl. 19.
 1892 As *I. cyprinella* (C. & V.); Bibl. 20.
 1892 As *I. cyprinella* (C. & V.); Bibl. 23.
 1913 As *Amblodon* (= *Ictiobus* Raf. See p. 45 in the article) *cyprinella* (Valenciennes); Bibl. 9.
Ictiobus urus (Agassiz)—Black buffalo, mongrel, buffalo, round buffalo.
 1888-90 As *I. urus* Ag.; Miss. Valley; Bibl. 17.
 1889 As *I. urus* Ag.; Bibl. 18.
 1890 As *I. urus* (Ag.); Miss. R.; Bibl. 19.
 1892 As *I. urus* (Ag.); Bibl. 20.
 1892 As *I. urus* (Ag.); Bibl. 23.
Ictiobus bubalus (Rafinesque)—Small-mouthed buffalo, quillback buffalo, razor-backed buffalo.
 1888-90 As *I. bubalus* Raf.; Miss. Valley; Bibl. 17.
 1889 As *I. bubalus* Raf.; Miss. R.; Bibl. 18.
 1890 As *I. bubalus* (Raf.); Bibl. 19.
 1892 As *I. bubalus* (Raf.); Doubtful identity in Cedar R.; Bibl. 20, p. 108 footnote.
 1892 As *I. bubalus* (Raf.); Bibl. 23.
 1894 As *I. bubalus* (Raf.); Sioux City, East Okoboji Lake; Bibl. 21.
Carpioches difformis Cope—Blunt-nosed river carp.
 1890-91 As *I. difformis* Cope questioned occurrence; Middle R., Warren Co.; Bibl. 2.
Carpioches velifer (Rafinesque)—Quillback, Silver carp.
 1885 As *Ictiobus velifer* Raf.; Ottumwa, Hundred and Two R.; Bibl. 14.
 1888-90 As *I. velifer* Raf.; Cedar R., Iowa R., Skunk R.; Bibl. 17.
 1890 As *C. velifer* (Raf.); Muscatine, Davenport, Lizard Cr., Des Moines, Perry, Ft. Dodge, Beaver Cr., Walnut Cr., Adel, Squaw Cr., Iowa City,

- Amana, Cedar Rapids, Prairie Cr., Austin (Minn.), Dumont, Indian Cr., West Liberty, Waverly, Wheatland, Independence, Anamosa, Sioux City; Bibl. 19.
- 1890-91 As I. velifer Raf.; Middle R., North R.; Bibl. 2.
- 1892 As C. velifer (Raf.); Bibl. 20.
- 1892 As I. velifer Raf.; Bibl. 23.
- Cyclopterus elongatus* (Le Sueur)—Blackhorse, Missouri sucker.
- 1888-90 As C. elongatus Le S.; Miss. Valley; Bibl. 17.
- 1889 As C. elongatus Le S.; Bibl. 18.
- 1890 As C. elongatus (Le S.); Miss. R.; Bibl. 19.
- 1892 As C. elongatus (Le S.); Bibl. 20, p. 108 footnote.
- 1892 As *Cyclaptus elongatus*; Bibl. 23.
- Catostomus commersoni* (Lacépède)—Sucker, fine-scaled sucker.
- 1885 As C. teres Mitchell; Chariton, Hundred and Two R.; Bibl. 14.
- 1888-90 As C. teres Mit.; Bibl. 17.
- 1889 As C. teres Mit.; Bibl. 18.
- 1890 As C. teres Mit.; Miss. R., Des Moines, Raccoon R., Ft. Dodge, Estherville, Walnut Cr., Beaver Cr., Lizard Cr., Perry, Middle R., Adel, North R., Squaw Cr., Skunk R., Belmond, Amana, Iowa City, Dry Cr., Prairie Cr., Cedar Rapids, Waverly, Dumont, Austin (Minn.), Indian Cr., West Liberty, Cedar R. at Palo, Wheatland, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Elkport, Bear Cr., Ft. Atkinson, Upper Iowa R., Sioux City, Boyer R.; Bibl. 19.
- 1890-91 As C. teres Mitchell; Bibl. 2.
- 1892 As C. teres Mitchell; Bibl. 20.
- 1892 As C. teres Mitchell; Bibl. 23.
- 1894 As C. teres Mit.; Lemars, Sioux City; Bibl. 21.
- 1913 As C. commersonii (Lac.); Brook R., Fayette; Bibl. 9.
- C. teres (Mit.) = C. commersoni (Lac.); Bibl. 6, p. 85, and Bibl. 15, p. 46.
- Catostomus nigricans* Le Sueur—Hog sucker, hogmolly.
- 1888-90 As C. nigricans Le S.; Bibl. 17.
- 1890 As C. nigricans Le S.; Perry, Ft. Dodge, Beaver Cr., Des Moines, Raccoon R., Adel, Middle R., Skunk R., Squaw Cr., Belmond, Dry Cr. at Palo, Dumont, Austin (Minn.), Waverly, Cedar Rapids, Prairie Cr., Indian Cr., Mt. Vernon, Independence, Anamosa, Hopkinton, Manchester, Elkport, Bear Cr., Ft. Atkinson, Fayette; Bibl. 19.
- 1890-91 As C. nigricans Le S.; Bibl. 2.
- 1892 As C. nigricans (Le S.); Cedar R.; Bibl. 20.
- 1892 As C. nigricans Le S.; Bibl. 23.
- 1894 As C. nigricans Le S.; Waterloo; Bibl. 21.
- 1913 As C. nigricans Le S.; Brook R.; Bibl. 9.
- Erimyzon suetta* (Lacépède)—Chub sucker.
- 1888-90 As E. suetta Lac.; Bibl. 17.
- 1889 As E. suetta Lac.; Bibl. 18.
- 1890 As E. suetta Lac.; West Liberty; Bibl. 19.
- 1892 As E. suetta (Lac.); Bibl. 20.
- 1892 As E. succeta Lac.; Bibl. 23.
- Minytrema melanops* (Rafinesque)—Spotted sucker, striped sucker.
- 1888-90 As M. melanops Raf.; Squaw Cr., Miss. R., Ames; Bibl. 17.

- 1889 As *M. melanops* Jordan (Probably should have been Rafinesque); Muscatine; Bibl. 18.
- 1890 As *M. melanops* (Raf.); Skunk R., Amana, Cedar R.; Bibl. 19.
- 1892 As *Minytrema melanops* (Raf.); Bibl. 20.
- 1892 As *Minytrema melanops* Raf.; Cedar Rapids; Bibl. 23.
- Moxostoma anisurum* (Rafinesque)—Whitenose.
- 1890 As *M. anisurum* (Le Sueur) (Probably should have been Rafinesque); Lizard Cr., Ft. Dodge; Bibl. 19.
- 1892 As *M. anisurum* (Raf.); Cedar R. from Austin (Minn.) to Waverly; Bibl. 20.
- 1892 As *M. anisurum* (Raf.) (?); Bibl. 23.
- Moxostoma aureolum* (Le Sueur)—Redhorse.
- 1885 As *M. macrolepidotum duquesnei* Le S.; Des Moines R., Ottumwa; Bibl. 14.
- 1890 As *M. aureolum* (Le S.); Skunk R.; Bibl. 19.
- 1890-91 As *M. aureolum* Le S.; Lizard Cr.; Ft. Dodge; Bibl. 2.
- 1892 As *M. aureolum* (Le S.); Bibl. 20, p. 108 footnote.
- 1892 As *M. aureolum* (Le S.); Ames; Bibl. 23.
- 1913 As *M. erythrurum* (Raf.); (Most specimens previously recorded as *M. aureolum*); Bibl. 9. See also under *Placopharynx duquesnei* (Le Sueur).
- M. macrolepidotum duquesnii* = *M. aureolum* in this article; Bibl. 3, p. 362.
- Placopharynx duquesnei* (Le Sueur)—Big-jawed sucker.
- 1888-90 As *Moxostoma duquesnei* Le S.; Bibl. 17.
- 1889 As *M. duquesnei* Le S.; Bibl. 18.
- 1890 As *M. duquesnei* (Le S.); Miss. R., Lizard Cr., Perry, Des Moines, Estherville, Raccoon R., Ft. Dodge, Beaver Cr., Middle R., Adel, Squaw Cr., Skunk R., Belmond, Iowa City, Amana, West Liberty, Cedar Rapids, Prairie Cr., Palo, Waverly, Dumont, Austin (Minn.), Wheatland, Independence, Anamosa, Hopkinton, Worthington, Manchester, Elkport, Ft. Atkinson, Fayette, Chester, Sioux City, Sioux Falls (S. D.); Bibl. 19.
- 1890 As *Placopharynx carinatus* Cope; Bibl. 19.
- 1890-91 As *Moxostoma duquesnei* Le S.; Bibl. 2.
- 1890-91 As *Placopharynx carinatus* Cope; Bibl. 2.
- 1892 As *P. carinatus* (Cope); Bibl. 20, p. 108 footnote.
- 1892 As *Moxostoma duquesnei* Le S.; Cedar R.; Bibl. 20.
- 1892 As [*M. microlepidota* (Le S.) Jordan]; Bibl. 22. We place this form under *P. duquesnei* as suggested in the author's footnote; Bibl. 22, p. 42.
- 1892 As *M. duquesnei* Le S.; Bibl. 23.
- 1892 As *P. carinatus* Cope; Bibl. 23.
- 1894 As *Moxostoma macrolepidotum duquesnei* (Le S.); Lemars, Waterloo; Bibl. 21.
- 1894 As *P. carinatus* Cope; Bibl. 21.
- 1913 As *P. carinatus* Cope; Cherokee; Bibl. 9.
- Placopharynx carinatus* Cope = *Placopharynx duquesnei* (Le S.); Bibl. 6, p. 93 and Bibl. 15, p. 48. There has been some confusion and apparently mixing *Moxostoma aureolum* (Le S.) and *Placopharynx du-*

quesnei (Le S.). For purpose of record we do not attempt to rehash the questions of synonymy, but list as originally published.

Cyprinidae

- Campostoma anomalum* (Rafinesque) — Stone roller, dough-belly.
1854 As *Chondrostoma pullum* Agassiz; Burlington; Bibl. 1, p. 357 foot-note. [Placed here by authority of Bibl. 16.]
1885 As *Campostoma anomalum* Raf.; Village Cr., Ottumwa; Bibl. 14.
1890 As *C. anomalum* (Raf.); Raccoon R., Lizard Cr., Beaver Cr., Walnut Cr., Des Moines, Ft. Dodge, Perry, Four-mile Cr., Adel, North R., Middle R., Skunk R., Squaw Cr., Iowa City, Amana, Belmond, West Liberty, Prairie Cr., Indian Cr., Palo, Waverly, Dumont, Austin (Minn.), Hopkinton, Delhi, Worthington, Manchester, Elkport, Bear Cr., Ft. Atkinson, Fayette, Yellow R., Hickory Cr., Upper Iowa R.; Bibl. 19.
1890-91 As *C. anomalum* Raf.; Bibl. 2.
1892 As *C. anomalum* (Raf.); Cedar R.; Bibl. 20.
1892 As *C. anomalum* Raf.; Bibl. 23.
1894 As *C. anomalum* (Raf.); Sioux City, Ames, Waterloo; Bibl. 21.
1919 As *C. anomalum* Raf.; Cedar Falls; Bibl. 24.
Chrosomus erythrogaster Rafinesque — Red-bellied dace.
1890 As *C. erythrogaster* Raf.; Walnut Cr., Ames, Belmond, Mt. Vernon, Palo, Dry Cr., Waverly, Austin (Minn.), Worthington, Delhi, Manchester (Spring brook), Bear Cr., Yellow R., Hickory Cr.; Bibl. 19.
1890-91 As *C. erythrogaster* Raf.; Bibl. 2.
1892 As *C. erythrogaster* (Raf.); Cedar R.; Bibl. 20.
1892 As *C. erythrogaster* Raf.; Bibl. 23.
Hybognathus nuchalis Agassiz — Silvery minnow.
1885 As *H. nuchalis* Ag.; Ottumwa, Hundred and Two R.; Bibl. 14.
1890 As *H. nuchalis* Ag.; Raccoon R., Perry, Beaver Cr., Walnut Cr., Des Moines, Ft. Dodge, Lizard Cr., Adel, Squaw Cr., Skunk R., Amana, Prairie Cr., Indian Cr., Dumont, Waverly, Wheatland, Independence, Delhi, Sioux City, Soldier R.; Bibl. 19.
1890 As *H. nuchalis placita* (Girard); Adel, Raccoon R.; Bibl. 19.
1890-91 As *H. nuchalis* Ag.; Ames; Bibl. 2.
1892 As *H. nuchalis* Ag.; Cedar R.; Bibl. 20.
1892 As *H. nuchalis placita* Girard; Des Moines R.; Bibl. 20, p. 109 foot-note.
1892 As *H. nuchalis* Ag.; Bibl. 23.
1892 As *H. nuchalis placita* Girard; Bibl. 23.
1894 As *H. nuchalis* Ag.; Lemars; Bibl. 21.
Hybognathus nubila (Forbes).
1890 As *H. nubila* (Forbes); Waverly, Belmond, Austin (Minn.), Anamosa, Fayette; Bibl. 19.
1892 As *H. nubila* (Forbes); Bibl. 20.
1892 As *H. nubila* (Forbes); Bibl. 23.
Pimephales promelas Rafinesque — Fathead.
1885 As *P. promelas* Raf.; Village Cr. at Ottumwa, Chariton, Hundred and Two R.; Bibl. 14.
1890 As *P. promelas* Raf.; Beaver Cr., Raccoon R., Walnut Cr., Des

- Moines, Lizard Cr., Ft. Dodge, Perry, Four-mile Cr., North R., Adel, Skunk R., Squaw Cr., Cedar Rapids, Indian Cr., Palo, Dry Cr., West Liberty, Prairie Cr., Waverly, Dumont, Austin (Minn.), Wheatland, Independence, Hopkinton, Worthington, Delhi, Manchester, Ft. Atkinson, Yellow R., Upper Iowa R., Silver Lake, Soldier R., Boyer R.; Bibl. 19.
- 1890-91 As *P. promelas* Raf.; Bibl. 2.
- 1892 As *P. promelas* Raf.; Cedar R.; Bibl. 20.
- 1892 As *P. promelas* Raf.; Bibl. 23.
- 1894 As *P. promelas* Raf.; Sioux City, Lemars, College Cr. at Ames, Storm Lake; Bibl. 21.
- 1894 As *P. promelas* Raf.; Cedar Falls; Bibl. 24.
- Pimephales notatus* (Rafinesque) — Blunt nose.
- 1885 As *P. notatus* Raf.; Ottumwa, Hundred and Two R.; Bibl. 14.
- 1890 As *P. notatus* (Raf.); Miss R., Beaver Cr., Ft. Dodge, Des Moines, Estherville, Perry, Raccoon R., Lizard Cr., Walnut Cr., Adel, Middle R., Four-mile Cr., North R., Skunk R., Squaw Cr., Amana, Iowa City, Belmond, Indian Cr., West Liberty, Cedar Rapids, Prairie Cr., Palo, Dry Cr., Waverly, Dumont, Austin (Minn.), Cedar R. at Palo, Clear Lake, Anamosa, Wheatland, Independence, Hopkinton, Worthington, Delhi, Manchester, Yellow R., Elkport, Ft. Atkinson, Fayette, Bear Cr., Upper Iowa R., Sioux City, Sioux Falls (S. D.), Silver Lake; Bibl. 19.
- 1890-91 As *P. notatus* Raf.; Bibl. 2.
- 1892 As *P. notatus* (Raf.); Bibl. 20.
- 1892 As *P. notatus* Raf.; Bibl. 23.
- 1894 As *P. notatus* (Raf.); Lemars, Ames, Storm Lake; Bibl. 21.
- 1894 As *P. notatus* Raf.; Cedar Falls; Bibl. 24.
- Semotilus atromaculatus* (Mitchill) — Horned dace, chub.
- 1885 As *S. atromaculatus* Mit.; Chariton, Hundred and Two R.; Bibl. 14.
- 1890 As *S. atromaculatus* (Mit.); Miss. R., Raccoon R., Beaver Cr., Walnut Cr., Des Moines, Estherville, Perry, Adel, Lizard Cr., North R., Ames, Indian Cr., West Liberty, Palo, Dumont, Mt. Vernon, Cedar Rapids, Hopkinton, Worthington, Delhi, Manchester, Bear Cr., Ft. Atkinson, Fayette, Hickory Cr., Yellow R., Soldier R., Boyer R.; Bibl. 19.
- 1890-91 As *S. atromaculatus* Mit.; Bibl. 2.
- 1892 As *S. atromaculatus* (Mit.); Bibl. 20.
- 1892 As *S. atromaculatus* Mit.; Bibl. 23.
- 1894 As *S. atromaculatus* (Mit.); Sioux City; Bibl. 21.
- 1896 As *S. atromaculatus* (Mit.); Bibl. 3.
- 1894 As *S. atromaculatus* Mit.; Cedar Falls; Bibl. 24.
- 1894 As *S. atromaculatus* (Mit.); Delhi Cr.; Ottumwa; Bibl. 12.
- Leuciscus elongatus* (Kirtland) — Shiner.
- 1890 As *L. elongatus* (Kirt.); (Doubtful identification), Palo, Yellow R.; Bibl. 19.
- 1892 As *Phoxinus elongatus* (Kirt.); (Doubtful identification); Bibl. 20.
- 1892 As *Phocinus elongatus* (Kirt.); northeastern Iowa; Bibl. 23.
- Abramis crysoleucas* (Mitchill) — Golden shiner, roach, bream.
- 1890 As *Notemigonus crysoleucus* (Mit.); Davenport, Estherville, Des

- Moines, Perry, Beaver Cr., Skunk R., Squaw Cr., Indian Cr., West Liberty, Waverly, Palo, Dumont, Cedar Rapids, Wheatland, Independence, Anamosa, Hopkinton, Manchester, Sioux City, Silver Lake; Bibl. 19.
- 1890-91 As *N. chrysoleucus* Mit.; Bibl. 2.
- 1892 As *N. chrysolucus* (Mit.); Cedar R.; Bibl. 20.
- 1892 As *Notemigenus chrysoleucus* (Mit.); Bibl. 23.
- 1894 As *Notemigonus chrysoleucus* (Mit.); Ames, Storm Lake, Spirit Lake; Bibl. 21.
- 1924 As *Abramis crysoleucas* (Mit.); Maquoketa; Bibl. 12.
- Cliola vigilax* (Baird and Girard) — Bullhead minnow.
- 1885 As *C. vigilax* B. and G.; Ottumwa; Bibl. 14.
- 1890 As *C. vigilax* (B. and G.); Mad Cr., Davenport, Walnut Cr., Des Moines, Perry, Raccoon R., Beaver Cr., Estherville, Middle R., Adel, Skunk R., Iowa City, Palo, Cedar Rapids, Wheatland, Upper Iowa R.; Bibl. 19.
- 1890-91 As *C. vigilax* (B. and G.); Bibl. 2.
- 1892 As *C. vigilax* (B. and G.); Bibl. 20.
- 1892 As *C. vigilax* (B. and G.); Bibl. 23.
- 1894 As *C. vigilax* B. and G.; Waterloo; Bibl. 21.
- 1924 As *Ceratichthys vigilax* (B. and G.); Amana; Bibl. 12.
- [*Cliola forbesi* Jordan]. See note under *Notropis lutrensis*.
- Notropis anogenus* Forbes.
- 1892 As *N. anogenus* Forbes; Eastern Iowa; Bibl. 23.
- [1890 As *N. anogenus* Forbes; Austin (Minn.); Bibl. 19.]
- [1892 As *N. anogenus* (Forbes); Bibl. 20.]
- Notropis cayuga* Meek.
- 1890 As *N. cayuga* Meek; Estherville, Beaver Cr., Lizard Cr., Adel, Skunk R., Squaw Cr., Belmond, Indian Cr., Waverly, Austin (Minn.), Dumont, Prairie Cr., West Liberty, Wheatland, Hopkinton, Sioux City; Bibl. 19.
- 1890-91 As *N. cayuga* Meek; Raccoon R.; Bibl. 2.
- 1892 As *N. cayuga* (Meek); Cedar R.; Bibl. 20.
- 1892 As *N. cayuga* Meek; Bibl. 23.
- 1894 As *N. cayuga* Meek; Storm Lake, Ames, Lemars; Bibl. 21.
- 1896 As *N. cayuga* Meek; Bibl. 3.
- 1910 As *N. cayuga* Meek; Silver Lake, Brook R.; Bibl. 8.
- Notropis heterodon* (Cope).
- 1890 As *N. heterodon* (Cope); Estherville, Skunk R., Iowa R., West Liberty, Cedar Rapids, Dumont, Waverly, Manchester, Bear Cr., Fayette, Silver Lake; Bibl. 19.
- 1892 As *N. heterodon* (Cope); Cedar R.; Bibl. 20.
- 1892 As *N. heterodon* Cope; Bibl. 23.
- 1894 As *N. heterodon* (Cope); Storm Lake, Ames; Bibl. 21.
- Notropis blennius* (Girard) — Straw-colored minnow.
- 1854 As (?) *Hybopsis dorsalis* Agassiz; Burlington (unidentifiable); Bibl. 1, p. 358 footnote and Bibl. 16, part I, p. 262 footnote.
- 1885 As *N. deliciosus* Gir.; Hundred and Two R., Ottumwa, Chariton; Bibl. 14.
- 1890 As *N. deliciosus* (Gir.); Mad Cr.; Iowa City, Amana, Indian Cr.,

- Cedar Rapids, Dumont, Waverly, West Liberty, Prairie Cr., Palo, Independence, Anamosa, Worthington, Manchester, Hopkinton, Elkport, Fayette, Ft. Atkinson, Decorah, Big Sioux R., Boyer R.; Bibl. 19.
- 1890-91 As N. deliciosus Gir.; Des Moines, Ft. Dodge, Raccoon R., Adel, Perry, Beaver Cr., Walnut Cr., Squaw Cr., Middle R.; Bibl. 2.
- 1892 As N. deliciosus (Gir.); Cedar R.; Bibl. 20.
- 1894 As N. deliciosus (Gir.); Sioux City, Lemars; Bibl. 21.
- 1896 As N. blennius (Gir.); Bibl. 3.
- N. deliciosus (Gir.) = N. blennius (Gir.); Bibl. 6, p. 137 and Bibl. 15, p. 56.
- Notropis topeka Gilbert.
- 1885 As N. topeka Gilb.; Bedford; Bibl. 14.
- 1890 As N. topeka Gilb.; Beaver Cr., Estherville, Lizard Cr.; Amana, Waverly, Shellrock, Sioux City, Boyer R.; Bibl. 19.
- 1892 As N. topeka (Gilb.); Bibl. 20.
- 1892 As N. topeka Gilb.; Bibl. 23.
- 1894 As N. topeka Gilb.; Lemars; Bibl. 21.
- Notropis gilberti Jordan and Meek.
- 1885 As N. gilberti sp. nov.; Village Cr., Chariton; Bibl. 14.
- 1890 As N. gilberti (J. and M.); Mad Cr., Raccoon R., Beaver Cr., Walnut Cr., Des Moines, Lizard Cr., Ft. Dodge, Perry, Middle R., Adel, Four-mile Cr., North R., Skunk R., Squaw Cr., Iowa City, Belmond, Amana, Palo, Waverly, Dumont, Cedar Rapids, Prairie Cr., West Liberty, Wheatland, Independence, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Elkport, Ft. Atkinson, Fayette, Soldier R., Boyer R.; Bibl. 19.
- 1890-91 As N. gilberti J. and M.; Bibl. 2.
- 1892 As N. gilberti (J. and M.); Cedar R.; Bibl. 20.
- 1892 As N. gilberti J. and M.; Bibl. 23.
- 1894 As N. gilberti J. and M.; Sioux City, Lemars; Bibl. 21.
- 1919 As N. gilberti J. and M.; Cedar Falls; Bibl. 24.
- Notropis shumardi (Girard).
- 1892 As N. boops (Gilbert); Southwest Iowa; Bibl. 20, p. 109 footnote.
- 1892 As N. boops Gilbert; Southern Iowa; Bibl. 23.
- N. boops Gilb. = N. shumardi (Gir.) = N. illecebrosus (Gir.); Bibl. 6, p. 140; Bibl. 3, p. 373 and Bibl. 15, p. 57.
- The old N. boops Gilb. is split up and N. illecebrosus (Gir.) and N. shumardi (Gir.) seem to have become heirs to its former possessions.
- Notropis hudsonius (Dewit Clinton) — Spot-tail shiner.
- 1890 As N. hudsonius (De. C.); Clear Lake, Spirit Lake, Okoboji Lakes, Sioux City; Bibl. 19.
- 1892 As N. hudsonius (Dewitte C.); Bibl. 20, p. 109 footnote.
- 1892 As N. hudsonius (Dewitt C.); Little Sioux R.; Bibl. 23.
- 1894 As N. hudsonius (Dewitt C.); Bibl. 21.
- N. lutrensis (Baird and Girard) — Redfin.
- 1885 As N. lutrensis B. and G.; Chariton, Hundred and Two R.; Bibl. 14.
- 1890 As N. lutrensis (B. and G.); Des Moines R., Boyer R.; Bibl. 19.
- 1892 As N. lutrensis (B. and G.); Bibl. 20, p. 109 footnote.
- 1892 As Cliola forbesii Jordan; (S. U. I. Museum); Bibl. 22.
- 1892 As N. lutrensis (B. and G.); Bibl. 23.

- 1894 As *N. lutrensis* B. and G.; Sioux City, Lemars, (Des Moines supposed by Meek to be its eastern limit); Bibl. 21.
- N. lutrensis* (B. and G.) previously listed as *Cliola forbesi*; Bibl. 6, p. 143.
- N. lutrensis* (B. and G.) = *Cyprinella forbesi* Jordan; Bibl. 14, p. 9 under *N. lutrensis*; Bibl. 13, p. 406 and Bibl. 16, part I, p. 272.
- Notropis whipplii* (Girard) — Silver-fin, lemon-fin.
- 1885 As *N. whipplei* Gir.; Ottumwa; Bibl. 14.
- 1890 As *N. whipplei* (Gir.); Miss. R., Estherville, Lizard Cr., Ft. Dodge, Raccoon R., Beaver Cr., Walnut Cr., Des Moines, Perry, Middle R., Adel, North R., Yader Cr., Skunk R., Squaw Cr., Amana, Iowa City, West Liberty, Prairie Cr., Cedar Rapids, Waverly, Dumont, Wheatland, Independence, Anamosa, Hopkinton, Manchester, Elkport, Decorah, Sioux City; Bibl. 19.
- 1890-91 As *N. whipplei* (Gir.); Bibl. 2.
- 1892 As *N. whipplei* Gir.; Cedar R.; Bibl. 20.
- 1892 As *N. whipplei* (Gir.); Bibl. 23.
- 1894 As *N. whipplei* (Gir.); Storm Lake, Waterloo; Bibl. 21.
- Notropis cornutus* (Mitchill) — Shiner, redfin, dace.
- 1885 As *N. megalops* Raf.; Village Cr., Chariton R., Hundred and Two R.; Bibl. 14.
- 1890 As *N. megalops* (Raf.); Beaver Cr., Walnut Cr., Lizard Cr., Perry, Des Moines, Raccoon R., Estherville, Ft. Dodge, Four-mile Cr., Adel, North R., Middle R., Skunk R., Squaw Cr., West Liberty, Waverly, Palo, Dumont, Indian Cr., Prairie Cr., Cedar Rapids, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Upper Iowa R., Big Sioux R., Silver Lake; Bibl. 19.
- 1890-91 As *N. megalops* Raf.; Bibl. 2.
- 1892 As *N. megalops* (Raf.); Bibl. 20.
- 1892 As *N. megalops* (Raf.); Bibl. 23.
- 1894 As *N. megalops* (Raf.); Ames, Lemars, Sioux City; Bibl. 21.
- N. megalops* (Raf.) = *N. cornutus* (Mit.); Bibl. 6, p. 147 and Bibl. 15, p. 58.
- Notropis jejonus* (Forbes).
- 1890 As *N. jejonus* (Forbes); Davenport, Elkport, Cedar Rapids, Fayette; Bibl. 19.
- 1892 As *N. jejonus* (Forbes); Bibl. 20.
- 1892 As *N. jejonus* (Forbes); Bibl. 23.
- Notropis atherinoides* Rafinesque — Shiner.
- 1890 As *N. atherinoides* (Raf.); Iowa City, Waverly, Indian Cr., Cedar Rapids, Sioux City; Bibl. 19.
- 1892 As *N. atherinoides* (Raf.); Cedar R.; Bibl. 20.
- 1892 As *N. atherinoides* (Raf.); Bibl. 23.
- Notropis dilectus* (Girard) — Emerald minnow.
- 1890 As *N. dilectus* (Gir.); Mad Cr., Davenport, Des Moines, Ft. Dodge, Lizard Cr., Beaver Cr., Estherville, Perry, Walnut Cr., Raccoon R., North R., Adel, Skunk R., Squaw Cr., Amana, Waverly, Austin (Minn.), Indian Cr., West Liberty, Dumont, Cedar Rapids, Wheatland, Independence, Anamosa, Hopkinton, Worthington, Elkport, Ft. Atkinson, Yellow R., Upper Iowa R., Sioux City, Sioux Falls (S. D.); Bibl. 19.

- 1890-91 As *N. dilectus* (Gir.); Middle R.; Bibl. 2.
- 1892 As *N. dilectus* (Gir.); Bibl. 20.
- 1892 As *N. dilectus* (Gir.); Bibl. 23.
- 1894 As *N. dilectus* (Gir.); Bibl. 21.
- 1910 As *N. dilectus* (Gir.); Chester; Bibl. 8.
- Notropis rubrifrons* (Cope) — Rosy-faced minnow.
- 1885 As *N. rubrifrons* Cope; Ottumwa, Chariton R., Bibl. 14.
- 1890-91 As *N. rubrifrons* Cope; Squaw Cr.; Bibl. 2.
- Call states that *N. rubrifrons* (Cope) is to be placed in the synonymy of *N. ardens* Cope; Bibl. 2.
- Notropis umbratilis* (Girard) — Redfin.
- 1885 As *N. umbratilis* Gir.; Hundred and Two R.; Bibl. 14.
- 1890-91 As *N. umbratilis* Gir.; North R., Racoon R., Adel, Des Moines, Perry, Middle R., Walnut Cr., Beaver Cr.; Bibl. 2.
- Notropis umbratilis umbratilis* (Girard).
- 1896 As *N. umbratilis umbratilis* Gir.; Southwestern Iowa; Bibl. 16.
- Notropis umbratilis atripes* (Jordan) — Blackfin.
- 1890 As *N. ardens* (Cope); Ft. Dodge, Beaver Cr., Des Moines, Racoon R., Perry, Walnut Cr., Middle R., North R., Skunk R., Squaw Cr., Belmond, Indian Cr., Prairie Cr., Waverly, Palo, Austin (Minn.), Wheatland, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Elkport, Ft. Atkinson, Upper Iowa R.; Bibl. 19.
- 1890-91 As *N. ardens* Cope; Bibl. 2.
- 1892 As *N. ardens* (Cope); Cedar R.; Bibl. 20.
- 1892 As *N. ardens* (Cope); *N. umbratilis* Jordan. [Records seem to be confused]; Bibl. 23.
- N. ardens* Cope probably is equivalent to *N. umbratilis atripes* (Jordan) for Iowa. The old species seemed to have three varieties; *atrides*, *lythrurus* and *cyancephalus*. In splitting up the species, Pratt carries these over as subspecies of *N. umbratilis*. Bibl. 26, p. 84; Bibl. 6, p. 154 and Bibl. 15, p. 60.
- Since *N. ardens* is split into three varieties and placed under *N. umbratilis*, we follow Bibl. 6 (Forbes and Richardson) in making it equivalent to *N. umbratilis atripes* (Jord.).
- Phenacobius mirabilis* (Girard) — Sucker-mouthed minnow.
- 1885 As *P. mirabilis* Gir.; Ottumwa, Hundred and Two R.; Bibl. 14.
- 1890 As *P. mirabilis* (Gir.); Des Moines, Raccoon R., Walnut Cr., Beaver Cr., Perry, Middle R., North R., Four-mile Cr., Amana, Iowa City, Indian Cr., West Liberty, Palo, Cedar Rapids, Boyer R.; Bibl. 19.
- 1890-91 As *P. mirabilis* Gir.; Squaw Cr.; Bibl. 2.
- 1892 As *P. mirabilis* (Gir.); Bibl. 20.
- 1892 As *P. mirabilis* (Gir.); Bibl. 23.
- Rhinichthys cataractae* (Cuvier and Valenciennes) — Long-nosed dace.
- 1890 As *R. cataractae* (C. and V.); Decorah; Bibl. 19.
- 1892 As *R. cataractae* (C. and V.); Upper Iowa R.; Bibl. 20, p. 109 footnote.
- 1892 As *R. cataractae* (C. and V.); Bibl. 23.
- Rhinichthys atronasus* (Mitchill) — Black-nosed dace.
- 1890 As *R. atronasus* (Mit.); Lizard Cr., Ft. Dodge, Walnut Cr., Beaver

- Cr., Palo, Mt. Vernon, Worthington, Delhi, Spring Branch, Bear Cr. of Turkey R., Hickory Cr., Upper Iowa R.; Bibl. 19.
- 1890-91 As *Rhynichthys atronasus* (Mit.); Bibl. 2.
- 1892 As *Rhynichthys atronasus* (Mit.); Bibl. 20.
- 1892 As *Rhiniichthys atronasus* (Mit.); Bibl. 23.
- [*Rhinichthys atronasus meleagris* (Agassiz)]
- 1854 As *R. Meleagris* Ag.; Burlington; Bibl. 1, p. 357 footnote.
- Not recognized as a separate subspecies by Pratt. Distribution "Illinois and Iowa, perhaps indistinguishable from *lunatus*," Bibl. 16, p. 308. *R. atronasus lunatus* Cope is recognized by Pratt.
- Hybopsis hyostomus* (Gilbert).
- 1885 As *H. hyostomus* Gilb.; Ottumwa; Bibl. 14.
- 1892 As *H. hyostomus* Gilb.; Southwestern Iowa; Bibl. 20, p. 109 footnote.
- 1892 As *Hybopsi hyostomus* (Gilb.); Bibl. 23.
- Hybopsis geldius* (Girard).
- 1890 As *H. gelidus* (Gir.); Mo. R.; Bibl. 19.
- 1892 As *H. gelidus* (Gir.); Bibl. 20.
- 1892 As *Hybopsi gelidus* (Gir.); Bibl. 23.
- Hybopsis dissimilis* (Kirtland) — Spotted shiner.
- 1885 As *H. dissimilis* (Kirt.); Ottumwa; Bibl. 14.
- 1890 As *H. dissimilis* (Kirt.); Cedar Rapids, Waverly, Independence, Elkport; Bibl. 19.
- 1892 As *Hybopsi dissimilis* Kirt.; Bibl. 23.
- Hybopsis storerianus* (Kirtland) — Storer's chub.
- 1885 As *H. storerianus* Kirt.; Ottumwa; Bibl. 14.
- 1890 As *H. storerianus* (Kirt.); Mouth of Mad Cr., Davenport, Raccoon R., Des Moines, Perry, Middle R., Adel, Walnut Cr., Amana, Iowa City, Prairie Cr., Wheatland, Elkport; Bibl. 19.
- 1890-91 As *H. storerianus* (Kirt.); Bibl. 2.
- 1892 As *H. storerianus* (Kirt.); Cedar R.; Bibl. 20.
- 1892 As *Hybopsi storerianus* (Kirt.); Bibl. 23.
- 1894 As *H. storerianus* (Kirt.); Sioux City; Bibl. 21.
- Hybopsis kentuckiensis* (Rafinesque) — Horny head river chub, jerker.
- 1885 As *H. biguttatus* Kirtland; Ottumwa, Hundred and Two R.; Bibl. 14.
- 1890 As *H. kentuckiensis* (Raf.); Estherville, Walnut Cr., Beaver Cr., Raccoon R., Des Moines, Ft. Dodge, Lizard Cr., Perry, Adel, North R., Skunk R., Squaw Cr., Belmond, Iowa City, Waverly, Palo, Indian Cr., West Liberty, Dumont, Cedar Rapids, Anamosa, Worthington, Manchester, Elkport, Yellow R., Upper Iowa R., Sioux Falls (S. D.); Bibl. 19.
- 1890-91 As *H. kentuckiensis* Raf.; Bibl. 2.
- 1892 As *H. kentuckiensis* (Raf.); Cedar R.; Bibl. 20.
- 1892 As *Hybopsi kentuckiensis* (Raf.); Bibl. 23.
- H. biguttatus* Kirt. = *H. kentuckiensis* (Raf.); Bibl. 3, p. 361 and Bibl. 26, p. 90.
- Couesius dissimilis* (Girard).
- 1890 As *C. dissimilis* (Gir.); Belmond; Bibl. 19.
- 1892 As *C. dissimilis* (Gir.); Cedar R.; Bibl. 20.
- 1892 As *C. dissimilis* (Gir.); Bibl. 23.

Platygobio gracilis (Richardson) — Flatheaded chub.

1890 As *P. gracilis* (Rich.) ; Mo. R.; Bibl. 19.

1892 As *Platygobio gracilis* (Rich.) ; Bibl. 20, p. 109 footnote.

1892 As *Platygobio gracilis* (Rich.) ; Bibl. 23.

Siluridae

Ictalurus furcatus (Le Sueur) — Great forked-tail cat, blue cat, fulton cat.

1888-90 As *I. furcatus* Cuvier and Valenciennes; Miss. Valley; Bibl. 17.

1889 As *I. furcatus* (C. and V.); Bibl. 18.

1890 As *I. furcatus* (C. and V.); Mo. R.; Bibl. 19.

1892 As *Ameiurus nigricans*, doubtful occurrence; Cedar R.; Miss. R.; Bibl. 20, p. 108.

1892 As *I. furcatus* (C. and V.); Bibl. 20, p. 107, footnote.

1892 As *I. furcatus* (C. and V.); Western Iowa; Bibl. 23.

1892 As *Ameiurus nigricans* (Le S.); Bibl. 23.

I. furcatus (Le S.) = *Icthaelurus furcatus* (C. and V.) = *Ameiurus nigricans* [part] (Le S.); Bibl. 6, p. 178 and Bibl. 13, p. 328, 329. A. nigricans Le S. probably is *I. furcatus* (Le S.); Bibl. 6, p. 184 footnote.

Ictalurus punctatus (Rafinesque) — Channel cat, spotted cat, fiddler.

1885 As *I. punctatus* Raf.; Ottumwa, Hundred and Two R.; Bibl. 14.

1888-90 As *I. punctatus* Raf.; Bibl. 17.

1889 As *I. punctatus* Raf.; Bibl. 18.

1890 As *I. punctatus* (Raf.); Muscatine, Davenport, Des Moines, Middle R., Raccoon R., Adel, Ft. Dodge, Lizard Cr., Perry, North R., Walnut Cr., Beaver Cr., Skunk R., Amana, Iowa City, Cedar Rapids, Palo, Wheatland, Mo. R., Sioux City; Bibl. 19.

1890-91 As *I. punctatus* Raf.; Bibl. 2.

1892 As *I. punctatus* (Raf.); Cedar R.; Bibl. 20.

1892 As *I. punctatus* (Raf.); Bibl. 23.

1915 As *I. punctatus* (Raf.); Hornick, Ottumwa; Bibl. 10.

Ameiurus natalis (Le Sueur) — Yellow cat.

1888-90 As *A. natalis* Le S.; Indian Cr.; Bibl. 17.

1889 As *A. natalis* Le S.; Marion; Bibl. 18.

1890 As *A. natalis* (Le S.); Bibl. 19.

1892 As *A. natalis* (Le S.); Cedar R.; Bibl. 20.

1892 As *A. natalis* Le S.; Bibl. 23.

1915 As *A. natalis* (Le S.); Brook R.; Bibl. 10.

Ameiurus nebulosus (Le Sueur) — Bullhead, horned pout.

1885 As *A. nebulosus* (Le S.); Ottumwa; Bibl. 14.

1888-90 As *A. nebulosus* Le S.; Bibl. 17.

1889 As *A. nebulosus* Le S.; Bibl. 18.

1890 As *A. nebulosus* (Le S.); Miss. R., Dry Cr., Palo, Dumont, Indian Cr., Austin (Minn.), Independence, Skunk R. (Ia. Agri. College Museum); Bibl. 19.

1892 As *A. nebulosus* (Le S.); Cedar R.; Bibl. 20.

1892 As *A. nebulosus* (Le S.); Bibl. 23.

Ameiurus melas (Rafinesque) — Black bullhead.

1885 As *A. melas* Raf.; Chariton, Hundred and Two R.; Bibl. 14.

1888-90 As *A. melas* Raf.; Bibl. 17.

1889 As *A. melas* Raf.; Bibl. 18.

- 1890 As *A. melas* (Raf.); Muscatine, Davenport, Raccoon R., Des Moines, Ft. Dodge, Walnut Cr., Estherville, Perry, North R., Adel, Beaver Cr., Skunk R., Squaw Cr., Garner, Belmond, Cedar Rapids, Indian Cr., Dumont, Dry Cr., Waverly, Prairie Cr., Mt. Vernon, Clear Lake, Wheatland, Independence, Anamosa, Worthington, Manchester, Ft. Atkinson, Decorah, Silver Lake, Soldier R., Boyer R.; Bibl. 19.
- 1890-91 As *A. melas* Raf.; Bibl. 2.
- 1892 As *A. melas* (Raf.); Cedar R.; Bibl. 20.
- 1892 As *A. melas* Raf.; Bibl. 23.
- 1894 As *A. melas* (Raf.); Lemars, Storm Lake, Spirit Lake; Bibl. 21.
- 1915 As *A. melas* (Raf.); Ottumwa, Silver Lake; Bibl. 10.
- Leptops olivaris* (Rafinesque) — Mud cat, goujon.
- 1888-90 As *L. olivaris* Raf.; Bibl. 17.
- 1889 As *L. olivaris* Raf.; Bibl. 18.
- 1890 As *L. olivaris* (Raf.); Miss. R., Cedar R.; Bibl. 19.
- 1892 As *L. olivaris* (Raf.); Bibl. 20.
- 1892 As *L. olivaris* (Raf.); Bibl. 23.
- Noturus flavus* Rafinesque — Stone cat.
- 1885 As *N. flavus* Raf.; Ottumwa, Hundred and Two R.; Bibl. 14.
- 1888-90 As *N. flavus* Raf.; Bibl. 17.
- 1890 As *N. flavus* (Raf.); Cedar Rapids, Mo. R., Sioux City, Sioux Falls (S. D.); Bibl. 19.
- 1892 As *N. flavus* (Raf.); Bibl. 20.
- 1892 As *N. flavus* (Raf.); Bibl. 23.
- 1915 As *N. flavus* Raf.; Chariton and Brook R.; Bibl. 10.
- Schilbeodes gyrinus* (Mitchill) — Mad-tom.
- 1885 As *Noturus gyrinus* Raf. (Probably mistake as to author); Chari-ton; Bibl. 14.
- 1888-90 As *N. gyrinus* Mit.; Bibl. 17.
- 1890 As *N. gyrinus* (Mit.); Miss. R., Estherville, Raccoon R., Ft. Dodge, Des Moines, Skunk R., Squaw Cr., Belmond, Amana, West Liberty, Waverly, Dumont, Dry Cr., Indian Cr., Big Sioux R.; Bibl. 19.
- 1890-91 As *N. gyrinus* Mit.; Bibl. 2.
- 1892 As *N. gyrinus* (Mit.); Cedar R.; Bibl. 20.
- 1892 As *N. Gyrinus* (Mitchell); Bibl. 23.
- 1894 As *N. gyrrinus* (Mitchill); Lemars, Sioux City, Storm Lake; Bibl. 21.
- 1915 As *S. gyrrinus* (Mit.); Brook R.; Bibl. 10.
- Schilbeodes exilis* (E. W. Nelson).
- 1888-90 As *Noturus exilis* Nel.; Bibl. 17.
- 1890 As *N. exilis* Nel.; Skunk R. (Ia. Agri. College Museum), Perry; Bibl. 19.
- 1890-91 As *N. exilis* Nel.; Raccoon R.; Bibl. 2.
- 1892 As *N. exilis* (Nel.); Des Moines R.; Bibl. 20.
- 1892 As *N. exilis* Nel.; Ames; Bibl. 23.
- 1915 As *S. exilis* (Nel.); Brook R.; Bibl. 10.
- [*Schilbeodes miurus* (Jordan) (Doubtful record)].
- 1892 As *Noturus miurus* Jordan; Iowa (Not taken); Bibl. 23.

*Umbridae**Umbra lima* (Kirtland).1890 As *U. lima* (Kirt.); Garner, Dumont; Bibl. 19.

- 1892 As *U. lima* (Kirt.) ; Ponds along Cedar R.; Bibl. 20.
 1892 As *Umbrilimi* (Kirt.) ; Bibl. 23.

Esocidae

- Esox lucius* Linnæus — Pike.
 1889 As *E. lucius* L.; Iowa Lakes; Bibl. 18.
 1890 As *Lucius lucius* (L.); Miss. R., Ft. Dodge, Perry, Raccoon R.,
 Adel, Des Moines, Skunk R., Belmond, Amana, Waverly, Dumont,
 Cedar Rapids, Clear Lake, Independence, Boyer R.; Bibl. 19.
 1890-91 As *E. lucius* L.; Bibl. 2.
 1892 As *L. lucius* (L.); Cedar R.; Bibl. 20.
 1892 As *E. lucius* L.; Bibl. 23.
 1894 As *L. lucius* (L.); Lemars, Sioux City, Storm Lake, East and West
 Okoboji Lakes, Spirit Lake; Bibl. 21.
 1916 As *E. lucius* L.; Hornick, Brook R.; Bibl. 11.
Esox masquinongy Mitchell — Muscalonge, muskallunge.
 1889 As *E. nobilior* Thompson; Miss. R., Skunk R.; Bibl. 18.
 1890 As *Lucius masquinongy* (Mit.); Bibl. 19.
 1890-91 As *E. masquinongy* Mit.; Skunk R. near Ames; Bibl. 2.
 1892 As *L. masquinongy* (Mit.); Bibl. 20.
 1892 As *E. masquinongy* (Mit.); Ames; Bibl. 23.
Esox masquinongy Mit. = *Esox nobilior* Th.; Bibl. 16, part 1, p. 629;
 Bibl. 4 and Bibl. 2, p. 52.
Esox vermiculatus Le Sueur — Grass pike, little pickerel.
 1889 As *E. vermiculatus* Le S.; Bibl. 18.
 1890 As *Lucius vermiculatus* (Le S.); Miss. R., Beaver Cr., Yader Cr.,
 West Liberty, Palo, Cedar Rapids; Bibl. 19.
 1890-91 As *E. vermiculatus* Le S.; Bibl. 2.
 1892 As *L. vermiculatus* (Le S.); Bibl. 20.
 1892 As *E. vermiculatus* Le S.; Bibl. 23.

Poeciliidae

- Fundulus zebrinus* Jordan and Gilbert.
 1890 As *F. zebrinus* J. and G.; Ft. Dodge, Belmond, Dumont, Clear Lake,
 Sioux City, Silver Lake; Bibl. 19.
 1892 As *F. zebrinus* (J. and G.); Cedar basin; Bibl. 20.
 1892 As *F. zebrinus* J. and G.; Bibl. 23.
 1894 As *F. zebrinus* J. and G.; Storm Lake and East Okoboji Lake; Bibl.
 21.
Fundulus macdonaldi (Meek).
 1892 As *Zygonectes macdonaldi* Meek; Western Iowa; Bibl. 23.
Fundulus sciadicus Cope.
 1892 As *Zygonectes sciadicus* (Cope); Le Mars; Bibl. 20, p. 110 footnote.
 1894 As *Z. sciadicus* (Cope); Bibl. 21.
Fundulus dispar (Agassiz).
 1890 As *Zygonectes dispar* Ag.; West Liberty; Bibl. 19.
 1892 As *Z. dispar* (Ag.); bayou at West Liberty; Bibl. 20.
 1892 As *Z. dispar* Ag.; Bibl. 23.
Fundulus notatus (Rafinesque) — Top minnow.
 1890 As *Zygonectes notatus* (Raf.); Raccoon R., Skunk R., Squaw Cr.,
 Iowa City, Indian Cr., Cedar Rapids, Wheatland; Bibl. 19.

- 1890-91 As *Z. notatus* Raf.; Des Moines; Bibl. 2.
 1892 As *Z. notatus* (Raf.); Bibl. 20.
 1892 As *Z. notatus* (Raf.); Bibl. 23.

Gasterosteidae

- Eucalia inconstans* (Kirtland) — Brook stickleback.
 1890 As *E. inconstans* (Kirt.); Waverly, Mt. Vernon, Hopkinton, Worthington, Manchester, Delhi, Ft. Atkinson, Hickory Cr., Chester; Bibl. 19.
 1892 As *E. inconstans* (Kirt.); Small brooks of Cedar basin; Bibl. 20.
 1892 As *E. inconstans* (Kirt.); Bibl. 23.
 Some of those from Hickory Cr. are reported to be black.

Percopsidae

- Percopsis guttatus* Agassiz — Trout perch.
 1890 As *P. guttatus* Ag.; Sioux City, Boyer R.; Bibl. 19.
 1892 As *P. guttatus* (Ag.); tributaries of the Mo. R.; Bibl. 20, p. 110 footnote.
 1892 As *P. guttatus* Ag.; Okoboji lakes, Cherokee; Bibl. 23.
 1894 As *P. guttatus* Ag.; Lemars, East Okoboji, Mill Cr.; Bibl. 21.

Atherinidae

- Labidesthes sicculus* (Cope) — Brook silversides.
 1890 As *L. sicculus* Cope; Mouth of Mad Cr., Davenport, Ft. Dodge, Raccoon R., Skunk R., Squaw Cr., West Liberty, Cedar Rapids, Waverly, Mt. Vernon, Indian Cr., Wheatland; Bibl. 19.
 1890-91 As *L. sicculus* Cope; Des Moines, Adel; Bibl. 2.
 1892 As *L. sicculus* (Cope); Bibl. 20.
 1892 As *L. sicculus* Cope; Bibl. 23.

Centrarchidae

- Pomoxis annularis* Rafinesque — Crappie.
 1885 As *Pomoxys annularis* Raf.; Ottumwa; Bibl. 14.
 1889 As *Pomoxis annularis* Raf.; Bibl. 18.
 1890 As *P. annularis* Raf.; Miss. R., Davenport, Raccoon R., Middle R., Amana, Cedar Rapids, Waverly, Des Moines, Wheatland; Bibl. 19.
 1890-91 As *Pomoxys annularis* Raf.; Bibl. 2.
 1892 As *Pomoxys annularis* (Raf.); Bibl. 20.
 1892 As *Pomoxis annularis* Raf.; Southern Iowa; Bibl. 23.
Pomoxis sparoides (Lacépède) — Calico bass.
 1889 As *P. sparoides* Lac.; near Muscatine; Bibl. 18.
 1890 As *P. sparoides* (Lac.); Miss. R., Skunk R., Amana, Iowa City, West Liberty, Waverly, Cedar Rapids, Dumont, Palo, Indian Cr., Wheatland, Independence, Anamosa; Bibl. 19.
 1892 As *Pomoxys sparoides* (Lac.); Bibl. 20.
 1892 As *Pomoxis sparoides* (Lac.); Bibl. 23.
 1894 As *P. sparoides* (Lac.); East Okoboji Lake; Bibl. 21.
 [Acantharchus pomotis (Baird)] — Mud sunfish. A species restricted to Atlantic coastal streams according to Pratt.
 1892 As *A. promotis* (Baird); Iowa City (S. U. I. Museum); Bibl. 22.
Ambloplites rupestris (Rafinesque) — Rock bass.
 1889 As *A. rupestris* Raf.; Bibl. 18.

- 1890 As *A. rupestris* (Raf.); Miss. R., Ft. Dodge, Estherville, Raccoon R., Lizard Cr., Perry, Adel, Ames (Ia. Agri. College Museum), Cedar Rapids, Dumont, Waverly, Wheatland, Sioux Falls (S. D.), Sioux City; Bibl. 19.
- 1890-91 As *A. rupestris* Raf.; Adel, Des Moines, Perry, Ft. Dodge, Estherville; Bibl. 2.
- 1892 As *A. rupestris* (Raf.); Bibl. 20.
- 1892 As *A. rupestris* Raf.; Bibl. 23.
- 1894 As *A. rupestris* (Raf.); Bibl. 21.
Chaenobryttus gulosus (Cuvier and Valenciennes) — Warmouth.
- 1889 As *C. gulosus* (C. and V.); Bibl. 18.
- 1890 As *C. gulosus* (C. and V.); Davenport, Amana, West Liberty, Cedar Rapids; Bibl. 19.
- 1892 As *C. gulosus* (C. and V.); Cedar R.; Bibl. 20.
- 1892 As *C. gulosus* (C. and V.); Southern Iowa; Bibl. 23.
Lepomis cyanellus Rafinesque — Green sunfish.
- 1885 As *L. cyanellus* Raf.; Ottumwa, Chariton, Hundred and Two R.; Bibl. 14.
- 1889 As *L. cyanellus* Raf.; Bibl. 18.
- 1890 As *L. cyanellus* (Raf.); Muscatine, Davenport, Beaver Cr., Perry, Raccoon R., Des Moines, Ft. Dodge, Estherville, North R., Middle R., Walnut Cr., Adel, Skunk R., Squaw Cr., Belmond, Iowa City, Prairie Cr., West Liberty, Palo, Dumont, Cedar Rapids, Indian Cr., Waverly, Wheatland, Independence, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Ft. Atkinson, Fayette, Sioux Falls (S. D.), Sioux City, Soldier R., Boyer R.; Bibl. 19.
- 1890-91 As *L. cyanellus* Raf.; Bibl. 2.
- 1892 As *L. cyanellus* (Raf.); Bibl. 20.
- 1892 As *L. cyanellus* (Raf.); Bibl. 23.
- 1894 As *L. cyanellus* (Raf.); Lemars, Storm Lake; Bibl. 21.
Lepomis megalotis (Rafinesque) — Long-eared sunfish.
- 1889 As *L. megalotis* Raf.; Bibl. 18.
- 1890 As *L. megalotis* (Raf.); Miss. R., Estherville, Raccoon R., Beaver Cr.; Belmond, Dumont, Hopkinton, Chester, Silver Lake; Bibl. 19.
- 1890-91 As *L. megalotis* Raf.; Des Moines R.; Bibl. 2.
- 1892 As *L. megalotis* (Raf.); Cedar R.; Bibl. 20.
- 1892 As *L. megalotis* (Raf.); Bibl. 23.
- 1906 As *L. megalotis* (Raf.); Brook R. (E. D. Cope); Bibl. 7.
Lepomis humilis (Girard) — Orange-spotted sunfish, spotted sunfish.
- 1885 As *L. humilis* Gir.; Ottumwa, Hundred and Two R.; Bibl. 14.
- 1890 As *L. humilis* (Gir.); Davenport, Raccoon R., Perry, Ft. Dodge, Middle R., Des Moines, Beaver Cr., Walnut Cr., North R., Adel, Skunk R., Cedar Rapids, Sioux Falls (S. D.), Sioux City, Boyer R.; Bibl. 19.
- 1890-91 As *L. humilis* Gir.; Squaw Cr.; Bibl. 2.
- 1892 As *L. humilis* (Gir.); Bibl. 20.
- 1892 As *L. numilis* (Gir.); Southwestern Iowa; Bibl. 23.
- 1894 As *L. humilis* (Gir.); Lemars, Sioux City, Storm Lake; Bibl. 21.
Lepomis macrochirus Rafinesque.
- 1890 As *L. macrochirus* Raf.; Waverly, Dumont; Bibl. 19.
- 1892 As *L. macrochirus* (Raf.); Bibl. 20.

- 1892 As *L. macrochirius* (Raf.); Bibl. 23.
Lepomis pallidus (Mitchill) — Bluegill.
1889 As *L. pallidus* Mit.; Bibl. 18.
1890 As *L. pallidus* (Mit.); Davenport, Des Moines, Raccoon R., Adel, Squaw Cr., Amana, Iowa City, Indian Cr., West Liberty, Waverly, Palo, Cedar Rapids, Clear Lake, Wheatland, Independence, Anamosa, Worthington; Bibl. 19.
1890-91 As *L. pallidus* Mit.; Bibl. 2.
1892 As *L. pallidus* (Mit.); Bibl. 20.
1892 As *L. pallidus* (Mit.); Bibl. 23.
1894 As *L. pallidus* (Mit.); Spirit Lake; Bibl. 21.
1925 As *L. pallidus* (Mitchill); West Okoboji and adjacent lakes; Potter — Scales of the Bluegill; Trans. Amer. Micro. Soc., Jan., 1925, Vol. 44, p. 31.
- [*Eupomotis holbrooki* (Cuvier and Valenciennes)] Probably *E. heros* (Baird and Girard). *Lepomis holbrooki* (C. and V.) = *Eupomotis holbrooki* C. and V., however it seems that Iowa specimens so listed are possibly *E. heros* (B. and G.). *Lepomis holbrooki* var. *notatus* Agassiz = *E. heros* (B. and G.); Bibl. 15, p. 119; Bibl. 26, p. 120 and Bibl. 6, p. 259.
- 1890 As *L. holbrooki* (C. and V.); Amana, Cedar Rapids, West Liberty; Bibl. 19.
1892 As *L. holbrooki* (C. and V.); Bibl. 20.
1892 As *L. holbrooki* (C. and V.); Bibl. 23.
Eupomotis gibbosus (Linnæus) — Pumpkinseed sunfish.
1889 As *Lepomis gibbosus* L.; Bibl. 18.
1890 As *L. gibbosus* (L.); Miss R., Indian Cr., Waverly, Cedar Rapids, Wheatland; Bibl. 19.
1892 As *L. gibbosus* (L.); Bibl. 20.
1892 As *L. gibbosus* (L.); Bibl. 23.
1894 As *L. gibbosus* (L.); Spirit Lake; Bibl. 21.
Micropterus dolomieu Lacépède — Small-mouthed black bass.
1885 As *M. dolomiei* Lac.; Ottumwa; Bibl. 14.
1889 As *M. dolomieu* Lac.; Bibl. 18.
1890 As *M. dolomieu* Lac.; Muscatine, Davenport, Ft. Dodge, Des Moines R., Raccoon R., Lizard Cr., Perry, Beaver Cr., Estherville, Adel, Middle R., Squaw Cr., Skunk R., Cedar Rapids, Indian Cr., Dumont, Waverly, Palo, Clear Lake, Wheatland, Independence, Anamosa, Manchester, Ft. Atkinson, Fayette; Bibl. 19.
1890-91 As *M. dolomieu* Lac; Des Moines; Bibl. 2.
1892 As *Macropterus dolomieu* (Lac.); Bibl. 20.
1892 As *Micropterus dolomieu* Lac.; Bibl. 23.
1894 As *M. dolomieu* (Lac.); Spirit Lake; Bibl. 21.
Micropterus salmoides (Lacépède) — Large-mouthed black bass.
1889 As *M. salmoides* Lac.; Bibl. 18.
1890 As *M. salmoides* (Lac.); opposite Muscatine, Davenport, Raccoon R., Perry, Beaver Cr., Adel, Des Moines, Skunk R., Squaw Cr., Iowa City, Palo, Cedar Rapids, Waverly, West Liberty, Indian Cr., Wheatland, Independence, Anamosa; Bibl. 19.
1890-91 As *M. salmoides* Lac.; Bibl. 2.

- 1892 As *Macropterus salmoides* (Lac.) ; Bibl. 20.
 1892 As *Micropterus salmoides* Lac. ; Bibl. 23.
 1894 As *M. salmoides* (Lac.) ; Lemars, Sioux City, Spirit Lake ; Bibl. 21.

Percidae

- Perca flavescens* (Mitchill) — Yellow Perch.
 1889 As *P. flavescens* Mit. ; In northern lakes ; Bibl. 18.
 1890 As *P. flavescens* (Mit.) ; Miss. R., Estherville, Perry, Belmond, Dumont, Cedar Rapids, Clear Lake, Sioux Falls (S. D.) ; Sioux City, Silver Lake ; Bibl. 19.
 1892 As *P. lutea* (Rafinesque) ; Bibl. 20. No synonymy was found, hence listed under *P. flavescens* which Meek evidently meant.
 1892 As *P. flavescens* (Mit.) ; Bibl. 23.
 1894 As *P. flavescens* (Mit.) ; Storm Lake, East Okoboji Lake, Spirit Lake ; Bibl. 21.
Stizostedion vitreum (Mitchill) — Wall-eyed pike, pike-perch, jack-salmon.
 1889 As *S. vitreum* ; Spirit Lake and larger streams ; Bibl. 18.
 1890 As *S. vitreum* (Mit.) ; Miss. R., Iowa State University Museum, Cedar R., Clear Lake, Big Sioux R. ; Bibl. 19
 1892 As *S. vitreum* (Mit.) ; Bibl. 20.
 1892 As *S. vitreum* (Mit.) ; Bibl. 23.
 1894 As *S. vitreum* (Mit.) ; W. Okoboji Lake ; Bibl. 21.
Stizostedion canadense (C. H. Smith) — Sauger, sand pike.
 1889 As *S. canadense* Smith ; Bibl. 18.
 1890 As *S. canadense* (Smith) ; Miss. R., Cedar R., Big Sioux R. ; Bibl. 19.
 1892 As *S. canadense* (Smith) ; Bibl. 20.
 1892 As *S. canadense* (Smith) ; Bibl. 23.
 1894 As *S. canadense* (Smith) ; Lemars, Sioux City, Spirit Lake ; Bibl. 21.
Stizostedion canadense boreum (Girard).
 1906 As *S. c. boreum* (Gir.) ; Battle Creek, Ia. (E. D. Cope) ; Bibl. 7.
Percina caprodes (Rafinesque) — Log perch.
 1890 As *Etheostoma caprodes* (Raf.) ; Estherville, Ft. Dodge, Des Moines, Waverly ; Bibl. 19.
 1890-91 As *E. caprodes* Raf. ; Bibl. 2.
 1892 As *E. caprodes* (Raf.) ; Cedar R. ; Bibl. 20.
 1892 As *E. caprodes* Raf. ; Bibl. 23.
 1894 As *E. caprodes* (Raf.) ; Waterloo ; Bibl. 21.
Hadropterus phoxocephalus (Nelson).
 1885 As *H. phoxocephalus* Nel. ; Ottumwa ; Bibl. 14.
 1890 As *Etheostoma phoxocephalum* Nel. ; Miss. R., Estherville, Perry, Palo, Cedar Rapids ; Bibl. 19.
 1890-91 As *E. phoxocephalum* Nel. ; Adel ; Bibl. 2.
 1892 As *E. phoxocephalum* (Nel.) ; Bibl. 20.
 1892 As *E. phoxocephalum* Nel. ; Southern Iowa ; Bibl. 23.
Hadropterus aspro (Cope and Jordan) — Black-sided darter.
 1890 As *Etheostoma aspro* (C. and J.) ; Estherville, Des Moines, Lizard Cr., Ft. Dodge, Perry, Beaver Cr., North R., Adel, Skunk R., Squaw Cr., Belmond, Iowa City, Indian Cr., West Liberty, Waverly, Dumont, Prairie Cr., Cedar Rapids, Anamosa, Hopkinton, Manchester, Ft. Atkinson ; Bibl. 19.

- 1890-91 As *E. aspro* C. and J.; Bibl. 2.
 1892 As *E. aspro* (C. and J.); Bibl. 20.
 1892 As *E. aspro* C. and J.; Bibl. 23.
 1894 As *E. aspro* (C. and J.); Sioux City; Bibl. 21.
Hadropterus evides (Jordan and Copeland).
 1885 As *H. evides* J. and C.; Ottumwa; Bibl. 14.
 1890 As *Etheostoma evides* J. and C.; Cedar Rapids; Bibl. 19.
 1892 As *E. evides* (J. and C.); Bibl. 20.
 1892 As *E. evides* (J. and C.); Southern Iowa; Bibl. 23.
 1894 As *E. evides* (J. and C.); Waterloo; Bibl. 21.
Cottogaster shumardi (Girard).
 1890 As *Etheostoma shumardi* (Gir.); Miss. R.; Bibl. 19.
 1892 As *E. shumardi* (Gir.); Muscatine; Bibl. 20.
 1892 As *E. shumardi* Gir.; Bibl. 23.
Diplesion blennoides (Rafinesque) — Green sided darter.
 1892 As *Etheostoma blennoides* (Raf.); A doubtful resident; Bibl. 20, p. 111 footnote.
 1892 As *E. blennoides* Raf.; Southern Iowa; Bibl. 23.
Boleosoma nigrum (Rafinesque) — Johnny darter.
 1890 As *Etheostoma nigrum* (Raf.); Beaver Cr., Walnut Cr., Raccoon R., Des Moines, Ft. Dodge, Perry, Lizard Cr., North R., Adel, Squaw Cr., Skunk R., Belmond, Iowa City, Amana, Indian Cr., West Liberty, Waverly, Palo, Dumont, Prairie Cr., Cedar Rapids, Clear Lake, Wheatland, Independence, Anamosa, Hopkinton, Worthington, Delhi, Manchester, Elkport, Bear Cr., Fayette, Ft. Atkinson, Yellow R., Decorah, Sioux City, Sioux Falls (S. D.), Boyer R.; Bibl. 19.
 1890-91 As *E. nigrum* Raf.; Bibl. 2.
 1892 As *E. nigrum* (Raf.); Bibl. 20.
 1892 As *E. nigrum* Raf.; Bibl. 23.
 1894 As *E. nigrum* Raf.; Lemars, Sioux City, Ames, Storm Lake, East Okoboji, Spirit Lakes; Bibl. 21.
 1919 As *B. nigrum* Raf.; Cedar Falls; Bibl. 24.
 [Boleosoma nigrum olmstedi Storer] Probably *Boleosoma nigrum* (Raf.), since *B. n. olmstedi* is confined to the Atlantic coast according to Bibl. 26.
 1885 As *Boleosoma olmstedi maculatum* Agassiz; Ottumwa, Chariton; Bibl. 14.
B. o. maculatum Ag. == *B. n. olmstedi* St.; Bibl. 26, p. 130; Bibl. 3, p. 361; Bibl. 15, pp. 123, 124 and Bibl. 6, p. 294.
Crystallaria asprella (Jordan).
 1908 As *C. asprella* (J.); Taken from Miss. R. at E. Dubuque (Ill.); Bibl. 6, pp. 300-301.
Ammocrypta pellucida (Baird) — Sand darter.
 1890-91 As *Etheostoma pellucidum* Baird; Des Moines, Adel, Ft. Dodge; Bibl. 2.
Ammocrypta pellucida clara Jordan and Meek.
 1885 As *A. clara* sp. nov.; Ottumwa; Bibl. 14.
 1890 As *Etheostoma pellucidum clarum* (J. and M.); Davenport, Raccoon R., Ft. Dodge, Perry, Adel, Cedar R., Wheatland, Independence; Bibl. 19.

- 1892 As *E. clarum* (J. and M.); Bibl. 20.
 1892 As *E. p. clarum* J. and M.; Bibl. 23.
Etheostoma zonale (Cope) — Banded darter.
 1890 As *E. zonale* (Cope); Beaver Cr., Estherville, Ft. Dodge, Skunk R., Indian Cr., Cedar Rapids, Waverly, Dumont, Manchester, Elkport, Ft. Atkinson, Sioux City; Bibl. 19.
 1892 As *E. zonale* (Cope); Bibl. 20.
 1892 As *E. zonale* (Cope); Bibl. 23.
Etheostoma iowae Jordan and Meek — Iowa darter.
 1885 As *E. iowae* sp. nov.; Chariton; Bibl. 14.
 1890 As *E. iowae* J. and M.; Ft. Dodge, Perry, Skunk R., Iowa R., Indian Cr., Shellrock R., Waverly, Dumont, Silver Lake; Bibl. 19.
 1892 As *E. iowae* (J. and M.); Cedar R.; Bibl. 20.
 1892 As *E. iowae* J. and M.; Bibl. 23.
 1894 As *E. iowae* J. and M.; Lemars, Sioux City, College Cr. at Ames, Storm Lake, Spirit Lake; Bibl. 21.
Etheostoma jessiae (Jordan and Brayton).
 1890 As *E. jessiae* (J. and B.); Beaver Cr., Squaw Cr., Indian Cr., Cedar Rapids; Bibl. 19.
 1890-91 As *E. jessiae* (J. and B.); Bibl. 2.
 1892 As *E. jessiae* (J. and B.); Bibl. 20.
 1892 As *E. jessiae* (J. and B.); Bibl. 23.
Etheostoma coerleum Storer — Rainbow darter.
 1890 As *E. coerleum* St.; Skunk R., Squaw Cr., Indian Cr., Cedar Rapids, Waverly, Minnow Cr., Anamosa, Yellow R.; Bibl. 19.
 1892 As *E. coerleum* (St.); Bibl. 20.
 1892 As *E. coerleum* St.; Bibl. 23.
 1894 As *E. coerleum* St.; Storm Lake; Bibl. 21.
Etheostoma flabellare Rafinesque — Fan-tailed darter.
 1890 As *E. flabellare* Raf.; Ft. Dodge, Beaver Cr., Estherville, Perry, Raccoon R., Belmond, Iowa City, Indian Cr., Palo, Cedar Rapids, Clear Lake, Anamosa, Worthington, Delhi, Bear Cr., Fayette, Yellow R.; Bibl. 19.
 1890-91 As *E. flabellare* Raf.; Des Moines; Bibl. 2.
 1892 As *E. flabellare* (Raf.); Bibl. 20.
 1906 As *E. flabellare* (Raf.); Postville (Dr. S. E. Meek); Bibl. 7.
Etheostoma flabellare lineolatum Agassiz.
 1892 As *E. f. lineolatum* Ag.; Bibl. 23.
Microperca punctulata Putnam — Least darter.
 1890 As *Etheostoma microperca* (Jordan and Gilbert); West Liberty, Delhi, Manchester; Bibl. 19.
 1892 As *E. microperca* (J. and G.); Cedar R.; Bibl. 20.
 1892 As *E. microperca* (J. and G.); Bibl. 23.
Etheostoma microperca (J. and G.) = *Microperca punctulata* Putnam; Bibl. 6, p. 317 and Bibl. 15, p. 134.

Serranidae

- Roccus chrysops* (Rafinesque) — White bass.
 1889 As *R. chrysops* Raf.; Bibl. 18.

1890 As *R. chrysops* Raf.; Muscatine, Davenport, Sioux City, Silver Lake; Bibl. 19.

1892 As *R. chrysops* (Raf.); Cedar R.; Bibl. 20.

1892 As *R. chrysops* (Raf.); Clear Lake; Bibl. 23.

1894 As *R. chrysops* (Raf.); Storm Lake; Bibl. 21.

Meek reports that this species is introduced into the larger lakes of Iowa, Bibl. 23, p. 15.

Morone interrupta Gill — Yellow bass.

1890 As *M. interrupta* Gill; Miss. R.; Bibl. 19.

1892 As *Murone interrupta* Gill; Cedar R.; Bibl. 20.

1892 As *Morone interrupta* Gill; Bibl. 23.

Sciaenidae

Aplodinotus grunniens Raf. — Sheepshead, fresh-water drum, croaker, white perch.

1889 As *Aploidonotus grunniens* Raf.; Bibl. 18.

1890 As *Aplodinotus grunniens* Raf.; Muscatine, Davenport, Cedar Rapids, Sioux City; Bibl. 19.

1892 As *Aploidonotus grunniens* (Raf.); Bibl. 20.

1892 As *Aplodinotus grunniens* (Raf.); Bibl. 23.

Cottidae

Cottus ictalops (Rafinesque) — Miller's thumb.

1890 As *C. bairdi* (Girard); Bear Cr., Hickory Cr.; Bibl. 19.

1892 As *C. bairdi* (Ag.); Cedar R.; Bibl. 20. (No synonymy found with regard to author.)

1892 As *C. bairdi*; Bibl. 23.

C. ictalops (Raf.) = *C. bairdi* Gir.; Bibl. 16 part 2, p. 1951.

Gadidae

Lota maculosa (Le Sueur) — Burbot, lawyer, ling.

1890 As *Lota lota maculosa* (Le S.); Miss. R.; Bibl. 19.

1892 As *Lota lota* Linnaeus; Bibl. 20.

1892 As *L. l. maculosa* Le S.; Bibl. 23.

Lota maculosa Le S. in our early records was regarded as identical with *Lota lota* L., the northern European species; Bibl. 15, p. 162; Bibl. 6, p. 331 and Bibl. 16, part 3, p. 2551.

HYPOTHETICAL LIST

Acipenseridae

Parascaphirhynchus albus Forbes & Richardson — White sturgeon.

1904-09 Described from Grafton and Alton Illinois, Mississippi River by Forbes and Richardson. Bibl. 5, p. 37.

Salmonidae

Leucichthys nigripinnis (Gill) — Bluefish, blackfin.

Listed in small lakes of Wisconsin and Minnesota. Bibl. 26, p. 41.

Leucichthys tullibee (Richardson) — Tullibee.

Listed in small lakes of Minnesota and Wisconsin. Bibl. 26, p. 42.

Salmo shasta Jordan — Rainbow trout.

Possible as an introduction. Bibl. 26, p. 46.

Catostomidae

Carpoides carpio (Rafinesque) — Carp sucker, river carp.

Bibl. 26, p. 54; Bibl. 6, p. 76.

Cyprinidae

Cyprinus carpio Linnaeus — European carp, German carp.

Bibl. 26, p. 64; Bibl. 6, p. 105. No printed report found for Iowa.

Chrosomus dakotensis Evermann & Cox.

Listed from Missouri River basin in Nebraska and South Dakota;

Bibl. 26, p. 66.

Leuciscus neogaeus (Cope).

Recorded from Baraboo, Wisconsin, and Black Hills, South Dakota;

Bibl. 26, p. 71; Bibl. 16, part 1, p. 240.

Opsopaeodus emiliae Hay.

Northern Mississippi Valley; Bibl. 26, p. 73; Bibl. 6, p. 124.

Notropis scylla (Cope).

See Bibl. 26, p. 77 and Bibl. 6, p. 139 under *N. phaeacobius* Forbes.

Notropis illecebrosus (Girard).

Bibl. 6, p. 141; Bibl. 26, p. 79; Bibl. 15, p. 57. See explanation under *N. shumardi* (Girard).

Notropis umbratilis lythrurus (Jordan).

Reported as in basin of Ohio River. Bibl. 26. However, as a component of the old species *N. ardens* Cope, it should be watched for.

See explanation under *N. umbratilis atripes* (Jordan).

Notropis umbratilis cyanocephalus (Copeland).

A component of the old species *N. ardens* Cope and should be watched for. See explanation under *N. umbratilis atripes* (Jórdan). Reported from southern Wisconsin; Bibl. 26, p. 84.

Hybopsis amblops (Rafinesque) — Silver chub.

See Bibl. 26, p. 89; Bibl. 6, p. 166.

Siluridae

Ameiurus vulgaris (Thompson).

See Bibl. 26, p. 94.

Poeciliidae

Fundulus diaphanus (Le Sueur).

Bibl. 26, p. 102; Bibl. 6, p. 211. *F. diaphanus* (Le S.) not recorded from Iowa, evidently belongs to her fauna; Bibl. 20, p. 110, footnote.

Fundulus diaphanus menona Jordan and Copeland.

See Bibl. 26, p. 102; Bibl. 6, p. 211.

Aphredoderidae

Aphredoderus sayanus (Gilliams) — Pirate perch.

Bibl. 26, p. 113; Bibl. 6, p. 230.

1892 As *A. sayanus* (Gilliams); Doubtful inhabitant; Bibl. 23, p. 13.

Centrarchidae

Eupomotis heros (Baird & Girard).

Probably the form meant in the old lists when *Lepomis holbrooki* (Cuvier & Valenciennes) was listed. *L. holbrooki* had a western form (var. *notatus* Agassiz) which is regarded as equivalent now to *E.*

heros (B. & G.) Bibl. 15, p. 119; Bibl. 6, p. 259. *L. holbrooki* is now regarded by Pratt as an Atlantic coast species. Bibl. 26, p. 120.

Percidae

Stizostedion canadense griseum (De Kay).

Bibl. 26, p. 123; Bibl. 6, p. 274.

Boleichthys fusiformis (Girard).

Bibl. 26, p. 136.

BIBLIOGRAPHY

- Bibl. 1. 1854 AGASSIZ, L. Art. XXXVIII. Notice of a collection of fishes from the southern bend of the Tennessee River, in the state of Alabama; The American Journal of Science and Arts, Second series, Vol. 17, May, 1854, pp. 357, 358, footnotes.
- Bibl. 2. 1890-91 CALL, R. E. The fishes of the Des Moines basin; Iowa Academy of Sciences, Vol. 1, Part 2, p. 43.
- Bibl. 3. 1896 EVERMANN, B. W. and COX, U. O. Report of the fishes of the Missouri River basin; extracted from report of U. S. commissioner of fish and fisheries for 1894, pp. 325-429.
- Bibl. 4. 1907 EVERMANN, B. W. and GOLDSBOROUGH, E. L. A checklist of the freshwater fishes of Canada, Proceedings of the Biological society of Washington, Washington, D. C., Vol. 20, pp. 89-120.
- Bibl. 5. 1904-09 FORBES, S. A. and RICHARDSON, R. E. On a new shovelnose sturgeon from the Mississippi River; Bulletin of the Illinois State Laboratory of Natural History, Vol. 7, p. 37 and plate preceding. (Original description of *Parascaphirhynchus albus* F. & R.)
- Bibl. 6. 1908 FORBES, S. A. and RICHARDSON, R. E. The fishes of Illinois; Natural History Survey of Illinois, Vol. 3, Ichthyology.
- Bibl. 7. 1906 FOWLER, H. W. Some new and little-known percoid fishes; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 58, p. 510.
- Bibl. 8. 1910. FOWLER, H. W. Notes on the variation of some species of the genus *Notropis*; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 62, p. 273.
- Bibl. 9. 1913 FOWLER, H. W. Notes on Catostomoid Fishes; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 65, p. 45.
- Bibl. 10. 1915 FOWLER, H. W. Notes on Nematognathous Fishes; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 67, p. 203.
- Bibl. 11. 1916. FOWLER, H. W. Notes on fishes of the orders Haplomi and Microcyprini; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 68, p. 415.
- Bibl. 12. 1924. FOWLER, H. W. Notes on North American Cyprinoid Fishes; Proceedings of the Academy of Natural Sciences of Philadelphia, Vol. 76, p. 389.
- Bibl. 13. 1880 JORDAN, D. S. A manual of vertebrates of the Northern U. S. Third edition. McClurg.
- Bibl. 14. 1885 JORDAN, D. S. and MEEK, S. E. List of fishes collected in Iowa and Missouri in August, 1884, with descriptions of three new species, Proceedings of U. S. National Museum, Vol. 8, p. 1.

- Bibl. 15. 1888 JORDAN, D. S. A manual of the vertebrate animals of the northern U. S., Fifth edition. McClurg.
- Bibl. 16. 1896-1900 JORDAN, D. S. and EVERMANN, B. W. The fishes of North and Middle America; Bulletin of the U. S. National Museum, No. 47, four parts.
- Bibl. 17. 1888-90 MEEK, S. E. The native fishes of Iowa. Bulletin from the laboratories of natural history of the State University of Iowa, Vol. 1, p. 161.
- Bibl. 18. 1889 MEEK, S. E. The native food fishes of Iowa; Iowa Academy of Sciences for 1889 (Vol. 1, part 1), p. 68.
- Bibl. 19. 1890 MEEK, S. E. A report on the fishes of Iowa based upon observations and collections made during 1889, 1890, and 1891; Bulletin of the U. S. Fish Commission, Vol. 10, p. 217.
- Bibl. 20. 1892 MEEK, S. E. The fishes of the Cedar River basin; Iowa Academy of Sciences, Vol. 1, part 3, p. 105.
- Bibl. 21. 1894 MEEK, S. E. Notes on the fishes of Western Iowa and Eastern Nebraska; Bulletin U. S. Fish Commission for 1894, Vol. 14, pp. 133-138.
- Bibl. 22. 1892 NUTTING, C. C. Report of committee on state fauna; Iowa Academy of Sciences, Vol. 1, part 3, p. 39.
- Bibl. 23. 1892 OSBORN, HERBERT. A partial catalogue of the animals of Iowa, represented in the collections of the department of Zoology and Entomology of the Iowa Agricultural College; published by authority of the board of trustees, Ames, Iowa. List of fishes by Prof. S. E. Meek, p. 11.
- Bibl. 24. 1919 PALMER, E. L. An ecological study of Dry Run, a typical prairie stream; Proceedings of the Iowa Academy of Science, Vol. 26, p. 111.
- 1925 POTTER, G. E. Scales of the bluegill, *Lepomis pallidus* (Mitchill); Transactions of American Microscopical Society, Vol. 44, p. 31.
- Bibl. 25. 1926 POTTER, G. E. Ecological studies of the short-nosed garpike, *Lepidosteus platostomus*; University of Iowa, Studies in Natural History, Vö1. XI, p. 17.
- Bibl. 26. 1923 PRATT, H. S. A manual of the land and freshwater vertebrate animals of the U. S. (exclusive of birds), Blakiston's.