7th International Building Physics Conference

## **IBPC2018**

## **Proceedings** SYRACUSE, NY, USA

September 23 - 26<u>, 2018</u>

Healthy, Intelligent and Resilient Buildings and Urban Environments ibpc2018.org | #ibpc2018 \_\_\_\_\_

Keyno	tes	1
	Dynamic Environment, Adaptive Comfort, and Cognitive Performance (497)	1
	Green Infrastructure and Urban Sustainability Recent Advances and Future Challenges (499)	. 7
	Humans and Nature in the Loop (498).	17
	Multiphysics Modeling of Materials, Assemblies, Buildings and Cities (496)	25
	The Physics in Natural Ventilation of Cities and Buildings (501)	35
BE-1 I	Diagnostics and Models for Building Performance	37
	A state-space based method to predict thermal performance of pipe-embedded double skin façade case	
	study in Guangzhou (115)	37
	Computer Tomography as a data acquisition tool for quantifying and modeling in-pore gypsum	
	crystallization in building materials (84).	43
	Determination of the input data for computational simulation of active glazing with changeable optical	
	properties (92)	49
	Predicting the thermal conductivity of porous building materials with nanopores or reduced gas	
	pressures (80)	55
	Rational selection of experimental readouts for hygric material characterisation (197)	61
	Towards validation of a numerical model of a test cell laboratory (362)	67
BE-2 I	Liquid Water in Buildings and Materials	73
	Adsorption and film forming of train of water droplets impacting porous stones (373)	73
	Application of rain intensity dependent rain admittance factor (RAF) in hygrothermal performance	
	assessment of wall systems (202)	79
	Do interface resistances matter in historic masonries - analysis based on X-ray tomography and heat,	
	air and moisture modelling (33)	85
	Drainage and retention of water in small wall drainage cavities experimental assessment (253)	91
	Rain-tightness of door sill sealing (95)	97
	Water uptake in masonry effect of brickmortar interface (216)	.03
BE-3 I	nnovative Thermal Insulation Systems1	09
	Aerogel-enhanced blankets state-of-the-art, market readiness and future challenges (106)1	09
	Hygrothermal analysis of a vapour-open assembly with vacuum insulation panels (440)1	15
	Measurements of temperature dependency on thermal insulation thickness in ventilated attics (199)	•••
		.21
	Prediction of the long-term performance of vacuum insulation panels installed in real building	
	environments (342)	27
	Super insulation material in district heating pipes (187) 1	.33
	Super insulation materials in the building sector field studies and future challenges (206)	39

BE-4 Moisture in Buildings and Materials	;
Effect of air pressure on moisture transfer inside porous building materials three-dimensional	
behavior of moisture and air (116)	;
Evaluation of the impact of phase change humidity control material on energy performance of office	
buildings (167)	l
Experimental analysis of micro-cracks on the change of moisture transport properties of AAC (37)	
	/
Moisture monitoring of wood-frame walls with and without exterior insulation in a Midwestern U.S. cold climate (428)	3
Psychrometer method to measure the moisture retention curves of porous building materials in the	
full humidity range (59)	)
Semi-permeable membrane experiment for unsaturated liquid permeability of building materials	
potential and practice (58)	;
BE-5 Ventilation Systems for Buildings	L
Experimental analysis on a solar air heating façade system (235)	l
Experimental validation of a model for naturally ventilated double-skin facades (465)	1
Hygrothermal assessment of north facing, cold attic spaces under the eaves with varying single sided	
passive ventilation strategies and infiltration rates, in a cool, temperate climate (223)	3
Hygrothermal performance of sealed attics in climate zone 3A (446)	)
Moisture robustness of eaves solutions for ventilated roofs – experimental studies (331)	;
Thermal performance of novel natural ventilation apertures in a high-performance single-family	
house (240)	l
BE-6 Hygrothermal Performance and Mold Prevention	1
Application of radiant floor heating in large space buildings with significant cold air infiltration	
through door openings (131)	1
Evaluating the hygrothermal performance of wooden beam heads in 19th century town houses using	
in-situ measurements (419)	3
Experimental investigations of wooden beam ends in masonry with internal insulation results	
contrasting three years of the experiment (405)	)
On the hygrothermal behaviour of brick veneer cladded timber frame walls the role of the vapour	
diffusion resistance of the wind barrier (123)	;
Performance evaluation of a highly insulated wall to withstand mould (208)	l
Renovation with internal insulation and heat recovery in real Life – energy savings and risk of mold	
growth (93)	1
BE-7 Energy Retrofits for Building Envelopes	;
A sustainable approach to the adaptive reuse of historic brick buildings analysis of energy efficiency	

strategies for historic facade retrofits (433)	53
Experimental investigation of latent heat thermal energy storage for highly glazed apartments in a	
continental climate (13)	59
Interior insulation retrofit of a brick wall using super insulation materials design of a field testing in	
an industrial brick building (99)	65
Light transmissibility characterization of a new coating for window retrofit (444)	71
Monitoring and modelling of a prefabricated exterior envelope retrofit (474)	77
Retrofit of the existing buildings using a novel developed aerogel-based coating results from an in-	
field monitoring (277)	83
BE-8 High Performance Building Envelope Systems	89
Comparing exterior wall finishes using life-cycle assessment (372)	<u>89</u>
Experimental study of the performance of a double skin façade window under non-solar conditions	
(65)	95
Hygrothermal performance assessment of wall systems with various concrete and insulation	
configurations (194)	01
Preparation and thermal performance of diatomite-based composite phase change materials wallboard	
(175)	07
Study of the mechanical behavior of traditional Japanese mud wall on bamboo lath (272)	13
Thermal stability of lightweight frame partitions exposed to pulsed wind load (41)	19
BE-9 Innovations in Wood	25
Determination of lead dust fall rates during deconstruction of wood frame buildings in an urban	
region in the Northeastern United States. (317)	25
Hygrothermal performance of a hygroscopic and permeable wall assembly impact of a vented wall	
cavity (468)	31
Improving durability of wooden beam bearings in inside insulated walls by tempering the beam's	
heads (407)	37
Sorption hysteresis in wood and its coupling to swelling a new modeling approach (369)	43
The effects of production technologies on the air permeability properties of cross laminated timber	
(410)	49
Understanding swelling of wood through multiscale modeling (395)	55
BE-10 Solar Energy Harvesting and Management	
A transparent insulation solar façade coupled with a selective absorber an experimentally validated	
building energy simulation model (300)	61
Power generation and visual comfort performance of photovoltaic toplighting technologies in	
transient spaces (255)	57
Solar and lighting transmission in complex fenestration systems with perforated solar protection	

systems (436)	3
Solar efficiency index of building envelopes and load matching in low energy buildings (215)37	9
Study on the design method of integration of roof and photovoltaic based on aesthetics, technology	
and energy-saving characteristic (130)	5
Thermal performance of PCM-glazing unit under moderate climatic conditions (38)	1
EC-1 Environmental Control Equipment and Systems	7
A deep reinforcement learning method for model-based optimal control of HVAC systems (66)	
Air cooling and dehumidification with a zeolite coated heat exchanger regenerated by solar thermal	
energy (352)	3
Evaluating the energy consumption and heat loss in the hot water supply and heating systems of a nursing home (177)	9
Extracting radiant cooling from building exhaust air using the Maisotsenko-cycle principle (276)	
Periodic alternation between intake and exhaust of air in dynamic insulation (328)	
The energy saving performance of ventilation-heat-recovery system in residential buildings in the	
summer of hot-summer and cold-winter zone in China (145)	7
EP-1 Residential Energy Analysis and Management	3
Characterisation of the flexibility potential from space heating in French residential buildings (172)	
	3
Evaluation of the impact of weather variability on a net zero energy building advantage of sensitivity	
analysis for performance guarantee (192)	9
Numerical analysis of a ground-source heat pump system in traditional Japanese "Kyo-machiya"	
dwellings (166)	5
Offsetting peak residential cooling loads using a medium temperature chiller and sensible cold	
thermal storage (181)	
Prosumer cluster of single-family houses under the Danish net metering policy (473)45	
Visualizing the quantitative comparison between exergy & energy analysis results with ExFlow (198)	
EP-2 Urban Energy Generation, Analysis and Management	
A review of microgrid energy systems (431)	9
Impacts of climate change and its uncertainties on the renewable energy generation and energy	
demand in urban areas (146)	5
Multi-stage optimal design of energy systems for urban districts (399)    48      Novel gas-driven fuel cell HVAC and dehumidification prototype (244)    48	1

Studying the impact of local urban heat islands on the space cooling demand of buildings using
coupled CFD and building energy simulations (386)
GB-1 Environmental Design, Sensing and the Built Environment
An implementation for transforming a home energy management system to a multi-agent system
(174)
Bioclimatic tools for sustainable design – uncertainty perspective (422)
Campus as a lab for computer vision-based heat mapping drones a case study for multiple building
envelope inspection using umanned aerial systems (UAS) (285)
Optimal control strategies for passive heating and cooling elements reduce loads by two-thirds in the
adaptive reuse of a San Francisco Bay Area office (153)
Sensing and information technologies for the environment (SITE); hardware and software
innovations in mobile sensing applications (430)
GB-2 Green Roofs and Vegetation
Experimental study on the stomatal resistance of green roof vegetation of semiarid climates for
building energy simulations (104)
Greening rooftops to reduce heat islands how large is large enough (402)
Integrated vegetation model for studying the cooling potential of trees in urban street canyons (338)
The use of a large, extensive green roof for multiple research objectives (447)
Thermal performance of a green roof based on CHAMPS model and experimental data during cold
climatic weather (423)
Using rain and vegetation to improve thermal comfort in a hot street canyon with fully-integrated
urban climate modeling (376)
GB-3 Urban Microclimates and the Heat Island Effect
An investigate on the quantitative correlation between urban morphology parameters and outdoor
ventilation efficiency indices (429)
Effect of urban texture on building energy performance (287)
New microclimate monitoring method and data process for investigating environmental conditions in
complex urban contexts (231)
Rapid cooling of urban surfaces during rainfall physical basis, dominant energy fluxes, and
sensitivity to pavement and rainfall prop (400)
Using advanced urban canopy models to investigate the potential of thermochromic materials as
urban heat island mitigation strategies (283)
HF-1 Office Buildings
A nicture is worth a thousand words Smorthhans photograph based surveys for collecting data on

A picture is worth a thousand words Smartphone photograph-based surveys for collecting data on

Benchmarking the energy efficiency of office buildings in Belo Horizonte, Brazil (52)    607      Exploring occupants' impact at different spatial scales (147)    613      Neural network models using thermal sensations and occupants' behavior for predicting thermal comfort (28)    619      Quantification of building energy performance uncertainty associated with building occupants and operators (148)    625      Towards a new way of capturing occupant well-being (484)    631      HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304)		office occupant adaptive opportunities (81)
Exploring occupants' impact at different spatial scales (147)    613      Neural network models using thermal sensations and occupants' behavior for predicting thermal comfort (28)    619      Quantification of building energy performance uncertainty associated with building occupants and operators (148)    625      Towards a new way of capturing occupant well-being (484)    631      HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304)    637      Field occupant's behavior monitoring integrated to prediction models impact on building energy performance (169)    643      Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)    649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356)    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    666      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings (74)    685      Utilization of heat recovery ventilation steady-state two-zone ener		Benchmarking the energy efficiency of office buildings in Belo Horizonte, Brazil (52)
comfort (28)		
comfort (28)    619      Quantification of building energy performance uncertainty associated with building occupants and operators (148)    625      Towards a new way of capturing occupant well-being (484)    631      HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304)    637      Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)    643      Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)    649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356)    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667      Finegy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterrancan climate    679      The influence of window opening habits on the residential energy use analysis and field studies (72)    691      HF-4 Lighting and Visual Quality    697      Application of C-SVM classification		
Quantification of building energy performance uncertainty associated with building occupants and operators (148).    625      Towards a new way of capturing occupant well-being (484).    631      HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304).    637      Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)    643      Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316).    649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356).    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466).    661      HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186).    667      HOUSE project Building understanding through an enabled boundary object (324).    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72).    697      Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46).    697      Developing and testing visual pr		
Towards a new way of capturing occupant well-being (484)    631      HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304)    637      Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)    643      Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)    649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356)    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterrancan climate.    679      The influence of window opening habits on the residential energy use analysis and field studies (72)    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46)    697      Developing and testing visual privacy metrics (60)    703      E		
HF-2 Occupant Comfort in Special Cases    637      Conserving energy, conserving buildings airtightness testing in historic New England homes (304)    637      Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)    643      Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)    649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356)    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72)    691      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85)    709      Generating design-sensitive occup		operators (148)
Conserving energy, conserving buildings airtightness testing in historic New England homes (304)		Towards a new way of capturing occupant well-being (484)
	HF-2	Occupant Comfort in Special Cases
Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)		Conserving energy, conserving buildings airtightness testing in historic New England homes (304)
performance (169)		
Modeling and spatial visualization of indoor micro-elimates for personalized thermal comfort (316)		Field occupants' behavior monitoring integrated to prediction models impact on building energy
649      Occupants' perception of historical buildings' indoor environment. Two case studies. (356)		performance (169)
Occupants' perception of historical buildings' indoor environment. Two case studies. (356).    655      Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72)    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46)    697      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85)    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    709		Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)
Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)    661 <b>HF-3 Residences</b> 667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72)    691 <b>HF-4 Lighting and Visual Quality</b> 697      Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46)    697      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85)    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    715		
façades on occupant comfort and satisfaction (466)    661      HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in    679      Mediterranean climate    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    674      (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    1ab (85)      Iab (85)    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    715		Occupants' perception of historical buildings' indoor environment. Two case studies. (356)
HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in    679      Mediterranean climate    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    715		Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart
HF-3 Residences    667      Energy flexibility of building cluster – part I ccupancy modelling (186)    667      HOUSE project Building understanding through an enabled boundary object (324)    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in    679      Mediterranean climate    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60)    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    715		façades on occupant comfort and satisfaction (466)
HOUSE project Building understanding through an enabled boundary object (324).    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in    679      Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60).    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    1ab (85).      Iab (85).    709      Generating design-sensitive occupant-related schedules for building performance simulations (87).    715	HF-3	Residences
HOUSE project Building understanding through an enabled boundary object (324).    673      Inter-ActiveHouse users driven building performances for nearly zero energy buildings in    679      Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60).    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    1ab (85).      Iab (85).    709      Generating design-sensitive occupant-related schedules for building performance simulations (87).    715		Energy flexibility of building cluster – part I ccupancy modelling (186)
Inter-ActiveHouse users driven building performances for nearly zero energy buildings in      Mediterranean climate.    .679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    .679      (74)    .685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    .691      HF-4 Lighting and Visual Quality.    .697      Application of C-SVM classification algorithm to the lighting visual comfort of university    .697      Developing and testing visual privacy metrics (60).    .703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    .709      Generating design-sensitive occupant-related schedules for building performance simulations (87)		
Mediterranean climate.    679      The influence of window opening habits on the residential energy use in nearly zero energy buildings    674)      (74)    685      Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    685      (72)    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60).    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    709      Generating design-sensitive occupant-related schedules for building performance simulations (87)    715		
The influence of window opening habits on the residential energy use in nearly zero energy buildings    (74)      (74)		
(74)		
Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies    691      HF-4 Lighting and Visual Quality.    697      Application of C-SVM classification algorithm to the lighting visual comfort of university    697      Developing and testing visual privacy metrics (60).    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    709      Generating design-sensitive occupant-related schedules for building performance simulations (87).    715		
(72)		
HF-4 Lighting and Visual Quality.697Application of C-SVM classification algorithm to the lighting visual comfort of university697classrooms (46).697Developing and testing visual privacy metrics (60).703Environmental conditions and occupant satisfaction in the workplace a controlled study in a living709lab (85).709Generating design-sensitive occupant-related schedules for building performance simulations (87)715		
Application of C-SVM classification algorithm to the lighting visual comfort of university      classrooms (46)	HF-4	
classrooms (46)		
Developing and testing visual privacy metrics (60).    703      Environmental conditions and occupant satisfaction in the workplace a controlled study in a living    1ab (85).      Iab (85).    709      Generating design-sensitive occupant-related schedules for building performance simulations (87).    715		
Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85)		
lab (85).		
Generating design-sensitive occupant-related schedules for building performance simulations (87)		

Visual comfort assessment of different shading strategies in a commercial office building in the
southeastern US (411)
IE-1 Assessment and Analysis
A method for an effective microclimate management in historical buildings combining monitoring
and dynamic simulation the cas
Description method of outdoor climate characteristics considering comprehensive effect on indoor
climate (469)
IEQ measurement and assessment tools for plug-and-play deep renovation in buildings (102)745 Influence of illumination on paper and silk used in Chinese traditional painting and calligraphy based
on Raman spectroscopy in museum (120)
The impact of indoor temperature and CO2 levels on occupant thermal perception and cognitive
performance of adult students and the implications on buildings (137)
Thermal and mycological active protection of historic buildings on the example of the baroque
residence of Polish kings in Wilanów (40)763
IE-2 Field Studies
Classification of the indoor environment in a high-school building by means of subjective responses
(396)
Comparison between qualitative and quantitative measurement in assessing thermal comfort in an
elementary school (445)
Empirical assessment of summertime overheating risk in new, retrofitted and existing UK dwellings
(243)
Indoor air quality and thermal comfort for elderly residents in Houston, TX – a case study (245)
Method for detecting contaminant transport through leakages in a condemned school (195)
The impact of physical environments on satisfaction in shopping centers (207)
IE-3 Lighting and Windows
A novel methodology to spatially evaluate DGP classes by means of vertical illuminances.
Preliminary results. (471)
Comparative study of different design configurations based on the daylight and visual comfort
performance of electrochromic glass in a side-lit office building (452)
Daylight availability in a room equipped with PCM window (36)
Development of an electric-driven smart window model for visual comfort assessment (269)
Lighting quality study of shopping malls in China based on the evaluation experiment (88)
Thermal performance of an electric-driven smart window experiments in a full-scale test room and
simulation model (270)
IE-4 Ventilation and Air Conditioning

A novel approach to near-real time monitoring of ventilation rate and indoor air quality in residential	1
houses (249)	1
evaluation of two apartment blocks in East London, UK (162)	7
Effects of semi-open space on micro-environmental control (173)	3
Numerical investigation of a diffuse ventilation ceiling system for buildings with natural and hybrid	
ventilation (179)	9
Research for the optimization of air conditioner sensor position based on the room spatial parameter (132)	5
The impact of ventilation strategy on overheating resilience and energy performance of schools	5
against climate change the evidence from two UK secondary schools (165)	1
IE-5 Air Pollution and Control.	
Analysis of dynamic variation characteristics and influential factors of PM2.5 on subway platforms	'
under air-conditioning condition and ventilation condition (364)	7
Assessing the performance of photocatalytic oxidation of volatile organic compounds in three	/
different scaled set-ups (363)	2
Fate of particles released by a puff–dispersion with different air distributions (475)	
Radon levels in rented accommodation (5) 89	
IE-6 Thermal Environment and Control	
Condensation-free radiant cooling using infrared-transparent enclosures of chilled panels (463)	
Experimental study on the impact of passive chilled beam in a room with displacement ventilation (42)	
Liquid desiccant-polymeric membrane dehumidification system for improved cooling efficiency in built environments (454)	
Simulation-based approach to optimize courtyard form concerning climatic comfort in hot and humid	5
climate (105)	8
The effect of the position and temperature difference of local radiant asymmetry on thermal comfort	0
an experimental investigation (17)	4
Thermal effect of metal fin inside elevated radiant floor based on the thermal utilization of a burning	•
cave (479)	0
IM-1 Intelligent Monitoring and Management Systems	
Implementation of integrated wireless sensors technology in renovation of social housing buildings.	0
A Danish case study. (7)	5
LightLearn Occupant centered lighting controller using reinforcement learning to adapt systems to	5
humans (34)	1

Sequential Monte Carlo for on-line estimation of the heat loss coefficient (225)	947
The co-heating test as a means to evaluate the efficiency of thermal retrofit measures applied on	
residential buildings (464)	953
The thermal resistance of retrofitted building components based on in-situ measurements (377)	
	959
Wireless sensor system for intelligent facades (387).	965
MS-1 Whole Building, Resilience, and Life Cycle Analysis	971
A resilient refurbishment project for an Italian large sports hall (490)	971
Dynamic life cycle assessment integrating cultural value (11)	977
Investigation of energy modelling methods of multiple fidelities a case study (427)	983
Optimal passive design strategies for nearly zero-energy dwellings in different Chilean climates	
using multi-objective genetic algorithms (24)	989
Pareto optimality analysis for evaluating the tradeoff between visual comfort and energy efficiency	
(384)	995
Passive survivability in residential buildings during heat waves under dynamic exterior conditions	
(426)	. 1001
MS-2 Lighting, Daylighting, and Multi-Physics Models	.1007
Comparison of daylighting simulation workflows and results using plugins for BIM and 3D	
Modelling programs application on early phases of design process (310)	.1007
Existing energy performance and the potential of simulation in school buildings – a review (4)	
	. 1013
Lighting simulation for external Venetian blinds based on BTDF and HDR sky luminance	
monitoring (56)	.1019
Modelling of a naturally ventilated BIPV system for building energy simulations (273)	.1025
Numerical analysis of the influencing factors on the performance of a pipe-embedded window	
operated in summer (114)	. 1031
Validation of the EN 151932017 calculation method to estimate the daylight supply in a building	
comparison with dynamic climate-base (326)	.1037
MS-3 Heat and Moisture Transfer in Materials and Assemblies	.1043
Assessment of cumulative damage of selected building envelopes exposed to various environmenta	l
effects (32)	. 1043
Impact of the substrate thermal inertia on the thermal behaviour of an extensive vegetative roof in a	
semiarid climate (448).	.1049
New algorithm for water leakages flow through rain screen deficiencies (205)	.1055
PV-PCM system integrated into a double skin façade. A genetic optimization based study for the	
PCM type selection. (71)	. 1061

S	Stochastic modelling of hygrothermal performance of highly insulated wood framed wall (190)
T	Thermal insulation of radon stack systems to avoid freezing (73)
MS-4 C	o-simulation and Platforms for Integrated Analysis1079
A	A GIS based methodology to support multi-criteria decision making for the retrofitting process of
r	esidential buildings (398)1079
A	A new normative workflow for integrated life-cycle assessment (291)
E	Big-open-real-BIM data model - proof of concept (161)1091
F	BIM and game engine integration for operational data monitoring in buildings (383)1097
(	Cross-platform, public domain simulation tools for performing parametric IAQ and energy analysis
(	380)
(	Optimization of four-primary white LEDs based on protective effect and color quality-a solution for
r	nuseum illumination (118)
MS-5 C	omputational Fluid Dynamics and Energy Performance1115
F	Analytical and experimental investigation on depth and pipe configuration for coaxial borehole heat
e	xchanger (281)
(	Comparison of lattice Boltzmann method and finite volume method of large eddy simulation in
i	sothermal room flow (53)
Ι	Development of a supermarket prototype building model (232)1127
Ι	mproving the representation of convective heat transfer in an urban canopy model (424)
S	Streamlined CFD simulation framework to generate wind-pressure coefficients on building facades
f	or airflow network simulations (358)1139
τ	Insteady-state exergy analysis on two types of building envelopes under time-varying boundary
с	condition (33)
MS-6 D	ata Analytics, Model Reduction and Calibration1151
	Achieving faster building energy model optimization through selective zone elimination (86)115
(	Comparison of data-driven building energy use models for retrofit impact evaluation (318)
	Modeling and model calibration for model predictive occupants comfort control in buildings (361)
	Neural networks to predict the hygrothermal response of building components in a probabilistic
f	ramework (91)
(	Optimization of night cooling of commercial premises using genetic algorithms and neural networks
(	49)
	Jse of calibrated building simulation to investigate comfort conditions in a healthcare facility (303)

	An experimental and modelling study on the adsorption characteristics of activated carbon under	
	different challenge concentration levels (229).	.1187
	Development of a procedure for estimating the parameters of mechanistic emission source models	
	from chamber testing data (308)	. 1193
	Evaluation of the physical interpretability of calibrated building model parameters (248)	.1199
	Field experimental investigation of temperature, humidity and solar radiation impacts on	
	formaldehyde emissions from interior furnish material (particle board): a preliminary study (261)	
		.1205
	Study on improving the surface wet condition of subfloor by hygroscopic material in rural	
	residences of China (260).	. 1211
	The application of computed tomography for characterising the pore structure of building materials	
	(83)	
<b>MS-8</b>	Building Enclosure Design	
	A dynamic thermal network model applied to ventilated attics (27)	
	A holistic decision support tool for facade design (413)	
	Considerations on the thermal modeling of insulated metal panel systems (309)	
	Numerical thermal model of a double-glazed window filled with phase change materials (438)	
	On the compliance of thermal performance requirements for highly insulated building units (238)	
		.1247
	The effect of ambient moisture conditions on heat flux time shift and decrement factor of multi-	1050
	layered walls (392).	
PE-1 F	Economic and Policy Aspects of Green Buildings	.1259
	Conceptual framework for improved management of risks and uncertainties associated with the	
	performance of the building enclosure (57)	.1259
	Effect of economic indicators on cost-optimal energy performance levels of residential building	10/5
	retrofits in the Mediterranean region of Turkey (347)	
	Evaluation of efficiency and renewable energy measures considering the future energy mix (274)	
	Optimization of government subsidization strategies for building stock energy refurbishment (357)	
		.1277
	Techno economic analysis of individual building renovation roadmaps as an instrument to achieve	1000
	national energy performance targets (233)	
DO D	The impact of an energy efficiency regulation in northern Canada (107).	
PS Pos	ster Session	
	A comparison of model order reduction methods for the simulation of wall heat transfer (70)	.1295

A framework for comfort assessment in buildings and districts retrofit process (101)
A rain simulator to examine green roof and soil moisture sensor performance (417)
A study on natural lighting design strategies for teaching buildings in hot-summer and cold-winter
zone of china—a case of the Arts and Sciences building of Xinyang Normal University (133)1313
Analysis of thermal bridges in insulated masonry walls a comparison between vacuum
insulated panels and expanded polystyrene (307)
Application of PCM-to-air heat exchanger for free cooling applications (289)
Assessment of the BIPV potential at the city of Prague and their effect on the built environment
(333)
Bio-inspired outdoor systems for enhancing citizens thermal comfort in public spaces by learning
from nature (219)
Building information modeling (BIM) implementation for sustainability analysis a mega airport
project case study (492)
Chemical analysis of precipitation and stormwater runoff from a large green roof (453)
Computational evaluation of the thermal performance of underground bunkers the case of Albania
(150)
Criteria for identifying failure optimization algorithms in building energy optimization and case
studies (90)
Effects of gaseous pollution and thermal conditions on the corrosion rates of copper and silver in
data center environment a literature review (257)
Elaboration of the decision space for an optimization of building retrofit (336)
Energy flow through the Onondaga County Convention Center green roof (313)
Estimating time constants for over 10,000 residential buildings in North America towards a
statistical characterization of thermal dynamics (134)
Experimental investigation of the impact of PCM containment on indoor temperature variations
(470)
Hygrothermal modelling of building enclosures reference year design for moisture accumulation and
condensation risk assessment (211)
Hygrothermal performance of historic massive wall when is 2D simulation necessary (239)1401
Innovative composite materials with enhanced acoustic, thermal, and optical performance for urban
pavements experimental characterization (230)
Intrinsic evaporative cooling and weather-responsive natural ventilation for adaptive thermal
comfort in tropical buildings (155)
Long term measurements and HAM modelling of an interior insulation solution for an office
building in cold climate (220)
New technology creates new lightscape (39)1425

Optical performance of polycarbonate multi-wall panels in the form of transparent insulation based
on long-term outdoor measurements (406)1431
Preliminary monitoring results of ventilated heavyweight building envelope from recycled
aggregate (98)
Review of the sky temperature and solar decomposition, and their impact on thermal modeling (458)
Roof windows for passive houses – what can be improved (182)
Sensitivity analysis using the SWMM LID control for an extensive green roof in Syracuse, NY (149)
Simulation of building physics for beginning design students (442)
Study on multivariate regression model of indoor and outdoor particulate pollution in severe cold
area of China (26)
The design, construction and commissioning of a small scale dynamic calibrated hot box (241)
The effect of human walking on distribution characteristics of indoor particulate matter (67)1479
Thermal performance analysis of traditional housing in Albania (94).
Uncertainty in building energy performance characterization impact of gas consumption
decomposition on estimated heat loss coefficient (371)1491
Ventilation potential assessments for residential building arrangements based on exceedance
probability analysis (157)1497
Author Index