

Influence of preparation procedure on physical and catalytic properties of zirconia supported

Pd-Au samples

Elena Ghedini,^a Michela Signoretto,^a Federica Menegazzo,^a Francesco Pinna,^a Giorgio Strukul,^a Maela Manzoli,^b Flora Boccuzzi^b

^aDipartimento di Chimica, Università Cà Foscari Venezia, and Consorzio INSTM, Dorsoduro 2137, 30123 Venezia, Italy. gelena@unive.it; ^bDipartimento di Chimica IFM and NIS Centro di Eccellenza, Università di Torino, Italy

The hydrogen peroxide direct synthesis from H₂ and O₂ is a promising alternative to the actual anthraquinone technology, but it never found industrial application because of selectivity and security problems. In this work Pd-Au/ZrO₂ catalysts were prepared by different methods and tested for the H₂O₂ direct synthesis under very mild conditions (RT and atmospheric pressure) and outside the explosion range^{1,2}. The effect of gold addition to Pd in enhancing the yield of H₂O₂ is sensitive to the preparation method: best results were obtained depositing gold by deposition precipitation and introducing in a second step Pd by incipient wetness impregnation. The origin of the differences were discussed by FTIR results together with HRTEM measurements. The role of Au seems to be a complex one, improving the performance of Pd particles changing their morphology and electron density.

1. F. Menegazzo, P. Burti, M. Signoretto, M. Manzoli, S. Vankova, F. Boccuzzi, F. Pinna, G. Strukul *J. Catal.* **2008**, 257, 369-381.

2. G. Bernardotto, F. Menegazzo, F. Pinna, M. Signoretto, G. Cruciani, G. Strukul *Appl. Catal. A: General* **2009**, doi:0.1016/j.apcata.2009.02.010.