

Older nurses' experiences of providing direct care in hospital nursing units: a qualitative systematic review

Karen Parsons^{1,3} • Alice Gaudine^{1,3} • Michelle Swab^{2,3}

¹*School of Nursing, Memorial University of Newfoundland, St. John's, Newfoundland, Canada*

²*Health Sciences Library, Memorial University of Newfoundland, St. John's, Newfoundland, Canada*

³*Memorial University School of Nursing Collaboration for Evidence-Based Nursing and Primary Health Care: a Joanna Briggs Institute Affiliated Group*

Corresponding author: Karen Parsons, karenp@mun.ca

Post-print version. Final published version available at: Parsons, K., Gaudine, A., & Swab, M. (2018). Older nurses' experiences of providing direct care in hospital nursing units: a qualitative systematic review. *JBIR database of systematic reviews and implementation reports*, 16(3), 669-700. <https://doi.org/10.11124/JBISRIR-2017-003372>

Executive summary

Background

Most developed countries throughout the world are experiencing an aging nursing workforce as their population ages. Older nurses often experience different challenges than their younger nurse counterparts. With the increase in older nurses relative to younger nurses potentially available to work in hospitals, it is important to understand the experience of older nurses on high paced hospital nursing units. This understanding will lend knowledge to ways of lessening the loss of these highly skilled experienced workers and improve patient outcomes.

Objectives

To identify, evaluate and synthesize the existing qualitative evidence on older nurses' experiences of providing direct care to patients in hospital nursing units.

Inclusion criteria

Types of participants

Registered nurses 45 years and older who work as direct caregivers on any type of in-patient hospital nursing unit.

Phenomena of interest

The phenomenon of interest is the experience of older nurses in providing direct nursing care. This review excluded studies consisting entirely of enrolled nurses, licensed practical nurses, and licensed vocational nurses.

Context

The provision of direct nursing care on any type of in-patient hospital nursing unit (i.e., including but not limited to medical/surgical units, intensive care units, critical care units, perioperative units, palliative care units, obstetrical units, emergency departments, and rehabilitative care units).

Types of studies

Qualitative data including, but not limited to the following methodologies: phenomenology, grounded theory, ethnography, action research and feminist research.

Search strategy

A three-step search strategy was used. An initial limited search of the databases PubMed (MEDLINE), and CINAHL, was undertaken followed by an analysis of the text words contained in the title and abstract. A second search using all identified keywords and index terms within these databases was then undertaken across all included databases (CINAHL, Pub Med, PsycINFO, Embase, AgeLine, Sociological Abstracts and SocINDEX). The search for unpublished articles included Dissertation Abstracts International, MEDNAR, OpenGrey, OAlster, Google Scholar, and Google. Thirdly, the reference lists of included papers were then searched for any

other relevant studies. Each database was searched from inception to October 13, 2017; no date or language limiters were applied.

Methodological quality

Each paper was assessed by two independent reviewers for methodological quality using the Joanna Briggs Institute Qualitative Assessment and Review Instrument (JBI-QARI). Any disagreements that arose between the reviewers were resolved through discussion.

Data collection

Data collection was conducted by two independent reviewers using the standardized qualitative data extraction tool from JBI-QARI.

Data synthesis

The qualitative research findings were pooled using JBI methodology. The JBI process of meta-aggregation was used to identify categories and synthesized findings.

Results

Twelve papers were included in the review. Three synthesized findings were extracted from 12 categories and 75 findings. The three synthesized findings extracted from the papers were: (1) Love of nursing: It's who I am and I love it; (2) It's a rewarding but challenging and changing job; it's a different job and it can be challenging; (3) It's a challenging job, can I keep up?

Conclusions

Older nurses love nursing and have created an identity around their profession. They view their profession positively and believe their job to be unlike any other, yet they identify many ongoing challenges and changes. Despite their desire to continue in their role they are often faced with hardships that threaten their ability to stay at the bedside. A key role of hospital administrators to keep older nurses in the workplace is to develop programs to prevent work related illness and to promote health. Given the low ConQual scores in the current systematic review, additional research is recommended to understand the older nurses' experience in providing direct care in hospital nursing units as well as predicting health age of retirement and length of bedside nursing.

Keywords

Older nurses; direct care; hospital nursing units; experience; qualitative

ConQual Summary of Findings

| Synthesized finding | Type of research | Dependability | Credibility | ConQual score | Comments |
|---|------------------|-------------------|--|---------------|---|
| <p>Love of nursing: it's who I am and I love it</p> <p>Older nurses love nursing and feel that nursing and their career as a nurse is a defining factor in who they are as a person. Older nurses providing direct care in hospital nursing units find their work and their career rewarding. They have been nursing long enough to feel comfortable in the role and are pleased by opportunities they had for career advancement and recognition. They know they still have what it takes to be a good nurse and believe that nursing is about caring for others and doing right by their profession. Nursing also helps them to feel active and fulfilled.</p> | Qualitative | Downgrade 1 level | Downgrade 1 level There were a mix of unequivocal and credible findings | Low | Downgraded 2 levels due to dependability and credibility of primary studies |
| <p>It's a rewarding but challenging and changing job</p> <p>The nurses' experiences with their work and workplace are both positive and negative. Their life is different because of shift work. Although they feel valued and appreciated they sometimes feel discouraged, for example, with their pension benefits or because they feel administration would like them to retire. They see themselves as different from younger nurses whom they believe see nursing as just a job, but admire the assertiveness of the younger nurses. They note many negative aspects of nursing today, including how</p> | Qualitative | Downgrade 1 level | Downgrade 1 level There were a mix of unequivocal and credible findings | Low | Downgraded 2 levels due to dependability and credibility of primary studies |

| | | | | | |
|---|--------------------|--------------------------|---|-----------------|---|
| <p>health care has become a business. They are concerned where nursing is going as a profession. Some are still working because they need the money and the benefits.</p> | | | | | |
| <p>It's a changing job; can I keep up?</p> <p>Older nurses voice many concerns; some have memory problems, some are exhausted with the ever-increasing workload, some are in pain, and many have concerns if they can move quickly enough in an emergency. Others express difficulty with changes in technology. Despite all this, they push themselves to continue. Older nurses describe both healthy and unhealthy strategies they use to help them continue working.</p> | <p>Qualitative</p> | <p>Downgrade 1 level</p> | <p>Rated high</p> <p>All studies were unequivocal</p> | <p>Moderate</p> | <p>Downgraded 1 level due to dependability of primary studies</p> |

The ConQual approach¹ was used to assess and report confidence in the results of this qualitative systematic review. The 12 studies included in this review were assessed for dependability. For synthesized finding 1, of the nine studies included, two addressed five of the dependability questions, two addressed four, four addressed three, and one addressed two. For synthesized finding 2, of the seven articles included, two addressed five of the dependability questions, one addressed four, and four addressed three. For synthesized finding 3, of the seven articles included, two addressed five of the questions, four addressed three, and one addressed two. Credibility of the findings was graded at three levels: those that could not be challenged were graded unequivocal (U), those that could be challenged were graded credible (C), and those that could not be supported by data were graded unsupported (Unsupported) (Appendix I). The level of credibility of each finding was based on consensus between the two reviewers.

Introduction

The majority of developed countries throughout the world have an aging population that corresponds with an aging nursing workforce. The average age of nurses in both Canada and the United States is 45 years.^{2,3} Ironically, despite an increase in the number of older nurses relative to younger ones potentially available to work in hospitals, the retirement of aging nurses has contributed to a critical global nursing shortage that is anticipated to increase.⁴ This global nursing shortage is in part due to a consistent pattern of nurses leaving hospital settings or the workforce after the age of 50 years.⁵

Older nurses leave the workforce early for a variety of reasons. First, direct care nursing in hospitals has long been known to be stressful for nurses.⁶ Work related stressors, including heavy workload, shift work, violence, increased acuity of patient care, and perceived lack of responsiveness to nurses' concerns, has led to an increase in work stress and job dissatisfaction.⁷ The level of job satisfaction has been determined to be highly predictive of employee turnover.⁸ Numerous predictors of job satisfaction amongst nurses have been identified and include: co- worker support, teamwork, retirement benefits, adequate equipment, healthcare benefits, open- door policy, respect from physicians and administrators, job security, shift of choice, paid time-off per year, educational opportunities,⁹ organizational commitment, perceived job alternatives, job search behavior, links with other employees, and sacrifices they would have to make if they left their current job.¹⁰ Furthermore, it has been reported that over 50% of registered nurses eventually experience burnout.¹¹ In the 2006 white paper, *Wisdom at Work: The Importance of the Older and Experienced Nurse in the Workplace*, it was recommended that retention strategies for older nurses include flexible work options, workplace redesign and ergonomics, strategic management for demographic and workplace changes, training and lifelong learning, caregiver and grief resources, retirement planning and boosting participation in benefits, along with phased retirement.¹²

A second reason why older nurses leave the workplace prematurely is that older nurses themselves have cohort-specific health needs. Middle-age is a time of increasing likelihood of chronic disease¹³ as well as age-associated health changes such as a gradual decline in aerobic power, reaction time and acuity of the senses, and menopause symptoms.^{14,15} Furthermore, job-related morbidities such as musculoskeletal injuries, depression and chronic pain¹³ may further cause many older nurses to abandon their careers early.

The global health workforce is in a state of chronic, critical and worsening shortage, and is a fundamental constraint to reaching health and development goals.¹⁶ Nurses account for the largest proportion of this workforce. In an era of increased healthcare demands and a critical nursing shortage, it is important to understand the experience of older nurses in high paced hospital nursing units to lend knowledge on ways to lessen the loss of highly skilled experienced workers and to lessen negative patient outcomes. Patient outcomes have been directly linked with the number of registered nurse (RN) hours: more RN hours being associated with shorter patient hospital stays, and lower rates of upper gastrointestinal bleed, urinary tract infection, pneumonia and cardiac arrest.¹⁷

Very few studies have explored the experiences of older nurses providing direct care in hospital units. Friedrich *et al.* utilized a grounded theory approach to ascertain what motivates and inspires seasoned nurses to continue to practice in acute care after the normal age of nurse retirement. Four themes identified from the data were: existing attitudes and experiences, retention factors, important needs and unique contributions.¹⁸ Storey *et al.* conducted a cross-sectional survey using a semi-structured questionnaire on nurses between 40 and 59 years (78%) in different care venues, including hospital-based nurses. Results showed that older nurses were more likely than younger ones to report that their role had lived up to expectations. Older nurses reported that they wanted to be valued for the work they did and to be consulted regarding potential changes in the workplace. Furthermore they were more likely to stay if they received good pension advice, reduced working hours near retirement, and reduced workload.¹⁹ Muller *et al.* used a mixed-method design which included semi-structured interviews to demonstrate a positive relationship between the effects of selection, optimization and compensation on work ability in nurses between 21 and 63 years of age.²⁰ Gabrielle *et al.*, using a feminist perspective, interviewed 12 female nurses between the ages of 40 and 60 years to determine their health and aging concerns. Two major themes were identified: the aches and pains of aging and evolving lifestyles, and work in progress whereby exercise was seen as a health imperative in the light of existing constraints, such as chronic pain.²¹

In summary, only a limited number of studies have qualitatively addressed older nurses' experiences of providing direct care on hospital nursing units. A systematic review of studies on older nurses' experiences of providing direct care on hospital nursing units will therefore provide a single comprehensive set of synthesized findings. Also, a search of the *JBIR Database of Systematic Reviews and Implementation Reports*, Cochrane Database of Systematic Reviews, CINAHL, PubMed and PROSPERO revealed no existing systematic reviews or protocols on this topic. This systematic review seeks to integrate the literature on the experiences of older nurses providing direct nursing care. Based on this, the review may also contribute to the development of retention strategies for older nurses in high-paced hospital nursing units.

This review was conducted according to an a priori published protocol.²²

Objectives

The objective of this systematic review was to evaluate and synthesize the existing evidence on older nurses' experiences of providing direct care in hospital nursing units.

Inclusion criteria

Participants

Studies that included nurses both over and under the age of 45 years were included if findings for nurses 45 years and over could be separated from nurses under the age of 45 years. This review excluded studies that consisted entirely of enrolled nurses, licensed practical nurses and

licensed vocational nurses. This is because registered nurses have a level of competence and skill that enables them to perform nursing competencies at a much different level than other such nurses, thus the nature of their nursing experience is most likely quite different.

Phenomena of interest

The phenomenon of interest was the experience of older nurses providing direct nursing care in in-patient hospital nursing units.

Context

This review considered studies that included registered nurses of any gender, culture or country, 45 years and over who worked as direct care nurses on any type of in-patient hospital nursing unit (i.e. including but not limited to medical/surgical units, intensive care units, perioperative units, palliative care units, obstetrical units, emergency departments and rehabilitative units).

Types of studies

This review considered studies that focused on qualitative data, including designs such as phenomenology, grounded theory, ethnography, action research and feminist research that explored the experiences of older nurses providing direct nursing care on in-patient hospital nursing units.

Methods

Search strategy

The search strategy aimed to find both published and unpublished studies. A three-step search strategy was used. An initial limited search of the databases PubMed (MEDLINE) and CINAHL was undertaken followed by an analysis of the text words contained in the title and abstract. A second search using all identified keywords and index terms was then undertaken across all included databases (CINAHL, PubMed, PsycINFO, Embase, AgeLine, Sociological Abstracts and SocINDEX). The search for unpublished articles included Dissertation Abstracts International, MedNar, OpenGrey, OALster, Google Scholar and Google. Thirdly, the reference lists of included papers were then searched for any other relevant studies. Each database was searched from inception; the search was conducted on October 13, 2017; no date limiters or language limiters were applied.

Information sources

The databases searched included: CINAHL, PubMed, PsycINFO, Embase, AgeLine, Sociological Abstracts and SocINDEX.

The search for unpublished studies included: Dissertation Abstracts International, MedNar,

Open- Grey, OAlster, Google Scholar and Google.

Initial keywords used were: nurses+, older nurses, hospitals+, “nursing staff, hospital”, baby boomers, in middle age, middle aged, aging, age factors, employment of older workers, experienced nurs*, experiences, qualitative studies+, audio-recording, phenomenology, focus groups, narrative, observational methods, vignettes, interviews+, lived experience, bedside nursing

The full search strategy is provided in Appendix II.

Assessment of methodological quality

Qualitative papers selected for retrieval were assessed by two independent reviewers for methodological validity prior to inclusion in the review using the standardized critical appraisal instrument from the Joanna Briggs Institute System for the Unified Management, Assessment and Review of Information (JBI SUMARI).²³ The two authors were able to reach consensus on any disagreements through discussion.

Data extraction

Qualitative data (i.e. illustrations and findings) were extracted from papers by two independent reviewers and included in the review using the standardized data extraction tool from JBI SUMARI.²³ The illustrations extracted were the exact words of the study participants. Findings in the review articles were either labelled as themes or categories. In some cases, a finding was not specifically identified and in these cases the exact words of the authors that described the findings were pulled from the article. The data extracted included specific details about the interventions, populations, study methods and outcomes of significance to the review question and specific objectives.


Data synthesis

Qualitative research findings were pooled using JBI SUMARI. This involved the aggregation or synthesis of findings by consensus by both authors to generate a set of statements that represent that aggregation, through assembling the findings rated according to their quality, and categorizing these findings on the basis of similarity in meaning. These categories were then subjected to a meta-synthesis in order to produce a single comprehensive set of synthesized findings that could be used as a basis for evidence-based practice. Where textual pooling was not possible, the findings have been presented in narrative form.

Results

A comprehensive database search of the literature yielded 595 potentially relevant studies; 199 duplicates were removed. After review of the abstracts, 328 studies were excluded, leaving 68 articles being read in their entirety. From these, 54 articles were excluded because they did not

meet the inclusion criteria. Fourteen studies were assessed and two were excluded due to insufficient methodological quality as outlined by JBI SUMARI. Twelve articles were included in this review. Appendix III provides details of the included studies. See Figure 1 for search results. Appendix IV describes the excluded studies and reasons for exclusion.



From: Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 6(6): e1000097.

Figure 1: Flowchart of study selection and inclusion process

Methodological quality

The studies included were qualitative in design and included findings pertinent to our systematic review. Table 1 summarizes the methodological quality of the 12 studies. Most of

the criteria were met in the included studies. The two criteria that were least addressed were Q6 (There is a statement locating the researcher culturally or theoretically) and Q7 (The influence of the researcher on the research, and vice-versa, is addressed). For Q6 and Q7, only three and seven, respectively, of the 12 studies met these criteria.

Characteristics of included studies

The included studies provided data on the experience of being an older nurse providing direct patient care in hospital nursing units. Qualitative data from the included studies were analyzed using phenomenology,^{25,28,30,32,33} naturalistic inquiry²⁹ and grounded theory.^{18,31} Several of the included studies^{24,26,27,34} did not state the specific qualitative method used. Sample sizes ranged from eight to 84 participants. The studies were carried out in the United States, United Kingdom, Australia and Finland.

Four of the studies included in this review directly explored the overall experience of being an older nurse^{25-27,33} in direct patient care areas such as critical care and perioperative care. One study³⁴ explored the perceptions, attitudes and beliefs of nurses about their professional competence, and another explored the experience of being an older nurse who suffered from depression and/or musculoskeletal pain.²⁸ Five studies in this review specifically explored the factors that influenced older nurses in their decision to remain or not remain in nursing.^{18,24,29,30,32} Finally, Ultrianen *et al.*³¹ used grounded theory to create a substantive theory of well-being at work among hospital nurses.

Table 1: Assessment of methodological quality

| Citation | Q1 | Q2 | Q3 | Q4 | Q5 | Q6 | Q7 | Q8 | Q9 | Q10 |
|---------------------------------------|----|----|----|----|----|----|----|----|----|-----|
| Andrews <i>et al.</i> ²⁴ | U | Y | Y | Y | Y | N | N | Y | Y | Y |
| Freidrich <i>et al.</i> ¹⁸ | U | Y | Y | Y | Y | N | N | Y | Y | Y |
| Hodge ²⁵ | U | U | Y | Y | Y | N | Y | Y | Y | Y |
| Letvak ²⁶ | Y | Y | Y | Y | Y | N | Y | Y | N | Y |
| Letvak ²⁷ | Y | Y | Y | Y | Y | N | Y | Y | Y | Y |
| Letvak ²⁸ | Y | Y | Y | Y | N | Y | Y | Y | Y | Y |
| Sandy ²⁹ | Y | Y | Y | Y | Y | N | N | Y | Y | Y |
| Thompson ³⁰ | Y | Y | N | Y | Y | N | Y | Y | Y | Y |

| | | | | | | | | | | |
|---------------------------------------|----|----|----|-----|----|----|----|-----|----|-----|
| Ultrianen <i>et al.</i> ³¹ | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| Valencia <i>et al.</i> ³² | Y | U | Y | Y | Y | N | N | Y | Y | Y |
| West <i>et al.</i> ³³ | Y | Y | Y | Y | Y | N | N | Y | Y | Y |
| Wheeler ³⁴ | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| % | 73 | 82 | 91 | 100 | 91 | 27 | 64 | 100 | 82 | 100 |

Findings

Three synthesized findings were identified consisting of 12 categories and 75 findings. Appendix I provides a synopsis of the results of the meta-synthesis of the research findings.

Synthesized finding 1: Love of nursing: It's who I am and I love it

Synthesized finding one comprises four categories and 30 findings. Older nurses love nursing and feel as if nursing and their career as a nurse is a defining factor in who they are as a person. Older nurses providing direct care in hospital nursing units find their work and their career rewarding. They have been nursing long enough to feel comfortable in the role and are pleased by opportunities they have had for career advancement and recognition. They know they still have what it takes to be a good nurse and believe that nursing is about caring for others and doing right by their profession. Nursing also helps them to feel active and fulfilled.

Category 1.1: Rewarding work and career

Rewards around their love and satisfaction for the work itself, such as the interactions with and care for their clients, the ability to make a real difference in their clients' lives, as well as how the work makes them feel, create a positive self-image. The older nurses like the responsibility they have been given and thrive in the exciting environments where they continue to learn and share their wealth of experience with others, allowing them to make a unique contribution in the workplace.

Finding 1: Rewarding career

It is particularly rewarding to me when you actually see patients who could be discharged home who have improved to the point they were able to go home and have a functional life^{25 (p.77)}

Finding 2: Achievement (career/self and patient care)

I have a talent that I worked to perfect.^{25 (p.70)}

Finding 3: Positive self-image – specific clinical focus

My patients and their family trust me. I feel that how I care for them shows that I am a great critical care nurse who provides excellent and expert care.^{25 (p.83)}

Finding 4: Altruism is its own reward

Everything I do has my patients' best interest at heart. I do it only because I know I am doing it for my very ill patient.^{25 (p.86)}

Finding 5: Work itself

I like the care, I like the patients, I like the challenge, on [a] day- to- day basis there are challenges every day.^{25 (p.70)}

Finding 6: Responsibility

I want our patients to be given the best possible care; so therefore I want our new nurses to gain the confidence and experience needed to do that.^{25 (p.70)}

Finding 7: Interpersonal relations

Working in ICU gives me a chance to spend time with families in difficult times and encourage critically ill patients to help them through the process and to be helpful and give them excellent care.^{25 (p.71)}

Finding 8: Self-perception

I'm the best I have ever been.^{34 (p.233)}

Finding 9: Job satisfaction

At the end of the day, when I lay down in bed at night, I am satisfied.^{34 (p.234)}

Finding 10: We're here because we care

I love what I do. I know that I've done the best by my patients and nobody else may have done for them what I did. That's who I'm accountable to – the patient.^{26 (p.50)}

Finding 11: Learning/exciting environment

Program development is bringing a whole new set of technology. That's exciting.^{30 (p.581)}

Finding 12: Nurse-patient interaction

That joy – even a smile that you can bring to a sick person's face is a THANKS – approval that gives strength to work. It is also a sign of a patient's trust. A touch – a light touch that a sick person is able to give to a nurse, his helper and promoter, in an expression of some deep approval, trust, caring...^{31 (p.154)}

Finding 13: Attitudes and experiences – wealth of experience

I graduated in 1966 from a school of nursing in Minnesota that is no longer there. Then after graduation I worked in surgery for a year. I was putting my husband through seminary. We changed jobs quite a few times in those first few years. The next summer he wanted to go to summer camp, so I was a camp nurse. We moved back, and I worked 2 years in surgery. By then he had graduated, and we moved to a suburb, and I worked there in OB part-time.^{18 (p.901)}

Finding 14: Attitudes and experiences – love of nursing

I just have a passion for nursing. I know it sounds crazy, but I just love going to work.^{18 (p.901)}

Finding 15: Unique contributions – sharing experience

I think one of the things I enjoy most is teaching. We teach the patients what to expect back in the pre-op room, the operating room, the recovery room, and what they could do to help themselves afterwards to take care of themselves the best after the surgery.^{18 (p.903)}

Finding 16: Unique contributions – making a difference

It's just the satisfaction of making a difference in a patient that really needs your care. The personal care, the personal talks, and sometimes what a patient needs besides just getting over sickness or surgery, is to know you care. The caring aspect I would say that is no. 1.^{18 (p.903)}

Finding 17: Working for the satisfaction of connecting with patients and families

I guess what I really enjoy is when you've got the time to talk to a patient and make a difference as opposed to just running around and completing the tasks the people are there to audit. I don't like to be in the mode of a waitress who comes with her little book to your table and says 'Can I help you' and doesn't even look at you. I don't want to be that kind of nurse. I don't want to be the nurse who walks in and says, 'You having pain? What is it, 1 to 10?' I want to be able to have the time to sit and look at the person. A lot of communication is not verbal. You can tell when someone's in pain. That gives me satisfaction.^{32 (p.279)}

Finding 18: Growing old in the OR

When I went into Fundamentals in nursing school in 1966, I distinctly remember the instructor going around and asking all of us what we wanted to do when we graduated. And all I wanted was to be in the OR. And I was the only one. I thought it would be exciting with a lot of action going on. And I was right. I loved it then, and I still do.^{27 (p.641)}

Category 1.2: Career advancement and recognition

After older nurses get to the top of the salary scale there are no additional incentives. Nurses believe they deserve more recognition because of the value they add to the hospital. They do, however, feel recognized by patients, families and other health professionals for their expertise and this brings them status. There are some opportunities for advancement.

Finding 1: Salary

When you get to the top of your pay scale you never get any extra incentives.^{25 (p.71)}

Finding 2: Recognition

Critical care nurses need more recognition because we make a difference in how the hospital is perceived by the families and our community.^{25 (p.70)}

Finding 3: Growth

There is the clinical ladder.^{25 (p.71)}

Finding 4: Status

The doctor will say for example, "I want an older ICU nurse, one who knows what they are doing."^{25 (p.71)}

Finding 5: Perception by others

They respect me, my competence, and they respect my age. They trust me because I'm older. The physicians respect and trust me because they know me.^{34 (p.233)}

Finding 6: Preference of patients

I think the patients get a feeling of confidence and security in the fact that I am an older nurse, especially the older patients. . .they are leery of a lot of the 'new medicine', and they look at me and think, she can do it, it must be all right.^{34 (p.234)}

Finding 7: Wanted to be treated with respect by the people she was interacting with and to have responsibility for projects

. . .was getting older and was looking for more challenges.^{29 (p.55)}

Finding 8: Hospital could not provide her the job satisfaction and creative outlets she required

I knew acute care nursing did not feel right to me any longer; it didn't fit.^{29 (p.75)}

Category 1.3: Doing right by the profession

Older nurses feel they are loyal employees and have a strong work ethic. They recognize they need continuing education.

Finding 1: Professional behavior

I'm more loyal to the job, to the hospital that pays me. They deserve their money's worth. I feel like if I don't give it to them, then I am not being honest . . . that work ethic is not prevalent today.^{34 (p.234)}

Finding 2: Education

I have to stay updated and know what is happening. I don't want to get behind on anything.^{34 (p.235)}

Category 1.4: Keeps me active

Working keeps the older nurses busy, and their mind and body active, and prevents boredom.

Finding 1: Important needs – exercising mind and body

I love keeping busy. I have a lot of peers who have retired and they just age is what I see. Your world becomes more closed in if you don't stay busy.^{18 (p.902)}

Finding 2: Working to avoid boredom

I think for me being single, with no family or children at home, my thoughts on retirement are that if I retire, I'm going to become bored and won't have a lot to do. Although I do travel a lot and I like to meet people, and keep busy, I can't imagine not helping people. So my thoughts

when I retire are to volunteer. I see a lot of retired people get depressed and then sit there bored. You have to do something more than just filling in the time, other than sitting there and watching the soaps all day. I find I have a need to do something that's constructive.^{32 (p.283)}

Synthesized finding 2: It's a rewarding but challenging and changing job

Synthesized finding 2 comprises five categories and 30 findings. The nurses experiences with their work and workplace are both positive and negative. Their life is different because of shift work. Although they feel valued and appreciated they sometimes feel discouraged, for example, with their pension bene- fits or because they feel administration would like them to retire. They see themselves as different from younger nurses whom they believe see nursing as just a job. They do however, admire the assertiveness of the younger nurses. They note many negative aspects of nursing today, including how health care has become a business. They are concerned where nursing is going as a profession. Some are still working because they need the money and the benefits.

Category 2.1: Relationship with the workplace

Both positive and negative relationships with the organization are experienced by older nurses. They feel appreciated and valued for their expertise and the work they do. Older nurses know that they are capable of caring for challenging patients, and note that they are often called upon to do this. Because of their expertise, they are more than able to carry their own workload. They enjoy working with other nurses and teamwork, and the feeling of having a second family. They feel supported by their colleagues and having their input valued by them. The older nurses continue to learn new things, with each day bringing something new. They appreciate the need to continue learning and that, through their learning, they are able to teach others. Feeling comfortable in their practice area helps them remain in their workplace.

Finding 1: Our relationship with the organization

I receive very positive feedback from my manager. She is always making little comments such as, you aren't getting ready to retire. Period. You can forget it. And that thrills me. I'm glad she feels that way.^{26 (p.52)}

I think they want to keep me for the slot I fill, but I also think they would love to get rid of me. But they need me.^{26 (p.52)}

Finding 2: Good relationships with team members

They care about staff.^{30 (p.580)}

Finding 3: Nurse-nurse interaction

I felt it as very positive that they (younger nurses) trust me so much, I can sense that they like to ask me and get guidance, I think it is an expression of trust and it gives me strength.^{31 (p.153)}

The climate on our unit is 'open' and quite inclusive, in other words, we dare to express our feelings and we really do that. In our place we dare to laugh and cry.^{31 (p.153)}

Finding 4: Team support – supportive relationships are important

Coming into work, you're walking a little bit funny, your coworkers are, 'Oh, you got back pain

today don't ya?' 'Yeah, I do. 'That makes me feel a little better right there because they're recognizing it.'^{28 (p.12- 13)}

Finding 5: Attitudes and experiences – culture of the workplace

You can't do it yourself. I really believe on the floor where I work that there is a lot of good teamwork and that we do support and help each other.^{18 (p.901)}

Finding 6: Important needs – camaraderie

The camaraderie of the peers that you work with – it really becomes your second family. I enjoy that part.^{18 (p.921)}

Finding 7: We carry our load

I don't get an easier assignment because I'm over 50. I carry my own weight. Sometimes they give me the most difficult patients.^{26 (p.50)}

Finding 8: Attitudes and experiences – appreciation of learning

Every day is different so you have to learn. You can't be stuck on what you learned before, because you have to change.^{18 (p.901)}

Finding 9: Retention factors – reduced pressure role

For me, working in special care nursery is better now that I'm older because I don't have to run up and down the halls. I'm 73 years old, and I'm not as speedy as I used to be.^{18 (p.902)}

Category 2.2: It's a different time

The older nurses see recent nurse graduates as different from them. They see younger nurses as not wanting to be at the bedside or wanting to leave nursing completely. They also see younger nurses as being more assertive and believe this is a good thing.

Finding 1: Our relational workplace

There are lots of differences between the nurses we are preparing now. When I graduated from nursing school I knew I was going to be a nurse forever. These nurses can only talk about how soon they can go back to school and get away from the bedside or they just want to leave nursing completely.^{26 (p.51)}

Finding 2: Multiple temporalities – the intergenerational workplace

They've got more realistic expectations than they had when I started training. You had to jump, if they said jump six feet we had to jump six feet. We don't have to jump six feet now and I guess that's the changing environment of nursing too 'cause I found it interesting I've got a daughter who's a nurse and she is very assertive and actually she's taught me heaps on assertiveness and it's good. . . I like, I like my daughter's attitude to work. She's still a very caring nurse, excellent nurse, but she just knows where the boundaries are.^{33 (p.117)}

Finding 3: Conflict – younger nurses

I have really reserved my comments to the young nurses who have come to work in my critical

care unit. You only have to see them roll their eyes at you once to know they don't value what I have to say or want to show them.^{25 (p.80)}

Category 2.3: Negative aspects of work

The older nurses are not satisfied with hospital policies. As well, they have concerns about how nursing has changed, such as time spent away from patients to work on computers. They voice concerns about their schedule, having to be on call and how it is difficult if they have children and/or elderly parent responsibilities. The frequency of change makes them question if all the changes are necessary and also makes them think about retirement. One change older nurses have noted is that health care has become a business. They state that their experience and compassion, and the quality of their patient care are not as valued by administration. Nurses are saddened by how the shortage of nurses is changing their work life. They are worried about how the increasing shortage of nurses would impact the future of nursing. They are concerned about the lack of compassion of younger nurses.

Finding 1: Company policy/administration

Hospital policies, no I am not satisfied.^{25 (p.72)}

If there is a problem with a person, just deal with that person and not make a rule because of it.^{25 (p.72)}

Finding 2: Working conditions

I spend more time nursing the computer than I do my patients.^{25 (p.72)}

I wish that management would look at and change moving patients in and out.^{25 (p.72)}

Finding 3: Interpersonal and organizational concerns

Hospitals must be more flexible. We paid our dues, and we need a little time with our older parents and our grandchildren. A lot of older nurses just might stay in longer if they didn't have to worry about call.^{27(p.644)}

Finding 4: Predictability is motivating/change creates dissatisfaction

I think there are just too many changes. You get all these nursing classes that say to implement change in stages so it can be assimilated. But here you change and you change and you change and you change. It doesn't ever stop. This amount of change makes me think about retiring. Some degree of predictability in my job would keep me working.^{32 (p.280)}

Finding 5: Team support – a lack of administrative support

They don't even want to know. Acknowledge I guess would be the better thing to say. To acknowledge that we have a value and that they need to help us look for places within the organization that we can still use our expertise and still be productive nurses rather than just saying, "Oh that's all right, she can't do this anymore, bye."^{28 (p.13)}

Finding 6: EMR, technology, and equipment changes are upsetting/challenging

Does all this change really help? I know they're trying to improve but the change is non-stop. There are people that say, 'Well, keep up or get out.' I've heard that. The amount of new

technology makes me think about retiring. Like the other day we got new central station monitors. Every time you want a two-channel recording, you have to go and reprogram it, because it wasn't configured to do that. I called Clinical Engineering and asked if there's anyone who could provide an in-service because there were nine nurses working who didn't know how to do it. I had looked at the two-hour videotape about a month ago, and they were like, 'No, no one's here, no one can come, sorry.' I'm like, 'Okay.' That's not a way to retain nurses.^{32 (p.281)}

Finding 7: Conflict – administration

Administration could care less that I have been a critical care nurse for 36 years. In fact, if I left they would look at it as a cost saving and would bring an inexperienced nurse in to save money.^{25 (p.81)}

Finding 8: Hospital administration mandating an increase in cost cutting measures

. . . overwhelmed with all the responsibility. I no longer felt I was doing what I perceived nursing to be or able to deliver quality care to the patients. Instead I was involved in meeting state and other regulatory standards and managing aspects of the organization that were far removed from patient care.^{29 (p.54)}

Finding 9: Could not continue to manage

The responsibilities and number of patients each nurse was assigned were becoming unmanageable.^{29 (p.57)}

Finding 10: Worries about the future

We are bringing in some new young nurses, but our directors are not prepared to educate them, and we don't have educators. Our education programs are all CBL [computer-based learning] – that's great but who are these young girls going to ask a question of?^{27 (p.646)}

Finding 11: 'Push' factors – pace of technological change

We have been smothered with computers and printers, and I am just overwhelmed at the thought of using them.^{24 (p.302)}

Category 2.4: Money/benefits

Older nurses speak of needing to work for money and benefits. They have concerns that the benefits they believe they have may change. They want to work until they are certain they will have a secure future.

Finding 1: Important needs – finances

The other thing that kept me in nursing was the money; because if I'm retired, I have to buy my insurance. So I work to pay my monthly insurance so I don't have to take it out of my pension.^{18 (p.902) (p.54)}

Finding 2: Concern over changing benefits

I am very concerned about pending changes that could affect my retirement. I felt like after all the years I have worked I would have lifetime medical benefits but it seems that could change.

I'm very concerned about that because I don't perceive Social Security having as much money as it needs to. Medical plans are not what they used to be. The prescription drugs are much higher. I take two prescription drugs, and it's very expensive. Right now, I'm spending over \$100 a month for those drugs. I can handle that, but I can't imagine when I'm retired how I would manage. Those are the worries that keep me from retiring.^{32 (p.275)}

Finding 3: Working for financial security

I'm trying to put as much as I can into my 403(b). I'm hoping I can work until my house is paid off, so that would be close to 65. I'm the only one in the family except my kids. I don't want my kids to feel they have to support me. That's one of the reasons I want to work as long as I can and stay as active mentally as I can. I want to feel I'm in a good position financially and able to take care of myself.^{32 (p.275)}

Finding 4: 'Pull' factors – financial influences on older nurses

... financial considerations and the fact that if I left too early my pension would be affected.^{24 (p.303)}

Category 2.5: A different life

Because nursing involves shift work, the older nurses speak about how they have a different family life because they are working at times when the rest of their family is together. They feel exhausted sometimes when they need to shuffle their schedule to see family/ people and keep appointments. They can be less close to their family and extended family because of not seeing them frequently.

Finding 1: Multiple temporalities – temporality and the concept of multiples

Hard work, long hours, you're married, you've got children, you're trying to shuffle your home life and your work life and I guess at the end of the day there's not a lot of time for yourself and you're just dog tired most of the time.^{33 (p.114)}

Finding 2: Multiple temporalities – arranging life around shift work

Shift work is actually a very good thing because it gives you flexibility in your life and the places that I've worked you've had a choice of setting up your own roster so therefore the idea of that, the optimum of that, is that you can have a life outside of your workplace because you've set the dial. In reality [laughing], the reality is that from day to day in my workplace at the moment which is in a very busy day surgery unit we have three different shift times. . . I'd forgotten all about phoning in and then I thought no look I know what I'm doing and then arrived at 6.15 to start on the shift to be told, "Oh what are you doing here? You're not here until 7.30". Which meant of course that at the end of the day I was expected to be here longer which didn't suit.^{33 (p.115)}

Finding 3: Multiple temporalities – social effects

it's a family network and the sibling relationships that you miss out on because you know you're doing such and such and your brother and sister go off and do something every other week that you might get to once in a blue moon and then you don't fit in because even with your family

you'd missed that continuity. My children aren't as close to their cousins as my brother's and sister's children are. My children walked past their cousin in the street and didn't recognize her. . . they didn't know her and she didn't know them either but you know that wouldn't have happened if we'd been every Saturday afternoon drinking at the pub or whatever.^{33 (p.116)}

Synthesized finding 3: It's a changing job; can I keep up?

Synthesized finding 3 comprises three categories and 15 findings. Older nurses voice many concerns; some have memory problems, some are exhausted with the ever-increasing workload, some are in pain and many have concerns if they can move quickly enough in an emergency. Others express difficulty with changes in technology. Despite all this, they push themselves to continue. Older nurses describe both healthy and unhealthy strategies they use to help them continue working.

Category 3.1: Needing to be physically and/or mentally fit

The nursing workload is exhaustive, although most of the older nurses can keep up but this can be at the cost of their well-being. Some find their memory is not as good as it has been. Some find they walk slower and fear this could be a problem if there is an emergency. They prefer working in areas where there are fewer physical demands or shorter shifts. They want to find strategies that will keep them feeling healthy and able to work. They wish management would find strategies that would help them to be able to stay in the workplace.

Finding 1: Energy level

The young ones can't outwork me, I run up and down the halls.^{34 (p.234)}

Finding 2: Memory

I'm no more forgetful than the younger nurses.^{34 (p.234)}

I don't think as fast as I used to. . . The knowledge is there, and age has not affected my ability to act in a crisis, but it takes longer to speak out.^{34 (p.234)}

Finding 3: My practice of nursing changed – moving slowly

I just walk slower than many other nurses. Just walking slower, a lot of our time is spent walking to and from rooms and nursing stations and just my walking time slows me down because I don't walk as fast.^{28 (p.11)}

Finding 4: My practice of nursing changed – patient safety concerns

I'm slower and I guess that could be a real big thing if, like, a baby was choking in a room. I couldn't get there as fast as someone who didn't have any problems. I don't run.^{28 (p.11)}

Finding 5: Retention factors – retention strategies

For me, working in special care nursery is better now that I'm older because I don't have to run up and down the halls. I'm 73 years old, and I'm not as speedy as I used to be.^{18 (p.902)}

Finding 6: Retention Factors – less physical challenges

Doing some of the procedures like I.V. would be fine, but not the heavy, physical work. It's too

exhausting for the older nurse.^{18 (p.902)}

Finding 7: Concern about staying healthy prompts nurses to consider retirement

If my body holds up I will stay. I might have to work 8 hour shifts or something. I would consider lunch relief or the clinic. I just don't know if I could work the 12 hours on my feet, running, or else I might have to change my way of operating, my way of being. If I had a place where I'd be close to my patients and I could eat that would be one thing that would motivate me to work longer. Being able to exercise more would keep me here. Having ways to keep healthy and physically stimulated and also doing mind-stimulating techniques would keep me here. I would like to take some classes outside of nursing. I would love to do ballroom dancing. And then just doing maybe some yoga and Pilates exercises just to stretch and strengthen would be good. I think hospitals should offer health options for nurses like wellness programs. We need to stay healthy while we work.^{32 (p.282)}

Finding 8: 'Push' factors – stress and older workers

I decided to take early retirement basically because I had a very stressful year. . .we were short staffed.^{24 (p.303)}

Finding 9: 'Pull' factors – flexible working hours for older nurses

. . .felt that a full-time service, 37.5 hours at age 55, was definitely too much.^{24 (p.303)}

Finding 10: Multiple temporalities – constructing a personal temporality

I guess as time goes on if I find that I'm just getting way, way too tired which is one of the reasons why I've cut from eight to seven (shifts). . . I was just exhausted and I remember commenting to my husband and saying I don't know how much longer I can keep this up I'm just tired all the time. . . I was stopping doing things that I enjoyed. . . I think I've become probably more a homebody than a person that goes out a lot . . .now I just think oh I couldn't be bothered I just want to veg. . . I'll just keep dropping days until I find that I've reached somewhere where I'm not feeling tired and I can come to work and do my few days work and feel okay. I don't particularly want to give it up altogether I'm not ready for that yet...^{33 (p.1173)}

Finding 11: Totally exhausted

...burned out.^{29 (p.68)}

Category 3.2: Physically and mentally too hard

Nurses say they experience a lot of pain from the physical work. Sometimes the pain is excruciating but they continue to push themselves to make it through the day.

Finding 1: A daily struggle – it hurts every day

Sometimes they've had to take me to my car in a wheel chair at the end of my 13-hour shift and then I came back and worked the next day.^{28 (p.10)}

I am always very sad. What I had. What I used to do. Now I'm not suicidal or anything but so many days I am at work and am just so sad.^{28 (p.10)}

Finding 2: A daily struggle – inner strength and courage

I get up in the morning hurting. “OK, I got to make it through this day. I know it’s going to hurt, I don’t feel good but I’m going to work.” So I do. I do my job. Those patients need me. That is what keeps me going.^{28 (p.11)}

Category 3.3: Working around their deficits

Older nurses describe different strategies they use to help them continue working. They also describe unhealthy strategies they use to stay in the workplace.

Finding 1: Learning to cope – positive coping strategies

I’ve been a preceptor for years and I’d rather do that than even go into administration because I am not a confrontational person. I’m more the nurturer, take care of person. So, practically since I’ve started here, I’ve been precepting people. Almost on an ongoing basis, which helps me because I do have that extra pair of hands where you’re usually doing a lot of physical part of the work, you know, and I can help them more with the cognitive area.^{28 (p.12)}

Finding 2: Learning to cope – negative coping strategies

Well I cope by clocking out, staying late. I never get out on time.^{28 (p.12)}

Discussion

This review aimed to synthesize the best available evidence of the experience of older nurses providing direct care in hospital nursing units. Using JBI SUMARI, three synthesized findings were identified consisting of 12 categories and 77 findings. The three synthesized findings are: 1) Love of nursing: it’s who I am and I love it, 2) It’s a rewarding but challenging and changing job, and 3) It’s a changing job; can I keep up?

The experience of older nurses providing direct care in hospital nursing units is an important topic for a systematic review because there is an aging workforce in many countries, a shortage of nurses and consequently, a need to keep older nurses in the workplace. Despite efforts to address the RN short- age in Canada, the Canadian Nurses Association (CNA) predicts this shortage will rise to approximately 60,000 by the year 2022.³⁵ The report points out that keeping nurses in the profession is also an important part of building Canada’s RN workforce. If the annual loss of RNs under the age of 60 is less than two percent, and the loss of those 60 or over is no more than 10%, then 30,000 full-time nurses would effectively be added to Canada’s nursing supply, cutting the shortage in half over 15 years. This is the first systematic review on this topic of growing importance. The review synthesized 12 studies and our three overarching synthesized findings provide the best overview of knowledge on this topic.

The first synthesized finding, *Love of nursing: it’s who I am and I love it*, indicates that older nurses who remain in direct care in hospital settings are there because they love nursing. Moreover, they are there because being a nurse is part of their identity; it is who they are. This finding is similar to what is known about why people enter the nursing profession, and why nurses are motivated to remain in the nursing profession. Further, this finding is related to what

is known about professionals developing a professional identity. Professional acculturation into the nursing profession of novice nurses is complex, taking years to navigate³⁶ and the accumulative effect of socialization and skill acquisition is positively influenced by caring relationships with colleagues and patients. In a qualitative study of 60 nurses over five countries, Malloy *et al.*³⁷ asked nurses how they found meaning in their very challenging work and discovered that the relationships among the nurses and with their patients, families, community and workplace were central to meaningful work. These compassionate caring relationships strengthened the nurses' commitment to their profession over time and created a sense of personal identity.

In a study of nursing students (N = 29), direct care nurses (N = 25) and nurse managers (N = 10), Newton *et al.*³⁸ identified four themes related to what motivated nurses to enter and stay in nursing that were commonly held by the nursing students and nurses. These themes were: a desire to help, caring, sense of achievement and self-validation. Self-validation or the desire to feel good was a new finding in the literature on nurses' motivation. Our first synthesized finding includes the love of nursing, and this love of nursing and what nurses do is similar to self-validation or the desire to feel good, thus supporting this new finding in the literature.

The second synthesized finding, *It's a rewarding but challenging and changing job*, shows that older nurses who remain in direct care in hospital settings found the nature of their work rewarding and that they enjoy managing challenges and changes. This finding encompasses the positive and negative impact of the workplace on the older nurse including issues around coworkers and supervisors. The nursing literature on quality of work-life issues reflects this theme in the general population of nurses. The literature on magnet hospitals³⁹⁻⁴² provides an in-depth description of positive features of hospital workplaces. These features include support from supervisors and coworkers, effective leadership, and manageable workload.^{41,42} Nurses working in magnet hospitals have higher satisfaction⁴³ and lower turnover⁴⁴ than nurses working in non-Magnet hospitals.

In contrast, there has been much research on the impact of poor work environments on nurses. Multiple work stressors have been identified in research on hospital nurses including workload, ethical conflict⁴⁵ working shifts,⁴⁶ patient acuity⁴⁷ and violence among nurses.⁴⁸ Work stress has long been established as a predictor of low job satisfaction, poor health, and high turnover.^{49,50} It can be extrapolated that if work stress predicts poor health and turnover in the general work force, older nurses may be particularly impacted and this may lead to retirement.

The third synthesized finding, *It's a changing job; can I keep up?* shows that older nurses are facing challenges in managing their work and question if they will be able to continue to fulfill their responsibilities. Some of the nurses continue working at a great physical and mental expense to themselves because they need the salary or benefits such as health care. Other nurses continue working because they want to, but fear they may not be able to continue with the demands. There has been much research on the impact of shiftwork on the physical health of the shiftworker. Shiftwork syndrome or shiftwork disorder is described as a disruption of the circadian sleep/wake cycle, resulting in insomnia sleepiness and fatigue.⁵¹ A study that included

interviews with 84 nurses over the age of 50 who were employed, retired, or thinking of returning to work, identified that these nurses found the pace of work and the physical requirements of their work challenging.⁵² This finding is similar to our third synthesized finding that includes the nurses' fear: "Can I keep up?"

This synthesized finding identifies that older nurses are challenged by their work and having difficulty in keeping up. This finding is also evident in literature about nurses who are younger. The issue of nurse fatigue is defined as: ". . . a subjective feeling of tiredness that is physically and mentally penetrative. It ranges from tiredness to exhaustion, creating an unrelenting overall condition that interferes with individuals' physical and cognitive ability to function to their normal capacity."^{53 (p.1)}

Given the working conditions of direct care nurses in today's health care contexts, it is likely that nurses experience fatigue. This may be particularly the case for older nurses.

There is no question that the increases in technology, including nursing informatics combined with escalating health care costs and budget cuts, have changed the reality of nurses' work. As well, recent publicity about patient safety has added to nurses' stress in that they fear they may cause harm to a patient.⁵⁴ Nurses also have increased knowledge about ethical issues and their ethical conflicts have been found to increase their stress⁴⁵ and stress is known to predict turnover⁵⁵ which may be evidenced as retirement in the older nurse.

Strengths and limitations

A strength of this systematic review is that it includes 12 studies. A limitation of this review is that while every attempt was made to include all relevant studies, it is possible that some were missed. In addition, only English studies were included. Further, the ConQual assessment for two of the three synthesized findings is low, indicating the dependability and credibility of the studies reviewed were low. Henceforth, any recommendations are also lowered in their applicability.

Conclusions

Older nurses love nursing and have created an identity around their profession. They view their profession positively and believe their job to be unlike any other yet they identify many ongoing challenges and changes. Despite their desire to continue in their role they are often faced with hardships that threaten their ability to stay at the bedside. Given the low credibility of some findings, the grade of related recommendations is also low. However, we make the following recommendations:

Recommendations for practice

Several recommendations for practice emerged from the review. Synthesized finding 3 suggests that older nurses differ from their younger nurse counterparts because of a number of

physiological and sociological changes that result from a higher prevalence of morbidities (e.g. musculoskeletal injuries, depression and chronic pain¹³). Keeping in mind that older nurses may be more susceptible to change further compounds the problem. The aging nursing workforce has become an increasingly important occupational health issue. Occupational health must play a key role in the nursing workplace. Health promotion programs need to start early, before workers get older, before the age of 45, and address the challenges of the aging workforce, including the prevention of work-related illnesses.

Because being rewarded can affect commitment to the organization, nurse managers must foster mutual trust with nurses and develop incentives such as flexible working hours or preceptor positions for older nurses that promote respect for the condition of the older nurse. Management and peer support is crucial and nurse management has the responsibility to foster positive relationships between older and younger nurses. Older nurses must feel supported and safe to voice their concerns. Examples include providing rest areas for RNs when they feel exhausted or are experiencing pain and where they can feel safe in communicating openly.⁵⁶ Learning needs assessments that lead to more age sensitive training in the areas of technological change need to be considered. Employers need to recognize the need to provide older nurses with sufficient education to ensure they are comfortable with technology in the workplace.

Recommendations for research

Given the ConQual scores, additional research is recommended on the experiences of older nurses providing direct patient care in hospital nursing units, in particular, research that explores how age of retirement and length of bedside nursing affect the health of nurses and their ability to adequately provide the necessary care to their patients. Furthermore research needs to be conducted to explore and evaluate the effectiveness of different kinds of health promotion strategies on age of retirement.

Acknowledgements

The authors would like to acknowledge the support of the Queen's Collaboration for Health Care Quality: a Joanna Briggs Institute Center of Excellence.

References

1. Munn Z, Porritt K, Lockwood C, Armataris E, Pearson A. Establishing confidence in the output of qualitative research synthesis: The ConQual approach. *BMC Med Res Methodol* 2014;14(9):108.
2. Canadian Institute of Health Information, [CIHI]. Regulated nurses Canadian trends, 2007 to 2011. [internet] 2014. [cited 2014 October 15]. www.https://secure.cihr.ca/free_products/Regulated_Nurses_EN.pdf.
3. Health Resources and Services Administration, Bureau of Health Profession. National Center for Health Workforce Analysis April 2013. The US nursing workforce: Trends in supply and education. [cited 2014 October 15] Available from: <https://www.ruralhealthinfo.org/pdf/nursing-work-force-nchwa-report-april-2013.pdf>.
4. Sherman RO, Chiang-Hanisko L, Koszalinski R. The aging nursing workforce: a global challenge. *J Nurs Management* 2013;21(7):899 – 902.
5. Rosenfeld P. Workplace practices for retaining older hospital nurses: implications from a study of nurses with eldercare responsibilities. *Policy, Polit, Nurs Pract* 2007;8(2):120 – 9.
6. Watson R, Gardiner E, Hogston R, Gibson H, Stimpson A, Wrate R, et al. Occupational health and well-being. A longitudinal study of stress and psychological distress in nurses and nursing students. *J Clin Nurs* 2009;18(2):270 – 8.
7. Bogossian F, Winters-Chang P, Tuckett A. “The Pure Hard Slog That Nursing Is...” A qualitative analysis of nursing work. *J Nurs Schol* 2014;46(5):377 – 88.
8. Lambert EG, Hogan N, Barton SM. The impact of job satisfaction on turnover intent: A test of a structural measurement model using a national sample of workers. *Soc Sci J* 2001;38(2):233 – 50.
9. Kuhar PA, Miller D, Spears SM, Ulreich SM, Mion LC. The Meaningful Retention Strategy Inventory. *J Nurs Adm* 2004;34(1):10 – 8.
10. Holtom BC, O’Neill BS. Job Embeddedness: a theoretical foundation for developing a comprehensive nurse retention plan. *J Nurs Adm* 2004;34(5):216 – 27.
11. Laschinger HKS, Flanagan J. Empowering nurses for work engagement and health in hospital settings. *Nurs Economics* 2005;35(10):439 – 49.
12. Hatcher BJ, Bleich MR, Connolly C, Davis K, O’Neill H, Hill KS. Wisdom at work: The importance of the older and experienced nurse in the workplace. [internet] 2006. [cited 2014 August 10] Available from: <http://www.rwjf.org/content/dam/supplementary-assets/2006/06/wisdomatwork.pdf>. 2006.
13. Rosenfeld JA. Introduction. In: Rosenfeld JA, editor. *Women’s Health in mid-Life: A Primary Care Guide*. Cambridge: Cambridge University Press, 2004.
14. Shephard RJ. Aging and productivity: some physiological issues. *Intl J Indust Ergon* 2000;25(5):465–75.
15. Gradison M. Physical changes in menopause and Perimenoopause. In: Rosenfeld JA, editor. *Women’s Health in midlife: A Primary Care Guide*. Cambridge: Cambridge University Press, 2004.
16. WHO. [Internet] 2014. [cited 2014 October 29]. Available from: [Http://www.who.int/workforcealliance/documents/GHWA-Lusaka.pdf](http://www.who.int/workforcealliance/documents/GHWA-Lusaka.pdf). 2006 JBI Database System Rev Implement Rep 2015; 13(5) 87 – 96.
17. Needleman J, Buerhaus P, Mattke S, Stewart M, Zelevinsky K. Nurse staffing levels and

- quality of care in hospitals. *N Engl J Med* 2002;346(22):1715 – 22.
18. Friedrich LA, Prasun MA, Henderson L, Taft L. Being a seasoned nurse in active practice. *J Nurs Management* 2011;19(7):897 – 905.
 19. Storey C, Cheater F, Ford J, Leese B. Retaining older nurses in primary care and the community. *J Adv Nurs* 2009;65(7): 1400 – 22.
 20. Muller A, Weigl M, Heiden B, Herbig B, Glaser J, Angerer P. Selection, optimization, and compensation in nursing: Exploration of job-specific strategies, scale development, and age-specific associations to work ability. *J Adv Nurs* 2012;69(7):1630 – 42.
 21. Gabrielle S, Jackson D, Mannix J. Older women nurses: health, aging concerns and self-care strategies. *J Adv Nurs* 2007;61(3):316 – 25.
 22. Parsons K, Gaudine A, Swab M. Older nurses' experiences of providing direct care in hospital nursing units: a qualitative evidence systematic review protocol. *JBI Database System Rev Implement Rep* 2015;13(5):87 – 96.
 23. The Joanna Briggs Institute. *Joanna Briggs Institute Reviewers' Manual: 2014 edition* Australia: The Joanna Briggs Institute; 2014.
 24. Andrews J, Manthorpe J, Watson R. Employment transitions for older nurses: a qualitative study. *J Adv Nurs* 2005;51(3): 298 – 306.
 25. Hodge MA. *The lived experience of the older registered nurse working at the bedside in the critical care unit. [Dissertation]. Greensboro, USA: The University of North Carolina; 2009.*
 26. Letvak S. The experience of being an older staff nurse. *West J Nurs Res* 2003;25(1):45 – 56.
 27. Letvak S. The experience of being an older operating room nurse. *AORN J* 2003;78(4):635 – 49.
 28. Letvak S. Hurting at work: the lived experience of older nurses. *Intl J Human Caring* 2009;13(4):8 – 16.
 29. Sandy LP. *Career paths of middle-aged nurses pursuing alternative career settings. [Dissertation]. Minneapolis, USA: Walden University; 2002.*
 30. Thompson JA. Why work in perioperative nursing? Baby boomers and generation Xers tell all. *AORN J* 2007;86(4): 564 – 87.
 31. Ultrainen K, Kyngas H, Nikkila J. Well-being at work among ageing hospital nurses in Northern Finland: a grounded theory study. *Intl J Circumpolar Health* 2009;68(2):45 – 157.
 32. Valencia D, Raingruber B. Registered nurses' views about work and retirement. *Clin Nurs Res* 2015;19(3):266 – 88.
 33. West S, Boughton M, Byrnes M. Juggling multiple temporarities: the shift work story of mid-life nurses. *J Nurs Management* 2009;17(1):110 – 9.
 34. Wheeler LA. How do older nurses perceive their clinical competence and the effects of age? *J Continuing Edu in Nurs* 1994;25(5):230 – 6.
 35. Canadian Nurses Association, [CAN]. Cited 2017 January 17]. Testing solutions for eliminating Canada's registered nursing shortage. 2013. Available from: https://www.cna-aiic.ca/ /media/cna/page-content/pdf-en/rn_highlights_e.pdf-f?la=en.
 36. Benner P. *From novice to expert: excellence and power in clinical nursing practice.* Menlo Park, (CA): Addison-Wesley; 1984.
 37. Malloy DC, Fahey-McCarthy E, Masaaki MYL, Eunhee C, Eri H, Hadjistavropoulos T. Finding meaning in the work of nursing: an international study. *Online J of Issues Nurs* 2015;20(3):7.
 38. Newton JM, Kelly CM, Kremser AK, Jolly B, Billet S. The motivation to nurse: an exploration

- of factors amongst undergraduate students, registered nurses and nurse managers. *J Nurs Manage* 2009;17(3):392 – 400.
39. McClure MM, Poulin M, Wandelt SM, Wandelt M. Magnet hospitals: attraction and retention of professional nurses. American Academy of Nursing Task Force on Nursing Practice in Hospitals, Kansas City, MO: American Nurses Association: 1983.
 40. Kramer M, Schmalenger CE. Magnet hospital nurses describe control over nursing practice. *West J Nurs Res* 2003;25(4):434 – 52.
 41. Scott JG, Sochalski J, Aiken L. Review of magnet hospital research: findings and implications for professional nursing practice. *J Nurs Admin* 1999;29(1):9 – 19.
 42. Upenicks VV. Assessing differences in job satisfaction of nurses in magnet and nonmagnet hospitals. *J Nurs Admin* 2002;32(11):564 – 76.
 43. Aiken L, Havens D, Sloane D. The magnet nursing services recognition program: A comparison of two groups of magnet hospitals. *Amer J Nurs* 2000;100(3):26 – 35.
 44. Kramer M. The magnet hospitals: excellence revisited. *J Nurs Admin* 1990;20(9):35 – 44.
 45. Gaudine A, Thorne L. Nurses' ethical conflict with hospitals: A longitudinal study of outcomes. *Nurs Ethics* 2012;19(6): 727 – 37.
 46. Skipper JK, Jung FD, Coffey LC. Nurses and shiftwork: Effects of physical health and mental depression. *J Adv Nurs* 1990;15(7):835 – 42.
 47. McLaughlin AM, Erdman J. Rehabilitation and staff stress as it relates to patient acuity and diagnosis. *Brain Inj* 1992;6(1): 59–64.
 48. Hughes RG, Clancy CM. Complexity, bullying, and stress. Analyzing and mitigating a challenging work environment for nurses. *J Nurs Care Qual* 2009;24(3):180 – 3.
 49. Jacobson BH, Aldana SG, Goetzl RZ, et al. The relationship between perceived stress and self-reported illness-related absenteeism. *Am J Health Promot* 1996;11(1):54 – 61.
 50. Ganster DC, Schaubroeck J. Work stress and health. *J of Manage* 1991;17(2):235 – 71.
 51. Ftouni S, Sletten TL, Barger LK, Lockley SW, Rajaratnam SMW. Chapter 29. Shift work disorder. In: Barkoukis TJ, Matheson JK, Ferber R, Doghramji K, editors. *Therapy in Sleep Medicine*. Philadelphia, PA: WB Saunders, 2012; 378 – 89.
 52. Watson R, Manthorpe J, Andrews JA. Older nurses and employment decisions. *Nurs Stand* 2003;18(7):35 – 40.
 53. Canadian Nurses Association. Nurse Fatigue and Patient Safety Research Report [document on the internet]. Ottawa: Canadian Nurses Association; 2010. [cited 2017 Jan 23]. Available from https://cna-aiic.ca/ /media/cna/page-con- tent/pdf- en/fatigue_safety_2010_report_e.pdf.
 54. Hugh RG, Clancy CM. Complexity, bullying, and stress. Analyzing and mitigating a challenging work environment for nurses. *J Nurs Care Qual* 2009;24(3):180 – 3.
 55. Jackson S, Schuler R. A meta-analysis and conceptual critique of research on role ambiguity and role conflict in work settings. *Organ Behav and Hum Decis Process* 1985;36(1): 16–78.
 56. Chang YA, Huang HC, Chian CY, Hsu CP, Chang CC. Social capital and knowledge sharing: effects on patient safety. *J Adv Nurs* 2012;68(8):1793 – 803.
 57. Klug S. Recruit, respect, and retain: The impact of Baby Boomer nurses on hospital workforce strategy – A case study. *Creat Nurs* 2009;5(2):70 – 4.
 58. Spiva L, Hart P, McVay F. Discovering ways that influence the older nurse to continue bedside practice. *Nurs Res Pract* 2011 2011. Article ID 840120.

Appendix I: Results of the meta-synthesis of qualitative research findings

| Findings | Categories | Synthesized findings |
|---|--------------------------------------|--|
| Rewarding Career (U) | 1.1 Rewarding work and career | 1. Love of nursing: It's who I am and I love it Older nurses love nursing and feel as if nursing and their career as a nurse is a defining factor in who they are as a person. Older nurses providing direct care in hospital nursing units find their work and their career rewarding. They have been nursing long enough to feel comfortable in the role and are pleased by opportunities they had for career advancement and recognition. They know they still have what it takes to be a good nurse and believe that nursing is about caring for others and doing right by their profession. Nursing also helps them to feel active and fulfilled. |
| Achievement (career/self & patient care) (U) | | |
| Positive self-image – specific clinical focus (U) | | |
| Altruism is its own reward (U) | | |
| Work itself (U) | | |
| Responsibility (U) | | |
| Interpersonal Relations (U) | | |
| Self-perception (U) | | |
| Job satisfaction (U) | | |
| We're here because we care (U) | | |
| Learning/exciting environment (U) | | |
| Nurse-patient interaction (U) | | |
| Attitudes and experiences – wealth of experience (U) | | |
| Attitudes and experiences – love of nursing (U) | | |
| Unique contributions – sharing experiences (U) | | |
| Unique contributions – making a difference (U) | | |
| Working for the satisfaction of connecting with patients and families (U) | | |
| Growing old in the OR (U) | | |
| Salary (U) | 1.2 Career | |

| | | |
|--|--|---|
| Recognition (U) | advancement and recognition | |
| Growth (U) | | |
| Status (U) | | |
| Perception by others (U) | | |
| Preference of patients (U) | | |
| Wanted to be treated with respect by the people she was interacting with and to have responsibility for projects (U) | | |
| Hospital could not provide her the job satisfaction and creative outlets she required (U) | | |
| Professional behaviour (C) | 1.3 Doing right by the profession. | 2. It's a rewarding but challenging and changing job The nurses' experiences with their work and workplace are both positive and negative. Their life is different because of shift work. Although they feel valued and appreciated they sometimes feel discouraged, for example, with their pension benefits or because they feel administration would like them to retire. They see themselves as different from younger nurses whom they believe see nursing as just a job. They do however, admire the assertiveness of the younger nurses. They note many negative aspects of nursing today, including how health care has become a business. They are |
| Education (U) | | |
| Important needs – exercising mind and body (U) | 1.4 Keeps me active | |
| Working to avoid boredom (U) | | |
| Our relationship with the organization (U) | 2.1 Relationship with the workplace | |
| Good relationships with team members (C) | | |
| Nurse-nurse interaction (U) | | |
| Team support – supportive relationships are important (U) | | |
| Attitudes and experiences – culture of the work- place (U) | | |
| Important needs – camaraderie (U) | | |
| We carry our load (U) | | |
| Attitudes and experiences – appreciation of learn- ing (U) | | |
| Retention factors – reduced pressure role (U) | | |

| | | |
|--|--------------------------------------|--|
| Our relational workplace (U) | 2.2 It's a different time | concerned where nursing is going as a profession. Some are still working because they need the money and the benefits. |
| Multiple temporalities: The intergenerational workplace (U) | | |
| Conflict: Younger nurses (U) | | |
| Company policy/administration (U) | 2.3 Negative aspects of work: | |
| Working conditions (C) | | |
| Interpersonal and organizational concerns (U) | | |
| Predictability is motivating/change creates dissatisfaction (C) | | |
| Team support – a lack of administrative support (U) | | |
| EMR, technology, and equipment changes are upsetting/challenging (C) | | |
| Conflict: Administration (U) | | |
| Hospital administration mandating an increase in cost cutting measures (U) | | |
| Could not continue to manage (U) | | |
| Worries about the future (U) | | |
| 'Push' factors – pace of technological change (U) | | |
| Important needs – finances (U) | 2.4 Money/ benefits | |
| Concern over changing benefits (U) | | |
| Working for financial security (U) | | |
| “Pull” factors – financial influences on older nurses (U) | | |
| Multiple temporalities – temporality and concept of multiples (U) | 2.5 A different life | |
| Multiple temporalities – arranging life | | |

| | | |
|---|---|---|
| around shift work (U) | | |
| Multiple temporalities – social effects (U) | | |
| Energy level (U) | 3.1 Needing to be physically and/or mentally fit | 3. It's a changing job; can I keep up? Older nurses voice many concerns; some have memory problems, some are exhausted with the ever-increasing workload, some are in pain, and many have concerns if they can move quickly enough in an emergency. Others express difficulty with changes in technology. Despite all this they push themselves to continue. Older nurses describe both healthy and unhealthy strategies they used to help them continue working. |
| Memory (U) | | |
| My practice of nursing changed – moving slowly (U) | | |
| My practice of nursing changed – patient safety concerns (U) | | |
| Retention factors – retention strategies (U) | | |
| Retention factors – less physical challenges (U) | | |
| Concern about staying healthy prompts nurses to consider retirement (U) | | |
| “Push” factors – stress and older workers (U) | | |
| “Pull” factors – flexible working hours for older nurses (U) | | |
| Multiple temporalities – constructing a personal temporality (U) | | |
| Totally exhausted (U) | | |
| A daily struggle – it hurts every day (U) | | |
| A daily struggle – inner strength and courage (U) | 3.2 Physically and mentally too hard | |
| Learning to cope – positive coping strategies (U) | | |
| Learning to cope – negative coping strategies (U) | 3.3 Working around their deficits | |

Appendix II: Search strategy

CINAHL via EBSCOhost (search conducted 13 October 2017)

| # | Query | Results |
|-----|---|---------|
| S1 | (MM "Nurses") OR (MM "Nursing Staff, Hospital") OR (MM "Registered Nurses") OR (MM "Staff Nurses") OR (MM "Nursing Practice") OR (MM "Nursing as a Profession") OR (MM "Nurse Attitudes") OR (MH "Nursing Manpower") | 98,139 |
| S2 | (MM "Baby Boomers") OR (MM "Aging") OR (MM "Age Factors") OR (MH "Employment of Older Workers") | 31,391 |
| S3 | S1 AND S2 | 325 |
| S4 | (MH "Nurses In Middle Age") OR (MH "Nursing Staff, Hospital In Middle Age") OR (MH "Registered Nurses In Middle Age") OR (MH "Staff Nurses In Middle Age") OR (MH "Nursing Practice In Middle Age") OR (MH "Nurse Attitudes In Middle Age") | 170 |
| S5 | (MH "Nurses In Old Age") OR (MH "Nursing Staff, Hospital In Old Age") OR (MH "Registered Nurses In Old Age") OR (MH "Staff Nurses In Old Age") OR (MH "Nursing Practice In Old Age") OR (MH "Nurse Attitudes In Old Age") | 74 |
| S6 | TI (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 nurse* | 291 |
| S7 | AB (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 nurse* | 342 |
| S8 | S3 OR S4 OR S5 OR S6 OR S7 | 974 |
| S9 | (MH "Qualitative Studies+") OR (MH "Phenomenology") OR (MH "Feminism+") OR (MH "Audiorecording") OR (MH "Focus Groups") OR (MH "Interviews+") OR (MH "Narratives") OR (MH "Observational Methods+") OR (MH "Life Experiences") OR (MH "Work Experiences") OR (MH "Thematic Analysis") OR (MH "Attitude+") OR TI qualitative OR AB qualitative OR TI interview* OR AB interview* | 536,258 |
| S10 | S8 AND S9 | 272 |

PubMed (search conducted 13 October 2017)

| # | Query | Results |
|----|---|---------|
| #1 | ((("Nurses/manpower"[Mesh] OR "Nurses/organization and administration"[Mesh] OR "Nurses/supply and distribution"[Mesh] OR "Nursing Staff/manpower"[Mesh] OR "Nursing Staff/organization and administration"[Mesh] OR "Nursing Staff/supply and distribution"[Mesh] OR "Nursing Staff/trends"[Mesh] OR "Nursing/manpower"[Mesh] OR "Nursing/organization and administration"[Mesh] OR "Nursing/supply and distribution" [Mesh] OR ("Nursing Staff"[Majr] OR "Nurses"[Majr]) AND ("Personnel Staffing and Scheduling"[Mesh] OR "Personnel | 643 |

| | | |
|----|--|---------|
| | Management"[Mesh] OR "Workplace"[Mesh:NoExp])) AND ("Aging"[Mesh:NoExp] OR "Age Factors"[Mesh:NoExp]) AND "Middle Aged"[Mesh])) OR ("older nurse"[tw] OR "older nurses"[tw] OR "older registered nurses"[tw] OR "older RNs"[tw] OR "mature nurses"[tw] OR "aging nurse"[tw] OR "aging nurses"[tw] OR "ageing nurses"[tw] OR "midlife nurses"[tw] OR "mid life nurses"[tw] OR "mid career nurse"[tw] OR "mid career nurses"[tw] OR "late career nurse"[tw] OR "late career nurses"[tw] OR "baby boomer nurse"[tw] OR "baby boomer nurses"[tw])) | |
| #2 | ("Qualitative Research"[Mesh] OR qualitative[tw] OR "Focus Groups"[Mesh] OR "Interviews as Topic"[Mesh] OR interview*[tw] OR "Narration"[Mesh] OR "thematic analysis"[tw] OR "lived experience"[tw] OR "mixed method"[tw] OR "mixed methods"[tw]) | 464,711 |
| #3 | #1 AND #2 | 67 |

PsycINFO via EBSCOhost (search conducted 13 October 2017)

| # | Query | Results |
|----|---|---------|
| S1 | (MM "Nurses" OR MM "Nursing") AND (DE "Aging" OR DE "Aging (Attitudes Toward)" OR DE "Age Differences" OR DE "Intergenerational Relations") | 571 |
| S2 | MM "Workday Shifts" OR MM "Work (Attitudes Toward)" OR MM "Working Conditions" OR MM "Job Enrichment" OR MM "Job Characteristics" OR MM "Employee Retention" OR MM "Employee Turnover" OR MM "Retirement" OR MM "Occupational Stress" OR MM "Diversity in the Workplace" OR MM "Human Resource Management" OR MM "Management" | 65,718 |
| S3 | S1 AND S2 | 51 |
| S4 | TI (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 (nurse OR nurses) | 32 |
| S5 | AB (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 (nurse OR nurses) | 160 |
| S6 | S3 OR S4 OR S5 | 203 |
| S7 | (ZC "qualitative study") OR (ZC "focus group") OR (ZC "interview") OR DE "Health Personnel Attitudes" OR TI qualitative OR AB qualitative OR TI interview* OR AB interview* OR TI "mixed method" OR AB "mixed method" OR TI "mixed methods" OR AB "mixed methods" | 471,910 |
| S8 | S6 AND S7 | 76 |

Embase (search conducted 13 October, 2017)

| # | Query | Results |
|----|---|---------|
| #1 | 'nursing staff'/mj OR 'nurse'/mj OR 'registered nurse'/mj | 81,966 |

| | | |
|----|---|---------|
| #2 | 'organization and management'/de OR 'personnel management'/de OR 'health care personnel management'/exp OR 'hospital personnel management'/exp OR 'manpower'/ de OR 'job satisfaction'/de OR 'work'/de OR 'workplace'/de OR 'work schedule'/de OR 'employment'/de OR 'occupational health'/de | 602,966 |
| #3 | 'aging'/de OR 'middle aged'/mj OR 'baby boomer'/de | 237,039 |
| #4 | #1 AND #2 AND #3 | 69 |
| #5 | ((mature OR older OR aging OR ageing OR midlife OR 'mid life' OR 'middle aged' OR 'mid career' OR 'late career') NEXT/1 (nurse OR nurses)):ab,ti | 289 |
| #6 | #4 OR #5 | 349 |
| #7 | 'qualitative research'/exp OR qualitative:ab,ti OR 'interview'/exp OR interview*:ab,ti OR 'grounded theory'/exp OR 'health personnel attitude'/de OR 'nurse attitude'/exp | 642,256 |
| #8 | #6 AND #7 | 119 |

AGELINE (search conducted 13 October 2017)

| # | Query | Results |
|----|---|---------|
| S1 | DE "Nurses" AND DE "Older Workers" | 10 |
| S2 | TI (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 (nurse OR nurses) | 10 |
| S3 | AB (mature OR older OR aging OR ageing OR midlife OR "mid life" OR "middle aged" OR "mid career" OR "late career") W1 (nurse OR nurses) | 64 |
| S4 | S1 OR S2 OR S3 | 69 |
| S5 | DE "Qualitative Research" OR TI qualitative OR AB qualitative OR DE "Case Studies" OR DE "Ethnography" OR DE "Focus Groups" OR DE "Life History Research" OR DE "Participant Observation" OR DE "Research Diaries" OR DE "Narratives" OR DE "Attitudes Toward Aging" OR DE "Work Attitudes" OR TI interview* OR AB interview* OR TI "mixed method" OR AB "mixed method" OR TI "mixed methods" OR AB "mixed methods" | 28,564 |
| S6 | S4 AND S5 | 25 |

SOCIndex (search conducted 13 October 2017)

| # | Query | Results |
|----|--|---------|
| S1 | (DE "NURSES") AND (DE "OLDER people – Employment" OR DE "OLDER women – Employment" OR DE "AGE discrimination in employment") | 1 |

| | | |
|----|---|----|
| S2 | TI (mature OR older OR aging OR ageing OR midlife OR “mid life” OR “middle aged” OR “mid career” OR “late career”) W1 (nurse OR nurses) | 5 |
| S3 | AB (mature OR older OR aging OR ageing OR midlife OR “mid life” OR “middle aged” OR “mid career” OR “late career”) W1 (nurse OR nurses) | 23 |
| S4 | S1 OR S2 OR S3 | 27 |

Sociological Abstracts (search conducted 13 October, 2017)

| # | Query | Results |
|----|--|---------|
| S1 | ti((mature OR older OR aging OR ageing OR midlife OR “mid life” OR “middle aged” OR “mid career” OR “late career”) N/1 (nurse OR nurses)) AND ab((mature OR older OR aging OR ageing OR midlife OR “mid life” OR “middle aged” OR “mid career” OR “late career”) N/1 (nurse OR nurses)) | 2 |

Appendix III: List of study findings/conclusions/characteristics of included studies

| Study | Methods | Participants | Phenomena of interest | Outcomes | Notes |
|--------------------------------|---|---|--|--|--|
| Andrews et al. ²⁴ | A cross-sectional interview study using face-to-face or telephone semi-structured interviews with thematical analysis | 84 nurses over 50 years of age having worked within the NHS in the United Kingdom and 18 key stakeholders | Explore the influences on employment related decision making for nurses and key stakeholders | Local human resources did not reflect policies and strategies that were aimed specifically at older nurses. The pace of technological change and long-term stress were contributory factors to job turnover. Flexibility in working hours was important to older nurses in their decisions to remain in nursing work | No specific type of qualitative research is discussed. Extraction was difficult because the illustrations from the nurses had to be separated from those of the key stakeholders |
| Freidrich et al. ¹⁸ | A two phase grounded theory approach using semi-structured interviews | 500 bed medical centre in the Midwestern US. Phase 1, 13 nurses over 62 years actively engaged in acute care nursing, and | Discover what rewards and inspires seasoned nurses to continue to practice in acute care after the normal age of nurse | A conceptual map with four themes: (1) Pre-existing attitudes and experience, (2) Retention factors, (3) important needs, and | |

| | | | | | |
|---------------------|---|---|---|--|--|
| | | phase 2, 12 nurses 55–62 years in active practice anticipating retirement | retirement, and to identify best practices in retention | (4) Unique contribution. Seasoned nurses enjoy, and engage in nursing, and derive benefits from continued practice. Many leave nursing because of lack of flexibility in scheduling, the additional physical strain and musculoskeletal problems. Retention factors identified included less physical challenges and reduced-pressure role | |
| Hodge ²⁵ | Phenomenology. Individual inter-views. Colaizzi’s strategy for analysis was used. | 11 nurses (8 females and 3 males) between 52 and 62 years of age who work in a critical care unit of a hospital in Western North Carolina or Piedmont | Explore the experiences of older nurses involved in direct patient care in the critical care unit | Nurses discussed their career as being rewarding which allowed for a positive self image. Their nursing behaviors were described as expressions | |

| | | | | | |
|----------------------|---|---|--|--|--|
| | | Region of South Carolina, US | | of selfless concern for patients with no obvious reward to be gained. Participants believed that patients benefited from their care. The nurses experienced conflict due to generational difference and changes in the workplace | |
| Letvak ²⁶ | Qualitative research design with in-depth interviews. Data analysis was guided by the voice-centered relational method developed by Brown and Gilligan (1992) | 11 female staff nurses aged 55– 62 years working in 6 different hospitals located in 4 counties of a southeastern state in the US | The experience of being an older nurse | Older nurses were working because they continue to care, despite the stressors of intergenerational conflict with younger nurses, less respect from patients and families, and inequity in pay. Older nurses are confident in their abilities and are capable of meeting the | No specific type of qualitative research is discussed. However, data analysis is described |

| | | | | | |
|----------------------|---|---|--|--|--|
| | | | | demands of hospital nursing | |
| Letvak ²⁷ | Qualitative research design with in-depth interviews. A feminist relational ontology provided the theoretical framework for the study | 14 perioperative nurses (13 women and 1 man) between 50 and 62 years of age who worked in 5 hospitals nursing units in 4 counties of a southeastern state | The experience of being an older perioperative nurse | Three central organizing themes emerged: (1) Growing old in the OR, (2) Interpersonal and organizational concerns, and (3) Worries about the future. The older nurses were still challenged and energized by being in the OR, although they had concerns about call and scheduling and have experienced conflict with surgical technologists. They were very worried about the future of nursing, specifically perioperative nursing | No specific type of qualitative research is discussed. |

| | | | | | |
|----------------------|--|---|---|--|--|
| Letvak ²⁸ | Phenomenology using semi-structured interviews. Data analysis was guided by Moustakas' (1994) procedural steps | 13 female and 1 male nurse ranging in age for 50 to 65 years working in a hospital nursing unit | The lived experience of being an older nurse working while suffering from depression and/ or musculoskeletal pain | Four major themes emerged: (1) A daily struggle, with sub- themes of It hurts every day and Having inner strength and courage, (2) My practice of nursing changed, with subthemes of Moving slowly and Patient safety concerns, (3) Learning to cope, with subthemes of Positive coping strategies and Negative coping strategies, and (4) Team support, with subthemes of Supportive relationships are important and A lack of administrative support | |
| Sandy ²⁹ | Naturalistic inquiry - Narrative case study | 15 female nurses between the ages of 50 | Determine the motivating factors | Four themes emerged: (1) Seeking generativity, | Extraction difficult because the nurses were |

| | | | | | |
|--|----------------------------|--|--|--|--|
| | with individual interviews | and 65 years of age in various care settings in the US | behind nurses' decisions to pursue a career change and the experience of leaving | (2) Maintaining adequate self-esteem, (3) Concern over perceptions of powerlessness to change the professional environment in the hospital, and (4) Concern that professional ethics would be compromised by remaining in the acute care setting | interviewed after they had left inpatient care nursing. Some of the nurses interviewed were younger than 45 years of age while they were nursing in direct patient care and some were not direct caregivers in a hospital nursing unit, thus much data had to be excluded. This was a naturalistic inquiry whereby the researcher presented the findings in term of each participant's story; findings were not identified. Therefore, data extraction was extremely difficult because |
|--|----------------------------|--|--|--|--|

| | | | | | |
|--------------------------------|--|---|--|--|--|
| | | | | | finding had to be developed based on the researcher's closest written narrative. |
| Thompson ³⁰ | Across method triangulation (retrospective , comparative design and phenomenology). Indepth interviews | 247 OR staff nurses between 23 and 68 years of age in 11 large, urban area hospitals in the southwestern US. The qualitative study consisted of 14 nurses (11 female and 3 male) between 25 and 58 years of age | Within the qualitative portion of the study the research questions were: (1) What factors influence nurses of different age groups to choose OR nursing? And, (2) What factors influence nurses of different age groups to remain in OR nursing? | Good relationships with team members, feeling they made a difference to patient outcomes and learning/ excitement of the workplace were all important influencing nurses to remain in their role | Extraction was difficult because data from the younger nurses had to be excluded as did the data that addressed research question 1. |
| Ultrianen et al. ³¹ | Grounded theory; open-ended questions | 21 nurses between 45 and 55 years of age working in a university hospital in Northern Finland. | Create a substantive theory of the well-being at work among ageing hospital nurses | The core process of well-being at work was found to be reciprocity in relation to colleagues (nurse-nurse inter- action) and patients (nurse-patient | |

| | | | | | |
|-------------------------------|--|--|--|--|--|
| | | | | interaction) | |
| Valencia et al. ³² | Phenomenology; individual structured interviews followed by thematic analysis according to van Manen's (1990) approach | 8 nurses between the ages of 31 and 49 years of age and 8 nurses between 50 and 65 years of age working in a medical intensive care unit of a university medical center in the US. | The perception of experienced younger (31–49 years) and older nurses (50–65 years) regarding continued employment and retirement. Specifically the research questions were: (1) What are the things that keep nurses in the workforce longer and away from retirement? And (2) What factors motivate nurses to retire? | Both age groups shared similarities in things that they value in working. Several themes emerged: Concern over changing benefits; working for financial security; working to provide for children; working for the satisfaction of connecting with patients and families; predictability is motivating/change creates dissatisfaction; EMR, technology, and equipment changes are upsetting/challenging; concern about staying healthy prompts nurses to | Extraction was difficult because data from the younger nurses had to be excluded |

| | | | | | |
|---------------------------|--|--|---|--|--|
| | | | | consider retirement; working to avoid boredom | |
| West et al. ³³ | Phenomenology; Broad, open-ended questions; followed by thematic analysis according to van Manen's (1990) approach | 13 nurses (45– 60 years of age) who worked shift work in a hospital setting in urban and rural Australia for 15 years or more. | Explore the shiftwork-related experiences of mid-life women | The main theme identified was multiple temporalities. Analysis revealed the numerous temporalities surrounding shiftwork and a sense of disjunction between the temporalities of individuals important to them which resulted in feelings of regret and guilt. The concept of juggling is introduced to illustrate the participants' | |
| Wheeler ³⁴ | Qualitative; descriptive study. Individual face- to-face interviews | 8 female staff nurses (50– 62 years of age) | Determine the perceptions, attitudes and beliefs about their professional competence and how they believed they | Nurses felt good about themselves and the profession, and valued traditional bedside nursing and professional | No specific type of qualitative research is discussed. |

| | | | | | |
|--|--|--|--------------------------|---|--|
| | | | were perceived by others | behaviours. They discussed working harder than ever because of higher patient acuity, but that they loved their work. They believed that patients preferred older nurses. They felt a need for continuing education | |
|--|--|--|--------------------------|---|--|

Appendix IV: Excluded studies

Klug S. Recruit, respect, and retain: The impact of Baby Boomer nurses on hospital workforce strategy – A case study. *Creat Nurs* 2009;5(2):70–4.57

Reason for exclusion: Findings are not identified and insufficient illustrations

Spiva L. Hart P and McVay F. Discovering ways that influence the older nurse to continue bedside practice. *Nurs Res Pract* 2011 (2011), Article ID 84012058

Reason for exclusion: Incongruity between philosophical perspective, research methodology, analysis and interpretation of results