

#### Edinburgh Research Explorer

#### Late-onset retinal degeneration pathology de to mutations in CTRP5 is mediated through HTRA1

Citation for published version:

Chekuri, A, Zientara-Rytter, K, Soto-Hermida, A, Borooah, S, Voronchikhina, M, Biswas, P, Kumar, V, Goodsell, D, Hayward, C, Shaw, P, Stanton, C, Garland, D, Subramani, S & Ayyagari, R 2019, 'Late-onset retinal degeneration pathology de to mutations in CTRP5 is mediated through HTRA1', Aging Cell. https://doi.org/10.1111/acel.13011

#### **Digital Object Identifier (DOI):**

10.1111/acel.13011

#### Link:

Link to publication record in Edinburgh Research Explorer

#### **Document Version:**

Peer reviewed version

#### Published In:

Aging Cell

**General rights** 

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Download date: 12. Sep. 2019

Figure 1:




Figure 2:




Figure 3:





Figure 4:







Figure 5:









Figure 6:




### **Supplementary Figure S1:**




### **Supplementary Figure S2:**




# **Supplementary Figure S3:**




### **Supplementary Figure S4:**





# **Supplementary Figure S5:**



# **Supplementary table S1:**

	Sacch	aromyces cer	evisiae strains								
Strain		Genotype									
AH109	MATa, trp1- gal80Δ, L GAL2 <sub>TAT</sub>	TaKaRa									
Y2HGold	MATa, trp1- gal80Δ, L Gal2 <sub>тата</sub> -ADI	TaKaRa									
Plasmids for Y2H screening											
Plasmid name	AD-fusion protein	BD-fusion protein	Background	Selectabl e marker	Reference						
pKZR042	WT-CTRP5 (1-243 aa)		pDEST-AD	Amp/Leu	this study						
pKZR043		WT-CTRP5 (1-243 aa)	pDEST-BD	Kan/Trp	this study						
pKZR044		WT-CTRP5 (1-243 aa)	pGBKT7	Kan/Trp	this study						
pKZR045		S163R- CTRP5 (1-243 aa)	pGBKT7	Kan/Trp	this study						
pKZR046	CL53 HTRA1 (306-480 aa)		pGADT7-RecAB	Amp/Leu	TaKaRa (Universal Human Normalized Mate & Plate™ Library)						
pKZR047		WT-CTRP5 ∆PDZ- Ligand (1- 238 aa)	pGBKT7	Kan/Trp	this study						
pKZR048		MFRP	pDEST-BD	Kan/Trp	this study						
pKZR049	MFRP		pDEST-AD	Amp/Leu	this study						
pKZR050	ΔFS- HTRA1 (144-480 aa)		pGADT7	Amp/Leu	this study						
	Plasmids	for protein ex	pression in E.coli								
Plasmid name	Protein		Back ground	Selectabl e marker	Reference						
pDEST14-C1QTNF5	WT-CT	RP5-His	pDEST14	Amp	Stanton et al 2017						
pDEST14-C1QTNF5- S163R	S163R-C	TRP5-His	pDEST14	Amp	Stanton et al 2017						

# **Supplementary table S2:**

Mass intensities x 10 <sup>-8</sup>									
Peptide	Sequence	Ctrp5 <sup>Wt/Wt</sup> 5 mo	Ctrp5 <sup>S163R/Wt</sup> 5 mo	Ctrp5 <sup>S163R</sup> /S163R 5 mo	Ctrp5 <sup>Wt/Wt</sup> 18 mo	<i>Ctrp5</i> <sup>S163R/Wt</sup> 18 mo	Ctrp5 <sup>S163R</sup> /S163R 18mo		
128-142	VLLNEQGHYDPTTGK	1.3	4.9	8.2	1.4	10.0	21.0		
162-170	ASLQFDLVK	0.5	0.6	0	0.4	1.2	0		
164-170	LQFDLVK	0.1	1.8	2.1	0	2.1	6.5		