

## CORRECTION

## Open Access



# Correction to: A repeated cross-sectional study of clinicians' use of psychotherapy techniques during 5 years of a system-wide effort to implement evidence-based practices in Philadelphia

Rinad S. Beidas<sup>1,2,3\*</sup>, Nathaniel J. Williams<sup>4</sup>, Emily M. Becker-Haimes<sup>1,15</sup>, Gregory A. Aarons<sup>5</sup>, Frances K. Barg<sup>6</sup>, Arthur C. Evans<sup>7</sup>, Kamilah Jackson<sup>8</sup>, David Jones<sup>9</sup>, Trevor Hadley<sup>1</sup>, Kimberly Hoagwood<sup>10</sup>, Steven C. Marcus<sup>11</sup>, Geoffrey Neimark<sup>8</sup>, Ronnie M. Rubin<sup>8</sup>, Sonja K. Schoenwald<sup>12</sup>, Danielle R. Adams<sup>13</sup>, Lucia M. Walsh<sup>14</sup>, Kelly Zentgraf<sup>1</sup> and David S. Mandell<sup>1,3</sup>

**Correction to:** Beidas et al. *Implement Sci* (2019) 14:67  
<https://doi.org/10.1186/s13012-019-0912-4>

Following publication of the original article [1], the authors reported an error in the “Participants” subsection. The original article states:

Over the course of the 5 years, we enrolled 21 out of the 29 organizations (73%; some organizations had more than one site, resulting in a total of 27 sites).

However, it should state:

Over the course of the 5 years, we enrolled 22 out of the 29 organizations (76%; some organizations had more than one site, resulting in a total of 31 sites).

## Author details

<sup>1</sup>Department of Psychiatry, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. <sup>2</sup>Department of Medical Ethics and Health Policy, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA. <sup>3</sup>Penn Implementation Science Center at the Leonard Davis Institute of Health Economics (PISCE@LDI), University of Pennsylvania, Hall-Mercer Community Mental Health Center, Philadelphia, PA, USA. <sup>4</sup>School of Social Work, Boise State University, Boise, ID, USA. <sup>5</sup>Department of Psychiatry, University of California San Diego, San Diego, CA, USA. <sup>6</sup>Department of Family Medicine and Community Health, University of Pennsylvania Perelman School of Medicine, Philadelphia, PA, USA. <sup>7</sup>American Psychological Association, Washington, DC, USA. <sup>8</sup>Community Behavioral Health, Impact Reach, LLC, Philadelphia, PA, USA. <sup>9</sup>Department of Behavioral Health, Philadelphia, PA, USA. <sup>10</sup>Department of Child and Adolescent Psychiatry, New York University Langone Health, New York, NY, USA. <sup>11</sup>School

of Social Policy and Practice, University of Pennsylvania, Philadelphia, PA, USA. <sup>12</sup>Oregon Social Learning Center, Eugene, OR, USA. <sup>13</sup>School of Social Service Administration, University of Chicago, Chicago, IL, USA. <sup>14</sup>Department of Psychology, University of Miami, Miami, FL, USA. <sup>15</sup>Hall-Mercer Community Mental Health Center, 16Impact Reach, LLC, Philadelphia, PA, USA.

Published online: 09 September 2019

## Reference

1. Beidas RS, et al. A repeated cross-sectional study of clinicians' use of psychotherapy techniques during 5 years of a system-wide effort to implement evidence-based practices in Philadelphia. *Implement Sci*. 2019; 14:67. <https://doi.org/10.1186/s13012-019-0912-4>.

\* Correspondence: [rbeidas@upenn.edu](mailto:rbeidas@upenn.edu)

<sup>1</sup>Department of Psychiatry, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA

<sup>2</sup>Department of Medical Ethics and Health Policy, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA

Full list of author information is available at the end of the article

