Copyright © 2019 The Authors. Published by The Journal of Bone and Joint Surgery, Incorporated. WRIGHT ET AL. REHABILITATION PREDICTORS OF CLINICAL OUTCOME FOLLOWING REVISION ACL RECONSTRUCTION IN THE MARS COHORT http://dx.doi.org/10.2106/JBJS.18.00397 Page 1

The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.

REHABILITATION	
69. DO YOU RESTRICT PASSIVE ROM POST-OP?	No Yes
69a. If yes, when do you allow full passive ROM?	days post-op
70. DO YOU RESTRICT ACTIVE ROM POST-OP?	No Yes
70a. If yes, when do you allow full active ROM?	days post-op
71. DO YOU RESTRICT FULL WEIGHT-BEARING W/O SUPPORT (ie. crutches) POST-OP?	No Yes
71a. If yes, when do you allow full weightbearing w/o support?	days post-op
 DO YOU PRESCRIBE A MOTION CONTROL BRACE (double upright or knee immobilizer) POST-OP? 	No Yes
72a. If yes, how long do you prescribe a motion control brace to be used for?	days
73. WILL AN ACL DEROTATION BRACE BE USED IN PO	DST-OP REHAB?
73a. If so, for how long? days	Yes
74. WILL AN ACL DEROTATION BRACE BE USED IN R	ETURN TO SPORT?

Fig. E-1

Questionnaire for physicians regarding their prescription for rehabilitation and brace use following revision ACL reconstruction.