

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/285538467>

Retailer's optimal ordering policy for deteriorating items with ramp-type demand under stock-dependent consumption rate

Article in *International Journal of Information and Management Sciences* · June 2008

CITATIONS

18

READS

33

3 authors:



Kun shan Wu

Tamkang University

80 PUBLICATIONS 3,303 CITATIONS

[SEE PROFILE](#)



Liang-Yuh Ouyang

Tamkang University

181 PUBLICATIONS 7,306 CITATIONS

[SEE PROFILE](#)



Chih-Te Yang

Chien Hsin University of Science and Technology

22 PUBLICATIONS 526 CITATIONS

[SEE PROFILE](#)

Retailer's Optimal Ordering Policy for Deteriorating Items with Ramp-Type Demand under Stock-Dependent Consumption Rate

Kun-Shan Wu
Tamkang University
R.O.C.

Liang-Yuh Ouyang
Tamkang University
R.O.C.

Chih-Te Yang
Ching Yun University
R.O.C.

Abstract

In this paper, we investigated an inventory model for deteriorating items with a ramp-type demand under stock-dependent consumption rate. The model allows for shortage and complete backlogging of unfilled demand. The purpose of this article is to develop an optimal replenishment policy which maximizes the total profit per unit of time for the retailer. The necessary and sufficient conditions of the existence and uniqueness of the optimal solution are shown. Further, we establish a useful theorem to determine the optimal order quantity and replenishment time. Finally, several numerical examples are provided to illustrate the theoretical results, and sensitivity analysis of major parameters involved in the model is also examined.

Keywords: Inventory Control, Deteriorating Items, Ramp-Type Demand, Stock-Dependent Consumption Rate.

1. Introduction

Maintenance of inventories of deteriorating items in a modern business environment is challenging for a decision maker. In general, deterioration can be defined as the damage, spoilage, dryness, vaporization, etc., that result in decrease of usefulness of the original one. The effect of deterioration of goods can not be disregarded in inventory system because there are sufficient amounts of deterioration of goods taking place during

the normal storage period. Ghare and Schrader [8] first developed an EOQ model which took into account the effect of deteriorating items in store. In this model, it is assumed that deterioration of stock occurs at a constant rate. Later, Cover and Philip [2] extended the model by considering a variable deterioration rate of two-parameter Weibull distribution. Philip [20] then proposed the inventory model with a three-parameter Weibull distribution and no shortage. Shah [25] extended Philip's [20] model by allowing shortages. Following, there is a vast inventory literature on deteriorating items, the outline which can be found in review articles by Goyal [12], Sarma [24], Raafat et al. [21], Pakkala and Achary [17], Wee [23] and others.

However, all the above models are limited to the constant demand. The assumption of constant demand is not always applicable to real situations. In real life, the demand rate of product is different phases of product life cycle in the market. For example, the demand for inventory increases over time in the growth phase and decreases in the decline phase. Donaldson [5] initially developed an inventory model with a linear trend in demand. After that, many researches such as Silver [26], Dave and Pal [4], Giri et al. [9], Pal and Mandal [18] have been devoted to incorporating a time-varying demand rate into their models for deteriorating under a variety of circumstances. Especially, Mandal and Pal [14] investigated an order-level inventory model for deteriorating items, where the demand rate is a ramp-type function of time. This type of demand pattern is generally seen in the case of any new brand of consumer goods coming to the market. The demand rate for such items increases with time up to a certain time and then ultimately stabilizes and becomes constant. Up to now several papers such as Wu et al. [28], Wu and Ouyang [29], Wu [30], Giri et al. [10], Deng [6], have considered this kind inventory model.

Besides, it is usually observed in the supermarket that display of the consumer goods in large quantities attracts more customers and generates higher demand. In the last several years, many researchers have given considerable attention to the situation where the demand rate is dependent on the level of the on-hand inventory. Gupta and Vrat [13] were first to develop models for stock-dependent consumption rate. Later, Baker and Urban [1] also established an economic order quantity model for a power-form inventory-level-dependent demand pattern. Mandal and Phaujdar [15] then developed an economic production quantity model for deteriorating items with constant production rate and linearly stock-dependent demand. Other researches related to this area such as Pal et al. [19], Padmanabhan and Vrat [16], Giri et al. [11], Ray and Chaudhuri [22], Datta et al. [3], Ray et al. [23], Dye and Ouyang [7] and so on.

Reviewing previous inventory literatures with varying demand rate, most of them considered that the demand rate for product is dependent on different phases of product life cycle or the level of the on-hand inventory. But none of these review works considered the inventory level's influence to the ramp-type demand rate. In real life, the real selling rate of the item not only depend on theoretical demand rate (i.e., various demand rate for different phases of product life cycle), but also the level of the on-hand inventory. For precision, this paper provides an inventory model for deteriorating items with a ramp-type demand rate under stock-dependent selling rate. In the model, shortages are allowed and completely backlogged. The necessary and sufficient conditions of the existence and uniqueness of the optimal solution are shown and a useful theorem to determine the optimal order quantity and replenishment time is developed. Furthermore, we provide several numerical examples to illustrate the theoretical results and obtain some observations from sensitivity analysis with respect to major parameters.

The remainder of this paper is organized as follows. In the next section, we describe the assumptions and notation, which are used throughout this article. In Section 3, we establish the complete mathematical model to maximize the total profit per unit of time under two cases. In Section 4, we develop some useful results to characterize the optimal solutions and provide a simple theorem to find the optimal replenishment cycle time and order quantity. Several numerical examples are provided in Section 5 to illustrate the results. Finally, conclusions and suggestions for future research are given in the last Section.

2. Assumptions and Notation

The following assumptions and notation are used throughout this paper:

- (1) Replenishment occurs instantaneously at an infinite rate and the lead time is assumed to be zero.
- (2) The distribution of time for deterioration of the items following exponential distribution with a constant deteriorating rate θ . There is no replacement or repair of deteriorated units during the period under consideration.
- (3) Shortage are allowed and completely backlogged.
- (4) T is the fixed length of each ordering cycle.

- (5) $R(t)$ is the theoretical demand rate at time t , and it is assumed to be a ramp-type function of time:

$$R(t) = D_0[t - (t - \mu)H(t - \mu)], \quad D_0 > 0,$$

where $H(t - \mu)$ is the well known Heaviside's function as following:

$$H(t - \mu) = \begin{cases} 1, & t \geq \mu, \\ 0, & t < \mu. \end{cases}$$

- (6) $D(t)$ is the real selling rate at time t , and it is influenced by the theoretical demand rate and the on-hand inventory according to relation

$$D(t) = \begin{cases} R(t) + \alpha I(t), & I(t) > 0, \\ R(t), & I(t) \leq 0, \end{cases}$$

where α is positive constant and $I(t)$ is the on-hand inventory level at time t .

- (7) t_1 is the length of time in which the inventory level falls to zero. Q is the order quantity per cycle.
- (8) A, s, c, h, c_s denote the ordering cost per order, the selling price per unit, the purchasing cost per unit, inventory holding cost per unit per unit of time and the shortage cost per unit per unit of time for backlogged items, respectively. All of the cost parameters are positive constant.
- (9) $Z(t_1)$ is the total profit per unit of time of inventory system.

3. Model Formulation

In this article, an inventory for deteriorating items with a ramp-type demand and stock-dependent selling rate is considered. The objective of the inventory problem here is to determine the optimal order quantity in order to keep the total profit per unit of time as high as possible. The inventory system evolves as follows: the replenishment at the beginning of each cycle brings the inventory level up to I_{\max} . During the time interval $[0, t_1]$, the inventory level gradually depletes due to demand and deterioration of items. Thereafter shortages occur and keep to the end of the current order cycle, which are completely backlogged. The whole process is repeated.

As described above, the inventory level, $I(t)$, $0 \leq t \leq T$ satisfies the following differential equations:


$$\frac{dI(t)}{dt} + \theta I(t) = -D(t), \quad 0 \leq t \leq t_1 \quad (1)$$

with the boundary condition $I(0) = I_{\max}$ and


$$\frac{dI(t)}{dt} = -D(t), \quad t_1 \leq t \leq T \tag{2}$$

with the boundary condition $I(t_1) = 0$.

The solutions of these differential equations depend on the real selling rate. There are two cases considering in this paper: (a) $t_1 \geq \mu$ and (b) $t_1 \leq \mu$. The fluctuation of the inventory level for the two cases is depicted in Figures 1, respectively.



(a) Case 1. $t_1 \geq \mu$



(b) Case 2. $t_1 \leq \mu$

Figure 1. Graphical presentation of inventory system for two cases.

Case 1. $t_1 \geq \mu$

In this case, the real selling rate $D(t)$ is

$$D(t) = \begin{cases} D_0t + \alpha I(t), & 0 \leq t \leq \mu, \\ D_0\mu + \alpha I(t), & \mu \leq t \leq t_1, \\ D_0\mu, & t_1 \leq t \leq T. \end{cases}$$

Hence, Equation (1) leads to the following two equations:

$$\frac{dI(t)}{dt} + \theta I(t) = -[D_0t + \alpha I(t)], \quad 0 \leq t \leq \mu, \tag{3}$$

$$\frac{dI(t)}{dt} + \theta I(t) = -[D_0\mu + \alpha I(t)], \quad \mu \leq t \leq t_1, \tag{4}$$

with the boundary conditions $I(0) = I_{\max}$ and $I(t_1) = 0$. Solving Equations (3) and (4) for the inventory over time, $I(t)$, yields:

$$I(t) = I_{\max}e^{-(\theta+\alpha)t} - \frac{D_0}{(\theta + \alpha)^2} \left[e^{-(\theta+\alpha)t} + (\theta + \alpha)t - 1 \right], \quad 0 \leq t \leq \mu, \tag{5}$$

$$I(t) = \frac{D_0\mu}{\theta + \alpha} \left[e^{(\theta+\alpha)(t_1-t)} - 1 \right], \quad \mu \leq t \leq t_1. \tag{6}$$

Considering continuity of $I(t)$ at $t = \mu$, it follows from Equations (5) and (6) that

$$I_{\max}e^{-(\theta+\alpha)\mu} - \frac{D_0}{(\theta + \alpha)^2} \left[e^{-(\theta+\alpha)\mu} + (\theta + \alpha)\mu - 1 \right] = \frac{D_0\mu}{\theta + \alpha} \left[e^{(\theta+\alpha)(t_1-\mu)} - 1 \right],$$

which implies that the maximum inventory level for each cycle is

$$I_{\max} = \frac{D_0\mu}{\theta + \alpha} e^{(\theta+\alpha)t_1} - \frac{D_0}{(\theta + \alpha)^2} \left[e^{(\theta+\alpha)\mu} - 1 \right]. \tag{7}$$

Putting Equation (7) into (5), it gets

$$I(t) = \frac{D_0\mu}{\theta + \alpha} e^{(\theta+\alpha)(t_1-t)} - \frac{D_0}{(\theta + \alpha)^2} \left[e^{(\theta+\alpha)(\mu-t)} + (\theta + \alpha)t - 1 \right], \quad 0 \leq t \leq \mu. \tag{8}$$

Following, Equation (2) becomes

$$\frac{dI(t)}{dt} = -D_0\mu, \quad t_1 \leq t \leq T \tag{9}$$

with the boundary condition $I(t_1) = 0$. Solving Equation (9) for the inventory over time, $I(t)$, yields:

$$I(t) = D_0\mu(t_1 - t), \quad t_1 \leq t \leq T. \tag{10}$$

Putting $t = T$ in Equation (10), we obtain the maximum amount of demand backlogged per cycle as follows:

$$S \equiv -I(T) = D_0\mu(T - t_1). \tag{11}$$

From Equations (7) and (11), we can obtain the order quantity, Q , as

$$Q = I_{\max} + S = \frac{D_0\mu}{\theta + \alpha} e^{(\theta+\alpha)t_1} - \frac{D_0}{(\theta + \alpha)^2} [e^{(\theta+\alpha)\mu} - 1] + D_0\mu(T - t_1). \quad (12)$$

Next, the total profit per cycle consists of the following five elements:

- (a) The ordering cost per cycle is A .
 (b) The inventory holding cost per cycle is given by

$$\begin{aligned} & h \left[\int_0^\mu I(t) dt + \int_\mu^{t_1} I(t) dt \right] \\ &= h \left\{ \frac{D_0 e^{(\theta+\alpha)\mu}}{(\theta+\alpha)^3} [e^{-(\theta+\alpha)\mu} + (\theta+\alpha)\mu - 1] + \frac{D_0\mu [e^{(\theta+\alpha)\mu} - 1]}{(\theta+\alpha)^2} [e^{(\theta+\alpha)(t_1-\mu)} - 1] \right. \\ & \quad \left. - \frac{D_0\mu^2}{2(\theta+\alpha)} + \frac{D_0\mu}{(\theta+\alpha)^2} [e^{(\theta+\alpha)(t_1-\mu)} - (\theta+\alpha)(t_1-\mu) - 1] \right\}. \end{aligned} \quad (13)$$

- (c) The purchase cost per cycle is given by

$$cQ = c \left\{ \frac{D_0\mu}{\theta + \alpha} e^{(\theta+\alpha)t_1} - \frac{D_0}{(\theta + \alpha)^2} [e^{(\theta+\alpha)\mu} - 1] + D_0\mu(T - t_1) \right\}. \quad (14)$$

- (d) The shortage cost per cycle is given by

$$c_s \int_{t_1}^T -I(t) dt = \frac{c_s D_0\mu (T - t_1)^2}{2}. \quad (15)$$

- (e) The sale revenue per cycle is given by

$$\begin{aligned} s \int_0^T D(t) dt &= s \left\{ \left[\int_0^\mu D_0 t dt + \int_\mu^T D_0\mu dt \right] + \alpha \left[\int_0^\mu I(t) dt + \int_\mu^{t_1} I(t) dt \right] \right\} \\ &= s D_0\mu \left\{ T - \frac{\mu}{2} + \alpha \left\{ \frac{e^{(\theta+\alpha)\mu}}{(\theta+\alpha)^3\mu} [e^{-(\theta+\alpha)\mu} + (\theta+\alpha)\mu - 1] \right. \right. \\ & \quad \left. \left. + \frac{[e^{(\theta+\alpha)\mu} - 1]}{(\theta+\alpha)^2} [e^{(\theta+\alpha)(t_1-\mu)} - 1] - \frac{\mu}{2(\theta+\alpha)} \right. \right. \\ & \quad \left. \left. + \frac{1}{(\theta+\alpha)^2} [e^{(\theta+\alpha)(t_1-\mu)} - (\theta+\alpha)(t_1-\mu) - 1] \right\} \right\}. \end{aligned} \quad (16)$$

Therefore, the total profit per unit of time when $t_1 \geq \mu$ which denoted by $Z_1(t_1)$, is given by

$$\begin{aligned} Z_1(t_1) &= \{\text{sale revenue} - \text{ordering cost} - \text{holding cost} - \text{purchase cost} - \text{shortage cost}\} / T \\ &= \frac{D_0\mu}{T} \left\{ (s - c)T - \frac{s\mu}{2} + (\alpha s - h) \left\{ \frac{(\theta + \alpha)\mu e^{(\theta+\alpha)\mu} - e^{(\theta+\alpha)\mu} + 1}{(\theta + \alpha)^3\mu} \right. \right. \end{aligned}$$

$$\begin{aligned}
 & + \left. \left[\frac{e^{(\theta+\alpha)\mu} - 1}{(\theta + \alpha)^2} \left[e^{(\theta+\alpha)(t_1-\mu)} - 1 \right] - \frac{\mu}{2(\theta + \alpha)} + \frac{e^{(\theta+\alpha)(t_1-\mu)} - (\theta+\alpha)(t_1-\mu) - 1}{(\theta + \alpha)^2} \right] \right\} \\
 & - c \left. \left[\frac{1 - e^{(\theta+\alpha)\mu}}{(\theta + \alpha)^2\mu} + \frac{e^{(\theta+\alpha)t_1}}{\theta + \alpha} - t_1 \right] - \frac{c_s(T - t_1)^2}{2} - \frac{A}{D_0\mu} \right\}. \tag{17}
 \end{aligned}$$

Case 2. $t_1 \leq \mu$

In this case, the real selling rate $D(t)$ is

$$D(t) = \begin{cases} D_0t + \alpha I(t), & 0 \leq t \leq t_1, \\ D_0t, & t_1 \leq t \leq \mu, \\ D_0\mu, & \mu \leq t \leq T. \end{cases}$$

Hence, Equation (1) becomes

$$\frac{dI(t)}{dt} + \theta I(t) = -[D_0t + \alpha I(t)], \quad 0 \leq t \leq t_1, \tag{18}$$

with the boundary condition $I(0) = I_{\max}$. Solving Equation (18) the inventory over time, $I(t)$, yields:

$$I(t) = I_{\max}e^{-(\theta+\alpha)t} - \frac{D_0}{(\theta + \alpha)^2} \left[e^{-(\theta+\alpha)t} + (\theta + \alpha)t - 1 \right], \quad 0 \leq t \leq t_1. \tag{19}$$

Considering the boundary condition $I(t_1) = 0$, we obtain the maximum inventory level for each cycle is

$$I_{\max} = \frac{D_0}{(\theta + \alpha)^2} \left[(\theta + \alpha)t_1 e^{(\theta+\alpha)t_1} - e^{(\theta+\alpha)t_1} + 1 \right]. \tag{20}$$

Putting Equation (20) into Equation (19), it gets

$$I(t) = \frac{D_0}{(\theta + \alpha)^2} \left[(\theta + \alpha)t_1 e^{(\theta+\alpha)(t_1-t)} - e^{(\theta+\alpha)(t_1-t)} + 1 \right] - \frac{D_0t}{(\theta + \alpha)}, \quad 0 \leq t \leq t_1. \tag{21}$$

Following, Equation (2) leads to the following two equations:

$$\frac{dI(t)}{dt} = -D_0t, \quad t_1 \leq t \leq \mu, \tag{22}$$

$$\frac{dI(t)}{dt} = -D_0\mu, \quad \mu \leq t \leq T, \tag{23}$$

with the boundary conditions $I(t_1) = 0$ and $-I(T) = S$. Solving Equations (22) and (23) for the inventory over time, $I(t)$, yields:

$$I(t) = \frac{D_0}{2}(t_1^2 - t^2), \quad t_1 \leq t \leq \mu, \tag{24}$$

$$I(t) = D_0\mu(T - t) - S, \quad \mu \leq t \leq T. \quad (25)$$

Considering continuity of $I(t)$ at $t = \mu$, it follows from Equations (24) and (25) that

$$\frac{D_0}{2}(t_1^2 - \mu^2) = D_0\mu(T - \mu) - S \quad (26)$$

which implies that the maximum amount of demand backlogged per cycle is

$$S = D_0\left(\mu T - \frac{\mu^2}{2} - \frac{t_1^2}{2}\right). \quad (27)$$

Substituting Equation (27) into (25), it gets

$$I(t) = D_0\left(\frac{\mu^2}{2} + \frac{t_1^2}{2} - \mu t\right), \quad \mu \leq t \leq T. \quad (28)$$

From Equations (20) and (27), we can obtain the order quantity, Q , as

$$Q = I_{\max} + S = \frac{D_0}{(\theta + \alpha)^2} \left[(\theta + \alpha)t_1 e^{(\theta + \alpha)t_1} - e^{(\theta + \alpha)t_1} + 1 \right] + D_0\left(\mu T - \frac{\mu^2}{2} - \frac{t_1^2}{2}\right). \quad (29)$$

Similar to Case 1, the total profit per unit of time when $t_1 \leq \mu$ which denoted by $Z_2(t_1)$, is given by

$$\begin{aligned} Z_2(t_1) = & \frac{D_0\mu}{T} \left\{ (s - c)\left(T - \frac{\mu}{2}\right) + (\alpha s - h) \left[\frac{(\theta + \alpha)t_1 e^{(\theta + \alpha)t_1} - e^{(\theta + \alpha)t_1} + 1}{(\theta + \alpha)^3 \mu} - \frac{t_1^2}{2(\theta + \alpha)\mu} \right] \right. \\ & - c \left\{ \frac{(\theta + \alpha)t_1 e^{(\theta + \alpha)t_1} - e^{(\theta + \alpha)t_1} + 1}{(\theta + \alpha)^2 \mu} - \frac{t_1^2}{2\mu} \right\} \\ & \left. - c_s \left(\frac{\mu^2}{6} + \frac{t_1^3}{3\mu} - \frac{\mu T}{2} - \frac{T t_1^2}{2\mu} + \frac{T^2}{2} \right) - \frac{A}{D_0 \mu} \right\}. \quad (30) \end{aligned}$$

Consequently, the total profit function per unit of time of the system over the time interval $[0, T]$ is given by

$$Z(t_1) = \begin{cases} Z_1(t_1), & \text{if } t_1 \geq \mu, \\ Z_2(t_1), & \text{if } t_1 \leq \mu. \end{cases}$$

It is obvious that $Z_1(\mu) = Z_2(\mu)$. Therefore, $Z(T)$ is continuous at μ and well-defined.

4. Theoretical Results

In this section, we will derive the results which ensure the necessary and sufficient conditions of the existence and uniqueness of the optimal solution to maximize the total

profit per unit of time. For Case 1, the necessary condition for the function $Z_1(t)$ in Equation (17) to be maximum is $dZ_1(t_1)/dt_1 = 0$, which gives

$$\frac{[\alpha(s-c) - (h + \theta c)]}{\theta + \alpha} [e^{(\theta + \alpha)t_1} - 1] + c_s(T - t_1) = 0. \quad (31)$$

It is not easy to find the closed-form solution of t_1 from Equation (31). But we can show that the value of t_1 which satisfies Equation (31) not only exists but also is unique under some conditions. Further, for notational convenience, we let $\Delta \equiv F(\mu) = \frac{\alpha(s-c) - (h + \theta c)}{\theta + \alpha} [e^{(\theta + \alpha)\mu} - 1] + c_s(T - \mu)$, then we have following lemma.

Lemma 1. *When $t_1 \geq \mu$,*

(a) *for $\alpha(s-c) - (h + \theta c) < 0$,*

i) *if $\Delta \geq 0$, then the solution of $t_1 \in [\mu, T]$ (say t_{11}) in Equation (31) not only exists but also is unique.*

ii) *If $\Delta < 0$, then the solution of $t_1 \in [\mu, T]$ in Equation (31) does not exist.*

(b) *For $\alpha(s-c) - (h + \theta c) \geq 0$, the solution of $t_1 \in [\mu, T]$ in Equation (31) does not exist.*

Proof. See the Appendix A.

Remark 1. We see that $\alpha(s-c) - (h + \theta c)$, where $\alpha(s-c)$ is the benefit received from an additional unit of inventory and $(h + \theta c)$ is the cost due to an additional unit of inventory. Thus, when the condition $\alpha(s-c) - (h + \theta c) < 0$ is satisfied, it implies building up inventory is unprofitable; and when $\alpha(s-c) - (h + \theta c) \geq 0$, it is profitable to build up inventory.

According to Lemma 1, we can obtain the following result.

Lemma 2. *When $t_1 \geq \mu$,*

(a) *for $\alpha(s-c) - (h + \theta c) < 0$,*

i) *if $\Delta \geq 0$, then the total profit per unit of time $Z_1(t_1)$ has the global maximum value at the point $t_1 = t_{11}$, where $t_{11} \in [\mu, T]$ and satisfies Equation (31).*

ii) *If $\Delta < 0$, then the total profit per unit of time $Z_1(t_1)$ has a maximum value at the lower boundary point $t_1 = \mu$.*

(b) *For $\alpha(s-c) - (h + \theta c) \geq 0$, the total profit per unit of time $Z_1(t_1)$ has a maximum value at the upper boundary point $t_1 = T$.*

Proof. See the Appendix B.

When considering Case 2, we can easily obtain the first-order necessary condition for the total profit per unit of time in Equation (30) to be maximum is $dZ_2(t_1)/dt_1 = 0$, which leads to

$$\frac{[\alpha(s-c) - (h + \theta c)]}{\theta + \alpha} \left[e^{(\theta + \alpha)t_1} - 1 \right] + c_s(T - t_1) = 0. \quad (32)$$

It is also not easy to find the closed-form solution of t_1 from Equation (32). But we can show that the value of t_1 which satisfies Equation (32) not only exists but also is unique under some conditions. Note that Equations (31) and (32) will be the same. Therefore, by the similar argument and proof as in Case 1, we can obtain the following results. Here, the proof is omitted.

Lemma 3. *When $t_1 \leq \mu$,*

(a) *for $\alpha(s-c) - (h + \theta c) < 0$,*

i) *if $\Delta \leq 0$, then the solution of $t_1 \in (0, \mu]$ (say t_{12}) in Equation (32) not only exists but also is unique.*

ii) *If $\Delta < 0$, then the solution of $t_1 \in (0, \mu]$ in Equation (32) does not exist.*

(b) *For $\alpha(s-c) - (h + \theta c) \geq 0$, the solution of $t_1 \in (0, \mu]$ in Equation (32) does not exist.*

Lemma 4. *When $t_1 \leq \mu$,*

(a) *for $\alpha(s-c) - (h + \theta c) < 0$,*

i) *if $\Delta \leq 0$, then the total profit per unit of time $Z_2(t_1)$ has the global maximum value at the point $t_1 = t_{12}$, where $t_{12} \in (0, \mu]$ and satisfies Equation (32).*

ii) *If $\Delta > 0$, then the total profit per unit of time $Z_2(t_1)$ has a maximum value at the upper boundary point $t_1 = \mu$.*

(b) *For $\alpha(s-c) - (h + \theta c) \geq 0$, the total profit per unit of time $Z_2(t_1)$ has a maximum value at the upper boundary point $t_1 = \mu$.*

Combining the mentioned-above situations and summarizing the results in Lemmas 2 and 4, we can obtain the following theorem to determine the optimal length of time in which the inventory level falls to zero t_1 (denoted by t_1^*) and total profit per unit of time $Z(t_1^*)$ (denoted by Z^*).

Theorem 1.

(a) *For $\alpha(s-c) - (h + \theta c) < 0$,*

i) *if $\Delta > 0$, then $t_1^* = t_{11}$, and $Z^* = Z_1(t_{11})$.*

ii) If $\Delta < 0$, then $t_1^* = t_{12}$, and $Z^* = Z_1(T_{12})$.

iii) If $\Delta = 0$, then $t_1^* = \mu$, and $Z^* = Z_1(\mu) = Z_2(\mu)$.

(b) For $\alpha(s - c) - (h + \theta c) \geq 0$, $t_1^* = T$ and $Z^* = Z_1(T)$.

Proof. It immediately follows from Lemmas 2 and 4, and the fact that $Z_1(\mu) = Z_2(\mu)$.

Note that Equations (31) and (32) will be the same, i.e., $t_{11} = t_{12}$. After obtaining the value of t_1^* , the optimal order quantity Q (denoted by Q^*) can be determined by using Equation (12) or (29).

Remark 2. When $\alpha = 0$, it means the real selling rate of the item is independent of on the level of the on-hand inventory, and the model can be reduced the inventory model with ramp-type demand where the inventory starts without shortages in Mandal and Pal [14].

5. Numerical Examples

In order to illustrate the proposed model, we consider the following examples:

Example 1. Given $D_0 = 400$, $A = 50$, $s = 20$, $c = 15$, $h = 3$, $c_s = 5$, $\alpha = 0.1$, $\theta = 0.05$ and $T = 1$ in appropriate units. We obtain that $\alpha(s - c) - (h + \theta c) = -3.25 < 0$. Consequently, if $\mu = 0.4$, then $\Delta = 1.660 > 0$. We know from Theorem 1 that the optimal replenishment cycle time $t_1^* = t_{11} = 0.5933$, the optimal order quantity $Q^* = 132.36$ and the maximum total profit per unit of time $Z^* = 443.62$. If $\mu = 0.6$, then $\Delta = -0.404 < 0$. Hence $t_1^* = t_{12} = 0.5953$, $Q^* = 172.36$ and $Z^* = 597.19$. If $\mu = 0.5953$, then $\Delta = 0$. Hence $t_1^* = \mu = 0.5953$, $Q^* = 171.60$ and $Z^* = 594.15$.

Example 2. Let us consider another inventory system with the following data: $D_0 = 400$, $A = 50$, $s = 30$, $c = 15$, $h = 5$, $c_s = 5$, $\alpha = 0.4$, $\theta = 0.05$; $\mu = 0.5$ and $T = 1$ in appropriate units. We obtain that $\alpha(s - c) - (h + \theta c) = 0.25 > 0$. From Theorem 1, the optimal replenishment cycle time $t_1^* = T = 1$, the optimal order quantity $Q^* = 198.612$ and the maximum total profit per unit of time $Z^* = 2227.01$. The computational results for different situations in Examples 1 and 2 are shown in Table 1.

As shown in Table 1, when the condition $\alpha(s - c) - (h + \theta c) < 0$ is satisfied, it can be found that when μ increases and other parameters remain unchanged, the optimal order quantity per cycle Q^* and the maximum total profit per unit of time Z^* will increase.

Table 1. The optimal solutions in Examples 1 and 2.

Case	μ	Situation	t_1^*	Q^*	Z^*
Example 1 $\alpha(s - c) - (h + \theta c) < 0$	0.4	$\Delta > 0$	$t_1^* = t_{11} = 0.5953$	132.36	443.62
	0.5953	$\Delta = 0$	$t_1^* = \mu = 0.5953$	171.60	594.15
	0.6	$\Delta < 0$	$t_1^* = t_{12} = 0.5953$	172.36	597.19
Example 2 $\alpha(s - c) - (h + \theta c) > 0$	0.5	–	$t_1^* = T = 1$	198.61	2227.01

Example 3. From Equation (31) or (32), we can see that the optimal length of order cycle t_1^* is influenced by the parameters s , c , h , c_s , α , θ and T . Therefore we discuss the influences of changes in these parameters on the optimal solution of the Example 1. For convenience, we only consider the case for fixed $\mu = 0.6$. The sensitivity analysis is performed by changing each of the parameters by -20% , -10% , $+10\%$ and $+20\%$, taking one parameter at a time and keeping the remaining parameters unchanged. The results are shown in Table 2.

On the basis of the results in Table 2, the following observations can be made.

- The optimal length of time in which the inventory level falls to zero t_1^* , the optimal order quantity per cycle Q^* and the maximum total profit per unit of time Z^* increase with increases in the values of parameters s , α and T . Moreover, t_1^* and Q^* are higher sensitive to change in the parameter T , and Z^* is higher sensitive to change in the parameter s .
- All the optimal values of t_1^* , Q^* and Z^* decrease with increases in the values of parameters c and h . Furthermore, Z^* is higher sensitive to change in the parameter c .
- With the augment of the parameter c_s , t_1^* and Q^* increase but Z^* decreases.
- With increase in the value of parameter θ , t_1^* and Z^* decrease while Q^* increase.

6. Conclusions

In this article, a deterministic inventory model has been proposed for deteriorating items with ramp-type demand rate under stock-dependent selling rate. Shortages are allowed and completely backlogged is considered in the model. In Lemmas 1-4, the necessary and sufficient conditions of the existence and uniqueness of the optimal solution for two cases are shown. Theorem 1 identifies the best circumstance between the two cases based on the maximum total profit per unit of time. Further, several numerical

Table 2. Effect of changes in various parameters of the Example 1 ($\mu = 0.6$).

Parameter	% change	% change in		
		t_1^*	Q^*	Z^*
<i>s</i>	-20	-4.66	-0.35	-114.34
	-10	-2.39	-0.18	-57.20
	+10	2.51	0.20	57.28
	+20	5.15	0.42	114.63
<i>c</i>	-20	5.83	0.48	86.79
	-10	2.83	0.22	43.34
	+10	-2.68	-0.20	-43.25
	+20	-5.21	-0.39	-86.41
<i>h</i>	-20	7.94	0.66	3.28
	-10	3.81	0.30	1.55
	+10	-3.54	-0.27	-1.38
	+20	-6.82	-0.51	-2.62
<i>c_s</i>	-20	-9.02	-0.67	3.73
	-10	-4.22	-0.32	1.75
	+10	3.75	0.30	-1.55
	+20	7.11	0.59	-2.94
α	-20	-0.97	-0.41	-0.41
	-10	-0.49	-0.21	-0.21
	+10	0.49	0.22	0.21
	+20	1.00	0.44	0.42
θ	-20	1.99	-0.03	0.79
	-10	0.99	-0.01	0.39
	+10	-0.97	0.01	-0.38
	+20	-1.92	0.02	-0.75
<i>T</i>	-20	-19.71	-29.22	-6.98
	-10	-9.84	-14.65	-2.64
	+10	9.80	14.76	1.42
	+20	19.57	29.67	1.98

examples are presented to illustrate the theoretical results, and some observations are obtained from sensitivity analysis with respect to major parameters.

In the future study, it is hoped to extend incorporate the proposed model into several situations, such as varying deterioration rate and a finite rate of replenishment. Furthermore, we could generalize the model to allow for shortages and partial backlogged, quantity discounts, inflation rates, and others.

Acknowledgements

The authors greatly appreciate the anonymous referees for their valuable and helpful suggestions regarding earlier version of the paper.

Appendix A: Proof of Lemma 1.

Proof of part (a). To prove it, we first let

$$F(x) = \frac{[\alpha(s-c) - (h + \theta c)]}{\theta + \alpha} [e^{(\theta+\alpha)x} - 1] + c_s(T-x) \quad (\text{A1})$$

for $x \in [\mu, T]$. Taking the first derivative of $F(x)$ in Equation (A1) with respect to $x \in (\mu, T)$, we obtain

$$\frac{dF(x)}{dx} = [\alpha(s-c) - (h + \theta c)]e^{(\theta+\alpha)x} - c_s. \quad (\text{A2})$$

When $\alpha(s-c) - (h + \theta c) < 0$, we have $\frac{dF(x)}{dx} < 0$, and it gets $F(x)$ is a strictly decreasing function of x in the interval $[\mu, T]$ and $F(T) < 0$. (i) If $\Delta \geq 0$ which implies $F(\mu) \geq 0$, then by applying the Intermediate Value Theorem, there exists a unique $t_{11} \in [\mu, T]$ such that $F(t_{11}) = 0$. (ii) If $\Delta < 0$ which implies $F(\mu) < 0$, then there does not exist a value $t_1 \in [\mu, T]$ such that $F(t_1) = 0$.

Proof of part (b). When $\alpha(s-c) - (h + \theta c) \geq 0$, from (A1) we know that $F(x) > 0$ for all $x \in [\mu, T]$ which implies there does not exist a value $t_1 \in [\mu, T]$ such that $F(t_1) = 0$. This completes the proof.

Appendix B: Proof of Lemma 2.

Proof of part (a). For $\alpha(s-c) - (h + \theta c) < 0$, (i) if $\Delta \geq 0$, from Lemma 1(a-(i)), it can be seen that $t_{11} \in [\mu, T]$ is the unique solution of Equation (31). Now, taking the second derivative of $Z_1(t_1)$ with respect to t_1 , and then finding the value of the function at point t_{11} , we obtain

$$\left. \frac{d^2 Z_1(t_1)}{dt_1^2} \right|_{t_1=t_{11}} = \frac{D_0 \mu}{T} \left\{ [\alpha(s-c) - (h + \theta c)]e^{(\theta+\alpha)t_{11}} - c_s \right\} < 0. \quad (\text{B1})$$

Thus, t_{11} is the global maximum point of $Z_1(t_1)$. (ii) If $\Delta < 0$, then we have

$$\frac{dZ_1(t_1)}{dt_1} = \frac{D_0 \mu}{T} \left\{ \frac{[\alpha(s-c) - (h + \theta c)]}{\theta + \alpha} [e^{(\theta+\alpha)t_1} - 1] + c_s(T-t_1) \right\} = \frac{D_0 \mu}{T} F(t_1). \quad (\text{B2})$$

By the proof process in Lemma 1(a-(ii)), we see that $F(t_1) < 0$, for $t_1 \in [\mu, T]$. It gets $\frac{dZ_1(t_1)}{dt_1} < 0$, for $t_1 \in (\mu, T)$. Consequently, $Z_1(t_1)$ has a maximum value at the lower boundary point $t_1 = \mu$.

Proof of part (b). For $\alpha(s - c) - (h + \theta c) \geq 0$, we have

$$\frac{dZ_1(t_1)}{dt_1} = \frac{D_0\mu}{T}F(t_1) > 0, \quad \text{for } t_1 \in (\mu, T). \quad (\text{B3})$$

Hence, $Z_1(t_1)$ has a maximum value at upper boundary point $t_1 = T$. This completes the proof.

References

- [1] Baker, R. C. and Urban, T. L., *A deterministic inventory system with an inventory-level-dependent demand rate*, Journal of the Operational Research Society; Vol. 39, pp.823-831, 1988.
- [2] Covert, R. P. and Philip, G. C., *An EOQ model for items with Weibull distribution deterioration*, AIIE Transactions, Vol. 5, pp.323-326, 1973.
- [3] Datta, T. K., Paul, K. and Pal, A. K., *Demand promotion by upgradation under stock-dependent demand situation-a model*, International Journal of Production Economics, Vol. 55, pp.31-38, 1998.
- [4] Dave, U. and Pal, A. K., *Order level inventory system with power demand pattern for items with variable rate of deterioration*, India Journal of Pure and Applied Mathematics, Vol. 19, pp.1043-1053, 1988.
- [5] Donaldson, W. A., *Inventory replenishment policy for a linear trend in demand: an analytic solution*, Operational Research Quarterly, Vol. 28, pp.663-670, 1977.
- [6] Deng, P.S., *Improved Inventory Models with Ramp Type Demand and Weibull Deterioration*, International Journal of Information and Management Sciences, Vol. 16, No. 4, pp.79-86, 2005.
- [7] Dye, C. Y. and Ouyang, L. Y., *An EOQ model for perishable items under stock-dependent selling rate and time-dependent partial backlogging*, European Journal of Operational Research, Vol. 163, pp.776-783, 2005.
- [8] Ghare, P. M. and Schrader, G. H., *A model for exponentially decaying inventory system*, Journal of Industrial Engineering, Vol. 14, pp. 238-243, 1963.
- [9] Giri, B. C., Goswami, A. and Chaudhuri K. S., *An EOQ model for deteriorating items with time varying demand and costs*, Journal of the Operational Research Society, Vol. 47, pp.1398-1405, 1996.
- [10] Giri, B. C., Jalan, A. K. and Chaudhuri, K. S., *Economic order quantity model with Weibull deterioration distribution, shortage and ramp-type demand*, International Journal of Systems Science, Vol. 34, pp.237-243, 2003.
- [11] Giri, B. C., Pal, S., Goswami, A. and Chaudhuri, K. S., *An inventory model for deteriorating items with stock-dependent demand rate*, European Journal of Operational Research, Vol. 95, pp.604-610, 1996.
- [12] Goyal, S. K., *Economic ordering policy for deteriorating items over an infinite time horizon*, European Journal of Operational Research, Vol. 28, pp.298-301, 1987.
- [13] Gupta, R. and Vrat, P., *Inventory model with multi-items under constraint systems for stock dependent consumption rate*, Operations Research, Vol. 24, pp.41-42, 1986.
- [14] Mandal, B. and Pal, P. N., *Order level inventory system with ramp type demand rate for deteriorating items*, Journal of Interdisciplinary Mathematics, Vol. 1, pp.49-66, 1998.
- [15] Mandal, B. N. and Phaujdar, S., *An inventory model for deteriorating items and stock-dependent consumption rate*, Journal of the Operational Research Society, Vol. 40, pp.483-488, 1989.
- [16] Padmanabhan, G. and Vrat, P., *EOQ models for perishable items under stock dependent selling rate*, European Journal of Operational Research, Vol. 86, pp.281-292, 1995.

- [17] Pakkala, T. P. M. and Achary, K. K., *Deterministic inventory model for deteriorating items with two warehouses and finite replenishment rate*, European Journal of Operational Research, Vol. 57, pp.71-76, 1992.
- [18] Pal, A. K. and Mandal, B., *An EOQ model for deteriorating inventory with alternating demand rates*, The Korean Journal of Computational and Applied Mathematics, Vol. 4, pp.397-407, 1997.
- [19] Pal, S., Goswami, A. and Chaudhuri, K. S., *A deterministic inventory model for deteriorating items with stock-dependent demand rate*, International Journal of Production Economics, Vol. 32, pp.291-299, 1993.
- [20] Philip, G. C., *A generalized EOQ model for items with Weibull distribution*, AIIE Transactions, Vol. 6, pp.159-162, 1974.
- [21] Raafat, F., Wolfe, P. M. and Eldin, H. K., *Inventory model for deteriorating items*, Computers and Industrial Engineering, Vol. 20, pp.89-104, 1991.
- [22] Ray, J. and Chaudhuri, K. S., *An EOQ model with stock-dependent demand, shortage, inflation and time discounting*, International Journal of Production Economics, Vol. 53, pp.171-180, 1997.
- [23] Ray, J., Goswami, A and Chaudhuri, K. S., *On an inventory model with two levels of storage and stock-dependent demand rate*, International Journal of Systems Science, Vol. 29, pp.249-254, 1998.
- [24] Sarma, K. V. S., *Deterministic order level inventory model for deteriorating items with two storage facilities*, European Journal of Operational Research, Vol. 29, pp.70-73, 1987.
- [25] Shah, Y. K., *An order-level lot size inventory model for deteriorating items*, AIIE Transactions, Vol. 9, pp.108-112, 1977.
- [26] Silver, E. A., *A simple inventory replenishment decision rule for a linear trend in demand*, Journal of the Operational Research Society, Vol. 30, pp.71-75, 1979.
- [27] Wee, H. M., *Economic production lot size model for deteriorating items with partial back-ordering*, Computers and Industrial Engineering, Vol. 24, pp.449-458, 1993.
- [28] Wu, J. W., Tan, B., Lin C. and Lee, W. C., *An EOQ inventory model with ramp type demand rate for items with weibull deterioration*, International Journal of Information and Management Sciences, Vol. 10, No. 3, pp.41-51, 1999.
- [29] Wu, K. S., *An EOQ inventory model for items with Weibull distribution deterioration, ramp type demand rate and partial backlogging*, Production Planning and Control, Vol. 12, pp.787-798, 2001.
- [30] Wu, K. S. and Ouyang, L. Y., *A replenishment policy for deteriorating items with ramp type demand rate*, Proc. Natl. Sci. Coun. ROC(A), Vol. 24, pp.279-286, 2000.

Authors' Information

Kun-Shan Wu is a professor in the Department of Business Department at Tamkang University in Taiwan. He earned his Ph.D. from the Graduate Institute of Management Sciences at Tamkang University in Taiwan. His research interests are in the field of production/inventory control, and supply chain management. He has published articles in Computers & Industrial Engineering, Computers & Operations Research, European Journal of Operational Research, International Journal of Information and Management Sciences, International Journal of Information and Optimization Sciences, International Journal of Production Economics, International Journal of Systems Sciences, Journal of Interdisciplinary Mathematics, Journal of the Operational Research Society, Journal of Statistics & Management Systems, OPSEARCH, Production Planning and Control, Quality & Quantity, and Yugoslav Journal of Operations Research.

Department of Business Administration, Tamkang University, Tamsui, Taipei 251, R.O.C.

E-mail: kunshan@mail.tku.edu.tw

TEL : +886-2-2621-5656 ext.3374.

Liang-Yuh Ouyang is a Professor in the Department of Management Sciences & Decision Making at Tamkang University in Taiwan. He earned his B.S. in Mathematical Statistics, M.S. in Mathematics

and Ph.D. in Management Sciences from Tamkang University. His research interests are in the field of Production/Inventory Control, Probability and Statistics. He has publications in Journal of the Operational Research Society, Computers and Operations Research, European Journal of Operational Research, Computers and Industrial Engineering, International Journal of Production Economics, IEEE Transactions on Reliability, , Metrika, Production Planning & Control, Journal of the Operations Research Society of Japan, Opsearch, Journal of Statistics & Management Systems, Journal of Interdisciplinary Mathematics, International Journal of Information and Management Sciences, International Journal of Systems Science, Yugoslav Journal of Operations Research, The Engineering Economist, Mathematical and Computer Modelling and Applied Mathematical Modelling.

Department of Management Sciences & Decision Making, Tamkang University, Tamsui, Taipei 251, R.O.C.

E-mail: liangyuh@mail.tku.edu.tw TEL : +886-2-2621-5656 ext.2075.

Chih-Te Yang is an Assistant Professor in the Department of Industrial Engineering & Management at Ching Yun University in Taiwan. He earned his Ph.D. from the Graduate Institute of Management Sciences at Tamkang University in Taiwan. His research interests are in the field of production/inventory control, and supply chain management. He has published articles in International Journal of Production Economics, Computers & Industrial Engineering, Journal of the Chinese Institute of Industrial Engineers, and Asia-Pacific Journal of Operational Research.

Department of Industrial Engineering & Management, Ching Yun University, 229, Chien-Hsin Rd., Jung-Li 320, Taiwan, R.O.C.

E-mail: ctyang@cyu.edu.tw TEL : +886-3-2502998 ext.8817.