

정신분열병 환자가 지각한 가족의 표출감정과 환자의 사회적응 및 가족부담감에 대한 연구*

박성원** · 민성길***† · 김소야자**

Family's Expressed Emotion Perceived by Schizophrenic Patients, Social Adjustment of Patients and Family Burden*

Sung Won Park, R.N.,** Sung Kil Min, M.D., Ph.D.,***† Soyaja Kim, R.N., Ph.D.**

■ 국문 초록

목적 :

가 가 가 가 ,

연구방법 :

81 가 81 가 Level of Expressed Emotion(K-LEE) Social Adjustment Scale 가 ,
가 가 가 , 가

Pearson's correlation

연구결과 :

가 가 11.58 ± 2.20 , 가 1.20 ± .67
2.50 ± 0.63 . 가 , 가 , 가 가
가 가 가 가 , 가
가 가 가 가 가 가

결론 :

가 가 가

중심 단어 :

서론

가 (Stress - Vulnerability Model)¹⁾

** College of Nursing, Yonsei University, Seoul

† Department of Psychiatry, Yonsei University College of Medicine, Seoul

† Corresponding author

2) 가족의 부담감 측정도구				31
1999	21)	76%가 20~30		
가	36	47.6%가		
가	14	가	78%,	7.3%,
5	22	1.2%	85%가	
0	'1	'2	'3	69.5%가
'4	가	가	가	30.5%가
가				34.1%가
3) 환자의 사회적응 측정도구				
Social Adjustment Scale(SAS)	1976	Weisman	72%가 10~20	
22) Yale	6	6	가 15%, 3	가 12%, 4
53			가 7% 5	가 28%, 2
가	가		72%	2
가	가			16
가	가			58.5%가
가	가		39%	
가	가	2	2) 가족의 일반적 특성	
5			가	62.2%, 36.6%
가	가		50%가	, 26.8%가
가	가		76.8%	28%가
가	가		26.8%	가
2000	23)가	가	52.2%	가 20
가				70
가	가			67.1%가
4가	25	7.3%,	4.9%,	19.5%
6	19			32%
4. 분석방법				
SPSS		100	가 34.2%	가
가	가	100~150	34.1%, 200	26.8%
가	가		98.8%가	가 36.6%
가	가	가	가	4
가	가	가		4~5
t - test	가	가		59.7%
가	가			1.4
Pearson's correlation			78%	1
결 과				
1. 대상자들의 일반적 특성				
1) 환자의 일반적 특성				
36.6%,	62.2%	11.58 ± 2.20(0~	41)

tient self report. Arch Gen Psychiatry 33 : 1111-1115

- 23) 하경희(2000) : 정신장애인의 사회적응에 영향을 미치는 요인(석사학위). 서울대학교 대학원
- 24) Creer C, Wing J(1974) : Schizophrenia at home. London : Institute of Psychiatry
- 25) 허복심, 류소연, 박 중, 김기순, 김양옥, 김학렬(1999) : 정신분열병환자 가족 주보호자의 부담에 관한 연구. 한국 농촌의학회보. 24 : 351-368
- 26) 임혜숙(1991) : 정신질환자 가족의 부담감과 사회적 지지에 관한 연구(석사학위). 연세대학교 대학원

- 27) 왕영애(1997) : 정신질환자 가족의 부담에 관한 연구(석사학위). 연세대학교 대학원
- 28) 강동호(1994) : 정신분열병 환자 가족의 객관적, 주관적 부담에 관한 연구(석사학위). 부산대학교 대학원
- 29) 현명선(1991) : 퇴원한 만성 정신 질환자가 지각한 가족 지지와 사회적 적응과의 관계 연구(석사학위). 연세대학교 대학원
- 30) Hatfield AB(1978) : Psychological costs of schizophrenia to the family. Social Work 23 : 355-359

■ ABSTRACT ————— *J Korean Assoc Soc Psychiatry Vol 7, No 2, October, 2002* —————

Family's Expressed Emotion Perceived by Schizophrenic Patients, Social Adjustment of Patients and Family Burden

Sung Won Park, R.N., Sung Kil Min, M.D., Ph.D., Soyaja Kim, R.N., Ph.D.

College of Nursing, Yonsei University, Seoul

Object : This study was to study correlation between schizophrenic patients' subjectively perceived expressed emotion by family and their social adjustment and perceived burden of family.

Method : Subjects were 81 schizophrenic patients and their family. Patients rated Korean version of Level of Expressed Emotion (K-LEE) and Social Adjustment Scale. Their family rated a Scale for Family Burden. Collected data were analysed with Pearson correlation test.

Results : Mean total score of K-LEE, Scale for Family Burden and Social Adjustment were 11.58 ± 2.20 , $1.20 \pm .67$ and 2.50 ± 0.63 respectively. There was no significant correlation among them. However among subscales, there were some significant correlations. The less family support was and the more severe intervention of family was, the poorer were patients' social relationship, leisure activities, functions in extended family and functions in occupational life. And the severer patients perceived family's blaming was, the greater family's subjective and objective burden were.

Conclusion : These results suggest that, for patients, better social adjustment, family have to provide more support, reduce intervention and restrain blaming.

KEY WORDS : Expressed emotion · Burden · Social Adjustment.