# **Book of abstracts**



# PHOTONICA2017

# The Sixth International School and Conference on Photonics

& COST actions: MP1406 and MP1402





&H2020-MSCA-RISE-2015 CARDIALLY workshop

<u>CARDIALLY</u>

28 August – 1 September 2017

Belgrade, Serbia

Editors

Marina Lekić and Aleksandar Krmpot

Institute of Physics Belgrade, Serbia

Belgrade, 2017

## ABSTRACTS OF TUTORIAL, KEYNOTE, INVITED LECTURES, PROGRESS REPORTS AND CONTRIBUTED PAPERS

of

# The Sixth International School and Conference on Photonics PHOTONICA2017

## 28 August – 1 September 2017 Belgrade Serbia

*Editors* Marina Lekić and Aleksandar Krmpot

*Technical assistance* Marko Nikolić and Danica Pavlović

*Publisher* Institute of Physics Belgrade Pregrevica 118 11080 Belgrade, Serbia

*Printed by* Serbian Academy of Sciences and Arts

*Number of copies* 300

ISBN 978-86-82441-46-5

PHOTONICA 2017 (The Sixth International School and Conference on Photonica - <u>www.photonica.ac.rs</u>) is organized by Institute of Physics Belgrade, University of Belgrade (<u>www.ipb.ac.rs</u>), Serbian Academy of Sciences and Arts (<u>www.sanu.ac.rs</u>), and Optical Society of Serbia (<u>www.ods.org.rs</u>).







Other institution that helped the organization of this event are: Vinča Institute of Nuclear Sciences, University of Belgrade (<u>www.vinca.rs</u>), Faculty of Electrical Engineering, University of Belgrade (<u>www.etf.bg.ac.rs</u>), Institute of Chemistry, Technology and Metallurgy, University of Belgrade (<u>www.ihtm.bg.ac.rs</u>), Faculty of Technical Sciences, University of Novi Sad (<u>www.ftn.uns.ac.rs</u>), Faculty of Physics, University of Belgrade (<u>www.ft.g.ac.rs</u>), and Faculty of Biology, University of Belgrade (<u>www.bio.bg.ac.rs</u>).

PHOTONICA 2017 is organized under auspices and with support of the Ministry of Education, Science and Technological Development, Serbia (<u>www.mpn.gov.rs</u>). PHOTONICA 2017 is supported and recognized by The Integrated Initiative of European Laser Research Infrastructures LaserLab-Europe (<u>www.laserlab-europe.eu</u>) and European Physical Society (<u>www.eps.org</u>).



The support of the sponsors of PHOTONICA 2017 is gratefully acknowledged:



## Committees

### **Scientific Committee**

Aleksandar Krmpot, Serbia Antun Balaž, Serbia Arlene D. Wilson-Gordon, Israel Bojan Resan, Switzerland Boris Malomed, Israel Branislav Jelenković, Serbia Dejan Gvozdić, Serbia Detlef Kip, Germany Dragan Indjin, United Kingdom Edik Rafailov, United Kingdom Feng Chen, China Francesco Cataliotti, Italy Giannis Zacharakis, Greece Goran Isić, Serbia Goran Mašanović, United Kingdom Isabelle Philippa Staude, Germany Jelena Radovanović, Serbia Jerker Widengren, Sweden Jovana Petrović, Serbia Laurent Sanchez, France LjupčoHadžievski, Serbia Marco Santagiustina, Italy Milan Mashanović, United States of America Milan Trtica, Serbia Miloš Živanov, Serbia Milutin Stepić, Serbia Milivoj Belić, Qatar Nikola Stojanović, Germany Pavle Anđus, Serbia Peđa Mihailović, Serbia Radoš Gajić, Serbia Schaaf Peter, Germany Sergei Turitsyn, United Kingdom Suzana Petrović, Serbia Ticijana Ban, Croatia Vladana Vukojević, Sweden Zoran Jakšić, Serbia Željko Šljivančanin, Serbia

### **Organizing Committee**

Aleksandar Krmpot, (Chair) Marina Lekić (Secretary) Stanko Nikolić (webmaster) Marko Nikolić, Vladimir Veljić Danica Pavlović

## **Technical Organizer**



4. Biophotonics

Marjan Miletić<sup>1</sup>, Marija D. Ivanović<sup>1</sup>, Lana Popović Maneski<sup>2</sup>,Boško Bojović<sup>1</sup> <sup>1</sup>Vinca Institute of Nuclear Sciences, Belgrade, Serbia <sup>2</sup> Institute of Technical Sciences of the Serbian Academy of Sciences and Arts, Belgrade, Serbia e-mail:marjanmil@yahoo.com

Ejection fraction (EF) is the most used parameter for characterisation of Heart Failure (HF) condition. EF is commonly calculated using echocardiography, which is an expensive non–invasive method and not used in primary healthcare. Systolic time intervals (STI) represent a non-invasive and inexpensive method for determination of EF[1, 2].

Heart failure (HF) is the single most expensive diagnosis in medicine. 2–3% of adult population in developed countries have HF diagnosis. It is not detectable by ECG test and it is commonly detected in a late stage, when the process is irreversible [2-5].

In this paper, a multiparametric cardiac measurement system for determination of STI is presented. Measurement system consists of sensors for simultaneous acquisition of electrocardiographic (ECG), phonocardiographic (PCG), photopletysmographic (PPG) and cardiovascular (CV) pulsation signals. CV pulsation signals are measured by long period grating (LPG) fiber-optic sensors[6].

Two non-invasive methods for measuring systolic time intervals (STI) were applied on a set of 6 healthy volunteers, based on ECG, PCG and CV pulsation signals. CV pulsation signals were measured on carotide arthery with PPG and LPG sensors.

In the first method, EF was calculated from the obtained STI signals, using CV carotide pulsations measured with the PPG sensor, giving EF values in the range from 0.60 to 0.68, with maximal standard deviation of 0.05. In the second method, EF was obtained using CV carotide pulsations measured with LPG sensor, giving EF values in the range from 0.60 to 0.66, with maximal standard deviation 0.06. Calculated values of EF with both methods were in the 0.55 to 0.75 range which corresponds to normal EF range in healthy individuals.

#### REFERENCES

[1] M. D. Ivanović, "An optical Fiber-Grating device for measuring cardiovascular and respiratory pulsations", Ph.D. dissertation, University of Belgrade, Belgrade, Serbia,(2014).

[2] L. N. Katz, H. S. Feil, I. Auricular fibrillation. Arch Intern Med, vol. 32, p. 672, (1923).

Peacock WF et al. Congest Heart Fail. (2003).

[3] Stewart S, et al. Eur J Heart Fail. (2001).

[4] Lloyd-Jones D, et al. Circulation. (2010).

[5] Mosterd A, et al. Heart (2007).

[6] M. D. Petrović, A. Daničić, V. Atanasoski, S. Radosavljević, V. Prodanović, N. Miljković, J. Petrović, D. Petrović, B. Bojović, Lj. Hadžievski, T. Allsop, G. Lloyd and D. J. Webb, Phys. Scr. T, vol. T157, pp. 014022 (1-4) (2013).