

Supplementary data for the article:

Stojsavljević, A.; Rovčanin, B.; Krstić, Đ.; Borković-Mitić, S.; Paunović, I.; Kodranov, I.; Gavrović-Jankulović, M.; Manojlović, D. Evaluation of Trace Metals in Thyroid Tissues: Comparative Analysis with Benign and Malignant Thyroid Diseases. *Ecotoxicology and Environmental Safety* **2019**, 183. <https://doi.org/10.1016/j.ecoenv.2019.109479>

Supplementary material

Evaluation of trace metals in thyroid tissues: Comparative analysis with benign and malignant thyroid diseases

Aleksandar Stojsavljević^a, Branislav Rovčanin^b, Đurđa Krstić^a, Slavica Borković-Mitić^c, Ivan Paunović^b, Igor Kodranov^a, Marija Gavrović-Jankulović^a, Dragan Manojlović^{a,d}

^a University of Belgrade – Faculty of Chemistry, Studentski trg 12-16, 11000 Belgrade, Serbia

^b Center for Endocrine Surgery, Clinical Center of Serbia, Dr Subotića 13, Belgrade, Serbia

^c Department of Physiology, Institute for Biological Research “Siniša Stanković”, University of Belgrade, Bulevar despota Stefana 142, Belgrade 11060, Serbia

^d South Ural State University, Chelyabinsk, Lenin prospect 76, 454080, Russia

Fig. 1. Box-plots for investigating metals in the tissue samples.

Table S1. Validation parameters of ICP-MS method.

Table S2. Results of Kolmogorov-Smirnov (KS) test.

Table S1**Validation parameters of ICP-MS method.**

	LOD ^a	LOQ ^b	SRM (mg/kg)		
			Found	Certified	Recovery (%)
Mn	0.0068	0.0228	9.46	10.5	90.1
Cu	0.0161	0.0536	263.5	275.2	95.75
Zn	0.2044	0.6812	188.0	181.1	103.81
As	0.0101	0.0336	21.85 ^c	19.6 ^c	111.5
Se	0.0208	0.0692	1.87	2.0	93.5
Cd	0.0084	0.0280	92.2 ^c	97.0 ^c	95.1
Pb	0.0094	0.0313	64.1	62.8	102.1
U	0.0009	0.0030	-	-	-

^a Limit of detection (LOD)^b Limit of quantification (LOQ)^c ng/g**Table S2****Results of Kolmogorov-Smirnov (KS) test.**

KS test of normality (significance P^*)	Mn	Zn	Cu	As	Se	Cd	Pb	U
	CG	0.000	0.194	0.000	0.000	0.000	0.000	0.000
	BT	0.000	0.000	0.000	0.010	0.000	0.021	0.200
	HT	0.159	0.200	0.004	0.007	0.174	0.020	0.200
	MNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TC	0.000	0.001	0.028	0.000	0.077	0.000	0.000

*The significance level is 0.05.