

You have downloaded a document from RE-BUŚ repository of the University of Silesia in Katowice

Title: Evolving international impact of "Acta Geologica Polonica" 1995-1999

Author: Grzegorz Racki

Citation style: Racki Grzegorz. (2000). Evolving international impact of "Acta Geologica Polonica" 1995-1999. "Acta Geologica Polonica" (2000, vol 50, No. 4, s. 501-505).



Uznanie autorstwa - Użycie niekomercyjne - Bez utworów zależnych Polska - Licencja ta zezwala na rozpowszechnianie, przedstawianie i wykonywanie utworu jedynie w celach niekomercyjnych oraz pod warunkiem zachowania go w oryginalnej postaci (nie tworzenia utworów zależnych).







Evolving international impact of *Acta Geologica Polonica* 1995-1999

GRZEGORZ RACKI The Library, Silesian University, Bankowa 14, PL-40-007 Katowice, Poland.

The international reputation of scientific journals as a mean of communication may be tested in different ways (see ZITT & BASSECOULARD 1998), but the most significant calculations are based on citation analysis of included articles. This is an obvious record of the truly world-wide circulation of the journal, coupled with the proven utility of published results (GARFIELD 1990), i.e., successes in the increasing 'competition for attention' in modern science (FRANCK 1999). The most comprehensive and reliable source of such data is the system of indexation of science and technology journals created by the Institute for Scientific Information (ISI) in Philadelphia. In principle, to find the position of a journal in the ISI ranking it is enough to consult the annually published statistical database Journal Citation Reports -1999 Science Edition (JCR), where bibliometric characters are presented for the 5550 source 'master' journals (see the ISI Homepage http://www.isinet.com). Acta Geologica Polonica (AGP) has not been included in the coverage by the online Science Citation Index (SCI) Expanded. Consequently, AGP is not rated by ISI.

The well-known citation-based measure is the impact factor (IF), an indication of how often the articles in a journal are cited. The value of IF equals the average number of citations per article published in the preceding two years in a journal. These JCR data are used to promote journals, e.g., in Elsevier's newspaper SedAbstracts. In addition, the parameter plays an increasing role when the scientific quality of journals, single publications, scientists and research groups have to be ranked in order to subsidize them. A journal's impact is used as a proxy for the evaluation of recently published works (i.e., a prediction of their citation rate) simply because it takes several years for the average article to be cited. However, the citation rates of the articles within a journal vary strongly and a small fraction of papers will experience almost immediate and high citation; thus, using the journal's average citation impact instead of the actual article impact is always uncertain (GARFIELD 1996). In fact, this indicator can specifically record visibility and diffusion of the works published rather than their scientific quality.

As *AGP* is absent from the authorized *JCR* ranking, its conventional two-year **impact factor** is determined using the standard *ISI* formula (GARFIELD 1990, see RACKI & BALIŃSKI 1999):

$$IFx = \frac{Cx-1 + Cx-2}{Ax-1 + Ax-2}$$

where:

If x – impact factor for year x;

Cx-1, Cx-2 – total number of citations received in year x, including both citations from Science Citation Index Expanded and manually counted self-citations for the non-ISI source journal, to source items published in the two preceding years, x-1 and x-2, respectively;

Ax-1, Ax-2 – number of articles published by the journal in years x-1 and x-2 respectively.

It should be emphasized that the journal self-citations may play a dominant role in the *IF* calculations, as has been shown for the Polish geological literature (RACKI 1997). Moreover, this kind of citation is frequently linked to an unchanging author set. Thus, it is essential for the non-*JCR* periodicals to exhibit their 'real' international performance after exclusion of the self-citation counts. This knowledge export is manifested in the reduced **external cited impact factor** (*ECIF*) formula as follows (HJORTGAARD CHRISTENSEN & al. 1997; see also RACKI 1997; STEGMANN 1999):

$$ECIFx = \frac{ECx-1 + ECx-2}{Ax-1 + Ax-2}$$

where:

ECIF*x* – external cited impact factor for year *x*;

ECx-1, Ecx-2 – number of 'external' citations received in year *x*, taken from *Science Citation Index Expanded*, to

- source items published in the two preceding years, *x-1* and *x-2*, respectively;
- Ax-1, Ax-2 number of articles published by the journal in years x-1 and x-2 respectively.

The *AGP* impact factor calculations for the last 5 years (Table 1) show its relatively constant level (between 0.46 and 0.67). However, this score is mostly based on the high number of self-citations, approaching 90% of all of the citations in 1995. A major quantitative change is observable in 1999, when the external citations predominate strongly for the first time. With the increasing participation of foreign authors (Table 1), there are distinct indications of improving international visibility of the leading Polish geoscience journal (see the classification in RACKI 1997).

Twelve citations in 1999 to AGP refer to seven original papers out of the total of 26 citable items published in 1997-1998 (Table 2). Just three of them are AGP self-citations, and this is a self-citation rate similar to that in prestigious ISI-source journals (see HJORTGAARD CHRISTEN-SEN & al. 1997, NISONGER 1998, STEGMANN 1999). The most effective paper in this context is that by KAPLAN & KENNEDY (1997) on the Upper Turonian and Coniacian ammonite stratigraphy of Westphalia, which has received 4 citations. Among 15 citing ISI journals in 1995-1999, the recent AGP articles were most frequently cited in Acta Palaeontologica Polonica, Comptes Rendus de l'Academie des Sciences, Facies and Neues Jahrbuch fEr Geologie und Pal0ontologie. Papers from all of its 49 volumes were most frequently cited in 1999 in Geologia Carpathica (13 times), Palaeogeography Palaeoclimatology Palaeoecology (6), Palaeontology (5) and Acta Palaeontologica Polonica (5). This clearly demonstrates the impact of AGP on the European geological literature.

Based on these calculations, the rank of AGP can be established with respect to the other thematically more or less comparable, mostly general geology ISI-source journals, which concentrate on sedimentary research (stratigraphy, paleontology and facies analysis). Acta Geologica Polonica with IF = 0.462 occupies 40th position among 52 classified periodicals (Table 3), and compares well with several well known scientific journals, such as International Journal of Coal Geology, Comptes Rendus de l'Academie des Sciences, Carbonates and Evaporites and Geologie en Mijnbouw, which come below it (see Table 3). On the other hand, the highest ranked geoscience journals have an impact factor above 2. This highest impact rate for 1999 is exemplified by Elsevier's Earth-Science Reviews, the American core triad Geological Society of America Bulletin, Geology, and Journal of Geology, as well as by Journal of the Geological Society and Terra Nova in 1999.

REFERENCES

- FRANCK, G. 1999. Scientific communication a vanity fair? Science 286, 53, 55. Washington.
- GARFIELD, E. 1990. How ISI select journals for coverage: quantitative and qualitative considerations. *Current Contents* 22, 5-13. Institute for Scientific Information. Philadelphia.
- 1996. How can impact factors be improved? British Medical Journal, 313, 411-413. London.
- HJORTGAARD CHRISTENSEN, F., INGWERSEN, P. & WORMELL, I. 1997. Online determination of the journal impact factor and its international properties. *Scientometrics*, 40, 528-540. Budapest.
- KAPLAN, U. & KENNEDY, W.J. 1997. Upper Turonian and Coniacian ammonite stratigraphy of Westphalia, NW-Germany. Acta Geologica Polonica, 46 (3-4). Warszawa.
- NISONGER, T.E. 1998. Journal self-citedeness in *Journal Citation Reports* library and information science and genetics journal rankings. *Proc. ASIS Annu. Meet.* 35, 267-278. Medford.
- RACKI, G. 1997. Ranking polskich periodyków geologicznych. Przegl. Geol. 45 (2), 161-166. Warszawa.
- RACKI G. & BALIŃSKI A.1999. The impact factor of Acta Palaeontologica Polonica. Acta Palaeontologica Polonica, 44 (4), 467–472. Warszawa.
- STEGMANN, J.1999. Building a list of journals with constructed impact factors. *J. Document.* **55** (3), 310-324. London.
- ZITT, M. & BASSECOULARD, E. 1998. Internationalization of scientific journals: a measurement based on publication and citation scope. *Scientometrics* 41, 255-271. Budapest.

Manuscript submitted: 15th October 2000 Revised version accepted: 20th October 2000

TABLE 1 Number of papers published in AGP in the particular years, their internationalisation, and calculated impact factors

Year	Numbers of the AGP	Number of articles	% of inter- national articles*	Impact factor IF	External cited impact factor ECIF
1999	48/4, 49/1- 4	22	87,0	0.462	0.346
1998	47/3-4; 48/1-3	19	52,6	0.667	0.167
1997	46/3-4; 47/1-2	7	28,6	0.478	0.261
1996	45/3-4; 46/1-2	11	45,5	0.464	0.286
1995	44/3-4; 45/1-2	12	16,7	0.500**	0.050**

^{*} Articles by foreign authors and co-authors

TABLE 2 Citation documentation for the calculation of the *IF* for 1999

Cited paper from <i>Acta Geologica Polonica</i> 1997 - 1998 [v. 46 (3-4) - v. 48 (3)]	Citing paper in 1999 (including the journal self-citations)
Fraaye, R.H.B.: Late Cretaceous swimming crabs: radiation, migration, competition, and extinction; 46 (3-4),	— Jagt, J.W.M., van der Ham, R.W.J.M., Meuris, R. & Indeherberge, L.: A note on <i>Salenia</i> Gr. <i>nutrix</i> Peron and Gauthier, 1881 (Echinoidea) from the Maastrichtian type area (southeastern Netherlands, northeastern Belgium). <i>Journal of Paleontology</i> 73 (4), 663-666, JUL 1999
Bałuk, W. & Radwański, A.: Stomatopod predation upon gastropods from the Korytnica Basin, and from other classical Miocene localities in Europe; 46 (3-4)	— Cadee, G.C.: Shell damage and shell repair in the Antarctic limpet <i>Nacella concinna</i> from King George Island. <i>Journal of Sea Research</i> 41 (1-2), 149-161, MAR 1999
Kaplan, U. & Kennedy, W.J.: Upper Turonian and Coniacian ammonite stratigraphy of Westphalia, NW-Germany; 46 (3-4)	— Wiese. F.: Stable isotope data (delta C-13, delta O-18) from the Middle and Upper Turonian (Upper Cretaceous) of Liencres (Cantabria, northern Spain) with a comparison to northern Germany (Sohlde & Salzgitter-Salder). Newsletters on Stratigraphy 37 (1-2), 37-62, 1999 — Wiese, F. &Wilmsen, M.: Sequence stratigraphy in the Cenomanian to Campanian of the North Cantabrian Basin (Cantabria, N-Spain). Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen 212 (1-3), 131-173, JUN 1999 — Walaszczyk, I. & Cobban, W.A.: The Turonian-Coniacian boundary in the United States Western Interior. Acta Geologica Polonica 48 (4), 495-507 — Niebuhr, B., Baldschuhn, R., Ernst, G., Walaszczyk, I., Weiss, W. & Wood, C.J.: The Upper Cretaceous succession (Cenomanian & Santonian) of the Staffhorst Shaft, Lower Saxony, northern Germany: integrated biostratigraphic, lithostratigraphic and downhole geophysical log data. Acta Geologica Polonica 49 (3), 175-213

^{**} Number of citations based on the SCI 1995 CD Edition, possibly too low when compared with the 1996-1999 data derived from SCI Expanded

Kaufmann, B.: Facies, stratigraphy and diagenesis of Middle Devonian reef- and mud-mounds in the Mader (eastern Anti-Atlas, Morocco); 48 (1)	 Kaufmann, B., Schauer, M. & Reinhold, C.: Concentric-zoned calcite cements of Middle Devonian carbonate mounds of the Mader Basin (eastern Anti-Atlas, Morocco) - a combined cathodoluminescence and microprobe study. <i>Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen</i> 214 (1-2), 95-110, NOV 1999 Belka, Z., Klug, Ch., Kaufmann, B., Korn, D., Döring, S., Feist, R. & Wendt, J.: Devonian conodont and ammonoid succession of the eastern Tafilalt (Ouidane Chebbi section), Anti-Atlas, Morocco. <i>Acta Geologica Polonica</i> 49 (1),
Küchler, T.: Upper Cretaceous of the Barranca (Navarra, northern Spain); integrated litho-, bio- and event stratigraphy. Part I: Cenomanian through Santonian; 48 (2)	— Wiese F.: <i>Newsletters on Stratigraphy</i> 37 (1-2), 37-62, 1999
Wiese, F. & Kröger, B.: Evidence for a shallowing event in the Upper Turonian (Cretaceous) Mytiloides scupini Zone of northern Germany; 48 (3)	 Wray, D.S.: Identification and long-range correlation of bentonites in Turonian-Coniacian (Upper Cretaceous) chalks of northwest Europe. <i>Geological Magazine</i> 136 (4), 361-371, JUL 1999 Wiese, F.: <i>Newsletters on Stratigraphy</i> 37 (1-2), 37-62, 1999
Studencka, B., Gontsharova, I.A. & Popov, S.V.: The bivalve faunas as a basis for reconstruction of the Middle Miocene history of the Paratethys; 48 (3)	— Rogl F., Mediterranean and Paratethys. Facts and hypotheses of an Oligocene to Miocene paleogeography (short overview). <i>Geologica Carpathica</i> 50 (4), 339-349, AUG 1999

$$\mathbf{IF}1999 = \frac{\mathbf{C}1997 + \mathbf{C}1998}{\mathbf{A}1997 + \mathbf{A}1998} = \frac{6+6}{7+19} = \frac{12}{26} = \mathbf{0.462}$$

$$\mathbf{EC}1997 + \mathbf{EC}1998 \qquad 4+5 \qquad 9$$

TABLE 3

Geology journals ranked by Impact Factors after *Journal Citation Reports (JCR) Science Edition 1999* (based on category Geology, supplemented by selected periodicals from Geosciences-Interdisciplinary, Paleontology and Mineralogy)

Rank	Journal title	Impact factor (IF) 1999	Source items in 1999
1	Earth-Science Reviews	3.286	27
2	Geological Society of America Bulletin	2.587	119
3	Journal of the Geological Society	2.272	105
4	Geology	2.217	328
5	Terra Nova	2.154	28
6	Journal of Geology	2.010	45
7	Palaeogeography Palaeoclimatology Palaeoecology	1.601	180

8	Sedimentology	1.508	48
9	Schweizerische Mineralogische und Petrographische		
	Mitteilungen	1.456	27
10	Geological Magazine	1.377	45
11	Palaios	1.306	44
12	Journal of Sedimentary Research	1.262	105
13	International Journal of Earth Sciences		
	(ex Geologische Rundschau)	1.157*	55*
14	Transactions of the Royal Society of Edinburgh – Earth Sciences	1.136	15
15	Sedimentary Geology	1.116	100
16	Canadian Journal of Earth Sciences	1.093	104
17	Norsk Geologisk Tidsskrift	1.059	20
18	Australian Journal of Earth Sciences	1.058	61
19	Earth Surface Processes and Landforms	1.040	87
20	Lethaia	0.987	20
21	Journal of South American Earth Sciences	0.972	41
22	Cretaceous Research	0.925	49
23	Proceedings of the Geologists' Association	0.917	25
24	Journal of African Earth Sciences	0.901	108
25	GFF	0.869	43
26	Acta Palaeontologica Polonica	0.851**	20
27-	Facies	0.844	22
28	South African Journal of Geology	0.844	28
29	Bulletin de la Societe Geologique de France	0.832	79
30	Journal of Paleontology	0.828	105
31	New Zealand Journal of Geology and Geophysics	0.814	37
32	Newsletters on Stratigraphy	0.750	10
33	Eclogae Geologicae Helvetiae	0.738	23
34	Geobios	0.736	65
35-	Geoscience Canada	0.677	16
36	Scottish Journal of Geology	0.677	17
37	Rivista Italiana di Paleontologia e Stratigrafia	0.588	25
38	Geological Journal	0.531	22
39	Geologica Carpathica	0.486	149
40	Acta Geologica Polonica	0.462	22
41	International Journal of Coal Geology	0.432	60
42	Comptes Rendus de l'Academie des Sciences Serie II	*****	
	Fascicule A – Sciences de la Terre	0.429	237
43	Journal of Asian Earth Sciences	0.427	48
44	Gondwana Research	0.415	58
45	Science in China Series D – Earth Sciences	0.414	87
46-	Journal of the Geological Society of India	0.355	129
47	Revista Geologica de Chile	0.355	15
48	Stratigrafia i Geologicheskaya Korelatsya		15
.	- Stratigraphy and Geological Correlation	0.274	48
49	Carbonates and Evaporites	0.245	15
50	Proceedings of the Indian Academy of Sciences-Earth	UMTU	13
50	and Planetary Sciences	0.229	17
51	Geologie en Mijnbouw	0.190	32
52	Neues Jahrbuch fur Mineralogie-Monatshefte	0.121	47

^{*} Combined scores for the both tittles

^{**} This IF estimate is too high, probably due to erronous incorporation of citations for *Acta Palaeontologica Sinica*; the real IF 1999 for *APP* is 0.755