


# Fall and Spring Placement of Nitrogen Fertilizers. Where do Enhanced Efficiency Fertilizers Fit?




Rigas Karamanos  
Koch Fertilizer Canada, Calgary, AB,

## Introduction

There are three mechanisms of nitrogen (N) losses depicted below:



Ammonia volatilization occurs due to hydrolysis causing a rapid rise in pH around unprotected urea granule. The high pH results in more ammonia:




There are a number of recommended practices to reduce volatilization

- Use of urease inhibitors (Watson, 1990)<sup>1</sup>
- Slow-release forms (Rao, 1987)<sup>2</sup> and,
- Irrigation shortly after application (Holcomb et al., 2011)<sup>3</sup>
- Most common - incorporation of the fertilizer into the soil (Harapiak et al. 1986)<sup>4</sup>.

## Benefit of deep banding

Ammoniacal N from urea is retained in the soil because of a resistance in upward diffusion (Sommer et al., 2004)<sup>5</sup>.



## What is new?


- Zero till urea or UAN bands in one-pass systems are seldom more than 1 1/2" - 2" deep.
- Shallow placement of nitrogen may cause higher losses.
- The belief that if "it's in the soil it's safe" may be misguided.
- New research is indicating that shallow banded urea and UAN are susceptible to volatilization losses.

## Background on shallow banding

- Some of the pioneer work on shallow banding was carried out by Nyborg (1986) as quoted by Harapiak et al. (1986)<sup>4</sup>.

Method of placement	Yield increase (kg ha <sup>-1</sup> )	
	4 Trials	8 Trials
Shallow mix	915	1614
Deep mix	130	1776
Shallow band	1130	
Deep band	1400	

- Work involves research by Rochette and coworkers (2009 and 2013)<sup>6,7</sup>



- Also, demonstrations in Ontario and Manitoba
  - <http://www.ontariosoilcrop.org/cropadvances.htm>
  - [https://www.umanitoba.ca/faculties/afs/agronomists\\_conf/media/2013 Heard measuring ammonia losses Dec 4.pdf](https://www.umanitoba.ca/faculties/afs/agronomists_conf/media/2013%20Heard%20measuring%20ammonia%20losses%20Dec%204.pdf)

Why the interest now?

- Fluctuating prices of nitrogen fertilizer and crops
- Efforts to reduce NH<sub>3</sub> and N<sub>2</sub>O emissions, and nutrient leaching and run-off
- Long periods from application to crop demand
- Susceptible to loss
- Enhanced Efficiency Fertilizers

AGROTAIN® is a registered trademark of Koch Agronomic Services, LLC.

## Enhanced Efficiency Fertilizers (EEF)

Enhanced Efficiency [Fertilizer] describes fertilizer products with characteristics that allow increased [nutrient availability] and reduce potential of nutrient losses to the environment e.g., gaseous losses, leaching or runoff when compared to an appropriate reference product. (Tentative 2015, Association of American Plant Food Control Officials)

Types of EEF

- Uncoated slowly available fertilizers containing N, e.g., urea-aldehyde condensation products (e.g., urea-formaldehyde reaction products, IBDU), triazines, etc.
- Physical coating or barrier around soluble N fertilizer, e.g., SCU, PCU, combination products
- Stabilizers, e.g., nitrification and urease inhibitors

## Field research program

- Five sites in 2014, seven in 2015 and seven in 2016
- Three products (Urea, Urea + AGROTAIN® stabilizer, SUPERU® fertilizer)
- Three placements (broadcast, two depths of banding)
- Two placement times in 2015 and 2016 (fall and spring)
- Two rates, recommended and 70% of recommended
- Replicated four times


## Key Results and Discussion

### Overall statistical effects

Effects	All	+ fall
site	0.002	0.018
site*placement	0.011	0.004
site*treatment	0.000	0.000
site*placement*trt	0.146	0.001

### Spring treatments

Canola Yield Benefit with Spring Broadcasting SUPERU®




Spring broadcasting of SUPERU® fertilizer resulted in an average of 13.5% yield increase over spring broadcasting of untreated urea

Canola Yield Benefit with Spring Broadcasting AGROTAIN® Stabilized Urea




Spring broadcasting of Agrotain® fertilizer resulted in an average of 11.8% yield increase over spring broadcasting of untreated urea

Canola Yield Benefit with spring shallow banding SUPERU®



Spring shallow banding of SUPERU® fertilizer resulted in an average of 4.8% yield increase over spring shallow banding of untreated urea


Canola Yield Benefit with Spring Shallow Banding AGROTAIN® Stabilized Urea



Spring shallow banding of Agrotain® fertilizer resulted in an average of 3.8% yield increase over spring shallow banding of untreated urea


### Fall treatments

Canola Yield Benefit with Fall Broadcasting SUPERU®




Fall broadcasting SUPERU® fertilizer resulted in an average yield increase of 13.5% over fall broadcasting untreated urea

Canola Yield Benefit with Fall Broadcasting AGROTAIN®




Fall broadcasting SUPERU® fertilizer offered operational advantages (grain, yield, etc.) (http://www.ontariosoilcrop.org/cropadvances.htm)

Canola Yield Benefit with Fall Broadcasting SUPERU®



Fall broadcasting SUPERU® fertilizer resulted in an average yield increase of 8.5% over fall broadcasting untreated urea

Canola Yield Benefit with Fall Broadcasting AGROTAIN® Stabilized Urea



Fall broadcasting AGROTAIN® fertilizer resulted in an average of 8.6% over fall broadcasting untreated urea

Deep banding remains the standard placement method of urea-based fertilizers. However, as the farm size increases, farm operators are seeking operational efficiencies, often at the expense of agronomic efficiencies. The results of this project support the use of nitrogen stabilizers to minimize the risk of nitrogen losses when deep banding placement is replaced with either shallow banding or broadcast.

AGROTAIN® and SUPERU® are registered trademarks of Koch Agronomic Services, LLC.

## References

1. Watson et al. 1990. Effectiveness of the urease inhibitor NBPT (N-(n-butyl) thiophosphoric triamide) for improving the efficiency of urea for ryegrass production. Fert. Res. 24: 11-15.
2. Rao, D.L.N. 1987. Slow-release urea fertilizers — effect on floodwater chemistry, ammonia volatilization and rice growth in an alkali soil. Fert. Res. 13: 209-221.
3. Holcomb, J.C. et al. 2011. Effect of irrigation rate on ammonia volatilization. Soil Sci. Soc. Am. J. 75:2341-47.
4. Harapiak, J.L. et al. 1986. Nitrogen sources and placement in wheat production. p. 87-135 in A.E. Slinkard and D.B. Fowler (eds.) Wheat Production in Canada - A Review. Proc. Can. Wheat Production Symposium, Div. of Extension and Community Relation, Univ. of Saskatchewan, Saskatoon, SK.
5. Sommer, S.G., et al. 2004. Ammonia emission from mineral fertilizers and fertilized crops. Adv. Agron. 82:557-622.
6. Rochette, P. et al. 2009. Banding of Urea Increased Ammonia Volatilization in a Dry Acidic Soil. J. Environ. Qual. 38:1353-1360.
7. Rochette, P. et al. 2013. Ammonia Volatilization and Nitrogen Retention: How Deep to Incorporate Urea? J. Environ. Qual. 42:1655-1642