

Hard Lumps under the skin

- 1. Coziana Ciurtin, consultant rheumatologist,
- 2. FangEn Sin, rheumatology registrar,
- 3. Margaret Hall-Craggs, consultant radiologist,
- 4. Debajit Sen, consultant rheumatologist

Correspondence to C Ciurtin <u>c.ciurtin@nhs.net</u>

A 16 year old boy had a two year history of skin lumps on his legs and progressive muscle weakness. Examination revealed a purplish rash on his eyelids, reduced power in the proximal upper and lower limb muscles, and disseminated, non-tender, subcutaneous, hard, nodular lumps appearing in clumps with no overlying skin abnormalities on his upper and lower legs. Radiography showed radio-opaque subcutaneous (clear arrow) and intra-muscular (white arrow) sheet-like calcific deposits. Inflammatory markers and muscle enzymes were raised. Juvenile dermatomyositis with calcinosis was diagnosed. Although it is a clinical diagnosis, imaging assesses the extent of calcification and excludes calcinosis mimickers (eg, xanthomas, gouty tophi, subcutaneous cholesterol crystals, osteoma cutis, mycetoma).



References

 Hoeltzel MF, Oberle EJ, Robinson AB, Agarwal A, Rider LG. The presentation, assessment, pathogenesis, and treatment of calcinosis in juvenile dermatomyositis. Curr Rheumatol Rep2014;16:467. doi:10.1007/s11926-014-0467-y pmid:25366934 Valenzuela A, Chung L, Casciola-Rosen L, Fiorentino D. Identification of clinical features and autoantibodies associated with calcinosis in dermatomyositis. JAMA Dermatol2014;150:724-9. doi:10.1001/jamadermatol.2013.10416 pmid:24869801