


CORRECTION

Open Access



Correction to: Addressing challenges in scaling up TB and HIV treatment integration in rural primary healthcare clinics in South Africa (SUTHI): a cluster randomized controlled trial protocol

Kogieleum Naidoo^{1,2*} , Santhanalakshmi Gengiah¹, Nonhlanhla Yende-Zuma¹, Nesri Padayatchi^{1,2}, Pierre Barker^{3,4}, Andrew Nunn⁵, Priashni Subrayen⁶ and Salim S. Abdool Karim^{1,2,7}

Correction to: Implement Sci

<https://doi.org/10.1186/s13012-017-0661-1>

Following publication of the original article [1], the authors reported an error in the wording of the study hypothesis. The error occurs in the Aims and Objectives sub-section of the Methods section and is highlighted in bold below.

The original article reads:

The hypothesis is that survival rates will be **lower** in TB, HIV, and TB-HIV co-infected patients accessing health care at clinics implementing the study intervention to deliver integrated TB-HIV care, compared to survival in patients accessing health care at clinics that provide only the standard of care for people with TB and or HIV.

The sentence should read:

The hypothesis is that survival rates will be **higher** in TB, HIV, and TB-HIV co-infected patients accessing health care at clinics implementing the study intervention to deliver integrated TB-HIV care, compared to survival in patients accessing health care at clinics that provide only the standard of care for people with TB and or HIV.

Author details

¹Centre for the AIDS Programme of Research in South Africa (CAPRISA), Nelson R Mandela School of Medicine, Private Bag X7, Congella, Durban 4013, South Africa. ²CAPRISA-MRC TB-HIV Pathogenesis and Treatment Research Unit, Durban, South Africa. ³Institute for Healthcare Improvement, Cambridge, MA, USA. ⁴Gillings School of Global Public Health, UNC Chapel Hill, Chapel Hill, USA. ⁵Medical Research Council Clinical Trials Unit at University College London, London, UK. ⁶BroadReach, Durban, South Africa. ⁷Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, NY, USA.

Received: 6 June 2019 Accepted: 6 June 2019

Published online: 13 June 2019

Reference

1. Naidoo K, et al. Addressing challenges in scaling up TB and HIV treatment integration in rural primary healthcare clinics in South Africa (SUTHI): a cluster randomized controlled trial protocol. *Implement Sci.* 2017;12:129. <https://doi.org/10.1186/s13012-017-0661-1>.

* Correspondence: Kogie.Naidoo@caprisa.org

¹Centre for the AIDS Programme of Research in South Africa (CAPRISA), Nelson R Mandela School of Medicine, Private Bag X7, Congella, Durban 4013, South Africa

²CAPRISA-MRC TB-HIV Pathogenesis and Treatment Research Unit, Durban, South Africa

Full list of author information is available at the end of the article

