

STUDY OF CAPACITATED VEHICLE ROUTING PROBLEM BASED ON
PARTICLE SWARM OPTIMIZATION

NIK NAWWAR NADIA BINTI NIK ABD MALIK

A dissertation submitted in partial fulfillment of the
requirements for the award of the degree of
Master of Science (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

NOVEMBER 2015

Special dedication and thanks to:

My beloved and inspiring family;

My father, Nik Abd Malik Bin Mohd Hamzah

My mother, Aeina Binti Yaccob

My brothers, Nik Ahmad Nasyrin Bin Nik Abd Malik

Nik Ahmad Nazif Bin Nik Abd Malik

My sisters, Nik Noordini Binti Nik Abd Malik

Nik Nabila Hanis Binti Nik Abd Malik

ACKNOWLEDGEMENT

First of all, I would like to give praise and grateful to ALLAH the Almighty, for giving me patience and hardiness in completing my research. With ALLAH's blessings and guidance especially on the most difficult time, I was able to complete my dissertation project.

I am indebted to several people for their help and support in completing this dissertation. I would like to thank my supervisor and co-supervisor, Prof. Madya Dr. Rohanin Bt. Ahmad and Dr. Rashidah Bt. Ahmad, respectively for their invaluable guidance, untiring motivation and generous support throughout the research period and thesis writing. Their continuous patience toward me and endless encouragements provide the much needed source of inspiration for my future beneficial research upon completion of the thesis.

I would also like to take this opportunity to thank my coursemates for being there for me, helping me as well as guiding me in conducting this research. Their presence gave me a lot of encouragement to overcome the problems I faced during the research with sheer determination.

My most important acknowledgement is to my family, who has filled my life with happiness and has been my source of strength in difficult times. I owe a special debt to my father (Nik Abd Malik B Mohd Hamzah) and my mother (Aeina Bt Yaccob), for their endless love and for always being there offering their understanding and support every time I felt discouraged and depressed. This thesis is dedicated to their love, patience and care.

ABSTRACT

Vehicle Routing Problem (VRP) is one of the common problems that happen in human life. There are many applications of VRP such as garbage disposal, mail delivery, school bus routing, airline schedule and many more. The main objective of VRP is to minimize the distance of the route starting from a depot, serves all of customers demand, and return back to depot. VRP is one of the optimization problems that belong to NP- hard (Non-deterministic Polynomial-time hard) problem and difficult to solve. VRP has also becomes one of the important topic to discuss and analyze. There are many types of VRP; this research is focusing on capacitated VRP (CVRP). CVRP is defined as the problem of determining optimal routes to be used by vehicles starting from one or more depots to serve all customers' demand, observing some constraints. Particle Swarm Optimization (PSO) method will be used to solve the VRP problems because there are lots of advantages of PSO. PSO is a population based stochastic optimization technique, inspired by social behavior of bird flocking or fish schooling. The experiment has been done to test this algorithm. Three variants of PSO have been used which are PSO with inertia weight, PSO without inertia weight, and PSO with constriction factor. The results show that the PSO with inertia weight strategy which include PSO with inertia weight and PSO with constriction factor have the best total distance. It can be concluded that PSO with inertia weight strategies have better performance because they take less iteration to arrive at the optimum value. The second comparison also showed that small range of inertia weight has the best total distance.

ABSTRAK

Masalah Laluan Kenderaan (VRP) adalah salah satu masalah biasa yang berlaku dalam kehidupan manusia. Terdapat banyak penggunaan VRP seperti pelupusan sampah, penghantaran mel, laluan bas sekolah, jadual penerbangan dan banyak lagi. Objektif utama VRP adalah untuk meminimumkan jarak laluan yang bermula daripada depot, memenuhi semua permintaan pelanggan, dan kembali semula ke depot. VRP merupakan salah satu masalah pengoptimuman yang mana kepunyaan masalah sukar-NP dan tidak mudah untuk diselesaikan. VRP juga telah menjadi salah satu topik yang penting untuk dibincangkan dan dianalisis. Terdapat banyak jenis VRP; kajian ini memberi tumpuan kepada VRP berkapasiti (CVRP). CVRP ditakrifkan sebagai masalah penentuan laluan optimum yang akan digunakan oleh kenderaan bermula daripada satu atau lebih depot untuk memenuhi semua permintaan pelanggan, berdasarkan beberapa kekangan. Kaedah Teknik Kerumunan Zarah (PSO) akan digunakan untuk menyelesaikan masalah-masalah VRP kerana terdapat banyak kelebihan PSO. PSO adalah teknik pengoptimuman stokastik, yang diilhamkan oleh tingkah laku sosial kawanan burung atau kumpulan ikan. Eksperimen telah dilakukan untuk menguji algoritma ini. Tiga variasi PSO telah digunakan iaitu PSO dengan berat inersia, PSO tanpa berat inersia dan PSO dengan faktor penyempitan. Keputusan menunjukkan bahawa PSO dengan strategi berat inersia yang mana termasuk PSO dengan berat inersia dan PSO dengan faktor penyempitan menghasilkan jarak keseluruhan terbaik. Ia boleh disimpulkan bahawa PSO dengan strategi berat inersia berprestasi lebih baik kerana ia memerlukan lelaran yang kurang untuk sampai ke nilai yang optimum. Perbandingan kedua menunjukkan julat berat inersia yang kecil memberikan jarak keseluruhan yang terbaik.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF SYMBOLS	xiii
	LIST OF ABBREVIATIONS	xiv
1	INTRODUCTION	
	1.0 Introduction	1
	1.1 Background of the Problem	3
	1.2 Problem Statement	5
	1.3 Objectives of the Study	6
	1.4 Significance of the Study	6
	1.5 Scope of the Study	7
	1.6 Organization of the Report	7
2	LITERATURE REVIEW	
	2.0 Introduction	9
	2.1 Vehicle Routing Problem(VRP)	9
	2.1.1 Types of VRP	11
	2.2 Capacitated Vehicle Routing Problem(CVRP)	12

	2.2.1 Mathematical formulation of CVRP	13
	2.3 VRP Solutions Methods	15
3	RESEARCH METHODOLOGY	
	3.0 Introduction	19
	3.1 Introduction of Particle Swarm Optimization (PSO)	19
	3.2 Applications of PSO	21
	3.3 Related Works on PSO	22
	3.4 Basic PSO Flow	25
	3.5 Synchronous Versus Asynchronous	30
	3.6 Inertia Weight	30
	3.7 Constriction Factor	31
	3.8 Neighborhood Topologies	31
4	IMPLEMENTATION OF PARTICLE SWARM OPTIMIZATION	
	4.0 Introduction	33
	4.1 Implementation of PSO Algorithm	33
	4.1.1 Solution Representation	35
	4.2 PSO Algorithm for VRP	37
	4.2.1 Problem Definition	37
	4.2.2 Solution Step	42
	4.2.3 Decoding Method	46
	4.2.3.1 Decoding Algorithm	47
	4.3 Fitness Value Evaluation	49
	4.4 Experimental Result	50
	4.4.1 Evaluation Using PSO without Inertia Weight	51
	4.4.1.1 Results and Discussion	51
	4.4.2 Evaluation Using PSO with Inertia Weight	54
	4.4.2.1 Results and Discussion	

4.4.3 Evaluation Using PSO with Constriction Factor	55
4.4.3.1 Results and Discussion	58
4.5 Comparison of Different Parametric Approaches of PSO Algorithm	58
4.6 Comparison of Different Inertia Weight	62
	65
5 SUMMARY, CONCLUSIONS AND RECOMMENDATION	
5.0 Introduction	
5.1 Summary	68
5.2 Conclusions	68
5.3 Suggestions for Future Study	70
	70
REFERENCES	72

LIST OF TABLES

TABLE NO.	TITLE	PAGE
4.1	Positions and customer demands for Example 1	38
4.2	Positions and customer demands for Example 2	40
4.3	Initialization value	42
4.4	Cost evaluation of each route	49
4.5	Summary of the experiment	50
4.6	Parameters setting for PSO without inertia weight	51
4.7	Result obtained from PSO without inertia weight for Experiment 1	51
4.8	Result obtained from PSO without inertia weight for Experiment 2	53
4.9	Parameters setting for PSO with inertia weight	54
4.10	Result obtained from PSO with inertia weight for Experiment 1	55
4.11	Result obtained from PSO with inertia weight for Experiment 2	56
4.12	Parameters setting for PSO using constriction factor	58
4.13	Result obtained from PSO with constriction factor for Experiment 1	58
4.14	Result obtained from PSO with constriction factor for Experiment 2	60
4.15	Result summary of different parametric approaches for Experiment 1 and Experiment 2	62
4.16	Number of iterations for finding the best fitness function using different inertia weight	65
4.17	Summary of best fitness function usind different inertia weight and time	66

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
3.1	Flow –chart of PSO	29
3.2	Circle topology	32
3.3	Wheel topology	32
3.4	Star topology	32
4.1	PSO frameworks for solving VRP	34
4.2	Solution representation	35
4.3	Vehicle reference point	36
4.4	The initial positions of 50 customer’s service system for Example 1	39
4.5	The initial positions of 50 customer’s service system for Example 2	41
4.6	Setting customer priority list	43
4.7	Setting vehicle priority matrix	44
4.8	Route construction	45
4.9	Decoding steps of particle position into vehicle route	46
4.10	The path taken by each vehicle that obtains the best solution using PSO without inertia weight for Experiment 1	52
4.11	The path taken by each vehicle that obtains the best solution using PSO without inertia weight for Experiment 2	54
4.12	The path taken by each vehicle that obtains the best solution using PSO with inertia weight for Experiment 1	56
4.13	The path taken by each vehicle that obtains the best solution using PSO with inertia weight for Experiment 2	57
4.14	The path taken by each vehicle that obtains the best	

	solution using PSO with constriction factor for Experiment 1	59
4.15	The path taken by each vehicle that obtains the best solution using PSO with constriction factor for Experiment 2	61
4.16	Graph of best fitness function using PSO without weight	64
4.17	Graph of best fitness function using PSO with constriction factor	64
4.18	Graph of best fitness function using PSO with inertia weight	65

LIST OF SYMBOLS

n	-	Number of customers
m	-	Number of vehicles
c_{ij}	-	A non-negative cost from i to j
C	-	Capacity of vehicles
d_i	-	Demand of customer i
I	-	Number of particles
c_1 and c_2	-	Acceleration constants
ω	-	Inertia weight
x_{sn}	-	The current location of the particle
v_{sn}	-	The current velocity of the particle
p_s	-	The particle's personal best position (<i>pbest</i>)
g_n	-	The global best position (<i>gbest</i>)
r_1 and r_2	-	Random numbers
$\tau + 1$	-	Current iteration
τ	-	Previous iteration
tt	-	Maximum number of iteration
ω_{\max}	-	Maximum of weighing factor
ω_{\min}	-	Minimum of weighing factor
X	-	Constriction factor
d	-	Dimension of particle
cost $_{a_2, a_3}$	-	Distance between a_2 to a_3
D_j	-	The cost/distance of each vehicle j

LIST OF ABBREVIATIONS

CVRP	-	Capacitated Vehicle Routing Problem
VRP	-	Vehicle Routing Problem
PSO	-	Particle Swarm Optimization
SA	-	Simulated Annealing
FFT	-	Fast Fourier Transform
FEM	-	Finite Element Method
LS	-	Least Square
CAD	-	Computer-Aided
TSP	-	Travelling Salesperson Problem
BPP	-	Bin Packing Problem
COP	-	Combinatorial Optimization Problem
VRPTW	-	VRP with Time Windows
VRPB	-	VRP with Backhauls
MDVRP	-	Multi Depot VRP
OVRP	-	Open VRP
SVRP	-	Stochastic VRP
DCVRP	-	Distance-Constrained VRP
PVRP	-	Periodic VRP
SDVRP	-	Split Delivery VRP
VRPPD	-	VRP with Pick-Ups and Deliveries
HybPSO	-	Hybrid Particle Swarm Optimization
MPNS-	-	Multiple Phase Neighborhood Search - Greedy Randomized
GRASP	-	Adaptive Search Procedure
PR	-	Path Relinking
ENS	-	Expanding Neighborhood Search
SMCM	-	Sub Route Mapped Crossover Method
SEMM	-	Sub Route Exchange Mutation Method

PSODA	-	PSO Discrete Adapted
ALBH	-	Adapted Location Based Heuristic
OCGA	-	Optimised Crossover Genetic Algorithm
LRP	-	Location Routing Problem
SALRP	-	Simulated Annealing for the LRP
TS	-	Tabu Search
ACO	-	Ant Colony Optimization
FCPSO	-	Fast Convergence Particle Swarm Optimization
CPSO	-	Constriction factor approach of PSO
MOPSO	-	Multiobjective PSO

CHAPTER 1

INTRODUCTION

1.0 Introduction

In mathematics, optimization is the selection of the best element from some set of available alternatives. Optimization refers to the study of problems in which one seeks to minimize or maximize a real function by systematically choosing the values of real or integer variable within an allowed set. Optimization algorithms are search methods, where the goal is to find a solution to an optimization problem, such that a given quantity is optimized, possibly subject to a set of constraints (Engelbrecht, 2005).

Optimization is important in scientific research, management and industries because numerous real world problems can be essentially modeled as optimization task. An optimization algorithm is a procedure which is executed iteratively by comparing various solutions till an optimum or satisfactory solution is found. Optimization solution can be divided into two main classes which are local search algorithms and global search algorithms. Local search algorithms do not totally focus on search but it attempts to move from a current formation to a neighboring refining formation. An example of local search is hill climbing, which is an iterative algorithm which can start with a random solution and then tries to find a better solution by incrementally altering a solution of single element. In general, these algorithms are faster than other global search techniques and they can provide quite good solutions if the initialization step is adequate to the problem. Global search algorithms do not require an initial solution, and their goal

is to find the global optima of the cost function of a long time searching. But then again in reality, they are run and stop when stopping criterion is come across. Examples of this search include particle swarm optimization (PSO), simulated annealing (SA), and genetic algorithm (GA). Many global search techniques such as PSO can have their parameters adjusted to have them focus more on local search.

There are two distinct types of optimization algorithm which are deterministic algorithms and stochastic algorithms (Annicchiarico *et al.*, 2005). The deterministic methods however generally become quite involved and computationally time consuming as the problem becoming more complex (Khodier and Al-Aqeel, 2009). Deterministic method use specific rules for moving one solution to other and do not make use of random element. Besides that, stochastic methods use random elements to transform one candidate solution into a new solution. The stochastic algorithms are in nature with probabilistic translation rules. These are gaining popularity due to certain properties which deterministic algorithms do not have. Heuristic is an example of the algorithms which usually finds pretty good solutions, but there is no proof the solution could not get arbitrarily bad; it usually runs reasonably quickly, but there is no argument that this will always be the case (Goodman and Hedetniemi, 1977).

Heuristic optimization methods or evolutionary computation including Particle Swarm Optimization(PSO), Ant Colony, Genetic Algorithm and many more. In general, all the applications areas that the other evolutionary application techniques are good at are the good application areas for PSO. The application areas for PSO are constrained optimization problems, min-max problems, multiobjective optimization problems and dynamic tracking (Shi, 2004). The deterministic methods include the analytical methods, for example Fast Fourier Transform (FFT), Finite Element Method (FEM) and Semi-Analytical Methods (e.g. least-square (LS) method, computer-aided (CAD) approach).

PSO is based on the interaction and the social communication of the group of particles and possesses a memory as every particle remembers the best position it has reached (Akjiratikal *et al.*, 2007). PSO only involves a few parameters in the algorithm

so that it is easier to find the best combination of parameters value. Besides that, the simple concept of PSO makes it is easy to implement for solving many applications.

PSO has been applied in many areas, one of them is in vehicle routing problem (VRP) because the advantages of PSO such as rapid convergence towards an optimum, ease in encoding and decoding, fast, and easy to compute.

VRP commonly happens all around us in the sense that many consumers products such as food, drinks, gasoline and pharmaceuticals are delivered and distributed to retail outlets by a fleet of vehicles whose operations fits the vehicle routing model. According to that, VRP has been one of the great success stories of operation research and it has been studied widely (Braysy, 2001).

This project will focus on VRP with capacitated (CVRP) by applying Particle Swarm Optimization (PSO).

1.1 Background of the Problem.

Particle Swarm Optimization (PSO) is one of the famous heuristic optimization methods. As we know, PSO can solve many types of problem such as global optimization, artificial neural network training, fuzzy system control, engineering design optimization and logistics & supply chain management.

This research is to solve vehicle routing problem (VRP) using PSO. As the VRP has attracted most researchers over the last three decades, many literatures abstractions of routing problems can be found. VRP is a combinatorial optimization and integer programming seeking to service a number of customers with fleet of vehicles. VRP was first introduced by Dantzig and Ramser in 1959 to describe a real-world delivery problem of gasoline for service stations. The vehicle routing problem (VRP) aims to find

a set of routes at a minimal cost (finding the shortest path, minimizing the number of vehicles, etc) beginning and ending the route at the depot, so that the known demand of all nodes are fulfilled. Each node is visited only once, by only one vehicle, and each vehicle has a limited capacity. The most common types of constraints that are commonly used are capacity constraints, duration constraints and time window constraints.

The Vehicle Routing Problem (VRP) can be described as the problem of designing optimal delivery or collection routes from one or several depots to a number of geographically scattered cities or customers, subject to side constraints. VRP plays a central role in the fields of physical distribution and logistics (Laporte, 1992).

The Capacitated Vehicle Routing Problem (CVRP) was first formulated by Christofides *et al.* (1979), a fixed capacity of vehicle serves a set of customers from a common point called warehouse. A customer is visited by the vehicle only once, the vehicle capacity cannot exceed the maximum capacity, and the model deserves to find minimum distance of vehicle route or minimum time to serve the customers (Venkatesan *et al.*, 2011). CVRP is like VRP with the additional constraint that every vehicle must have uniform capacity of single commodity.

There are numbers of solution method for VRP which are exact, heuristics and metaheuristics. Heuristics and metaheuristics techniques are widely used because these methods are powerful problem solving tools. Thailard *et al.* (2001), stated a few factors that contribute to the success of heuristics methods like ease of implementation, ability to consider specific constraints that arise in practical applications and the high quality of solution they produce.

There are several heuristic techniques that are widely used, this research will consider PSO to solve VRP because this evolutionary computation is simple as it requires short computational time and faster to converge than the Genetic Algorithm (GA) and Simulated Annealing (SA).

1.2 Problem Statement

Disposing of garbage is a basis problem in human life since all the human's activities produce it from houses, public facilities, factories, etc. Poorly managed waste disposal site, have bad effects on the environment and humans. In Malaysia, garbage collection has become a crucial problem since it is not managed effectively and efficiently. The garbage trucks must have to collect large pile of garbage in large areas. In order to overcome the problem, the garbage trucks must have to search for the shortest distance. In addition, it is time consuming and it can minimize energy consumption. Therefore, the trucks have to find the shortest distance to save time.

A number of different exact and heuristic methods have been studied to solve the VRP that is known to be NP-hard (Non-deterministic Polynomial-time hard). Although the exact methods give the optimal solution, their computation time considerably increases with the increasing size of the problem. Metaheuristic is another approach for solving a complex problem that may be too difficult or time-consuming for other techniques.

So, in this research PSO algorithm method is applied to minimize the route of garbage trucks. Thus, optimize both time and energy consumption. PSO has been chosen because PSO is simpler compared with exact algorithm and another metaheuristic algorithm because it only requires less computational bookkeeping and only a small number of lines codes. It is also very easy to understand and implement (Boeringer and Werner, 2004).

By doing this research, PSO algorithm can be used as one of the methods to solve the vehicle routing problem (VRP). At the same time, we can gauge the ability of PSO in solving the VRP. The research will concentrate on the usage of PSO methods in order to find the minimum distance for the VRP. In addition, the best possible solutions which satisfy the objectives and constraints in order to get optimal solution will find through this research.

1.3 Objectives of the Study

The objectives of this study are:

1. To solve the Capacitated Vehicle Routing Problem (CVRP).
2. To apply Particle Swarm Optimization (PSO) on CVRP.
3. To code PSO algorithm using Matlab.
4. To compare the PSO performances by using different parametric approaches and by using different inertia weight.

1.4 Significance of the Study

Generally, this research can give clear explanations about optimization method especially on solving PSO algorithms and to evaluate the performance of PSO algorithms for solving capacitated VRP. As we know, many real problems can be solved by PSO, through this research, we will find out the best possible solutions which satisfy the objectives and constraints to get the optimal solution. By doing this research, it will increase the cache of knowledge. Not only that, by doing this research, it will also increase the knowledge of the readers and the readers will get the addition idea about PSO. Besides that, this research will make reliable tool such as PSO available to solve vehicle routing problems.

1.5 Scope of the Study

The research will focus on capacitated vehicle routing problem. This study will concentrate on PSO algorithm as a tool to solve vehicle routing problem and use Matlab to code the algorithm. Computational experimentations were carried out on the following 50 number of customers serviced by 5 vehicles. We will assume only homogeneous vehicle type. The location point of customer is based on the Cartesian coordinate. The aim of the research is to minimize the distance as the objective of the problem. The performance of the algorithm is compared based on the solution quality and time step where the best solutions is obtained.

1.6 Organization of the Report

This study explores the performance of PSO algorithm in solving the vehicle routing problem (VRP). The data of the location of the customers and their demand will be used in this research. Chapter 1 presents the research framework. It starts with the introduction of heuristic methods, one of them is PSO. PSO is used to solve the VRP.

In Chapter 2, the literature review is presented. It consists of introduction on the VRP and also types of VRP. There are many types of VRP; we are focusing on capacitated VRP (CVRP). The mathematical formulation of CVRP discussed here. Lastly, reviews on VRP solution methods also will be presented here.

Chapter 3 presents the method to solve the VRP which is the PSO algorithm. Detailed description of the PSO and its various applications are given. Besides that, the flow of PSO algorithm is also presented.

REFERENCES

- Abido, M. A. (2009). Multiobjective particle swarm optimization for environmental/economic dispatch problem, *Electric Power Systems Research* 79. 1105–1113.
- Aggarwal, C. C., Orlin, J.B., Tai, R. P. (1997). Optimized crossover for the independent set problem, *Operations Research* 45: 226–234.
- Akjiratikal, C., Yenradee, P., Drake, P. R. (2007). PSO-Based Algorithm for Home Care Worker Scheduling in the UK. *Computers and industrial Engineering*, 53: 559-583.
- Annicchiarico, W., Periaux, J., Cerrolaza, M., and Winter G. (Eds.) (2005). *Evolutionary Algorithms and Intelligence Tools in Engineering Optimization*. Barcelona: International Center for Numerical Methods in Engineering (CIMNE).
- Biswas, D. K., Panja, S. C., Guha, S. (2014). Multi Objective Optimization Method by PSO, *Procedia Materials Science* 6 ,1815 – 1822, 3rd International Conference on Materials Processing and Characterisation (ICMPC 2014).
- Boeringer, D. W. and Werner, D. H. (2004). Particle swarm optimization versus genetic algorithms for phased array synthesis. *Antennas and Propagation, IEEE Transactions on*, 52(3), 771-779.
- Brandao, J. (2004). A tabu search algorithm for the open vehicle routing problem. *Eur J Oper Res* 157:552– 564.

- Braysy, O. (2001). G.A for VRP with time windows. Special issue on Bioinformatics, 157:552-564.
- Chand, P. and Mohanty, J. R. (2013). A Multi-objective Vehicle Routing Problem using Dominant Rank Method. *International Conference in Distributed Computing & Internet Technology (ICDCIT-2013) Proceedings published in International Journal of Computer Applications® (IJCA) (0975 – 8887)*.
- Chiang, C. P. (2007). The correlated vehicle routing problem. Cheng Shiu University, Taiwan. IEEE, 3824-3828.
- Christofides, N., Mingozzi, A. and Toth, P. “The vehicle routing problem”, In N. Christofides, A. Mingozzi, P. Toth, and C. Sandi, editors, *Combinatorial Optimization*, Wiley, Chichester, UK, pp.315-338, 1979.
- Clarke, G. and Wright, J.V. (1964). “Scheduling of vehicles from a central depot to a number of delivery points”, *Operations Research*, Vol. 12, pp. 568-581.
- Clerc, M. (1999). The swarm and the queen: Towards a deterministic and adaptive particle swarm optimization. In *Congress on Evolutionary Computation (CEC99)*, 1951–1957.
- Dantzig, G. and Ramser, J. (1959). “The truck dispatching problem”, *Management Science*, Vol. 6, pp. 80-91.
- Eberhart, R.C. and Shi, Y. (1998). Evolving artificial neural networks, Proc. 1998 Int'l Conf. on neural networks and brain, Beijing, P. R. China, pp. PL5-PL13.
- Eberhart, R. C. and Shi, Y. (2001). Particle swarm optimization: developments, applications and resources. *Evolutionary Computation, 2001. Proceedings of the 2001 Congress on*.
- Elsayed, S. M. and Sarker, R. A. (2014). Self-adaptive mix of particle swarm methodologies for constrained optimization, *Information Sciences* 277, 216–233.

- Engelbrecht, A. P. (2005). *Fundamental of Computational Swarm Intelligence*. England: John Wiley & Sons Ltd.
- Fuellerer, G. K. F., Hardl, R. F. and Lori, M. (2009). Ant colony optimization for the two-dimensional loading vehicle routing problem . *Computers & Operations Research*, 36(3):655-673.
- Goodman, S. E. and Hedetniemi, S. T. (1977) .*Introduction to the Design and Analysis of Algorithms*. McGraw-Hill.
- Jacob, C. and Khemka, N. (2004). *Particle Swarm Optimization : Evolutionary and Swarm Design Group*.
- Jesus, G. F., Guido, P., Roberto, T., and Daniele, V. (2005). “The two-echelon capacitated vehicle routing problem” the ministero dell’universit`a e della ricerca.
- Kachitvichyanukul, V. and Ai, T. J. (2009). Particle swarm optimization and two solution representations for solving the capacitated vehicle routing problem, *Computers & Industrial Engineering* 56: 380–387.
- Kennedy, J. and Eberhart, R. C. (1995). *Particle Swarm Optimization .In Proceedings of the IEEE International Joint Conference on Neural Network* .IEEE Press.
- Khodier, M. and Al-Aqeel, M. (2009). Linear and circular array optimization: A study using particle swarm intelligence. *Progress In Electromagnetics Research B*(15), 347-373.
- Kuo, R. J., Zulvia, F. E. (2012). Hybrid particle swarm optimization with genetic algorithm for solving capacitated vehicle routing problem with fuzzy demand– A case study on garbage collection system. *Applied Mathematics and Computation* 219(2012) 2574-2588.

- Laporte, G. (1992). The Vehicle Routing Problem: An overview of exact and approximate algorithms , *European Journal of Operational Research* 59, pp. 345-358, North-Holland.
- Laporte, G. (2007). “What you should know about the Vehicle Routing Problem”, *Naval Research Logistics*, Vol. 54, No. 8, pp. 811–819.
- Li, W. T., Shi, X. W. and Hei, Y. Q. (2008). An improved particle swarm optimization algorithm for pattern synthesis of phased arrays. *Progress in Electromagnetics Research*, 82, 319-332.
- Marinakis, Y., Marinaki, M., Dounias, G. (2010). A hybrid Particle Swarm Optimization algorithm for the vehicle Routing Problem .*Engineering Application of Artificial Intelligence* 23,463-472.
- Markovic, H., Cavar, I. and Caric, T. (2004). “Using datamining to forecast uncertain demands in stochastic vehicle routing problem”, *Proceedings of the 13th International Symposium on Electronics in Traffic – intelligent transport systems*.
- Mu, A. Q., Cao, D. X., Wang, X. H. (2009). A Modified Particle Swarm Optimization Algorithm Vol.1, No.2, 151-155.
- Nazif, H. and Lee, L. S. (2012). Optimised crossover genetic algorithm for capacitated vehicle routing problem .*Applied Mathematical Modelling* 36: 2110–2117.
- Panduro, M.A., C. A. B., Banderas, L.I., Acosta, D. A. (2009). A comparison of genetic algorithms, particle swarm optimization and the differential evolution method for the design of scannable circular antenna arrays. *Progress in Electromagnetics Research B*, 13, 171-18.

- Payong, N. I. (2003). *A case study of vehicle routing problem*. Quantitative methods for transportation ,management .Maritim college ,Burapha University.
- Sahu, A., Panigrahi, S. K. and Pattnaik, S. (2012). Fast Convergence Particle Swarm Optimization for Functions Optimization Procedia Technology 4, 319 – 324.
- Shi, X. H., Liang, Y. C., Lee, H. P., Lu, c. and Wang, Q. X. (2007). “Particle swarm optimization-based algorithms for tsp and generalized tsp” information processing letters 103: 169–176.
- Shi, Y. and Eberhart, R. (1998). “A modified PSO optimizer”, Proceedings of the IEEE International Conference on Evolutionary Computation, IEEE Press, Piscataway, pp. 69-73.
- Shi, Y. (2004). Particle Swarm Optimization .IEEE *Neural Networks Society*. Feb 2004.8-13.
- Souza, L. V. d. (2014). Particle Swarm Optimization for Vehicle Routing Problem with Fleet Heterogeneous and Simultaneous Collection and Delivery. Applied Mathematical Sciences, Vol. 8, no. 77, 3833 – 3849.
- Taillard, E. D., Gambardella, L. M., Gendreau, M. and Potvin, J.V. (2001). Adaptive Memory Programming: A Unified View of Metaheuristic. European Journal of Operational Research, 135:1-16.
- Toth, P. and Vigo, D. (2003). “The granular tabu search and its application to the vehicle routing problem”. INFORMS Journal on Computing, Vol. 15,pp. 333-346.
- Venkatesan, S. R., Logendran, D. and Chandramohan, D. (2011). Optimization of capacitated vehicle routing problem using PSO. S.R.Venkatesan et al. / International Journal of Engineering Science and Technology (IJEST).
- Wang, W., Wu, B., Zhao, Y., Feng, D. (2006). Particle swarm optimization for open vehicle routing problem. In: Huang D-S, Li K, Irwin GW (eds) Lecture Notes in

- Artificial Intelligence (LNAI), Springer, Vol. 4114: pp 999–1007.
- Yan, X. (2012). Solve Traveling Salesman Problem Using Particle Swarm Optimization Algorithm, *IJCSI International Journal of Computer Science Issues*, Vol. 9, Issue 6, No 2, ISSN (Online): 1694-0814.
- Yoshida, H., Kawata, K., Fukuyama, Y. and Nakanishi, Y. (1999). A particle swarm optimization for reactive power and voltage considering voltage stability, In G. L. Torres and A. P. Alves da Silva, Eds., *Proc. Intl. Conf. on Intelligent System Application to Power Systems*, Rio de Janeiro, Brazil: 117-121.
- Yu, V. F., Lin, S., Lee, W., & Ting, C. (2010). A simulated annealing heuristic for the capacitated location routing problem. *Computers & Industrial Engineering*: 288-299.
- Yu, Y. (2014). Superior solution guided particle swarm optimization combined with local search techniques. *Expert Systems with Applications* 41 (2014) 7536–7548.
- Zhao, F. and Zhang, Q. (2006). An Improved Particle Swarm Optimization-Based Approach for Production Scheduling Problems, *Proceedings of the 2006 IEEE International Conference on Mechatronics and Automation* June 25 - 28, Luoyang, China.