

POLYVINYLPIRROLIDONE, GRAPHENE OXIDE AND THEIR
COMPOSITES AS POTENTIAL FLUORESCENCE SENSING
MATERIALS FOR NITRATE AND NITRITE IONS

TANG ING HUA

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy (Chemistry)

Faculty of Science
Universiti Teknologi Malaysia

MAY 2017

To my beloved family

ACKNOWLEDGEMENT

Thanks God for leading me go through my PhD journey.

Thanks to my project supervisors, Dr. Leny Yuliati and Dr. Hasmerya Maarof, for their very great efforts in guiding me and encouraging me when I felt lost and down during my research journey. They really showed great patience in leading me to complete my research project and great kindness to share their knowledge with me.

Thanks to my beloved family for their continuous moral supports and financial supports in my PhD journey. Without them, I might give up halfway due to financial constraint.

Thanks UTM for offering me PhD study and thanks to MyBrain 15 MyPhD Scholarship for sustaining me financially for 3.5 years. Thanks to Center for Sustainable Nanomaterials (CSNano), Ibnu Sina Institute for Scientific and Industrial Research for providing most of the facilities for my research. Thanks to all laboratory staffs in CSNano, Department Chemistry, Faculty of Science, UTM who offered their helping hand during my study. Thanks to my colleagues and friends for their willingness to share their knowledge, experience and great moral support in my study.

ABSTRACT

The existence of toxic nitrate (NO_3^-) and nitrite (NO_2^-) ions above the permissible level causes environmental pollution and human health hazard. Therefore, many studies have been carried out to improve sensitivity and selectivity of sensors for the ion detections. In this study, polyvinylpyrrolidone (PVP), graphene oxide (GO), and polyvinylpyrrolidone-graphene oxide (PVP-GO) were prepared, characterized, and tested for their ability to detect nitrate and nitrite ions. A series of PVP with concentration of 1-10% was prepared by dissolution in deionized water. The PVP has $-\text{C}=\text{O}$ and $-\text{N}-\text{C}$ sensing sites, with excitation wavelength of 285 nm and 330 nm and emission wavelength of 408 nm and 410 nm, respectively. All the PVP sensing materials showed greater sensitivity towards nitrite than nitrate. It was found that 7% PVP showed the best sensitivity for the analytes detection at both sensing sites. Nitrate preferred the $-\text{C}=\text{O}$ site, while nitrite preferred the $-\text{N}-\text{C}$ site. The selectivity tests demonstrated that 7% PVP gave great selectivity towards analytes even in the presence of SO_4^{2-} , HCO_3^- , or Cl^- , but not OH^- ion. The high interference from OH^- could be due to hydrogen bond formation. Computational simulation for PVP and analytes was investigated using B3LYP/6-311G(d,p). The simulation studies revealed that PVP formed greater interaction with nitrite than nitrate. Characterization results showed that the GO was successfully prepared by the improved Hummers' method. GO showed greater sensitivity for the detection to nitrite than nitrate in the range of 0-100 mM. Selectivity tests found that GO showed great selectivity towards analytes even in the presence of SO_4^{2-} or Cl^- , but low selectivity in the presence of HCO_3^- or OH^- ion, due to the formation of hydrogen bond. Simulation results demonstrated that GO formed greater interaction with nitrite compared to nitrate. The high binding energies between hydroxyl or carboxyl site and the analytes showed that they might be the possible sensing sites in GO. A series of PVP-GO(x) composite was prepared by mixing and sonication treatment of 7% PVP (100 mL) and various amounts of GO ($x = 0.0075-0.03$ g). The characterizations supported the successful formation of the composites. All composites showed superior sensitivity towards nitrite than nitrate. Among the composites, the PVP-GO(0.01) showed the highest sensitivity for the detection of both analytes. For the selectivity tests, PVP-GO(0.01) showed great selectivity for the detection of analytes even in the presence of SO_4^{2-} , HCO_3^- , or Cl^- , but not for OH^- ion. The simulation tests exhibited that the $-\text{C}=\text{O}$ site of PVP interacted with hydroxyl site of GO to form PVP-GO composite. The PVP-GO showed greater interaction with nitrite compared to nitrate. All computational results matched with the experimental results. The addition of GO to the PVP was found to increase the sensitivity and selectivity for nitrate detection, but not for nitrite detection. However, the composite gave better limit of detection (LOD) than the 7% PVP and GO. This study showed that among all the investigated materials, 7% PVP was the most potential fluorescence sensor for nitrate detection with LOD of 4.00 mM at $-\text{C}=\text{O}$ site, while PVP-GO(0.01) was the most potential one for nitrite detection with LOD of 0.26 mM at $-\text{N}-\text{C}$ site. Real sample testing using UTM lake water demonstrated the potential application of 7% PVP as a fluorescence sensor.

ABSTRAK

Kewujudan ion nitrat (NO_3^-) dan nitrit (NO_2^-) yang bertoksik di atas paras dibenarkan telah menyebabkan pencemaran alam sekitar dan membahayakan kesihatan manusia. Justeru, banyak kajian telah dijalankan untuk meningkatkan kepekaan dan kepilihan pengesanan bagi pengesanan ion. Dalam kajian ini, polivinilpirolidon (PVP), grafina oksida (GO) dan polivinilpirolidon-grafina oksida (PVP-GO) telah disediakan, dicirikan, dan diuji keupayaan mereka untuk mengesan ion nitrat dan nitrit. Satu siri PVP dengan kepekatan 1-10% telah disediakan dengan pemelarutan di dalam air ternyahion. PVP mempunyai tapak pengesanan $-\text{C}=\text{O}$ dan $-\text{N}-\text{C}$, masing-masing dengan panjang gelombang pengujian pada 285 nm dan 330 nm dan panjang gelombang pemancaran pada 408 nm dan 410 nm. Kesemua bahan pengesanan PVP menunjukkan kepekaan yang lebih terhadap nitrit berbanding nitrat. Didapati 7% PVP menunjukkan kepekaan yang terbaik untuk pengesanan analit di kedua-dua tapak pengesanan. Nitrat lebih suka tapak $-\text{C}=\text{O}$, manakala nitrit lebih suka tapak $-\text{N}-\text{C}$. Ujian kepilihan menunjukkan bahawa 7% PVP memberikan kepilihan yang baik terhadap analit walaupun dengan kehadiran ion SO_4^{2-} , HCO_3^- , atau Cl^- , tetapi bukan ion OH^- . Gangguan yang tinggi daripada OH^- mungkin disebabkan oleh pembentukan ikatan hidrogen. Simulasi berkomputer untuk PVP dan analit telah disiasat dengan menggunakan B3LYP/6-311G(d,p). Kajian simulasi mendedahkan bahawa PVP membentuk interaksi yang lebih baik dengan nitrit berbanding nitrat. Keputusan pencirian menunjukkan bahawa GO telah berjaya disediakan dengan kaedah peningkatan Hummers'. GO menunjukkan kepekaan yang lebih tinggi bagi pengesanan nitrit berbanding nitrat dalam julat 0-100 mM. Ujian kepilihan mendapati bahawa GO menunjukkan pemilihan yang baik terhadap analit walaupun dengan kehadiran SO_4^{2-} atau Cl^- , tetapi kepilihan yang rendah dengan kehadiran ion HCO_3^- atau OH^- , disebabkan oleh pembentukan ikatan hidrogen. Keputusan simulasi menunjukkan bahawa GO membentuk interaksi yang lebih baik dengan nitrit berbanding nitrat. Tenaga pengikat yang tinggi antara hidroksil atau tapak karboksil dengan analit menunjukkan bahawa kemungkinan ia adalah tapak pengesanan di dalam GO. Satu siri komposit PVP-GO(x) telah disediakan dengan pencampuran dan rawatan sonikasi antara 7% PVP (100 mL) dan pelbagai jumlah GO ($x = 0.0075-0.03$ g). Pencirian telah menyokong bahawa komposit telah berjaya dibentuk. Semua komposit menunjukkan kepekaan yang unggul terhadap nitrit berbanding nitrat. Antara komposit-komposit, PVP-GO(0.01) menunjukkan kepekaan tertinggi bagi pengesanan kedua-dua analit. Bagi ujian kepilihan, PVP-GO(0.01) menunjukkan kepilihan yang baik bagi pengesanan analit walaupun dengan kehadiran SO_4^{2-} , HCO_3^- , atau Cl^- , tetapi bukan OH^- . Ujian simulasi mempamerkan bahawa tapak $-\text{C}=\text{O}$ daripada PVP berinteraksi dengan tapak hidroksil daripada GO untuk membentuk komposit PVP-GO. PVP-GO menunjukkan interaksi yang lebih baik dengan nitrit berbanding dengan nitrat. Semua keputusan simulasi berkomputer sepadan dengan keputusan eksperimen. Penambahan GO kepada PVP didapati meningkatkan kepekaan dan kepilihan bagi pengesanan nitrat, tetapi bukan bagi pengesanan nitrit. Bagaimanapun, komposit memberi had pengesanan (LOD) yang lebih baik berbanding 7% PVP dan GO. Kajian ini menunjukkan bahawa antara semua bahan kajian, 7% PVP adalah pengesanan pendaflour yang paling berpotensi bagi pengesanan nitrat dengan LOD 4.00 mM di tapak $-\text{C}=\text{O}$, manakala PVP-GO(0.01) adalah paling berpotensi bagi pengesanan nitrit dengan LOD 0.26 mM di tapak $-\text{N}-\text{C}$. Ujian sampel sebenar menggunakan air tasik UTM menunjukkan potensi aplikasi 7% PVP sebagai pengesanan pendaflour.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xii
	LIST OF FIGURES	xiv
	LIST OF ABBREVIATIONS	xxii
	LIST OF APPENDICES	xxiv
1	INTRODUCTION	1
	1.1 Research Background	1
	1.2 Statement of Problem	5
	1.3 Objectives	7
	1.4 Scope of Study	8
	1.5 Significance of the Study	10
2	LITERATURE REVIEW	11
	2.1 Sensing System	11
	2.2 Nitrate and Nitrite Ions	13
	2.3 Sensitive Material	14
	2.3.1 Griess Reagent	14

	2.3.2 Macromolecule Complex	15
	2.3.3 Biomolecule	16
	2.3.4 Polymer	18
	2.4 Polyvinylpyrrolidone (PVP)	20
	2.4.1 Structure, Properties and Application	20
	2.4.1.1 Structure	20
	2.4.1.2 Properties	21
	2.4.1.3 Application	23
	2.5 Graphene Oxide (GO)	24
	2.5.1 Structure, Synthesis, Properties and application	25
	2.5.1.1 Structure	25
	2.5.1.2 Synthesis	26
	2.5.1.3 Properties	27
	2.5.1.4 Application	28
	2.5.2 Functionalization of GO for Sensing Application	29
	2.6 Transduction System	31
	2.6.1 Fluorescence Spectroscopy	31
	2.6.2 Fluorescence Sensor	34
	2.7 Computational Chemistry	34
	2.7.1 Computational Simulation Method and Basis Set	37
	2.7.2 Hydrogen Bond	41
3	RESEARCH METHODOLOGY	44
	3.1 Chemicals	44
	3.2 Preparation of Sensitive Materials	44
	3.2.1 Preparation of PVP	45
	3.2.2 Preparation of GO	45
	3.2.3 Preparation of PVP-GO Composites	46
	3.2.4 Preparation of Real Sample	46

	3.3	Characterizations of Sensitive Materials	47
	3.4	Fluorescence Sensing Tests	48
	3.5	Computational Simulation	49
4		RESULTS AND DISCUSSION	53
	4.1	PVP as Fluorescence Sensor	53
	4.1.1	Properties of PVP	53
	4.1.1.1	Functional Group	53
	4.1.1.2	Structural Property	55
	4.1.1.3	Morphology	56
	4.1.1.4	Thermal Stability	57
	4.1.1.5	Fluorescence Property	58
	4.1.2	Sensing Performance of PVP	59
	4.1.2.1	Sensing of PVP for Nitrate Ion	60
	4.1.2.2	Sensing of PVP for Nitrite Ion	69
	4.1.3	Reproducibility and Limit of Detection of 7% PVP	76
	4.1.4	Selectivity of 7% PVP	77
	4.1.4.1	Selectivity of 7% PVP for Nitrate Ion	77
	4.1.4.2	Selectivity of 7% PVP for Nitrite Ion	79
	4.1.5	Computational Studies	80
	4.2	GO as Fluorescence Sensor	83
	4.2.1	Properties of GO	83
	4.2.1.1	Functional Group	83
	4.2.1.2	Structural Property	85
	4.2.1.3	Morphology	86
	4.2.1.4	Thermal Stability	87
	4.2.1.5	Fluorescence Property	88
	4.2.2	Sensing Performance of GO	89

4.2.3	Reproducibility and Limit of Detection of GO	92
4.2.4	Selectivity of GO	94
4.2.5	Computational Studies	95
4.3	PVP-GO as Fluorescence Sensor	98
4.3.1	Properties of PVP-GO	98
4.3.1.1	Functional Group	98
4.3.1.2	Structural Property	99
4.3.1.3	Morphology	100
4.3.1.4	Thermal Stability	101
4.3.1.5	Fluorescence Property	102
4.3.2	Sensing Performance of PVP-GO Composites	104
4.3.2.1	Sensing of PVP-GO (x) for Nitrate Ion	104
4.3.2.2	Sensing of PVP-GO (x) for Nitrite Ion	109
4.3.3	Reproducibility and Limit of Detection of PVP-GO(0.01)	115
4.3.4	Selectivity of PVP-GO(0.01)	115
4.3.5	Computational Studies	118
4.4	Comparison on Sensitivity and Selectivity among 7% PVP, GO and PVP-GO(0.01) Composite	122
4.4.1	Comparison on the Sensitivity	122
4.4.2	Comparison on the Selectivity	124
4.4.3	Comparison on the Limit of Detection	126
4.4.4	Testing on Real Sample	128
5	CONCLUSION AND RECOMMENDATIONS	129
5.1	Conclusion	129
5.2	Recommendations	133

REFERENCES

135

Appendices A-D

157-176

LIST OF TABLES

TABLE NO.	TITLE	PAGE
4.1	Assignment of functional groups in PVP	55
4.2	Stern-Volmer constants of 1, 3, 5, 7, 10% PVP at $-C=O$ (285 nm) and $-N-C$ (330 nm) sites in the presence of nitrate or nitrite or mixed analytes in concentration range of 0-100 mM	76
4.3	Binding energies and interatomic distances between $-C=O$ and $-N-C$ sensing sites of PVP with nitrate and nitrite ions in water calculated by PCM solvation model with B3LYP method	82
4.4	The functional groups that present in GO and its respective wave number	84
4.5	Binding energies and interatomic distances between GO at hydroxyl, carboxyl, carbonyl, and epoxy sites with nitrate and nitrite ions in water calculated by PCM solvation model	97
4.6	Stern-Volmer constants of PVP-GO composites at $-C=O$ (285 nm) and $-N-C$ (330 nm) sites in the presence of nitrate or nitrite or mixed analytes, in concentration range of 0-100 mM	114
4.7	Calculated binding energies between PVP and GO, initial and final distances between $-C=O$ of PVP with either hydroxyl, carboxyl, carbonyl, or epoxy site of GO in PVP-GO, where computed in water with PCM solvation model	120

4.8	Binding energies and interatomic distances between –C=O and –N–C sensing sites of PVP-GO composite with nitrate and nitrite ions in water calculated by PCM solvation model	121
4.9	Comparison on the selectivity of 7% PVP, GO, and PVP-GO(0.01) for the sensing of nitrate in the presence of foreign ions	125
4.10	Comparison on the selectivity of 7% PVP, GO, and PVP-GO(0.01) for the sensing of nitrite in the presence of foreign ions	126

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1	Typical schematic depiction for a sensing system	12
2.2	The algae bloom on the Lake Okeechobee	13
2.3	Step reactions involved when nitrite was added to Griess reagent	15
2.4	Vinylpyrrolidone monomer unit	21
2.5	Jablonski illustration for fluorescence with different polarity solvent	23
2.6	The proposed model assembly for graphene oxide	26
2.7	Jablonski diagram that describes the electron transition between singlet and triplet state, with its respective excitation and emission peaks	33
2.8	Potential energy curve when the atomic distance varies	36
3.1	Structure for (a) PVP, (b) GO, (c) PVP-GO, (d) nitrate, and (e) nitrite molecules used for B3LYP/6-311G(d,p) level of theory, with water induced polarizable continuum model (PCM). The grey colour ball indicate carbon, the red colour ball represent oxygen and blue colour ball represent nitrogen atoms, respectively	50
4.1	FTIR spectra of (a) 1%, (b) 3%, (c) 5%, (d) 7%, (e) 10% PVP, with NaCl as the reference cell	54
4.2	XRD pattern of pure PVP	55
4.3	TEM images of PVP taken under magnifications of (a) and (b) 100,000, and (c) 250,000 times	56
4.4	TGA profile for PVP	57

4.5	Excitation (left) and emission (right) spectra for 1, 3, 5, 7, 10% PVP (from bottom to top) when excited at $-C=O$ sensing site (285 nm)	58
4.6	Excitation (left) and emission (right) spectra for 1, 3, 5, 7, 10% PVP (from bottom to up) when excited at $-N-C$ sensing site (330 nm)	59
4.7	Fluorescence quenching on the emission spectra of 10% PVP at (a) $-C=O$ (285 nm) and (b) $-N-C$ (330 nm) sensing sites with the addition of nitrate ion (0-4000 mM)	61
4.8	Red shift of PVP emission in the presence of analytes	62
4.9	Dependence of relative intensity (I_o/I) on the nitrate ion concentration for 10% PVP at (a) $-C=O$ (285 nm) and (b) $-N-C$ (330 nm) sensing sites	63
4.10	The emission spectra of (a) 1%, (b) 3%, (c) 5%, (d) 7%, and (e) 10% PVP when excited at $-C=O$ excitation site (285 nm) in the presence of a series of nitrate ion concentration (0-100 mM)	64
4.11	Stern-Volmer plots for 1%, 3%, 5%, 7%, and 10% PVP at $-C=O$ sensing site (285 nm) in the presence of nitrate ion (0-100 mM)	65
4.12	Stern-Volmer constants of 1%, 3%, 5%, 7%, and 10% PVP at $-C=O$ sensing site (285 nm) in the presence of nitrate ion (0-100 mM)	66
4.13	Fluorescence quenching on the emission spectra of (a) 1%, (b) 3%, (c) 5%, (d) 7%, and (e) 10% PVP when excited at $-N-C$ sensing site (330 nm) with the addition of nitrate ion (0-100 mM)	67
4.14	The Stern-Volmer plot for 1%, 3%, 5%, 7%, and 10% PVP at $-N-C$ excitation site (330 nm) with the presence of 0-100 mM nitrate ion concentration that give linear Stern-Volmer plot	68
4.15	Stern-Volmer constants for 1%, 3%, 5%, 7%, and 10%	

	PVP at –N–C sensing site (330 nm) in the presence of nitrate ion (0-100 mM)	68
4.16	Fluorescence quenching on the emission spectra of (a) 1%, (b) 3%, (c) 5%, (d) 7%, and (e) 10% PVP when excited at –C=O sensing site (285 nm) with the addition of nitrite ion (0-100 mM)	70
4.17	Stern-Volmer plot for 1%, 3%, 5%, 7%, and 10% PVP at –C=O excitation site (285 nm) at with the presence of 0-100 mM nitrite ion concentrations that give linear Stern-Volmer plot	71
4.18	Stern-Volmer constants for 1%, 3%, 5%, 7%, and 10% PVP at –C=O sensing site (285 nm) in the presence of nitrite ion (0-100 mM)	71
4.19	Fluorescence quenching on the emission spectra of (a) 1%, (b) 3%, (c) 5%, (d) 7%, and (e) 10% PVP when excited at –N–C sensing site (330 nm) with the addition of nitrate ion (0-100 mM)	73
4.20	Stern-Volmer plots for 1%, 3%, 5%, 7%, and 10% PVP at –N–C sensing site (330 nm) in the presence of nitrite ion (0-100 mM)	74
4.21	Stern-Volmer constants for 1%, 3%, 5%, 7%, and 10% PVP at –N–C sensing site (330 nm) in the presence of nitrite ion (0-100 mM)	74
4.22	Stern-Volmer constant values for triplicate sensing of 7% PVP at –C=O site (285 nm) to nitrate and –N–C (330 nm) to nitrate	77
4.23	Extents of interference at –C=O (285 nm) and –N–C (330 nm) sites of 7% PVP over various foreign ions for the sensing of nitrate ion	79
4.24	Extents of interference at –C=O (285 nm) and –N–C (330 nm) sites of 7% PVP over various foreign ions for the sensing of nitrite ion	80

4.25	Optimized structures of PVP \cdots NO ₃ ⁻ (left) and PVP \cdots NO ₂ ⁻ (right) using B3LYP/ 6-311G(d,p) level of theory	82
4.26	FTIR spectrum of GO	84
4.27	XRD pattern of GO	85
4.28	TEM images of GO under different magnifications of (a) 10,000, (b) 100,000, (c) 250,000, and (d) 500,000 times	86
4.29	TGA profile of GO	87
4.30	Emission spectrum of GO at excitation wavelength of 367 nm	88
4.31	Fluorescence quenching on the emission spectra of GO when excited at 367 nm with the addition of nitrate ion (0-100 mM)	90
4.32	Fluorescence quenching on the emission spectra of GO when excited at 367 nm with the addition of nitrite ion (0-100 mM)	91
4.33	Stern-Volmer plots for GO (367 nm) in the presence of nitrate or nitrite ion (0-100 mM)	92
4.34	Stern-Volmer constants for triplicate sensing of GO (367 nm) for nitrate ion	93
4.35	Stern-Volmer constants for triplicate sensing of GO (367 nm) for nitrite ion	93
4.36	Extents of interference of GO over various foreign ions for the sensing of nitrate or nitrite ion	95
4.37	Optimized structures of GO \cdots NO ₃ ⁻ (top) and GO \cdots NO ₂ ⁻ (bottom) near hydroxyl site using B3LYP/ 6-311G(d,p) level of theory. For clarification purpose, only the hydrogen atom in hydroxyl group was displayed	97
4.38	FTIR spectra of (a) 7% PVP, (b) PVP-GO(0.0075), (c) PVP-GO(0.01), (d) PVP-GO(0.02), (e) PVP-GO(0.03), and (f) GO	99
4.39	XRD patterns of (a) pure PVP, (b) PVP-GO(0.0075), (c) PVP-GO(0.01), (d) PVP-GO(0.02), (e) PVP-GO(0.03),	

	and (f) GO	100
4.40	TEM images of (a) pure PVP, (b) GO and (c) PVP-GO(0.01) under magnification of 100,000 times	101
4.41	TGA profile for (a) pure PVP, (b) PVP-GO(0.0075), (c) PVP-GO(0.01), (d) PVP-GO(0.02), (e) PVP-GO(0.03) , (f) GO	102
4.42	The emission spectra for 7% PVP, PVP-GO(0.0075), PVP-GO(0.01), PVP-GO(0.02), and PVP-GO(0.03) when excited at $-C=O$ site (285 nm) of PVP	103
4.43	Emission spectra of 7% PVP, PVP-GO(0.0075), PVP-GO(0.01), PVP-GO(0.02), and PVP-GO(0.03) when excited at the $-N-C$ site (330 nm) of PVP	103
4.44	Fluorescence quenching on the emission spectra of (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02) and (d) PVP-GO(0.03) composites when excited at $-C=O$ sensing site (285 nm) with the addition of nitrate ion (0-100 mM)	105
4.45	Stern-Volmer plots for (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02), and (d) PVP-GO(0.03) composites at $-C=O$ sensing site (285 nm) in the presence of nitrate ion (0-100 mM). The symbols for (a)-(d) are diamond, triangle, rectangle, and star	106
4.46	Stern-Volmer constants for PVP-GO composites at $-C=O$ sensing site (285 nm) in the presence of nitrate ion (0-100 mM)	107
4.47	Fluorescence quenching on the emission spectra of (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02) and (d) PVP-GO(0.03) composites when excited at $-N-C$ sensing site (330 nm) with the addition of nitrate ion (0-100 mM)	107
4.48	Stern-Volmer plots for (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02), and (d) PVP-GO(0.03)	

	composites at –N–C sensing site (330 nm) in the presence of nitrate ion (0-100 mM). The symbols for (a)-(d) are triangle, diamond, star, and rectangle	108
4.49	Stern-Volmer constants for PVP-GO composites at –N–C sensing site (330 nm) in the presence of nitrate ion (0-100 mM)	108
4.50	Fluorescence quenching on the emission spectra of (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02) and (d) PVP-GO(0.03) composites when excited at –C=O sensing site (285 nm) with the addition of nitrite ion (0-100 mM)	110
4.51	Stern-Volmer plots for (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02), and (d) PVP-GO(0.03) composites at –C=O sensing site (285 nm) in the presence of nitrite ion (0-100 mM). The symbols for (a)-(d) are triangle, diamond, rectangle, and star	111
4.52	Stern-Volmer constants for PVP-GO composites at –C=O sensing site (285 nm) in the presence of nitrite ion (0-100 mM)	111
4.53	Fluorescence quenching on the emission spectra of (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02) and (d) PVP-GO(0.03) composites when excited at –N–C sensing site (330 nm) with the addition of nitrite ion (0-100 mM)	112
4.54	Stern-Volmer plots for (a) PVP-GO(0.0075), (b) PVP-GO(0.01), (c) PVP-GO(0.02), and (d) PVP-GO(0.03) composites at –N–C sensing site (330 nm) in the presence of nitrite ion (0-100 mM). The symbols for (a)-(d) are triangle, diamond, rectangle, and star	113
4.55	Stern-Volmer constants for PVP-GO composites at –N–C sensing site (330 nm) in the presence of nitrite ion (0-100 mM)	113

4.56	Stern-Volmer constants for triplicate sensing of PVP-GO(0.01) composite at $-C=O$ site (285 nm) for nitrate and $-N-C$ site for nitrite ions	116
4.57	Extents of interference at $-C=O$ (285 nm) and $-N-C$ (330 nm) sites of the PVP-GO(0.01) composite over various foreign ions for the sensing of nitrate ion	117
4.58	Extents of interference at $-C=O$ (285 nm) and $-N-C$ (330 nm) sites of PVP-GO(0.01) composite over various foreign ions for the sensing of nitrite ion sensing	117
4.59	Optimized structures of PVP-GO, where initially $-C=O$ of PVP was placed near to (a) hydroxyl, (b) carboxyl, (d) carbonyl, (d) epoxy, using B3LYP water induced PCM solvation model	119
4.60	Optimized structure for PVP-GO where the hydrogen bond formed between hydroxyl group of GO and $-C=O$ of PVP. For clarification purpose, only the hydrogen atom (white colour ball) in hydroxyl group was displayed	120
4.61	Comparison on the quenching efficiency between 7% PVP, GO, and PVP-GO(0.01) for the sensing of nitrate, where the sensing performances of 7% PVP and PVP-GO(0.01) were evaluated at $-C=O$ site (285 nm)	123
4.62	Comparison on the quenching efficiency between 7% PVP, GO, and PVP-GO(0.01) for the sensing of nitrite, where the sensing performances of 7% PVP and PVP-GO(0.01) were evaluated at $-N-C$ site (330 nm)	123
4.63	Comparison of the limit of detection values on 7% PVP, GO and PVP-GO(0.01) for the sensing of nitrate ion, where the performance of 7% PVP and PVP-GO(0.01) were evaluated at $-C=O$ site (285 nm)	127
4.64	Comparison of the limit of detection values on 7% PVP, GO and PVP-GO(0.01) for the sensing of nitrite ion, where the performance of 7% PVP and PVP-GO(0.01)	

	were evaluated at –N–C site (330 nm)	127
4.65	Stern-Volmer plots for 7% PVP at (a) –C=O (285 nm) and (b) –N–C (330 nm) sensing sites in the presence of 0-100 mM nitrite ion concentrations in UTM lake water.	128

LIST OF ABBREVIATIONS

EPA	- Environmental Protection Agency
NMR	- Nuclear Magnetic Resonance
GCE	- Glassy Carbon Electrode
SPE	- Screen Printed Electrode
PPy-NaR-NADH	- Polypyrrole-Nitrate Reductase-Nicotinamide Adenine Dinucleotide
P- <i>o</i> -PDA	- Poly-ortho-Phenylenediamine
EDTA	- Ethylenediaminetetraacetic Acid
1,4-DNT	- 1,4-dinitrotoluene
2,6-DNT	- 2,6-dinitrotoluene
1,3-DNB	- 1,3-dinitrobenzene
4-NT	- 4-nitrotoluene
HOMO	- Highest Occupied Molecular Orbital
LUMO	- Lowest Unoccupied Molecular Orbital
PVP	- Polyvinylpyrrolidone
DMF	- <i>N,N</i> -dimethylformamide
NMP	- <i>N</i> -Methyl-2-Pyrrolidone
BASF	- Badische Anilin-und Soda-Fabrik
GO	- Graphene Oxide
HOPG	- Highly Ordered Pyrolytic Graphite
UV	- Ultraviolet
Vis	- Visible
NIR	- Near-Infrared
DMSO	- Dimethyl Sulfoxide
AP-AuNPs	- Amino-Pyrene-grafted Gold Nanoparticles
CRG/PVP	- Chemical Reduced Graphene/ Polyvinylpyrrolidone

PVA	- Polyvinyl Alcohol
PVP-GO	- Polyvinylpyrrolidone- Graphene Oxide
HPLC	- High Performance Liquid Chromatography
IC	- Ion Chromatography
DFT	- Density Functional Theory
PM3	- Parameterized Model number 3
FTIR	- Fourier Transforms Infra Red
XRD	- X-ray Diffraction
TEM	- Transmission Electron Microscopy
TGA	- Thermogravimetric Analysis
B3LYP	- Becke, three-parameter, Lee-Yang-Parr
PCM	- Polarizable Continuum Model
K_{SV}	- Stern-Volmer constant
R.S.D	- Relative standard deviation
L.O.D	- Limit of Detection
a. u.	- Arbitrary unit
g	- Gram
M_w	- Molecular weight
mL	- Mili Liter
min	- Minute
mM	- Mili Molar
rpm	- Revolutions per minute
wt/V	- Weight per volume
kV	- Kilo Volt
°C	- Degree Celsius
nm	- Nano meter
ΔE_{int}	- Difference in binding energy
E_S	- Binding energy of the sensing site
E_A	- Binding energy of the analyte

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Final configurations and orientations between nitrate and (a) carboxyl, (b) carbonyl, (c) epoxy site of GO	156
B	Final configurations and orientations between nitrite and (a) carboxyl, (b) carbonyl, (c) epoxy site of GO	157
C	FTIR spectrum for pure PVP with KBr window	158
D	List of Publications and Conferences Attended	159

CHAPTER 1

INTRODUCTION

1.1 Research Background

Nitrate (NO_3^-) and nitrite (NO_2^-) are negatively charged inorganic ions that have high solubility in water. Unfortunately, they are toxic and hazardous to human and aquatic creatures. Both inorganic ions are the major constituents in fertilizer production. Poor management in conventional agricultural practices and use of massive dosage of chemical fertilizer to land and crops led to the presence of excessive nitrate and nitrite ions in the environment. The high level of nitrate and nitrite ion concentrations in the aquatic environment of agriculture area has led to serious environmental problems, such as eutrophication, and algae blooms (Moorcroft *et al.*, 2001, Smil, 1997). Besides, if ingested, they also cause life-threatening methemoglobinemia (blue baby syndrome) to baby infants, abdominal pain and diarrhea (Hord *et al.*, 2009, Namasivayam and Sangeetha, 2005). In addition, the ingested nitrate can be converted to nitrite, a precursor for carcinogenic compound nitrosamines (Kyrtopoulos, 1988). The previous reports claimed that nitrite is highly hazardous to human as it can impair our nervous system, spleen and kidney (Liu *et al.*, 2013). Since the presence of high level of nitrite and nitrate ions can cause environmental and human health problems, it is important to monitor the level of nitrate and nitrite ions in the environment. To date, numerous efforts have been carried out to obtain excellent materials to be employed as nitrite and nitrate sensor.

Many materials have been explored for sensitive detection of hazardous nitrate and nitrite ions. In 1879, Peter Griess developed an assay to detect nitrate and nitrite ions (Griess, 1879). With his great effort, he successfully developed a sensitive and simple assay, which was able to detect nitrite directly and nitrate indirectly to certain sensitivity. Since different amounts of nitrite will cause different absorbance, the colour observed indicate the amount of nitrite present in a sample. Though Griess reagent is a simple and widely used until today, the assay contains toxic sulfonamides reagent and yet produces toxic diamine product (Guevara *et al.*, 1998, Miranda *et al.*, 2001, Sastry *et al.*, 2002, Senra-Ferreiro *et al.*, 2010, Wang *et al.*, 2016).

Previous studies investigated various types of metals for nitrate or nitrite ion detection. For example, metal such as silver has been employed as sensor for simultaneous detection of nitrate and nitrite ions (Madasamy *et al.*, 2014, Manea *et al.*, 2010). Further, multivalency transition metal such as copper (Shariar and Hinoue, 2010) or copper complex (Shiddiky *et al.*, 2006) has been employed for nitrate and nitrite ions detection. Though metal has been widely explored as sensing material, but they could be easily suffered from corrosion which will lead to attenuation in their sensitivity. Moreover, some of the transition metal are expensive

Other than the simple Griess assay and metal sensing materials, some efforts have also been carried out to design and synthesize macromolecule complex for selective detection of nitrate and nitrite ions. The complex molecule with suitable cavity shape and size has been designed for selective sensing of nitrate or nitrite ion. The complex sensing molecule seems to bring a promising material to detect nitrate or nitrite, but it involves extensive and complex synthesis protocol (Işıklan *et al.*, 2011, Singh and Sun, 2012, Strianese *et al.*, 2013, Whittington *et al.*, 2012). Therefore, a more environmental friendly material with less complex synthesis method such as biomolecule has also been developed for nitrate or nitrite ion detection (Adeloju and Sohail, 2011, Almeida *et al.*, 2010, Ho *et al.*, 2009, Quan *et al.*, 2005). Inspired by the natural detection in the environment, the use of biomolecule can bring selective detection (Saleem, 2013). For example, polypyrrole-nitrate reductase-nicotinamide adenine dinucleotide (PPy-NaR-NADH) has been

used to convert nitrate to nitrite ion for sensitive detection of both nitrate and nitrite ions (Adeloju and Sohail, 2011). The biomolecule normally is incorporated with polymer to improve the detection for nitrate or nitrite ion (Albanese *et al.*, 2010, Cosnier *et al.*, 2008, Madasamy *et al.*, 2014, Plumeré 2013, Wang *et al.*, 2013b). Though this combination is expected to give sensitive yet selective detection, but this sensitive material still suffers from thermal instability and could be easily affected in the presence of heat and interference material, respectively.

Another type of material, which is polymeric material, has been explored vastly due to its tunable properties and robustness. There are varieties of organic scaffolds containing polymer that have been tested for their feasibilities to be used as sensing materials in anion recognition. It has been reported that the nitrogen containing moieties showed rather good selectivity for anion binding. For instance, the positively charged ammonium salts such as quaternized amines (Bianchi *et al.*, 1996, Hossain *et al.*, 2003b, Sisson *et al.*, 2003, Späth and König, 2010) and imidazolium cation (Chellappan *et al.*, 2005) have found their application in anion binding. Besides, the neutral species such as amide (Amendola *et al.*, 2010, Chen *et al.*, 2007, Choi and Hamilton, 2003, Hossain *et al.*, 2003b, Hossain *et al.*, 2003a, Kang *et al.*, 2006, Kang *et al.*, 2003, Qu *et al.*, 2009, Singh and Sun, 2012), urea (Custelcean *et al.*, 2008, Zhu *et al.*, 2008), pyrrole (Aldakov and Anzenbacher, 2004, Sessler *et al.*, 2003, Späth and König, 2010, Wu *et al.*, 2006a, Yoon *et al.*, 2008), and thioamide (Devaraj *et al.*, 2009, Hossain *et al.*, 2003a) also showed great affinity for anion binding. Particular attention has been made on the use of amide moieties containing compound for anion recognition owing to its good selectivity and sensitivity. In this study, amide moiety containing polyvinylpyrrolidone (PVP) was explored for its feasibility to be used as a fluorescence sensor.

PVP is a long chain polymer consisting of tertiary amide functional group and vinylpyrrolidone monomer that makes up to different molecular weight polymer. PVP is a bio-compatible polymer which is soluble in many solvents such as water and other organic solvents. From literature, PVP has been applied as sensor for glucose (Mano and Heller, 2005), acyclovir (Wang *et al.*, 2013a), alcohol (Lee *et al.*, 2011), hydrazine (Li and Wang, 1997), ascorbic acid (Han *et al.*, 2010), gold

nanoparticle (Behera and Ram, 2012), hydrogen (He *et al.*, 2010), and humidity (Zhang *et al.*, 2010a). It is worth noting that PVP contains electron lone pair in tertiary amide vinylpyrrolidone structure, and this structure makes PVP has remarkable luminescence property (Minh *et al.*, 2013). Though PVP shows great luminescence property, up to date PVP has never been reported as nitrate and nitrite sensor.

On the other hand, graphene oxide (GO) possesses a large surface area with a great number of oxygenated functional groups, and fascinated electronic properties. Due to the distinct properties of GO, it has been used as electronic devices, energy storage, and sensor (Georgakilas *et al.*, 2012, Gilje *et al.*, 2007, Huang *et al.*, 2011, Zhu *et al.*, 2010). Particularly in sensing application, GO has been used to quench the intensity of fluorescence material (Liu *et al.*, 2011, Wang *et al.*, 2009b) and has been applied as gas sensor (Schedin *et al.*, 2007), pH sensor (Chen and Yan, 2011, Mohanty and Berry, 2008, Ohno *et al.*, 2009), pressure sensor (Kazemzadeh *et al.*, 2015), and temperature sensor (Sahoo *et al.*, 2012). Incorporation or functionalization of polymeric material on GO is known to improve mechanical, thermal, electrical, and optical properties of GO (Du and Cheng, 2012). The produced polymer-GO composite has been developed to improve the sensing performance in many aspects especially on the sensitivity and selectivity (Al-Mashat *et al.*, 2010, Eswaraiyah *et al.*, 2012, Kundu *et al.*, 2012, Wang *et al.*, 2011, Zhang *et al.*, 2014, Zhang *et al.*, 2010a). In this study, a novel PVP-GO composite was synthesized as a fluorescence sensor for nitrate and nitrite detection.

Apart from the lack of sensitive material from the aspect of sensitivity and selectivity, the employed sensing technique also gives a different extent of sensitivity and selectivity in sensing performance. The commonly used conventional techniques in detection of nitrate and nitrite ions include high performance liquid chromatography (HPLC), ion chromatography (IC) and Griess colorimetric assay. However, these techniques come with several shortcomings. In HPLC measurement, several tedious purification steps are required to eliminate the interfering such as chloride and biogenic amines (El Menyawi *et al.*, 1998, Jobgen *et al.*, 2007, Stratford *et al.*, 1997). While for the IC method, extensive maintenance and sample pre-

treatment are needed prior to sample measurement (Blount and Valentin-Blasini, 2006, Ito *et al.*, 2005, Moorcroft *et al.*, 2001, Stalikas *et al.*, 2003). In Griess assay, all the nitrate ions are converted to nitrite ion which later are transformed to colored azo dye, but this method lacks sensitivity (Badea *et al.*, 2001). Therefore, a sensitive and simple detection technique is still highly required. In this study, fluorescence spectroscopy was applied as a sensitive and simple detection method for the nitrate and nitrite ions.

With the great evolution of technology, computational study has been exploited in aiding researcher to predict the experimental results. Vast simulation techniques have been developed to match with its purpose. The selection of simulation technique would be based on the properties of interest. The calculation for computational simulation was done by solving a bunch of mathematical equations, with Schrödinger equation as the basic for almost all calculation (Young, 2004). Particularly, the generally used technique to simulate the sensing condition is the density functional theory (DFT). It is a calculation technique based on electron density which able to give superior accuracy when calculating the involved energy in a system (Ghosh *et al.*, 2010, Ghosh *et al.*, 2004, Jose *et al.*, 2007). Semi-empirical Parameterized Model number 3 (PM3) is another well-known technique with faster calculation that is good for geometry optimization (House, 2003). Both techniques were employed in this study to support the experimental results.

1.2 Statement of Problem

Nitrate and nitrite ions are toxic and hazardous compounds to human. Furthermore, the simultaneous existence of both anions led to environmental pollution and yet there is still a lack of material which is good in both sensitivity and selectivity for both analytes. Though there are some sensitive materials being proposed, there are still some limitations on those reported sensitive materials. For instance, the Griess reagent consists of toxic compounds and produces toxic diamine products during the detection process (Griess, 1879, Guevara *et al.*, 1998, Miranda *et*

al., 2001, Sastry *et al.*, 2002, Senra-Ferreiro *et al.*, 2010, Wang *et al.*, 2016). On the other hand, the macromolecule complex involves complicated synthesis procedures (Işıkkan *et al.*, 2011, Singh and Sun, 2012, Strianese *et al.*, 2013, Whittington *et al.*, 2012) and biomolecules cannot stand with interference materials (Adelaju and Sohail, 2011, Almeida *et al.*, 2010, Ho *et al.*, 2009, Quan *et al.*, 2005). The later means that the existing sensitive material still showed low selectivity for the detection of nitrate and nitrite ions in the presence of foreign ions. Therefore, simple synthesis of sensitive materials that are non-toxic, environmentally safe, and having good selectivity is still highly required.

In this study, three novel materials were proposed, which were PVP, GO, and PVP-GO composites that were prepared by a simple mixing method. PVP has been reported to act as a good sensor for several organic compounds (Han *et al.*, 2010, He *et al.*, 2010, Lee *et al.*, 2011, Li and Wang, 1997, Mano and Heller, 2005, Wang *et al.*, 2013a), gold nanoparticle (Behera and Ram, 2012), and humidity (Zhang *et al.*, 2010a). PVP has been also recognized to give fluorescence emission property when being illuminated by light energy (Thi *et al.*, 2012). On the other hand, GO has been employed as a sensor for organic materials (Chen and Yan, 2011, Mohanty and Berry, 2008, Ohno *et al.*, 2009, Schedin *et al.*, 2007), pressure (Kazemzadeh *et al.*, 2015), and temperature (Sahoo *et al.*, 2012). It is known that GO has fluorescence property which enabled it to be used as biosensor (Dong *et al.*, 2010, Jung *et al.*, 2010, Loh *et al.*, 2010). Despite these, PVP and GO materials have never been reported yet as fluorescence sensors for nitrate and nitrite detection. Since these PVP and GO materials are highly potential as fluorescence sensors for nitrate and nitrite detection, the important sensing sites for high sensitivity and selectivity towards nitrate and nitrite ions need to be clarified. In order to improve the performance of these materials, a novel composite of PVP-GO was also synthesized by a simple mixing method.

Even though the development of novel materials with high sensitivity and selectivity has been investigated, the important factors determining the sensitivity and selectivity of the sensor materials are sometimes neglected. Yet, the sensing process when the analyte presents have not yet been clearly understood. This

limitation can be overcome with the aid of computational simulation. In recent years, the fast development in computer software has aided researchers to visualize the molecule in multi-aspects via state of art of computational program. This includes the geometry of molecule, molecular bonding, interaction energy, or binding energy of a design system (Adejoro *et al.*, 2012, Adejoro *et al.*, 2013, Ghosh *et al.*, 2004, Ghosh *et al.*, 2010, House, 2003, Mohammed, 2014, Momany *et al.*, 2005, Odiaka *et al.*, 2012). Numerous programs have been designed with different theories to aid researchers to gain better understanding on their experimental works. In current work, two simulation methods, namely semi empirical and density functional theory (DFT) methods were used to configure the molecular geometry with the lowest energy. Moreover, the interaction between the sensing sites and the analytes was also investigated computationally by calculating the binding energy and interatomic distance between the sensing sites and the analytes.

1.3 Objectives

There are several objectives in this current study as stated below.

- (a) To prepare and characterize PVP, GO, and PVP-GO composites as novel fluorescence sensors.
- (b) To examine the sensitivity and selectivity of the PVP, GO, and PVP-GO composites for detection of nitrate and nitrite ions.
- (c) To investigate the interaction between the sensitive materials and the analytes by computational simulation.

1.4 Scope of Study

This research can be divided into three parts. The first part discussed about the preparation, characterizations, and performance of PVP as also supported by computational study. The PVP was prepared by dilution method, where the concentration was fixed at 1, 3, 5, 7, and 10%. The characterizations were carried out by Fourier transform infra red (FTIR), X-ray diffraction (XRD), transmission electron microscopy (TEM), thermogravimetric analysis (TGA), and fluorescence spectroscopy. The performance of PVP was evaluated via sensitivity and selectivity tests by fluorescence spectroscopy. The excitation wavelengths were fixed at 285 and 330 nm, while emission wavelength was monitored at 408 and 410 nm. Sensitivity tests were carried out on all PVP samples by evaluating the quenching study in the presence of nitrate (0-100 mM) and nitrite (0-100 mM) ions. Selectivity tests were carried out only on the best sample, which was 7% PVP, in the presence of Na_2SO_4 , NaHCO_3 , NaCl , or NaOH foreign ions. For selectivity tests, the concentration for nitrate and nitrite was fixed at 100 mM and 10 mM, respectively. Gaussian 09 program was used for computational simulation study. B3LYP/6-311G(d,p) level of theory was implemented to calculate the binding energy between the PVP and nitrate or nitrite ions with water induced polarizable continuum model (PCM).

In the second part, GO was used as sensitive material for nitrate and nitrite ion detection. Overall, the preparation, characterization, and performance of GO were discussed, supported by computational simulation. GO was synthesized using an improved Hummers' method and further ground to get GO fine powder. The properties of GO were studied using FTIR, XRD, TEM, TGA, and fluorescence spectroscopy. The sensing performance of GO was examined from two aspects, sensitivity and selectivity, using fluorescence spectroscopy. GO was excited at wavelengths of 367 nm, and its emission was monitored at 567 nm. The sensitivity tests were evaluated from quenching study in the presence of nitrate or nitrite ion at 0-100 mM. On the other hand, the selectivity tests were conducted in the presence of Na_2SO_4 , NaHCO_3 , NaCl , or NaOH foreign ions. For the selectivity of GO to nitrate, the concentration of nitrate and foreign ion were fixed at 100 mM while for nitrite selectivity test, the concentration of nitrite and foreign ion were fixed at 10 mM.

Further support from computational simulation was carried out using Gaussian 09 program. B3LYP/6-311G(d,p) level of theory was implemented to calculate the binding energy between the GO and nitrate or nitrite ions with PCM.

In the third part, the PVP-GO composites were prepared for nitrate and nitrite ion detection. The composites were prepared by simple mixing between 100 mL 7% PVP and various mass of GO, where the weight per volume percent of the composites was fixed at 0.0075, 0.01, 0.02, and 0.03%. The prepared composites were further put under sonication for 30 min. In this context, the preparation, characterizations, and sensing performance of PVP-GO were discussed, with support from computational simulation. The properties of the PVP-GO were studied using FTIR, XRD, TEM, TGA, and fluorescence spectroscopy. The sensing performance of PVP-GO to analyte ion was examined from sensitivity and selectivity via fluorescence spectroscopy. The excitation wavelengths were set at 285 and 330 nm, whereas the emission wavelengths were monitored at 408 and 410 nm respectively. The sensitivity of PVP-GO composites was interpreted from quenching study in the presence of nitrate or nitrite ion at concentration of 0-100 mM. The selectivity tests were conducted in the presence of Na_2SO_4 , NaHCO_3 , NaCl , or NaOH foreign ions. For the selectivity tests, the concentration of nitrate and foreign ions were fixed at 100 mM, while for nitrite selectivity test, the concentration of nitrite and foreign ions were fixed at 10 mM. The interaction site between PVP and GO was pre-optimized from PM3, and further optimized using Gaussian 09 program. The interaction between PVP-GO and analyte was further computed using B3LYP/6-311G(d,p) level of theory via calculation of the binding energy with PCM.

REFERENCES

- Adejoro, I., Oyeneyin, O. and Obaleye, J. (2013). Characterization of a Novel Polymeric Zinc (II) Complex Containing the Anti-Malarial Quinine as Ligand: A Theoretical Approach (Semi-Empirical and DFT Methods). *American Journal of Science Industrial Research*, 4, 111-22.
- Adejoro, I. A., Oyeneyin, O. E., Adeboye, O. O. and Obaleye, J. A. (2012). PM3 Semi Empirical Quantum Mechanical Calculations on a Novel Dichlobis (N-{4-[(2-Pyrimidinyl-kN-Amino)Sulfonyl]Acetamide]Copper(II), Containing a Metabolite N-Acetylsulfadiazine. *Journal of Computational Methods in Molecular Design*, 2(4), 142-148.
- Adelolu, S. B. and Sohail, M. (2011). Polypyrrole-Based Bilayer Nitrate Amperometric Biosensor with an Integrated Permselective Poly-Ortho-Phenylenediamine Layer for Exclusion of Inorganic Interferences. *Biosensors and Bioelectronics*, 26(11), 4270-4275.
- Al-Badaii, F., Shuhaimi-Othman, M. and Gasim, M. B. (2013). Water Quality Assessment of the Semenyih River, Selangor, Malaysia. *Journal of Chemistry*.2013, 1-10.
- Al-Mashat, L., Shin, K., Kalantar-Zadeh, K., Plessis, J. D., Han, S. H., Kojima, R. W., Kaner, R. B., Li, D., Gou, X. and Ippolito, S. J. (2010). Graphene/Polyaniline Nanocomposite for Hydrogen Sensing. *The Journal of Physical Chemistry C*, 114(39), 16168-16173.
- Albanese, D., Di Matteo, M. and Alessio, C. (2010). Screen Printed Biosensors for Detection of Nitrates in Drinking Water. *Computer Aided Chemical Engineering*, 28, 283-288.
- Aldakov, D. and Anzenbacher, P. (2004). Sensing of Aqueous Phosphates by Polymers with Dual Modes of Signal Transduction. *Journal of the American Chemical Society*, 126(15), 4752-4753.

- Almeida, M. G., Serra, A., Silveira, C. M., and Moura, J. J. (2010). Nitrite Biosensing via Selective Enzymes - A Long but Promising Route. *Sensors*, 10(12), 11530-11555.
- Amara, D., Grinblat, J., and Margel, S. (2012). Solventless Thermal Decomposition of Ferrocene as a New Approach for One-Step Synthesis of Magnetite Nanocubes and Nanospheres. *Journal of Materials Chemistry*, 22(5), 2188-2195.
- Amendola, V., Bergamaschi, G., Buttafava, A., Fabbrizzi, L. and Monzani, E. (2010). Recognition and Sensing of Nucleoside Monophosphates by a Dicopper(II) Cryptate. *Journal of the American Chemical Society*, 132(1), 147-156.
- Anderson, D. J. (1898). Determination of The Lower Limit of Detection. *Clinical Chemistry*, 35(10), 2152-2153.
- Andersen, R. A., and Sowers, J. A. (1968). Optimum Conditions for Bonding of Plant Phenols to Insoluble Polyvinylpyrrolidone. *Phytochemistry*, 7(2), 293-301.
- Azrina, A., Khoo, H. E., Idris, M. A., Amin, I. and Razman, M. R. (2011). Major Inorganic Elements in Tap Water Samples in Peninsular Malaysia. *Malaysian Journal of Nutrition*, 17(2), 271-276.
- Bachrach, S. M. (2007). *Computational Organic Chemistry*. New Jersey: John Wiley & Sons.
- Badea, M., Amine, A., Palleschi, G., Moscone, D., Volpe, G. and Curulli, A. (2001). New Electrochemical Sensors for Detection of Nitrites and Nitrates. *Journal Electroanalytical Chemistry*, 509(1), 66-72.
- Bai, H., Xu, Y., Zhao, L., Li, C., and Shi, G. (2009). Non - Covalent Functionalization of Graphene Sheets by Sulfonated Polyaniline. *Chemical Communications*, 13, 1667-1669.
- Baker, E. and Hubbard, R. (1984). Hydrogen Bonding in Globular Proteins. *Progress in Biophysics and Molecular Biology*, 44(2), 97-179.

- Basabe-Desmonts, L., Reinhoudt, D. N., and Crego-Calama, M. (2007). Design of Fluorescent Materials for Chemical Sensing. *Chemical Society Reviews*, 36(6), 993-1017.
- Basha, M. A.-F. (2010). Magnetic and Optical Studies on Polyvinylpyrrolidone Thin Films Doped with Rare Earth Metal salts. *Polymer Journal*, 42(9), 728.
- Becerril, H. A., Mao, J., Liu, Z., Stoltenberg, R. M., Bao, Z., and Chen, Y. (2008). Evaluation of Solution - Processed Reduced Graphene Oxide Films as Transparent Conductors. *American Chemical Society, Nano*, 2(3), 463-470.
- Behera, M., and Ram, S. (2012). Intense Quenching of Fluorescence Intensity of Poly(Vinyl Pyrrolidone) Molecules in Presence of Gold Nanoparticles. *Applied Nanoscience*, 3(6), 543-548.
- Behlke, M., Huang, L., Bogh, L., Rose, S. and Devor, E. (2005). *Fluorescence and Fluorescence Applications*. Integrated DNA Technologies.
- Biagiotti, V., Valentini, F., Tamburri, E., Terranova, M. L., Moscone, D. and Palleschi, G. (2007). Synthesis and Characterization of Polymeric Films and Nanotubule Nets Used to Assemble Selective Sensors for Nitrite Detection in Drinking Water. *Sensor and Actuator B: Chemical*, 122(1), 236-242.
- Bianchi, A., Bowman-James, K. and Garcia-Espana, E. (1996). *Supramolecular Chemistry of Anions*. New York: Wiley-VCH.
- Blount, B. C., and Valentin-Blasini, L. (2006). Analysis of Perchlorate, Thiocyanate, Nitrate and Iodide in Human Amniotic Fluid using Ion Chromatography and Electrospray Tandem Mass Spectrometry. *Analytica Chimica Acta*, 567(1), 87-93.
- Bournay, J. and Marechal, Y. (1973). Anomalous Isotope Effect in the H Bonds of Acetic Acid Dimers. *The Journal of Chemical Physics*, 59(9), 5077-5087.
- Brockmann, T. W. and Tour, J. M. (1995). Synthesis and Properties of Low-Bandgap Zwitterionic and Planar Conjugated Pyrrole-Derived Polymeric Sensors. Reversible Optical Absorption Maxima from the UV to the Near-IR. *Journal of the American Chemical Society*, 117(16), 4437-4447.

- Brodie, B. (1860). Sur Le Poids Atomique Du Graphite. *Annales de Chimie et de Physique*, 59(466), e472.
- Bruning-Fann, C. S. and Kaneene, J. (1993). The Effects of Nitrate, Nitrite and N-Nitroso Compounds on Human Health: A Review. *Veterinary and Human Toxicology*, 35(6), 521-538.
- Can, F., Ozoner, S. K., Ergenekon, P. and Erhan, E. (2012). Amperometric Nitrate Biosensor Based on Carbon Nanotube/Polypyrrole/Nitrate Reductase Biofilm Electrode. *Materials Science and Engineering: C*, 32(1), 18-23.
- Chahal, R. P., Mahendia, S., Tomar, A. and Kumar, S. (2011). Effect of Ultraviolet Irradiation on the Optical and Structural Characteristics of In-Situ Prepared PVP-Ag Nanocomposites. *Digest Journal of Nanomaterials and Biostructures*, 6(1), 301-308.
- Chang, C.-P., Chao, C.-Y., Huang, J. H., Li, A.-K., Hsu, C.-S., Lin, M.-S, Hsieh, B. R. and Su, A.-C. (2004). Fluorescent Conjugated Polymer Films as TNT Chemosensors. *Synthetic Metals*, 144(3), 297-301.
- Chellappan, K., Singh, N. J., Hwang, I.-C., Lee, J. W. and Kim, K. S. (2005). A Calix[4]imidazolium[2]pyridine as an Anion Receptor. *Angewandte Chemie*, 117(19), 2959-2963.
- Chen, C.-L., Lin, T.-P., Chen, Y.-S. and Sun, S.-S. (2007). Probing Receptor - Anion Interactions by Ratiometric Chemosensors Containing Pyrrolearboxamide Interacting Sites. *European Journal of Organic Chemistry*, 2007(24), 3999-4010.
- Chen, J.-L. and Yan, X.-P. (2011). Ionic Strength and pH Reversible Response of Visible and Near-Infrared Fluorescence of Graphene Oxide Nanosheets for Monitoring the Extracellular pH. *Chemical Communications*, 47(11), 3135-3137.
- Chen, X., Kang, S., Kim, M. J., Kim, J., Kim, Y. S., Kim, H., Chi, B., Kim, S. J., Lee, J. Y. and Yoon, J. (2010). Thin-Film Formation of Imidazolium-Based Conjugated Polydiacetylenes and Their Application for Sensing Anionic Surfactants. *Angewandte Chemie International Edition*, 49(8), 1422-1425.

- Choi, B. G., Park, H., Park, T. J., Yang, M. H., Kim, J. S., Jang, S.-Y., Heo, N. S., Lee, S. Y., Kong, J. and Hong, W. H. (2010). Solution Chemistry of Self-Assembled Graphene Nanohybrids for High-Performance Flexible Biosensors. *American Chemical Society, Nano*, 4(5), 2910-2918.
- Choi, K. and Hamilton, A. D. (2003). Rigid Macrocyclic Triamides as Anion Receptors: Anion-Dependent Binding Stoichiometries and ¹H Chemical Shift Changes. *Journal of the American Chemical Society*, 125(34), 10241-10249.
- Chu, Q., Medvetz, D. A. and Pang, Y. (2007). A Polymeric Colorimetric Sensor with Excited-State Intramolecular Proton Transfer for Anionic Species. *Chemistry of Materials*, 19(26), 6421-6429.
- Cleophas, F., Isidore, F., HAN, L. and Bidin, K. (2013). Water Quality Status of Liwagu River, Tambunan, Sabah, Malaysia. *Journal of Tropical Biology and Conservation*, 10, 67-73.
- Comba, P. and Rajaraman, G. (2008). Epoxidation and 1, 2-Dihydroxylation of Alkenes by a Nonheme Iron Model System-DFT Supports the Mechanism Proposed by Experiment. *Inorganic Chemistry*, 47(1), 78-93.
- Compton, O. C. and Nguyen, S. T. (2010). Graphene Oxide, Highly Reduced Graphene Oxide, and Graphene: Versatile Building Blocks for Carbon-Based Materials. *small*, 6(6), 711-723.
- Cosnier, S., Da Silva, S., Shan, D. and Gorgy, K. (2008). Electrochemical Nitrate Biosensor Based on Poly(Pyrrole-Viologen) Film-Nitrate Reductase-Clay Composite. *Bioelectrochemistry*, 74(1), 47-51.
- Cote, L. J., Kim, F. and Huang, J. (2008). Langmuir-Blodgett Assembly of Graphite Oxide Single Layers. *Journal of the American Chemical Society*, 131(3), 1043-1049.
- Cox, R. D. and Frank, C. W. (1982). Determination of Nitrate and Nitrite in Blood and Urine by Chemiluminescence. *Journal of Analytical Toxicology*, 6(3), 148-152.

- Cramer, C. J. (2013). *Essentials of Computational Chemistry: Theories and Models*. England: John Wiley & Sons.
- Custelcean, R., Remy, P., Bonnesen, P. V., Jiang, D.-e. and Moyer, B. A. (2008). Sulfate Recognition by Persistent Crystalline Capsules with Rigidified Hydrogen-Bonding Cavities. *Angewandte Chemie International Edition*, 120(10), 1892-1896.
- Das, T. K. and Prusty, S. (2013). Graphene-Based Polymer Composites and Their Applications. *Polymer-Plastics Technology and Engineering*, 52(4), 319-331.
- Devaraj, S., Saravanakumar, D. and Kandaswamy, M. (2009). Dual Responsive Chemosensors for Anion and Cation: Synthesis and Studies of Selective Chemosensor for F⁻ and Cu(II) ions. *Sensor and Actuator B: Chemical*, 136(1), 13-19.
- Dong, H., Gao, W., Yan, F., Ji, H. and Ju, H. (2010). Fluorescence Resonance Energy Transfer between Quantum Dots and Graphene Oxide for Sensing Biomolecules. *Analytical Chemistry*, 82(13), 5511-5517.
- Dreyer, D. R., Park, S., Bielawski, C. W. and Ruoff, R. S. (2010). The Chemistry of Graphene Oxide. *Chemical Society Reviews*, 39(1), 228-240.
- Du, J. and Cheng, H. M. (2012). The Fabrication, Properties, and Uses of Graphene/Polymer Composites. *Macromolecular Chemistry and Physics*, 213(10-11), 1060-1077.
- Edition, T. 2008. Guidelines for Drinking-water Quality.
- El Menyawi, I., Looareesuwan, S., Knapp, S., Thalhammer, F., Stoiser, B. and Burgmann, H. (1998). Measurement of Serum Nitrite/Nitrate Concentrations using High-Performance Liquid Chromatography. *Journal of Chromatography B: Biomedical Sciences and Applications*, 706(2), 347-351.
- Englert, J. M., Dotzer, C., Yang, G., Schmid, M., Papp, C., Gottfried, J. M., Steinrück, H.-P., Spiecker, E., Hauke, F. and Hirsch, A. (2011). Covalent Bulk Functionalization of Graphene. *Nature Chemistry*, 3(4), 279-286.

- Erbentraut, J. (2016). Toxic Algae Blooms Aren't Just Florida's Problem. And They're On The Rise. Retrieved July 21, 2016, from www.thehuffingtonpost.com
- Eswaraiah, V., Balasubramaniam, K. and Ramaprabhu, S. (2012). One-Pot Synthesis of Conducting Graphene-Polymer Composites and Their Strain Sensing Application. *Nanoscale*, 4(4), 1258-1262.
- Fang, M., Wang, K., Lu, H., Yang, Y. and Nutt, S. (2009). Covalent Polymer Functionalization of Graphene Nanosheets and Mechanical Properties of Composites. *Journal of Materials Chemistry*, 19(38), 7098-7105.
- Fletcher, K. A., Storey, I. A., Hendricks, A. E., Pandey, S. and Pandey, S. (2001). Behavior of the Solvatochromic Probes Reichardt's Dye, Pyrene, Dansylamide, Nile Red and 1-Pyrenecarbaldehyde within the Room-Temperature Ionic Liquid bmimPF₆. *Green Chemistry*, 3(5), 210-215.
- Freedman, H. H. (1961). Intramolecular H-bonds. I. A Spectroscopic Study of the Hydrogen Bond between Hydroxyl and Nitrogen. *Journal of the American Chemical Society*, 83(13), 2900-2905.
- Ganesan, P., Kamaraj, R. and Vasudevan, S. (2013). Application of Isotherm, Kinetic and Thermodynamic Models for the Adsorption of Nitrate Ions on Graphene from Aqueous Solution. *Journal of the Taiwan Institute of Chemical Engineers*, 44(5), 808-814.
- Georgakilas, V., Otyepka, M., Bourlinos, A. B., Chandra, V., Kim, N., Kemp, K. C., Hobza, P., Zboril, R. and Kim, K. S. (2012). Functionalization of Graphene: Covalent and Non-Covalent Approaches, Derivatives and Applications. *Chemical reviews*, 112(11), 6156-6214.
- Ghosh, A., Jose, D. A., Das, A. and Ganguly, B. (2010). A Density Functional Study towards Substituent Effects on Anion Sensing with Urea Receptors. *Journal of Molecular Modeling*, 16(9), 1441-1448.
- Ghosh, T., Maiya, B. G. and Wong, M. W. (2004). Fluoride Ion Receptors Based on Dipyrrolyl Derivatives Bearing Electron-Withdrawing Groups: Synthesis,

- Optical and Electrochemical Sensing, and Computational Studies. *The Journal of Physical Chemistry A*, 108(51), 11249-11259.
- Gilje, S., Han, S., Wang, M., Wang, K. L. and Kaner, R. B. (2007). A Chemical Route to Graphene for Device Applications. *Nano Letters*, 7(11), 3394-3398.
- Griess, P. (1879). Bemerkungen Zu Der Abhandlung Der HH. Weselsky und Benedikt „Ueber Einige Azoverbindungen“. *Berichte Der Deutschen Chemischen Gesellschaft*, 12(1), 426-428.
- Guevara, I., Iwanejko, J., Dembińska-Kieć, A., Pankiewicz, J., Wanat, A., Anna, P., GolbekK, I., Bartuś, S., Malczewska-Malec, M. and Szczudlik, A. (1998). Determination of Nitrite/Nitrate in Human Biological Material by the Simple Griess Reaction. *Clinica Chimica Acta*, 274(2), 177-188.
- Guinaudeau, A., Mazieres, S., Wilson, D. J. and Destarac, M. (2012). Aqueous RAFT/MADIX Polymerisation of N-Vinyl Pyrrolidone at Ambient Temperature. *Polymer Chemistry*, 3(1), 81-84.
- Haaf, F., Sanner, A., & Straub, F. (1985). Polymers of N-Vinylpyrrolidone: Synthesis, Characterization and Uses. *Polymer Journal*, 17(1), 143-152.
- Hadzi, D. (1972). Spectroscopic and Structural Aspects of Very Strong Hydrogen-Bonds. *Chimia*, 26(1), 7.
- Hamilton, C. and Functionalization, C. (2009). *Coating of Carbon Nanomaterials*. PhD Thesis, U.S.
- Han, D., Shan, C., Guo, L., Niu, L. and Han, D. (2010). Electro-Oxidation of Ascorbic Acid on PVP-Stabilized Graphene Electrode. *Chemical Research in Chinese Universities*, 26(2), 287-290.
- He, X., Arsat, R., Sadek, A., Wlodarski, W., Kalantar-Zadeh, K. and Li, J. (2010). Electrospun PVP Fibers and Gas Sensing Properties of PVP/36 YX LiTaO₃ SAW Device. *Sensors and Actuators B: Chemical*, 145(2), 674-679.
- Ho, C.-H., Lin, S.-H., Hu, H.-C. and Tsay, Y.-F. (2009). CHL1 Functions as a Nitrate Sensor in Plants. *Cell*, 138(6), 1184-1194.

- Hord, N. G., Tang, Y. and Bryan, N. S. (2009). Food Sources of Nitrates and Nitrites: The Physiologic Context for Potential Health Benefits. *The American Journal of Clinical Nutrition*, 90(1), 1-10.
- Hossain, M. A., Kang, S. O., Llinares, J. M., Powell, D. and Bowman-James, K. (2003a). Elite New Anion Ligands: Polythioamide Macrocycles. *Inorganic Chemistry*, 42(17), 5043-5045.
- Hossain, M. A., Kang, S. O., Powell, D. and Bowman-James, K. (2003b). Anion Receptors: A New Class of Amide/Quaternized Amine Macrocycles and the Chelate Effect. *Inorganic Chemistry*, 42(5), 1397-1399.
- House, J. E. (2003). *Fundamentals of Quantum Chemistry*. (7th ed.) U.S.A.: Academic Press.
- Huang, X., Yin, Z., Wu, S., Qi, X., He, Q., Zhang, Q., Yan, Q., Boey, F. and Zhang, H. (2011). Graphene-Based Materials: Synthesis, Characterization, Properties, and Applications. *small*, 7(14), 1876-1902.
- Huang, Y. F., Xiao, H. N. and Chen, S. G. (2008). Preparation and Spectral Properties of PVP-Modified ZnO Nanorods. *Key Engineering Materials*, 368-332, 329-332.
- Hummers Jr, W. S. and Offeman, R. E. (1958). Preparation of Graphitic Oxide. *Journal of the American Chemical Society*, 80(6), 1339-1339.
- Işıklan, M., Saeed, M. A., Pramanik, A., Wong, B. M., Fronczek, F. R. and Hossain, M. A. (2011). AC 3 Symmetric Nitrate Complex with a Thiophene-Based Tripodal Receptor. *Crystal Growth Design*, 11(4), 959-963.
- Ito, K., Takayama, Y., Makabe, N., Mitsui, R. and Hirokawa, T. (2005). Ion Chromatography for Determination of Nitrite and Nitrate in Seawater using Monolithic ODS Columns. *Journal of Chromatography A*, 1083(1), 63-67.
- Jablonski, A. E., Lang, A. J. and Vyazovkin, S. (2008). Isoconversional Kinetics of Degradation of Polyvinylpyrrolidone used as a Matrix for Ammonium Nitrate Stabilization. *Thermochimica Acta*, 474(1), 78-80.
- Jana, M., Saha, S., Khanra, P., Murmu, N. C., Srivastava, S. K., Kuila, T. and Lee, J. H. (2014). Bio-Reduction of Graphene Oxide using Drained Water from

- Soaked Mung Beans (*Phaseolus aureus* L.) and its Application as Energy Storage Electrode Material. *Materials Science and Engineering: B*, 186, 33-40.
- Jeffrey, G. A. and Jeffrey, G. A. (1997). *An Introduction to Hydrogen Bonding*. New York: Oxford University Press.
- Jia, X., Chen, D. and Jiang, M. (2006). Preparation of PEO-*b*-P2VPH⁺-S₂O₈²⁻ Micelles in Water and Their Reversible UCST and Redox-Responsive Behavior. *Chemical Communications*, 16, 1736-1738.
- Jobgen, W. S., Jobgen, S. C., Li, H., Meininger, C. J. and Wu, G. (2007). Analysis of Nitrite and Nitrate in Biological Samples using High-Performance Liquid Chromatography. *Journal of Chromatography B*, 851(1), 71-82.
- Jose, D. A., Singh, A., Das, A. and Ganguly, B. (2007). A Density Functional Study towards the Preferential Binding of Anions to Urea and Thiourea. *Tetrahedron Letters*, 48(21), 3695-3698.
- Joshi, K. V., Joshi, B. K., Harikrishnan, U., Patel, M. B. and Menon, S. K. (2013). Polyvinyl Pyrrolidone Modified ZnS Nanoparticles as a Highly Selective and Sensitive Nanosensor for the Iodide Ion. *Analytical Methods*, 5(19), 4973-4977.
- Jung, J. H., Cheon, D. S., Liu, F., Lee, K. B. and Seo, T. S. (2010). A Graphene Oxide Based Immuno-Biosensor for Pathogen Detection. *Angewandte Chemie International Edition*, 49(33), 5708-5711.
- Kakaei, K. and Hasanpour, K. (2014). Synthesis of Graphene Oxide Nanosheets by Electrochemical Exfoliation of Graphite in Cetyltrimethylammonium Bromide and its Application for Oxygen Reduction. *Journal of Materials Chemistry A*, 2(37), 15428-15436.
- Kalaitzidou, K., Fukushima, H. and Drzal, L. T. (2007). A New Compounding Method for Exfoliated Graphite-Polypropylene Nanocomposites with Enhanced Flexural Properties and Lower Percolation Threshold. *Composites Science and Technology*, 67(10), 2045-2051.

- Kang, S. O., Begum, R. A. and Bowman-James, K. (2006). Amide-Based Ligands for Anion Coordination. *Angewandte Chemie International Edition*, 45(47), 7882-7894.
- Kang, S. O., Llinares, J. M., Powell, D., VanderVelde, D. and Bowman-James, K. (2003). New Polyamide Cryptand for Anion Binding. *Journal of the American Chemical Society*, 125(34), 10152-10153.
- Kavallieratos, K., Bertao, C. M. and Crabtree, R. H. (1999). Hydrogen Bonding in Anion Recognition: A Family of Versatile, Nonpreorganized Neutral and Acyclic Receptors. *The Journal of Organic Chemistry*, 64(5), 1675-1683.
- Kawski, A. (2002). On the Estimation of Excited-State Dipole Moments from Solvatochromic Shifts of Absorption and Fluorescence Spectra. *Zeitschrift für Naturforschung A*, 57(5), 255-262.
- Kazemzadeh, R., Andersen, K., Motha, L. and Kim, W. S. (2015). Highly Sensitive Pressure Sensor Array With Photothermally Reduced Graphene Oxide. *IEEE Electron Device Letters*, 36(2), 180-182.
- Khan, I., Ullah, H. and Imran, M. (2007). Nitrate and Phosphate Pollution in Surface and Ground Water in Western Malaysia. *Journal of the Chemical Society of Pakistan*, 29(4), 315-320.
- Khanna, P., Gokhale, R. and Subbarao, V. (2004). Poly(Vinyl Pyrrolidone) Coated Silver Nano Powder via Displacement Reaction. *Journal of Materials Science*, 39(11), 3773-3776.
- Kim, J., Cote, L. J., Kim, F. and Huang, J. (2009). Visualizing Graphene Based Sheets by Fluorescence Quenching Microscopy. *Journal of the American Chemical Society*, 132(1), 260-267.
- Koo, C. M., Ham, H. T., Choi, M. H., Kim, S. O. and Chung, I. J. (2003). Characteristics of Polyvinylpyrrolidone-Layered Silicate Nanocomposites Prepared by Attrition Ball Milling. *Polymer*, 44(3), 681-689.
- Korotcenkov, G. (Ed.). (2011). *Chemical Sensors: Fundamentals of Sensing Materials, Volume 3: Polymers and Other Materials*. New York: Momentum Press.

- Kundu, A., Layek, R. K., Kuila, A. and Nandi, A. K. (2012). Highly Fluorescent Graphene Oxide-Poly(Vinyl Alcohol) Hybrid: An Effective Material for Specific Au³⁺ Ion Sensors. *American Chemical Society Applied Materials & Interfaces*, 4(10), 5576-5582.
- Kuswandi, B., Verboom, W. and Reinhoudt, D. N. (2006). Tripodal Receptors for Cation and Anion Sensors. *Sensors*, 6(8), 978-1017.
- Kyrtopoulos, S. (1988). N-Nitroso Compound Formation in Human Gastric Juice. *Cancer Surveys*, 8(2), 423-442.
- Lakowicz, J. R. (2008). *Principles of Fluorescence Spectroscopy* (3rd ed). U.S.A.: Springer.
- Latif, I; Alwan, Taghreed B; Al-Dujaili, Ammar H. (2012) Low frequency Dielectric Study of PAPA-PVA-GR nanocomposites. *Nanoscience and Nanotechnology*, 2(6), 190-200.
- Lee, J.-H., Kim, S. K. and Kim, N. H. (2006). Effects of the Addition of Multi-Walled Carbon Nanotubes on the Positive Temperature Coefficient Characteristics of Carbon-Black-Filled High-Density Polyethylene Nanocomposites. *Scripta Materialia*, 55(12), 1119-1122.
- Lee, S. N., Poudel, B. K., Tran, T. H., Marasini, N., Pradhan, R., Im Lee, Y., Lee, D. W., Woo, J. S., Choi, H.-G. and Yong, C. S. (2013). A Novel Surface-Attached Carvedilol Solid Dispersion with Enhanced Solubility and Dissolution. *Archives of Pharmacal Research*, 36(1), 79-85.
- Lee, Y.-W., Han, S.-B., Kim, D.-Y. and Park, K.-W. (2011). Monodispersed Platinum Nanocubes for Enhanced Electrocatalytic Properties in Alcohol Electrooxidation. *Chemical Communications*, 47(22), 6296-6298.
- Li, C., Numata, M., Takeuchi, M. and Shinkai, S. (2005). A Sensitive Colorimetric and Fluorescent Probe Based on a Polythiophene Derivative for the Detection of ATP. *Angewandte Chemie*, 117(39), 6529-6532.
- Li, J., Guo, S., Zhai, Y. and Wang, E. (2009). Nafion-Graphene Nanocomposite Film as Enhanced Sensing Platform for Ultrasensitive Determination of Cadmium. *Electrochemistry Communications*, 11(5), 1085-1088.

- Li, T. and Wang, E. (1997). Electrocatalytic Oxidation and Flow Amperometric Detection of Hydrazine at an Electropolymerized 4-Vinylpyridine/Palladium Film Electrode. *Electroanalysis*, 9(15), 1205-1208.
- Lijinsky, W., Conrad, E. and Van de Bogart, R. (1972). Carcinogenic Nitrosamines Formed by Drug/Nitrite Interactions. *Nature*. 239, 165-167.
- Liu, H., Gao, J., Xue, M., Zhu, N., Zhang, M. and Cao, T. (2009). Processing of Graphene for Electrochemical Application: Noncovalently Functionalize Graphene Sheets with Water-Soluble Electroactive Methylene Green. *Langmuir*, 25(20), 12006-12010.
- Liu, H., Yang, G., Abdel-Halim, E. and Zhu, J.-J. (2013). Highly Selective and Ultrasensitive Detection of Nitrite Based on Fluorescent Gold Nanoclusters. *Talanta*, 104, 135-139.
- Liu, K., Zhang, J., Yang, G., Wang, C. and Zhu, J.-J. (2010). Direct Electrochemistry and Electrocatalysis of Hemoglobin Based on Poly(Diallyldimethylammonium Chloride) Functionalized Graphene Sheets/Room Temperature Ionic Liquid Composite Film. *Electrochemistry Communications*, 12(3), 402-405.
- Liu, Q., Zhu, X., Huo, Z., He, X., Liang, Y. and Xu, M. (2012). Electrochemical Detection of Dopamine in the Presence of Ascorbic Acid using PVP/Graphene Modified Electrodes. *Talanta*, 97, 557-562.
- Liu, Y., Liu, C.-Y. and Liu, Y. (2011). Investigation on Fluorescence Quenching of Dyes by Graphite Oxide and Graphene. *Applied Surface Science*, 257(13), 5513-5518.
- Liu, Y., Mills, R. C., Boncella, J. M. and Schanze, K. S. (2001). Fluorescent Polyacetylene Thin Film Sensor for Nitroaromatics. *Langmuir*, 17(24), 7452-7455.
- Loh, K. P., Bao, Q., Eda, G. and Chhowalla, M. (2010). Graphene Oxide as a Chemically Tunable Platform for Optical Applications. *Nature Chemistry*, 2(12), 1015-1024.

- Lu, C. H., Yang, H. H., Zhu, C. L., Chen, X. and Chen, G. N. (2009). A Graphene Platform for Sensing Biomolecules. *Angewandte Chemie*, 121(26), 4879-4881.
- Madasamy, T., Pandiaraj, M., Balamurugan, M., Bhargava, K., Sethy, N. K. and Karunakaran, C. (2014). Copper, Zinc Superoxide Dismutase and Nitrate Reductase Coimmobilized Bionzymatic Biosensor for the Simultaneous Determination of Nitrite and Nitrate. *Biosensors and Bioelectronics*, 52, 209-215.
- Malik, A. H., Hussain, S., Kalita, A. and Iyer, P. K. (2015). Conjugated Polymer Nanoparticles for the Amplified Detection of Nitro-Explosive Picric Acid on Multiple Platforms. *American Chemical Society Applied Materials & Interfaces*, 7(48), 26968-26976.
- Manea, F., Remes, A., Radovan, C., Pode, R., Picken, S., & Schoonman, J. (2010). Simultaneous Electrochemical Determination of Nitrate and Nitrite in Aqueous Solution using Ag-Doped Zeolite-Expanded Graphite-Epoxy Electrode. *Talanta*, 83(1), 66-71.
- Mano, N. and Heller, A. (2005). Detection of Glucose at 2 fM Concentration. *Analytical Chemistry*, 77(2), 729-732.
- Marcano, D. C., Kosynkin, D. V., Berlin, J. M., Sinitskii, A., Sun, Z., Slesarev, A., Alemany, L. B., Lu, W. and Tour, J. M. (2010). Improved Synthesis of Graphene Oxide. *American Chemical Society Nano*, 4(8), 4806-4814.
- Maréchal, Y. (2006). *The Hydrogen Bond and The Water Molecule: The Physics and Chemistry of Water, Aqueous and Bio-Media*. The Netherlands: Elsevier.
- Martínez-Máñez, R., Sancenón, F., Belén Descalzo, A. and Rurack, K. (2009). *Supramolecular Hybrid Materials- Integrating Functionality with Sensing. Macromolecules Containing Metal and Metal-Like Elements*. Germany: John Wiley & Sons, Inc.
- McQuade, D. T., Hegedus, A. H. and Swager, T. M. (2000a). Signal Amplification of a “Turn-On” Sensor: Harvesting the Light Captured by a Conjugated Polymer. *Journal of the American Chemical Society*, 122(49), 12389-12390.

- McQuade, D. T., Pullen, A. E. and Swager, T. M. (2000b). Conjugated Polymer-Based Chemical Sensors. *Chemical Reviews*, 100(7), 2537-2574.
- Miranda, K. M., Espey, M. G. and Wink, D. A. (2001). A Rapid, Simple Spectrophotometric Method for Simultaneous Detection of Nitrate and Nitrite. *Nitric Oxide*, 5(1), 62-71.
- Mohammed, W. M. (2014). B3LYP/DFT Calculations of C₅OH₅ and C₄O₂H₄ Molecules. *Advances in Physics Theories and Applications*. 28, 22-27.
- Mohanty, N. and Berry, V. (2008). Graphene-Based Single-Bacterium Resolution Biodevice and DNA Transistor: Interfacing Graphene Derivatives with Nanoscale and Microscale Biocomponents. *Nano Letters*, 8(12), 4469-4476.
- Momany, F. A., Appell, M., Willett, J. L. and Bosma, W. B. (2005). B3LYP/6-311++G** Geometry-Optimization Study of Pentahydrates of α - and β -d-Glucopyranose. *Carbohydrate Research*, 340(9), 1638-1655.
- Moorcroft, M. J., Davis, J. and Compton, R. G. (2001). Detection and Determination of Nitrate and Nitrite: A Review. *Talanta*, 54(5), 785-803.
- Moshage, H., Kok, B., Huizenga, J. R. and Jansen, P. (1995). Nitrite and Nitrate Determinations in Plasma: A Critical Evaluation. *Clinical Chemistry*, 41(6), 892-896.
- Nabid, M. R., Sedghi, R., Sharifi, R., Oskooie, H. A. and Heravi, M. M. (2013). Removal of Toxic Nitrate Ions from Drinking Water using Conducting Polymer/MWCNTs Nanocomposites. *Iranian Polymer Journal*, 22(2), 85-92.
- Namasivayam, C. and Sangeetha, D. (2005). Removal and Recovery of Nitrate from Water by ZnCl₂ Activated Carbon from Coconut Coir Pith, an Agricultural Solid Waste. *Indian Journal of Chemical Technology*, 12(5), 513-521.
- Nasouri, K., Shoushtari, A. M. and Mojtahedi, M. R. M. (2015). Thermodynamic Studies on Polyvinylpyrrolidone Solution Systems Used for Fabrication of Electrospun Nanostructures: Effects of the Solvent. *Advances in Polymer Technology*, 34(3), 21495.

- Niyogi, S., Bekyarova, E., Itkis, M. E., McWilliams, J. L., Hamon, M. A. and Haddon, R. C. (2006). Solution Properties of Graphite and Graphene. *Journal of the American Chemical Society*, 128(24), 7720-7721.
- Odiaka, T., Adejoro, I. and Akinyele, O. (2012). Semi-Empirical (PM3) Studies of Novel Aminopyridino-1-4- η -Cyclohexa-1, 3-Diene Iron Tricarbonyl Ccomplexes. *American Journal of Scientific and Industrial Research*, 3(1), 1-13.
- Ohno, Y., Maehashi, K., Yamashiro, Y. and Matsumoto, K. (2009). Electrolyte-Gated Graphene Field-Effect Transistors for Detecting pH and Protein Adsorption. *Nano Letters*, 9(9), 3318-3322.
- PARR, R. G. (1980). *Density Functional Theory of Atoms and Molecules*. Netherlands: Springer.
- Pimentel, G. C. and McClellan, A. L. (1960). *The Hydrogen Bond*. San Francisco: WH Freeman.
- Plumeré N. (2013). Interferences from Oxygen Reduction Reactions in Bioelectroanalytical Measurements: The Case Study of Nitrate and Nitrite Biosensors. *Analytical and Bioanalytical Chemistry*, 405(11), 3731-3738.
- Qu, Y., Hua, J., Jiang, Y. and Tian, H. (2009). Novel Side-Chain Naphthalimide Polyphenylacetylene as a Ratiometric Fluorescent Chemosensor for Fluoride Ion. *Journal of Polymer Science Part A: Polymer Chemistry*, 47(6), 1544-1552.
- Quan, D., Shim, J. H., Kim, J. D., Park, H. S., Cha, G. S. and Nam, H. (2005). Electrochemical Determination of Nitrate with Nitrate Reductase-Immobilized Electrodes Under Ambient Air. *Analytical chemistry*, 77(14), 4467-4473.
- Raghuvanshi, S. K., Raghuvanshi, S.K., Srivastava, A.K., Srivastava, A.K., Wahab, M.A. and Wahab, M.A. (2015). Structural, Morphological and Optical Properties of Silver Doped Polyvinylpyrrolidone Composites. *Indian Journal of Pure & Applied Physics (IJPAP)*, 52(3), 192-197.

- Rangel-Vázquez, N. A. and Félix, F. R. (2014). *Computational Chemistry Applied in the Analyses of Chitosan/Polyvinylpyrrolidone/Mimosa Tenuiflora (1st ed)*. India: Science Publishing Group.
- Rawat, A., Mahavar, H., Tanwar, A. and Singh, P. (2014). Study of Electrical Properties of Polyvinylpyrrolidone/Polyacrylamide Blend Thin Films. *Bulletin of Materials Science*, 37(2), 273-279.
- Razzak, M. T., Dewi, S., Lely, H. and Taty, E. (1999). The Characterization of Dressing Component Materials and Radiation Formation of PVA–PVP Hydrogel. *Radiation Physics and Chemistry*, 55(2), 153-165.
- Ren, W., Fang, Y. and Wang, E. (2011). A Binary Functional Substrate for Enrichment and Ultrasensitive SERS Spectroscopic Detection of Folic Acid using Graphene Oxide/Ag Nanoparticle Hybrids. *American Chemical Society Nano*, 5(8), 6425-6433.
- Ren, W., Mura, S. and Irudayaraj, J. M. (2015). Modified Graphene Oxide Sensors for Ultra-Sensitive Detection of Nitrate Ions in Water. *Talanta*, 143, 234-239.
- Rochat, S. and Swager, T. M. (2013). Conjugated Amplifying Polymers for Optical Sensing Applications. *American Chemical Society Applied Materials & Interfaces*, 5(11), 4488-4502.
- Rose, A., Zhu, Z., Madigan, C. F., Swager, T. M. and Bulović, V. (2005). Sensitivity Gains in Chemosensing by Lasing Action in Organic Polymers. *Nature*, 434(7035), 876-879.
- Rostami, A. and Taylor, M. S. (2012). Polymers for Anion Recognition and Sensing. *Macromolecular Rapid Communications*, 33(1), 21-34.
- Sahoo, S., Barik, S. K., Sharma, G., Khurana, G., Scott, J. and Katiyar, R. S. (2012). Reduced Graphene Oxide as Ultra-Fast Temperature Sensor. *arXiv:1204.1928*.
- Saleem, M. (2013). Biosensors a Promising Future in Measurements. *1st International Conference on Sensing for Industry, Control, Communications, & Security, Technologies*. 24-26 June. Karachi, Pakistan, 012012.

- Saleh, T. A. (2013). The Role of Carbon Nanotubes in Enhancement of Photocatalysis. S. Suzuki. *Syntheses And Applications Of Carbon Nanotubes And Their Composites* (479-493). Japan: InTech.
- Saravanan, L., Diwakar, S., Mohankumar, R., Pandurangan, A. and Jayavel, R. (2011). Synthesis, Structural and Optical Properties, of PVP Encapsulated, CdS Nanoparticles. *Nanomaterials and Nanotechnology*, 1(2), 42-48.
- Sastry, K. V. H., Moudgal, R. P., Mohan, J., Tyagi, J. S. and Rao, G. S. (2002). Spectrophotometric Determination of Serum Nitrite and Nitrate by Copper–Cadmium Alloy. *Analytical Biochemistry*, 306(1), 79-82.
- Saxena, A., Fujiki, M., Rai, R. and Kwak, G. (2005). Fluoroalkylated Polysilane Film as a Chemosensor for Explosive Nitroaromatic Compounds. *Chemistry of materials*, 17(8), 2181-2185.
- Schedin, F., Geim, A., Morozov, S., Hill, E., Blake, P., Katsnelson, M. and Novoselov, K. (2007). Detection of Individual Gas Molecules Adsorbed on Graphene. *Nature materials*, 6(9), 652-655.
- Senra-Ferreiro, S., Pena-Pereira, F., Lavilla, I. and Bendicho, C. (2010). Griess Micro-Assay for the Determination of Nitrite by Combining Fibre Optics-Based Cuvetteless UV–Vis Micro-Spectrophotometry with Liquid-Phase Microextraction. *Analytica Chimica Acta*, 668(2), 195-200.
- Sessler, J. L., Camiolo, S. and Gale, P. A. (2003). Pyrrolic and Polypyrrolic Anion Binding Agents. *Coordination Chemistry Reviews*, 240(1), 17-55.
- Park, S.-M., Huh, Y. S., Craighead, H. G. and Erickson, D. (2009). A Method for Nanofluidic Device Prototyping using Elastomeric Collapse. *Proceedings of the National Academy of Sciences*, 106(37), 15549-15554.
- Shahriary, L. and Athawale, A. A. (2014). Graphene Oxide Synthesized by using Modified Hummers Approach. *International Journal of Renewable Energy and Environmental Engineering*, 2(1), 58-63.
- Shamsuddin, A. S., Ismail, S. N. S., Abidin, E. Z., Bin, H. Y. and Juahir, H. (2016). Contamination of Nitrate in Groundwater and Evaluation of Health Risk in

- Bachok, Kelantan: A Cross-Sectional Study. *American Journal of Applied Sciences*, 13(1), 80-90.
- Shao, Y., Wang, J., Engelhard, M., Wang, C. and Lin, Y. (2010a). Facile and Controllable Electrochemical Reduction of Graphene Oxide and its Applications. *Journal of Materials Chemistry*, 20(4), 743-748.
- Shao, Y., Wang, J., Wu, H., Liu, J., Aksay, I. A. and Lin, Y. (2010b). Graphene Based Electrochemical Sensors and Biosensors: A Review. *Electroanalysis*, 22(10), 1027-1036.
- Shariar, S. M., & Hinoue, T. (2010). Simultaneous Voltammetric Determination of Nitrate and Nitrite Ions using a Copper Electrode Pretreated by Dissolution Redeposition. *Analytical Sciences*. 26(11), 1173-1179.
- Sheth, G. N. (1991). Studies of the Interaction of Polyvinyl Pyrrolidone with Reduced Vat Dyes using Visible Spectroscopy. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 47(1), 63-68.
- Shiddiky, M. J., Won, M. S., & Shim, Y. B. (2006). Simultaneous Analysis of Nitrate and Nitrite in a Microfluidic Device with a Cu-Complex-Modified Electrode. *Electrophoresis*, 27(22), 4545-4554.
- Shi, X., Gu, W., Peng, W., Li, B., Chen, N., Zhao, K. and Xian, Y. (2014). Sensitive Pb^{2+} Probe Based on the Fluorescence Quenching by Graphene Oxide and Enhancement of the Leaching of Gold Nanoparticles. *American Chemical Society Applied Materials & Interfaces*, 6(4), 2568-2575.
- Shin, Y.-R., Jung, S.-M., Jeon, I.-Y. and Baek, J.-B. (2013). The Oxidation Mechanism of Highly Ordered Pyrolytic Graphite in a Nitric Acid/Sulfuric Acid Mixture. *Carbon*, 52, 493-498.
- Silberberg, M. S., Duran, R., Haas, C. G. and Norman, A. D. (2006). *Chemistry: The Molecular Nature of Matter and Change*. New York: McGraw-Hill.
- Singh, A. S. and Sun, S.-S. (2012). Recognition, Encapsulation, and Selective Fluorescence Sensing of Nitrate Anion by Neutral C3-Symmetric Tripodal

- Podands Bearing Amide Functionality. *The Journal of Organic Chemistry*, 77(4), 1880-1890.
- Sisson, A. L., Clare, J. P., Taylor, L. H., Charmant, J. P. H. and Davis, A. P. (2003). Perturbing the Hofmeister Series: A Steroid-Based Anion Receptor with Preorganised Quaternary Ammonium and H-Bond Donor Groups. *Chemical Communications*, 17, 2246-2247.
- Smil, V. (1997). Global Population and the Nitrogen Cycle. *Scientific American*, 277(1), 76-81.
- Sohn, H., Sailor, M. J., Magde, D. and Trogler, W. C. (2003). Detection of Nitroaromatic Explosives Based on Photoluminescent Polymers Containing Metalloles. *Journal of the American Chemical Society*, 125(13), 3821-3830.
- Späth, A. and König, B. (2010). Molecular Recognition of Organic Ammonium Ions in Solution using Synthetic Receptors. *Beilstein Journal of Organic Chemistry*, 6(1), 32.
- Stalikas, C. D., Konidari, C. N. and Nanos, C. G. (2003). Ion Chromatographic Method for the Simultaneous Determination of Nitrite and Nitrate by Post-Column Indirect Fluorescence Detection. *Journal of Chromatography A*, 1002(1), 237-241.
- Staudenmaier, L. (1898). Verfahren Zur Darstellung Der Graphitsäure. *Berichte Der Deutschen Chemischen Gesellschaft*, 31(2), 1481-1487.
- Stratford, M. R. L., Dennis, M. F., Cochrane, R., Parkins, C. S. and Everett, S. A. (1997). The Role of Nitric Oxide in Cancer Improved Methods for Measurement of Nitrite and Nitrate by High-Performance Ion Chromatography. *Journal of Chromatography A*, 770(1), 151-155.
- Strianese, M., Milione, S., Bertolasi, V. and Pellicchia, C. (2013). Iron and Manganese Pyridoxal-Based Complexes as Fluorescent Probes for Nitrite and Nitrate Anions in Aqueous Solution. *Inorganic Chemistry*, 52(20), 11778-11786.

- Sun, J., Zhang, X., Broderick, M. and Fein, H. (2003). Measurement of Nitric Oxide Production in Biological Systems by using Griess Reaction Assay. *Sensors*, 3(8), 276-284.
- Swann, P. F. (1975). The Toxicology of Nitrate, Nitrite and N-Nitroso Compounds. *Journal of the Science of Food and Agriculture*, 26(11), 1761-1770.
- Tang, I. H., Hendrik, O. L. and Yuliati, L. (2016). Detection of Nitrite and Nitrate Ions in Water by Graphene Oxide as a Potential Fluorescence Sensor. *IOP Conference Series: Materials Science and Engineering*. 8-9 September, Solo, Indonesia, 012027.
- Tang, I. H., Hendrik, O. L. and Yuliati, L. (2016). Polyvinylpyrrolidone as a New Fluorescent Sensor for Nitrate Ion. *27th Regional Symposium of Malaysia Analytical Sciences*, 9-10 December, Johor, Malaysia, 288-195.
- Thi, T. M., Tinh, L. V., Van, B. H., Ben, P. V. and Trung, V. Q. (2012). The Effect of Polyvinylpyrrolidone on the Optical Properties of the Ni-Doped ZnS Nanocrystalline Thin Films Synthesized by Chemical Method. *Journal of Nanomaterials*, 2012, 1-8.
- Tran Minh, T., Pham Van, B., Dang Van, T. and Nguyen Thi, H. (2013). The Optical Properties and Energy Transition Process in Nanocomposite of Polyvinylpyrrolidone Polymer and Mn-Doped ZnS. *Optical and Quantum Electronics*, 45(2), 147-159.
- Trishna K. S (2012). *Super Course in Chemistry for the IIT-JEE: Physical Chemistry*. India: Pearson Education India
- Turner, D. R., Paterson, M. J. and Steed, J. W. (2006). A Conformationally Flexible, Urea-Based Tripodal Anion Receptor: Solid-State, Solution, and Theoretical Studies. *The Journal of Organic Chemistry*, 71(4), 1598-1608.
- Valeur, B. and Berberan-Santos, M. N. (2012). *Molecular Fluorescence: Principles and Applications* (2nd ed). Weinheim, Germany: Wiley-VCH .
- Verdon, C. P., Burton, B. A. and Prior, R. L. (1995). Sample Pretreatment with Nitrate Reductase and Glucose-6-Phosphate Dehydrogenase Quantitatively Reduces Nitrate while Avoiding Interference by NADP⁺ when the Griess

- Reaction is Used to Assay for Nitrite. *Analytical Biochemistry*, 224(2), 502-508.
- Wang, C., Yang, S., Yi, M., Liu, C., Wang, Y., Li, J., Li, Y. and Yang, R. (2014). Graphene Oxide Assisted Fluorescent Chemodosimeter for High-Performance Sensing and Bioimaging of Fluoride Ions. *American Chemical Society Applied Materials & Interfaces*, 6(12), 9768-9775.
- Wang, H., Hao, Q., Yang, X., Lu, L. and Wang, X. (2009a). Graphene Oxide Doped Polyaniline for Supercapacitors. *Electrochemistry Communications*, 11(6), 1158-1161.
- Wang, H., Zhang, Q., Chu, X., Chen, T., Ge, J. and Yu, R. (2011). Graphene Oxide-Peptide Conjugate as an Intracellular Protease Sensor for Caspase-3 Activation Imaging in Live Cells. *Angewandte Chemie International Edition*, 50(31), 7065-7069.
- Wang, P., Gan, T., Zhang, J., Luo, J. and Zhang, S. (2013a). Polyvinylpyrrolidone-Enhanced Electrochemical Oxidation and Detection of Acyclovir. *Journal of Molecular Liquids*, 177, 129-132.
- Wang, S., Lin, K., Chen, N., Yuan, D. and Ma, J. (2016). Automated Determination of Nitrate plus Nitrite in Aqueous Samples with Flow Injection Analysis using Vanadium (III) Chloride as Reductant. *Talanta*, 146, 744-748.
- Wang, T., Schlueter, K. T., Riehl, B. L., Johnson, J. M. and Heineman, W. R. (2013b). Simplified Nitrate-Reductase-Based Nitrate Detection by a Hybrid Thin-Layer Controlled Potential Coulometry/Spectroscopy Technique. *Analytical Chemistry*, 85(20), 9486-9492.
- Wang, W.-P. and Pan, C.-Y. (2004). Preparation and Characterization of Polystyrene/Graphite Composite Prepared by Cationic Grafting Polymerization. *Polymer*, 45(12), 3987-3995.
- Wang, Y., Li, Y., Tang, L., Lu, J. and Li, J. (2009b). Application of Graphene-Modified Electrode for Selective Detection of Dopamine. *Electrochemistry Communications*, 11(4), 889-892.

- Wei, S., Lian, J. and Jiang, Q. (2009). Controlling Growth of ZnO Rods by Polyvinylpyrrolidone (PVP) and Their Optical Properties. *Applied Surface Science*, 255(15), 6978-6984.
- Whittington, C. L., Maza, W. A., Woodcock, H. L. and Larsen, R. W. (2012). Understanding Ion Sensing in Zn(II) Porphyrins: Spectroscopic and Computational Studies of Nitrite/Nitrate Binding. *Inorganic Chemistry*, 51(8), 4756-4762.
- Schwarz, W. (1990). *PVP: A Critical Review of the Kinetics and Toxicology of Polyvinylpyrrolidone (Povidon)*. U.S.A: CRC Press.
- Wu, C. Y., Chen, M. S., Lin, C. A., Lin, S. C. and Sun, S. S. (2006a). Photophysical Studies of Anion-Induced Colorimetric Response and Amplified Fluorescence Quenching in Dipyrrolylquinoxaline-Containing Conjugated Polymers. *Chemistry - A European Journal*, 12(8), 2263-2269.
- Wu, K., Shi, L., Zhang, W., An, Y., Zhang, X., Li, Z. and Zhu, X. (2006b). Thermoresponsiveness of Hybrid Micelles from Poly(Ethylene Glycol)-Block-Poly (4-Vinylpyridium) Cations and SO_4^{2-} Anions in Aqueous Solutions. *Langmuir*, 22(4), 1474-1477.
- Wu, K., Shi, L., Zhang, W., An, Y., Zhu, X.-X., Zhang, X. and Li, Z. (2005). Formation of Hybrid Micelles between Poly(Ethylene Glycol)-Block-Poly(4-Vinylpyridinium) Cations and Sulfate Anions in an Aqueous Milieu. *Soft Matter*, 1(6), 455-459.
- Yamaguchi, S., Jin, R.-Z. and Tamao, K. (1998). Modification of the Electronic Structure of Silole by the Substituents on the Ring Silicon. *Journal of Organometallic Chemistry*, 559(1), 73-80.
- Yang, J.-S. and Swager, T. M. (1998a). Fluorescent Porous Polymer Films as TNT Chemosensors: Electronic and Structural Effects. *Journal of American Chemical Society*, 120(46), 11864-11873.
- Yang, J.-S. and Swager, T. M. (1998b). Porous Shape Persistent Fluorescent Polymer Films: An Approach to TNT Sensory Materials. *Journal of the American Chemical Society*, 120(21), 5321-5322.

- Yang, X., Zhang, X., Liu, Z., Ma, Y., Huang, Y. and Chen, Y. (2008). High-Efficiency Loading and Controlled Release of Doxorubicin Hydrochloride on Graphene Oxide. *The Journal of Physical Chemistry C*, 112(45), 17554-17558.
- Yen, T. P. and Rohasliney, H. (2013). Status of Water Quality Subject to Sand Mining in the Kelantan River, Kelantan. *Tropical Life Sciences Research*, 24(1), 19-34.
- Yoon, D.-W., Gross, D. E., Lynch, V. M., Sessler, J. L., Hay, B. P. and Lee, C.-H. (2008). Benzene-, Pyrrole-, and Furan-Containing Diametrically Strapped Calix[4]pyrroles - An Experimental and Theoretical Study of Hydrogen-Bonding Effects in Chloride Anion Recognition. *Angewandte Chemie International Edition*, 47(27), 5038-5042.
- Young, D. (2001). *Computational Chemistry: A Practical Guide for Applying Techniques to Real World Problems*. New York: John Wiley & Sons.
- Yu, D.-G., Shen, X.-X., Branford-White, C., White, K., Zhu, L.-M. and Bligh, S. A. (2009). Oral Fast-Dissolving Drug Delivery Membranes Prepared from Electrospun Polyvinylpyrrolidone Ultrafine Fibers. *Nanotechnology*, 20(5), 055104.
- YuQing, M., JianRong, C. and XiaoHua, W. (2004). Using Electropolymerized Non-Conducting Polymers to Develop Enzyme Amperometric Biosensors. *Trends in Biotechnology*, 22(5), 227-231.
- Zhang, D., Tong, J. and Xia, B. (2014). Humidity-Sensing Properties of Chemically Reduced Graphene Oxide/Polymer Nanocomposite Film Sensor Based on Bayer-by-Layer Nano Self-Assembly. *Sensors and Actuators B: Chemical*, 197, 66-72.
- Zhang, J., Shen, G., Wang, W., Zhou, X. and Guo, S. (2010a). Individual Nanocomposite Sheets of Chemically Reduced Graphene Oxide and Poly(N-Vinyl Pyrrolidone): Preparation and Humidity Sensing Characteristics. *Journal of Materials Chemistry*, 20(48), 10824-10828.

- Zhang, K., Zhang, L. L., Zhao, X. and Wu, J. (2010b). Graphene/Polyaniline Nanofiber Composites as Supercapacitor Electrodes. *Chemistry of Materials*, 22(4), 1392-1401.
- Wang, Z. J., Zhou, X. Z., Zhang, J., Boey, F. and Zhang, H. (2009). Direct Electrochemical Reduction of Single-Layer Graphene Oxide and Subsequent Functionalization with Glucose Oxidase. *The Journal of Physical Chemistry C*, 113(32), 14071-14075.
- Zhou, G., Cheng, Y., Wang, L., Jing, X. and Wang, F. (2005). Novel Polyphenylenes Containing Phenol-Substituted Oxadiazole Moieties as Fluorescent Chemosensors for Fluoride Ion. *Macromolecules*, 38(6), 2148-2153.
- Zhu, L., Yang, C., Zhang, W. and Qin, J. (2008). Synthesis, Characterization and Photophysical Properties of Novel Fluorene-Based Copolymer with Pendent Urea Group: Fluorescent Response for Anions Through H-Bonding Interaction. *Polymer*, 49(1), 217-224.
- Zhu, Y., Murali, S., Cai, W., Li, X., Suk, J. W., Potts, J. R. and Ruoff, R. S. (2010). Graphene and Graphene Oxide: Synthesis, Properties, and Applications. *Advanced Materials*, 22(35), 3906-3924.