



## **HOW TO SEARCH THIS DOCUMENT**

Smart device: Open in either the 'iBooks' app (Apple) or 'My Files' app (Android). Both are built in apps and

have a magnifying glass search icon.

PC or similar: 'Ctrl' + 'F' or 'Edit' then 'Find'

## **Contents**

I	ree Paper Oral Presentations	13
	76: Horses for courses: targeted or universal MRSA screening in high endemic situations?	13
	111: Effects of piperacillin-tazobactam exposure on intestinal colonisation with <i>Klebsiella pneumoniae</i> OXA-48 in an in-vitro gut model	
	215: Multisite Bacillus outbreak related to laundry management	15
	46: Are we missing oral MRSA? A comparison of two screening methods.	16
	69: Transmission of <i>Clostridium difficile</i> spores within an American healthcare facility	17
	120: Blue light (400nm) – a novel decontamination strategy for carbapenemase-producing Enterobacteriaceae?	18
	59: Biofilm and the genesis of cancer on implantable medical devices	19
	64: Reducing catheter associated urinary tract infections in hospitals: a multi-site randomised controllestudy	
	135: Outcome of hospitalised patients with catheter-associated complicated urinary tract infection.  Results of the COMBACTE-MAGNET, RESCUING study	21
	115: Assessment of screening methods used for the detection of the carbapenamase producing Enterobacteriaceae (CPE) Klebsiella pneumoniae OXA-48	22
	57: Improving hand hygiene compliance among anaesthetic staff using the WHO concept "patient's contaminated zone"	23
	53: Epidemiology and interventions in 23 carbepenem-resistant organism outbreaks involving hospital wastewater drains	
	146: Evaluation of droplet production by a new design of clinical hand wash basin for the healthcare environment	25
	148: Use of a model hospital sink system to investigate proliferation, aerosolisation and dispersal of carbapenemase-producing <i>Enterobacteriaceae</i> from hospital waste traps	26

## 200: *Cryptosporidium* spp. in the English urban environment: a public health concern?

<u>Anjum U<sup>1</sup></u>, Magnet A<sup>2</sup>, Izquierdo F<sup>2</sup>, Peña-Fernández A<sup>1</sup>

1De Montfort University, <sup>2</sup>Facultad de Farmacia, Universidad San Pablo CEU

Poster Talk 2 (Mon 26 Nov 17:15 - 18:15), Exhibition Hall, November 26, 2018, 5:15 PM - 6:15 PM

Several species of *Cryptosporidium* can infect humans and have been described as opportunistic parasites. Different outbreaks have been described in the UK as oocysts of these pathogens can spread through contaminated water and food as some species of Cryptosporidium, such as C. parvum, exhibit resistance to harsh environmental conditions. These pathogens have been found in animal faeces, thus we reported the presence of Cryptosporidium spp. in a dog faecal sample collected in a highly frequented public park in Leicester city centre (UK), after screening 9 topsoil and 18 faecal samples. As a result, and to determine potential risks to the Leicester population, we collected 132 animal faecal samples [37 deer, 13 dogs, 4 cats and 78 avian (27 uncertain due to diarrhoea, 25 pigeon, 14 waterfowl and 12 songbird)] across different parks in Leicester from June 2017 to May 2018. Animal faecal samples were appropriately screened using Kinyoun's acid-fast staining. We observed structures related to Cryptosporidium spp. in 16 faecal samples as follows: 10.3% avian (3 pigeon, 2 songbird and 3 diarrhoeic), 18.9% deer and 7.7% dog. However, and in order to characterise the risks to the local population, molecular analysis will be required to determine if the oocysts of Cryptosporidium spp. found are from anthroponotic species. Our results might highlight the relevance of performing environmental monitoring studies to determine the presence of these pathogens in the urban environment due to the unprecedented expansion of the urban media that is occurring to a global scale.