

Scholars' Mine

Masters Theses

Student Theses and Dissertations

Spring 2014

Comparison of costs of personal protective equipment for all workers to avoid costs of fall accidents

Sultan Noori Al-karawi

Follow this and additional works at: https://scholarsmine.mst.edu/masters_theses



Part of the Civil Engineering Commons

Department:

Recommended Citation

Al-karawi, Sultan Noori, "Comparison of costs of personal protective equipment for all workers to avoid costs of fall accidents" (2014). Masters Theses. 7261.

https://scholarsmine.mst.edu/masters_theses/7261

This thesis is brought to you by Scholars' Mine, a service of the Missouri S&T Library and Learning Resources. This work is protected by U. S. Copyright Law. Unauthorized use including reproduction for redistribution requires the permission of the copyright holder. For more information, please contact scholarsmine@mst.edu.

COMPARISON OF COSTS OF PERSONAL PROTECTIVE EQUIPMENT

FOR ALL WORKERS TO AVOID COSTS OF

FALL ACCIDENTS

by

SULTAN NOORI AL-KARAWI

A THESIS

Presented to the Faculty of the Graduate School of the MISSOURI UNIVERSITY OF SCIENCE AND TECHNOLOGY

In Partial Fulfillment of the Requirements for the Degree

MASTER OF SCIENCE IN CIVIL ENGINEERING

2014 Approved by:

W. Eric Showalter, Advisor Stuart Baur Suzanna Long

© 2014 SULTAN NOORI AL-KARAWI ALL RIGHTS RESERVE

ABSTRACT

The construction industry is one of the most important industries in the United States. It is the biggest contributor in the growth of the U.S. economy. Despite the great achievements and prominent role for this sector in the U.S. economy, the construction industry is suffering from neglect and dereliction by related government institutions and private companies. This neglect led to formation of a negative image about the construction industry that has caused a deep impact in productivity and economic growth. One of the reasons is a high percentage of accidents that occur within the construction industry which leads to injuries and fatalities. The construction industry consists of about 5% of the U.S.A work force, and accounts for some 20% of the work fatalities and 12% of disabling injuries. The largest percentages of fatalities or injuries in the construction industry were the result of a fall. The falling fatality rate was about 33.3% of the total attributed most common accidents in this sector at 2010 (CPWR, 2013), and this percentage increased in 2012 as the number of fatalities due to falls was to 280 out of 775 people killed in industrial constructions (United States Department of Labor, 2012).

This thesis is a comparison between the total cost of fall accidents and costs of protective programs to reduce a fall accidents. The lack of accurate information about costs is one of the main reasons that employers show little interest in supporting the protective systems to avoid a fall hazards. The mechanism that was used in this thesis is a realistic comparison between costs that may occur as a result of fall accident in the construction industry, and costs of use of Personal Protective Equipment (PPE).

ACKNOWLEDGEMENTS

I am very grateful to my thesis advisor, Dr. Eric Showalter, for his guidance and encouragement. His expertise in Construction Engineering improved my research skills and prepared me for future challenges, thanks for his support. I thank my other committee members, Dr. Stuart Baur, and Dr. Suzanna Long, for their helpful suggestions and comments during my study. Dr. Suzanna Long, I would like to say I am very pleased when ''I was in your class (Management for Engineers & Scientists)''. I would like to extend my thanks to the faculty & staff of the Department of Civil Engineering at Missouri University of Science & Technology.

I would like take this opportunity to present this modest effort to several people who made this endeavor possible. First and foremost, dedicate this effort to the memory of my father who has been deceased since I was nine years old. I also dedicate this effort to my mother, who helped me with her prayer and kindness, and she was as my father and mother in my life. To the faithfulness in my wife and her love, I dedicate my respect and love for her. Thanks to my brothers and sisters who wish to me always a better Life. Thanks to my colleagues. Thanks to Iraqi students in Rolla city. Thanks to Staff and Faculty of Diyala University. Lastly, I would like of my heart to present my master degree to my dear son "Mokhalad". I am asking God to keep him for us, and make to him a better future.

TABLE OF CONTENTS

| | Page |
|---|------|
| ABSTRACT | iii |
| ACKNOWLEDGEMENTS | iv |
| LIST OF ILLUSTRATIONS | vii |
| LIST OF TABLES | viii |
| SECTION | |
| 1. INTRODUCTION | 1 |
| 2. REVIEW OF LITERATURE | 5 |
| 3. BACKGROUND | 10 |
| 4. METHODOLOGY | 11 |
| 5. U.S CONSTRUCTIONS | 14 |
| 5.1. U.S CONSTRUCTION INDUSTRY PROFILE | 14 |
| 5.2. CONSTRUCTION AND EMPLOYMENT | 14 |
| 5.3. VALUE OF CONSTRUCTION SPENDING (PUT IN PLACE) | 17 |
| 6. CONSTRUCTION SAFETY | 19 |
| 6.1. IMPORTANT OF CONSTRUCTION SAFETY AND HEALTH | 19 |
| 6.2. FALL ACCIDENT IMPORTANCE IN THE CONSTRUCTION INDUSTRY. | 21 |
| 7. FALLS IMPACT ON ECONOMY | 23 |
| 7.1. DIRECT COST | 23 |
| 7.2 INDIRECT COST | 25 |
| 7.3 WORKERS' COMPENSATION INSURANCE | 29 |
| 8. FALLS PROTECTION AND COST | 32 |
| 8.1 FALLS PROTECTION | 32 |
| 8.1.1 Fall Protection System. | 32 |
| 8.1.2 Conventional Fall Protection | 33 |
| 8.1.2.1 Personal fall arrest systems. | 33 |
| 8.1.2.1.1 The anchor | 33 |

| 8.1.2.1.2 Connectors. | 33 |
|---|----|
| 8.1.2.1.3 The body harness. | 34 |
| 8.1.2.1.4 Lanyards. | 34 |
| 8.1.2.1.5 Deceleration devices. | 35 |
| 8.1.2.1.6 Lifelines. | 35 |
| 8.1.2.2 Guardrail systems. | 36 |
| 8.1.2.3 Safety net systems. | 37 |
| 8.1.3 Other Fall Protection Systems and Methods | 38 |
| 8.1.3.1 Fall restraint systems. | 38 |
| 8.1.3.2 Positioning device systems. | 39 |
| 8.1.3.3 Warning line systems. | 39 |
| 8.1.3.4 Safety monitoring systems. | 40 |
| 8.1.3.5 Controlled access zones. | 40 |
| 8.1.3.6 Covers | 41 |
| 8.1.3.7 Training workers about fall protection | 41 |
| 8.2 COST OF FALL PPE | 42 |
| 9. CONCLUSION AND RECOMMENDATION | 44 |
| 10. AREAS OF FUTURE RESEARCH | 46 |
| APPENDICES | |
| A FATAL OCCUPATIONAL INJURIES BY INDUSTRY AND EVENT OR EXPOSURE, ALL U.S. | 47 |
| B CURRENT EMPLOYMENT STATISTICS SURVEY, ALL U.S | 58 |
| C ANNUAL VALUE OF CONSTRUCTION PUT IN PLACE, 1993 - 2013 | 63 |
| BIBLIOGRAPHY | 69 |
| VITA | 73 |

LIST OF ILLUSTRATIONS

| | Page |
|---|------|
| Figure 1.1 Annual Construction as % of Gross Domestic Product (GPD) | 3 |
| Figure 1.2 Causes of Construction Fatalities. | 4 |
| Figure 5.1 Employment by Construction Industry from 1970 to 2010 | 15 |
| Figure 5.2 The Employment in Construction Industry between 2007-2010 | 16 |
| Figure 5.3 Annual Value of Construction Put in Place, 1993-2012. | 18 |
| Figure 6.1 Fatalities in Construction from 2000 to 2010. | 20 |
| Figure 6.2 The Rates of Fatalities per 100,000 Workers for Construction and all | |
| Industries Combined from 2001 to 2010. | 20 |
| Figure 6.3 Causes of Construction Fatalities. | 21 |
| Figure 6.4 Analysis of Fatalities Caused by Fall Accidents. | 22 |
| Figure 6.5 The Percentage of Fall Accidents from Various Activities | 22 |
| Figure 7.1 Percentage of Fall Claims Volume and Cost | 24 |
| Figure 7.2 The Ratio of Indirect Cost to Direct Cost for Constructon Accidents | 26 |
| Figure 8.1 Shows Horizontal Lifeline. | 36 |
| Figure 8.2 Shows Design of A guardrail Systems. | 37 |
| Figure 8.3 Shows Simple Design of A warning Line System. | 39 |
| Figure 8.4 Shows Controlled Access Zone. | 40 |
| Figure 8.5 Shows Covers Systems. | 41 |

LIST OF TABLES

| | Page |
|---|------|
| Table 1.1 Statistics on the Size, and Annual Revenue of the Construction Industry | |
| in the United States. | 2 |
| Table 1.2 Percent of Employment for Industry. | 2 |
| Table 4.1 Costs of Fall Avoidance and Costs of Fall Accident. | 13 |
| Table 5.1 Employment by Major Industry Sector from 1970 to 2010 | 15 |
| Table 5.2 The Employment in Construction Industry between 2007-2010 | 16 |
| Table 7.1 Average Cost and Days Lost Per Day through 2010-2012 | 24 |
| Table 7.2 Direct Cost of Total Construction and Falls. | 25 |
| Table 7.3 Time-Related Indirect Injury Cost Calculations. | 27 |
| Table 7.4 Production- Related Indirect Injury Cost Calculations | 28 |
| Table 8.1 Minimum Required Horizontal Distance of Outer Edge of Net from the | Edge |
| of the Working Surface. | 38 |
| Table 8.2 Cost of PPE to Protect from A fall in Construction Industries | 42 |
| Table 8.3 Other Fall Protection Systems and Methods Cost. | 43 |

1. INTRODUCTION

The construction industry in the United States is a huge and diverse industry to a great extent. Ranging from small residential and commercial projects, to complex projects such as dams, bridges, and highway. All of which are managed by engineering and construction companies. Generally, the construction industry is divided into three major of sub-sectors. First, companies or institutions directly responsible for the construction of buildings, it may be the work done includes a new work, alteration, additions and modification or demolition of any structure or building. As well as other specialized business those are involved in other types of structures, such as electricians, and plumbers. Second, heavy and civil engineering construction "nonresidential building" (e.g. highways, dams, road, and other "infrastructure" building). Third, specialty trade contractors that are within the main construction (e.g., pouring concrete, plumbing, site preparation, electrical work and painting) involved in building work or acts and other activities that are similar for all construction, but these activities are not responsible for the entire project.

Construction is one of the most important industries in the United States in particular and in the rest of the world in general, so as to by a large contribution in the Gross Domestic Product (GDP) for the majority of the world countries, and the Gross National Product (GNP). The importance of this sector is not only for its size or number of employees in this area, but for large importance in the economic growth of the countries. The construction industry has an important role in the economy of all nations, its importance in achieving the goals of economic and social development of national, and providing shelter, employment, and infrastructure. It is clear also that sector has a direct impact on all aspects of the economy. The table below shows statistics on the size, and annual revenue of the construction industry in the United States (US Census Bureau, 2012). Table 1.1 shows statistics on the size, and annual revenue of the construction industry

_

Table 1.1- Statistics on the Size, and Annual Revenue of the Construction Industry in the United States.

| Construction Industry Statistics | Annual Revenue | | | | |
|---|-----------------------|-----------------|--|--|--|
| US Construction industry annual revenue | \$1.731 Trillion | | | | |
| Number of construction companies in the | US | 729,345 | | | |
| Number of construction company employ | ees in the US | 7,316,240 | | | |
| Average construction company employee | salary | \$45,200.00 | | | |
| Construction Company Type | Number of | Value of Annual | | | |
| Statistics | Companies | Business | | | |
| Construction of Buildings | 211,956 | \$748 Billion | | | |
| Heavy and civil engineering | 39,439 | \$260 Billion | | | |
| construction | | | | | |
| Specialty trade contractors | 477,950 | \$722 Billion | | | |

From these statistics we find the construction employment is greater than 5% of the rest of the other industrial sectors, but responsible for 20% of the accidents. Thus construction is about 4 times more hazardous than other industries (U.S. Department of Commerce, 2012). Table 1.2 shows percent of employment for industry

Table 1.2 - Percent of Employment for Industry.

| Industry | Percent of Employment |
|--------------|-----------------------|
| Steel | 1.1% |
| Auto | 1.0% |
| Agriculture | 4.5% |
| Construction | 5.0% |

Unfortunately, in spite of the significant role played by industrial construction in economic growth on various areas within the United States as well as the achievements of this sector in recent years which are established by large-scale projects such as The Gateway Arch in St. Louis, the Sears Tower in Chicago, the Golden Gate Bridge in San Francisco and the Cable Stayed Bridge in Alton, Illinois. This broad sector suffers from neglect and dereliction in many ways by related companies and institutions, which led to the formation of a negative image about the sector that caused the faltering economic growth, and reduced productivity during the last decade compared with the past 50 years. One of these reasons is a high percentage of accidents that occur within this sector which leads to injuries and fatalities. Figure 1.1 shows annual Construction as % of Gross Domestic Product (GDP) (U.S. Department of commerce, 2012).

U.S. CONSTRUCTION INDUSTRY



Figure 1.1 - Annual Construction as % of Gross Domestic Product (GDP).

Most of the incidents that lead to fatalities or injuries in the construction industry were the result of a fall. The falling fatality rate was about 34% of the total attributed most common accidents in construction in 2010 (CPWR, 2013), and this percentage increased in 2012 as the number of fatalities due to falls was 280 out of 775 people killed in industrial construction (Bureau of Labor Statistics, 2012). Figure 1.2 shows the percentage of fatality in construction industry by causes.




Figure 1.2 - Causes of Construction Fatalities.

In this thesis we will discuss the fall accidents which are statistically the most frequently and dangerous in the construction industry as well as we discuss the impact of these kind of incidents on the economy and productivity. We will compare between costs that may be occur as a result of a fall accidents in the construction industry, and costs of use of Personal Protective Equipment(PPE).

2. REVIEW OF LITERATURE

In 1971, the Occupational Safety and Health Administration (OSHA) was founded. Since then, OSHA worked together with governmental, trade unions, lawyers, health organizations as partner to reduce incidents of injuries and fatalities. OSHA has a high impact on safety at the worksite, and the percentage of injuries and fatalities was significantly decreasing in the workplace. Despite the lack of accurate statistics in 1970, the number of fatalities was estimated to be about 14,000. This number of fatalities was reduced to 4,340 in the 2009. On the other hand, there was an increase in the rate of employment and workplaces to reach more than 130 million workers, and more than 7.2 million worksite. Since the OSHA and application of safety standards were enacted, the rates of incident and disease have dropped from 11 cases per 100 people in 1972 to 3.6 per 100 people in 2009 (U.S. Department of Labor, 2012)

In spite of these excellent results on the reduction of the rate of accidents from 1971 to 2009, there is a negative image is still inherent with construction. Although there have been great achievements that made in the field of construction in the United States, for example, the Gateway Arch in St. Louis, the Sears Tower in Chicago, the Golden Gate Bridge in San Francisco and the Cable Stayed Bridge in Alton, Illinois. The construction industry is seen as considerably dangerous, boring, and having management weakness (Reid, 1995). The 1999 Jobs Rated Almanac ranks the job of a construction worker as 247 out of possible 250 career choices ahead of fisherman (rank 248), and lumberjack (rank 249).

One of reasons that lead to this negative perception or image around the construction; is that construction is considered hazardous work. According to INJURY FACTS (1999) published by the National Safety Council, the probability of accidental death in construction is four times higher than other industries. There are four types of accidents are most common in the construction industry; falls, transportation, contact w/objects, and exposure. Fall hazard represents the highest rates of accidents. Fall accidents were analyzed during the last ten years, and falls from a top are the largest

proportion of these accidents. Total falls from 1992 to 2010 were about 7,275 at an estimated cost about \$1.9 billion (CPWR, 2013).

A paper was published in April 1998 by George Berg and Richard Dutmer (Berg, 1998) (George Berg and Rick Dutmer are part of FMI's Quality Productivity Improvement Group). This paper discusses the relationship between Productivity, Quality, and Safety on the construction industry. The relationship between them may seem incidental, but they have a stronger correlation than one might think. For safety, the construction industry is only 5% of the Gross Domestic Product (GDP), but it is responsible for 20% of the workplace accidents. The direct cost of the losses, worker's compensation insurance rate increased dramatically. In the 1989, injury losses estimated at \$112 Billion in direct cost and another \$20 billion to \$30 billion of lost productivity due to fatalities, injuries and lost-time accidents. This result has generated difficult problems that led to some construction companies to reduce of worker's compensation rate for new applicants. The relationship between productivity and safety is clear. More attention to safety increases productivity in the workplace and the direct and indirect costs will be reduced of construction accidents, which also improve profits.

In an effort to reduce the number of injuries and fatalities from falls, beginning June 12, 2002, the Ontario Ministry of Labor's fall protection enforcement has worked at a high level of effort. It has introduced some mandatory laws to protect workers from falls hazard. Its inspectors began to visit construction sites; they were looking for how worker training in the use of fall protection equipment was being provided by employers. The Provincial Labor- Management Health & Safety Committee and The Construction Safety Association of Ontario (CSAO) were key contributors to falls protection laws and plans. They were rewriting the laws and put all issues about the hazards of fall protection into one grouping in the regulations. Law 26 says that the protection from the fall required for any work above three meters and law 26.3 under the Act, says that guardrails are required around a scaffold platform above 2.4 meters. The Ministry of Labor's puts all the laws that it has related with workers protection of training and plans and how to use the protective personal equipment (PPE). An important part of the Ministry of Labor's strategy was visiting construction worksites to investigate safe work procedures

and how the workers are training in fall protection. Any weakness may cause working cessation, causing lost production, convictions, charges, fines or jail under the Occupational Health and Safety Act.

American Society of Safety Engineering (ASSE) was keen to put new standards for safety and fall protection (ASC Z359), after the old standards that were not adequate to reduce the dangers of falling. Also, ASSE developed the Safety Requirements for Lanyards and Energy Absorbers (BSR/ASSE Z359.13-200x) for Personal Fall Arrest Systems. These standards establish requirements for the design, performance, marking, instructions, inspection, qualification, maintenance and removal from service of energy absorbing lanyards and users of personal energy absorbers within the range of 130 to 310 lb. The requirements of safety design and specifications for Personal Fall Arrest Systems (BSR/ASSE Z359.6-200x) were also under development. This standard was required especially for the design and performance of complete active fall protection systems, including travel restraint, horizontal and vertical fall arrest systems.

The Journal of Safety Research published a report about fall prevention and safety communication training for foremen (Kaskutas, 2013). The recommendation of this journal was that is needed to decrease falls from heights in construction workers. This journal identified a wide range of fall protection and safety communication training opportunities for foremen on the job-site. The research included eight hours of training which was well received among foremen, and there are indicators of improvements in safety protection behaviors.

In the 2007, a paper was published about costs of fatal and nonfatal injuries for the construction industry (Waehrer, 2007). This paper used 2002 national incidence data from the Bureau of Labor Statistics (BLS) and a model of comprehensive cost that includes direct cost and indirect cost which is losses in wage and household productivity. They estimated in 2002 about \$11.5 billion represented the total costs of fatal and nonfatal injuries in the construction industry, 15% of the costs of injury for all private industry. The average cost per worker for fatal or nonfatal injury is \$27,000 in construction. After all, in this paper, the publisher did not mention the other costs such as

Worker's Compensation Insurance (WCI) that it must be added to the cost of fatal and nonfatal injury.

The Business Roundtable (BR) commissioned a study in 1971; this study was to determine the actual costs of injuries and accidents in the construction industry (Everett, 1996). From 1979, the BR determined that injuries and accidents account for 6.5% of the total cost of the construction industry. Since the time of study, much has changed in the construction industry and the Worker's Compensation Insurance (WCI) has increased significantly. For these, there has been a rash of lawsuits due to accidents on the construction site. Everett used unique models in re-examining the costs of accidents and injuries, and shows that the total costs of accidents increased from a level of 6.5% in 1982 to somewhere between 7.9% to 15.0% of the total costs of new construction in 1996.

A study was submitted by a group of researchers and members in American Society of Civil Engineers (ASCE) about Costs of Construction Injuries (Hinze, 1991). This study was about how to obtain an accurate measurement of all costs that are associated with job-site worker injuries in the construction industry. This study showed that even when the injuries were minor; the costs of these injuries can be considerable. The indirect costs are often hidden and have been neglected when calculating the costs, but in fact, they may be much more than the direct costs. The ratio between the indirect costs to the direct costs is 4:1 that it posted by Heinrich (Hinze, 1991); this ratio is reasonably valid for medical cases injuries. However, the ratio becomes closer to 20:1 for restrictedactivity/lost-workday cases. This study concluded that the ratios of indirect costs to the direct costs depended on several factors. For example, small companies with a good safety record may subtend no restricted work lost workday or restricted work cases over a period of several years. If the same companies did experience a serious injury, and the injury caused in a third party suit, the ratio of direct to indirect costs could be many times larger than the 20:1 ratio derived as an overall average for the construction industry. In any case, even if one chooses to neglect the possibility of any claims costs, the indirect costs are still considerable.

A study has been conducted to determine indirect cost of injuries. This study was submitted as part of the requirements for master degree in Civil Engineering at the University of Washington by James R. Van de Voorde (Van de Voorde, 1991). This study was based on data analysis of a study conducted previously by the Construction Industry Institute (CII) on the indirect costs of workplace accident on construction projects. Average indirect cost for 800 cases which have been studied by CII, the analysis detached injuries of medical case from lost time/numbers of activity cases. In this study, two realistic scenarios were developed to analyze and illustrate how the indirect costs have risen through a rise in the cost of medical cases and lost time injuries. CII proposed two mathematical models to help contractors and owners. These models were to estimate the dollar value of the indirect costs which are associated with a particular accident. A second proposed method was more accurate; it was two sets of cost models to estimate the indirect cost after follow-up data had become available. Analysis of the CII data showed four significant results:

- As a project's value increases, so do the indirect costs of accidents
- Injuries on new construction type projects have lower indirect cost than injuries on maintenance contracts.
- Injuries on lump sum or unit price contracts have lower cost than injuries on cost plus contracts.
- There was no difference in indirect cost on union shop or merit/ open shop projects.

A manager will not obtain the actual cost of injuries because the contractor mismanaged their indirect and direct costs of injuries by allowing them to get lost in labor cost codes or overhead. Managers can use the models in this study to achieve best results in determining the indirect cost. In addition, to make the cost accounts balanced, an equal dollar amount would be subtracted from perhaps overhead expenses account. This procedure would clarify the fiscal impact of these accidents to the project team. The truth here, is good job site safety not only saves worker lives and but saves money, as well.

3. BACKGROUND

In addition to the costs and social damages, work- related injuries have a significant impact on the employer. The latest estimates indicate that employers are paying about \$1 billion per week for Worker's Compensation Insurance alone (U.S. Department of Labor, 2012). Most previous research projects on the construction industry were about how to determine the total costs of injuries and fatalities, or were limited to account Worker's Compensation Insurance (WCI) for the construction industry in general. These studies have relied on Occupational Safety and Health Administration (OSHA) in determine the number of injuries and fatalities. Also, they depended on the survey data from the Center to Protect Workers' Rights (CPWR), in the rate of injuries and worker's compensation Insurance. Most of these research projects have indicated that the rate of injuries or its costs in the construction industry is greater than in other industries. A previous study showed that the worker or carpenter in the construction industry has a higher cost of work-related injuries and illnesses than other industries (Leigh, 1997). In another study that used the Worker's Compensation Insurance (WCI) data from Washington State it was estimated the average cost of WCI for construction is equivalent to four times the cost in most other industry (Silverstein, 1998).

Despite all research and perspectives, there are no studies that seek to achieve an integrated estimate for the entire construction industry. The exception is one study that was conducted by the National Institute for Occupational Safety and Health (NIOSH), which showed costs of fatalities of the work site, it was shown that the cost of the fatalities for construction were about \$10 billion for ten years from 1992 to 2002 (NIOSH, 2006). Another study was conducted in 1990 by Construction Industry Institute (CII) to collect data on the direct and indirect costs of injuries resulting of construction accident. The aim of this study was to show the cost of these incidents by limited the ratio between direct and indirect cost. The conclusion was that the direct costs are much less than the real costs of injuries.

4. METHODOLOGY

A little attention and measurable information were developed or studied about a comparison between the total cost of fall accidents and costs of protective programs to reduce a fall accidents. The lack of accurate information about costs is one of the main reasons that employers or contractors show weak interest in supporting the protective programs to avoid a fall hazards. Therefore, the result was the inability to reduce the rate of injuries from falling through the last fifteen years. Statistical results have been presented by Occupational Safety and Health Administration (OSHA) on rates of fatal and non-fatal injuries was very disturbing. These statistics still have a negative impact on construction companies and researchers, as well as people who wish to work in this sector. In addition, these statistics have led to the formation of a negative image about the construction industry, which is one of the most important industries that have a distinctive role in the U.S. economy.

All of these reasons and negative images about the construction industry had an impact in determining the topic for this thesis. The idea was to compare between costs resulting from fall accidents and costs resulting from the adoption of protective programs. Most companies and contractors were believed not to put sufficient effort into establishing protective systems from fall hazards, because they were thought that the cost of fully implementing fall protection was higher than the benefit leading to their loss. The thesis's goal is to give an idea for employers about these costs, and try to convince them that the costs of fall accidents are much more than the amount that may be paid for the protection to avoid fall hazards.

Also, this thesis focuses on how to calculate the direct costs, indirect costs, and costs resulting from expense of Worker's Compensation Insurance (WCI). Despite this, there is general information about the ratio between direct and indirect cost of 4:1 that is posted by Heinrich (Hinze, 1991). Managers should not always rely on this ratio because it depends on the site-work, injury cases, and other factors. A greater attention must be paid to safety, especially if the ratio was high.

For the success of this study, it has been relying on a base of data and statistics about the annual incidences of fall in the construction industry. Also, we needed accurate information about the costs of damage due to these incidents, and the cost of fall protective systems. To get all these data, we have been relying on companies and official websites such as; Occupational Safety and Health Administration (OSHA), American Society of Civil Engineers (ASCE), American National Standards Institute (ANSI), Construction Industry Institute (CII), American Society of Safety Engineers (ASSE), and the National Safety Council (NSC).

We began to analyze the data and calculated the total costs of fatal or non-fatal injuries. Some of these costs necessitated simple mathematical equations to calculate them. For example, when calculating the direct costs, we calculated the number of injuries, and the cost per one injury and the same thing for fatalities. There are calculations to determine the Worker's Compensation Insurance (WCI). Also, there are indirect costs that were necessitated by other forms of calculation such as working hours that the injured worker missed work and the wage cost of the worker on the day the injury.

The mechanism that was used in this thesis is a realistic comparison between costs that may occur as a result of a fall accident in the construction industry, and costs of use of Personal Protective Equipment (PPE) to avoid a fall accident and its costs. Costs of a fall accidents include Direct Costs, Indirect Costs, and Worker's Compensation Insurance (WCI), in addition to social and family impacts for the injured person. A cost of fall protection and avoided incidents that may occur as a result of a fall depends on the type of programs and personal protection systems. Personal protection systems depend on the work type, and elevation of work surface. In this thesis we estimated the cost of all the protection systems that can be used to avoid incidents of falling. The table below shows details about how to determine costs of a fall accident in the construction industry, and costs of (PPE) to avoid fall hazards. Table 4.1 shows how to determine costs of fall avoidance and costs of fall accident.

Table 4.1– Costs of Fall Avoidance and Costs of Fall Accident.

| Costs of Fall Avoidance Systems | Costs of Fall Accident |
|---------------------------------|--------------------------------------|
| 1- Personal Fall Arrest System | 1- Direct Costs |
| 2- Guardrail systems | a - wage losses |
| 3- Safety Net systems | b - medical expenses |
| 4- Fall Restraint Systems | c - administrative expenses |
| 5- Positioning Device Systems | |
| 6- Warning Line Systems | 2- Indirect Costs |
| 7- Worker's Training | a- Time-Related Indirect Injury Cost |
| | b- Production- Related Indirect Cost |
| | |
| | 3- Worker's Compensation Insurance |
| | a- Medical Care |
| | b- Temporary Disability (TD) |
| | c- Permanent Disability (PD) |
| | d- Transportation Reimbursement |
| | e- Vocational Rehabilitation (VR) |
| | f- Death Benefits |

5. U.S CONSTRUCTIONS

5.1. U.S CONSTRUCTION INDUSTRY PROFILE

The construction industry in the United States of America represents a significant element in the movement and growth of the economy, and considered a backbone of permanence and stability of the economic activity in the U.S., both public and private. The construction sector is a large, complex, dynamic, and directly affects a broad range of human life. It includes a large number of staff and workers. They are working in various fields in this area. They are responsible for the construction of roads, houses and workplaces, as well as in the maintenance and repair of infrastructure. Construction work involves building a new structures or additions, modifications, or repair and maintenance of established engineering projects such as highways and utility systems.

The construction industry is one of the most volatile industries in the United States. It reacts rapidly with economic expansions and shrinks to a large extent in recession times. Since 2006 to 2011, the construction sector suffers from a sever period, where the annual spending in the United State was a decline on the construction industry more than quarter, or approximately \$ 300 million. This reduction represents about 2% of the size of the U.S. economy.

5.2. CONSTRUCTION AND EMPLOYMENT

Increasing the rate of employment in any industry is evidenced by economic growth for this sector in a particular time. The construction industry is one of the significant sources in the U.S. economy, which contributed significantly in increasing the rate of employment growth. During the past years since 1965 to 2006, the construction industry has been the growth rate ranging between (15-30%) for every 10 years. See Table 5.1., and Figure 5.1 (U.S. Department of Labor, 2014).

| | Employment by major industry sector, 1970, 1980, 1990, 2000, 2010 | | | | | | | | | | |
|-------------------|---|-------------------|--------|--------|--------|--------|-------------------------|-----------|-----------|-----------|--|
| | Industry sector | Thousands of jobs | | | | | Annual rate of change % | | | | |
| | Industry sector | 1970 | 1980 | 1990 | 2000 | 2010 | 1970-1980 | 1980-1990 | 1990-2000 | 2000-2010 | |
| Goods-producing | Mining and logging | 677 | 1,077 | 765 | 599 | 705 | 4.8 | -3.4 | -2.4 | 1.6 | |
| | Manufacturing | 17,848 | 18,733 | 17,695 | 17,263 | 11,524 | 0.5 | -0.6 | -0.2 | -4.0 | |
| | Construction | 3,654 | 4,454 | 5,263 | 6,787 | 5,526 | 2.0 | 1.7 | 2.6 | -2.0 | |
| | Information | 2,041 | 2,361 | 2,688 | 3,630 | 2,711 | 1.5 | 1.3 | 3.0 | -2.9 | |
| Service-providing | Education and health services | 4,577 | 7,072 | 10,984 | 15,109 | 19,564 | 4.4 | 4.5 | 3.2 | 2.6 | |
| | Government | 12,687 | 16,375 | 18,415 | 20,790 | 22,482 | 2.6 | 1.2 | 1.2 | 0.8 | |

Table 5.1 - Employment by Major Industry Sector from 1970 to 2010.




Figure 5.1 - Employment by Construction Industry from 1970 to 2010.

Unlike, the rest of the industrial sectors, the construction industry has suffered from vacillating and decline in the employment rate between 2007-2010. There are several reasons that directly affected this sector which led to this a recession during the last decade. Among these reasons is the large number of accidents that lead to the injuries and fatalities. In addition, over the years there is no preceding factors support or stimulating this sector to stability in employment growth. The table 5.2 and figure 5.2

show the contraction was happening in industrial construction at the time between 2007-2010. It caused the fall of 2.1 million jobs between 2007-2010 in the annual employment of salary and wages for workers. This fall represents about 10 percent of the annual rate of decline (U.S. Department of Labor, 2014).

Table 5.2 - The Employment in Construction Industry between 2007-2010

| Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | 0ct | Nov | Dec |
|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2006 | 7601 | 7664 | 7689 | 7726 | 7713 | 7699 | 7712 | 7720 | 7718 | 7682 | 7666 | 7685 |
| 2007 | 7725 | 7626 | 7706 | 7686 | 7673 | 7687 | 7660 | 7610 | 7577 | 7565 | 7523 | 7490 |
| 2008 | 7476 | 7453 | 7406 | 7327 | 7274 | 7213 | 7160 | 7114 | 7044 | 6967 | 6813 | 6701 |
| 2009 | 6554 | 6453 | 6291 | 6149 | 6103 | 6008 | 5928 | 5851 | 5785 | 5724 | 5693 | 5650 |
| 2010 | 5581 | 5522 | 5542 | 5554 | 5527 | 5512 | 5497 | 5519 | 5499 | 5501 | 5497 | 5468 |




Figure 5.2 – The Employment in Construction Industry between 2007-2010.

5.3. VALUE OF CONSTRUCTION SPENDING (PUT IN PLACE)

Spending data in the construction industry represents the cost of the value of work in completed projects (all projects that be completed or which completed the process during the period). Regardless of when the work in any individual project was started or when the payment was made to the implementing agency (Contractors). Some of these estimates are based on the amounts paid during the period rather than the rate of the work done, and some of these estimates depend on the total cost of the project by means of historic construction progress patterns. For an individual project, the value of construction put in place represents of the value of construction erected or installed at work during a given period, including:

- Cost of labor (both by contractors and force account) and a proportionate share of the cost of
- 2. Cost of materials installed or erected.
- 3. Cost of construction equipment rent.
- 4. Cost of design and engineering work.
- 5. The value of Contractor's profit.
- 6. Interest, insurance, and taxes paid during construction
- 7. Cost of overhead and office that is chargeable to the project.

Construction spending is very necessary for U.S. economy, it represents about 20% of the gross domestic product that making it significant source for information. Economist's perspective of construction spending, it is considered vital clues about the overall economy. The construction industry is the first in a recession when the economy suffers from decline, and, likewise, it is the first in the case of recovery when the economy is booming.

Despite the importance of spending in the construction industry and its large role in the U.S. economy, the spending in this sector gradually reduced in recent years to reach 788,014 in the year 2011 after it was about 1,167,222 in 2006. This means that the total decrease for five years is about 32%. This percentage was large and influential for the construction sector. Reasons that led to this decline were a negative image of the

sector in recent years, which we reported it with the causes at the introduction of this thesis. Figure 5.3 shows the annual value of construction put in place (U.S. Department of Commerce, 2013).




Figure 5.3 - Annual Value of Construction Put in Place, 1993-2012.

6. CONSTRUCTION SAFETY

6.1. IMPORTANT OF CONSTRUCTION SAFETY AND HEALTH

Construction industry includes a wide range of activities and works which include erection and building or/and repair, they cause a lot of accidents most of these are a high hazard. These works consist of about 5% of the U.S.A work force, and account for some 20% of the work fatalities and 12% of disabling injuries. They work in various area including residential construction, bridges erection, excavation, paving, demolition, and large projects that expose them to serious hazard, such as, falling from high levels, transportation, contact w/objects, and exposure, and other incidents that be hazardous to workers' lives.

Recent figures from the Bureau of Labor Statistics (BLS) show that the construction industry accounted for more injuries work and fatalities than any other industry in U.S "in 2010". Although the rate of fatalities and injuries in the construction industry have declined every year since 2006 and are down about 40% over that time (United States Department of Labor, 2012), construction accounted for more fatal work injuries than any other industry in 2010. The rate of injuries among all workers in all other industries was 3.5 percent while the construction industry remained at 9.5 percent; higher than all industries combined (United States Department of Labor, 2012). The direct and indirect costs of construction injuries have been estimated to exceed \$31 billion. See figure 6.1 and 6.2.




Figure 6.1 - Fatalities in Construction from 2000 to 2010.




Figure 6.2 - The Rates of Fatalities per 100,000 Workers for Construction and all Industries Combined from 2001 to 2010.

The top four hazards that cause fatalities in construction remain the same. They are fall, transportation, contact, and exposure (CPWR, 2013). Figure 6.3 indicates the causes of the construction industry fatalities for the year 2009. In previous years, the order of arrangement among the four leading causes varied, but the fall always remained at the top.




Figure 6.3 - Causes of Construction Fatalities.

6.2. FALL ACCIDENT IMPORTANCE IN THE CONSTRUCTION INDUSTRY

Fall accidents in construction are the most common that lead to fatalities, severe injuries, and other consequences. For example, work stopped, negative impact on productivity for companies, and economic impact through indirect costs can result from a fall. Falling from any level of height remains the single cause of the largest number of fatalities in the construction industry. There is 34% of all fatalities in the construction industry are the result of a fall. Thirty percent of them as a result of the fall from height of 11 to 20 ft., and nineteen percent of them from a height of 20 ft. or under. Figure 6.4 shows the varying heights of the fall in 2009 (National Safety Council, 2013).




Figure 6.4 - Analysis of Fatalities Caused by Fall Accidents.

Falls occurs as a result of various activities within the worksite in the construction industry. Figure 6.5 shows the percentage of falls from various activities (National Safety Council, 2013).




Figure 6.5 – The Percentage of Fall Accidents from Various Activities.

7. FALLS IMPACT ON ECONOMY

By all relevant measures, the construction industry is not safe. It represents a big challenge to investors in how to deal with the hazards that occur during the work, and how to reduce the high costs that result from these incidents. These costs represent a significant financial burden on companies and institutions. We mentioned earlier that the percentage of the workforce in construction accounted about 5% of all sectors, but it is responsible for about 20% of the accidents. Fall accidents are responsible for the largest rate of these incidents, which represent more than 34%. The actual costs of falls accident in the construction industry include direct and indirect costs. Direct costs represent the worker's compensation claims, and indirect costs are often less tangible and clear, but certainly real in terms of lost profits.

7.1. DIRECT COST

Direct costs usually associated with worker's compensation claims that can be calculated relatively simply, these include expenses paid to patients who are receiving treatment as a result of accidents. In most cases, these costs are documented and included in the form of bills paid by the employer or insurance companies. Falls represents 25% of all claim volumes and 36% of all claim costs. See the Figure 7.1 through 2010 - 2012 (Work Safe BC, 2012).




Figure 7.1 – Percentage of Fall Claims Volume and Cost.

Falls appear the highest average cost and the most workdays lost per claim, as shown in the below table 7.1 through 2010 - 2012 (Work Safe BC, 2012).

Table 7.1 – Average Cost and Days Lost Per Day through 2010-2012.

| TYPE OF ACCIDENT | AVERAGE COST PAID- | AVERAGE DAYS LOST- |
|------------------|--------------------|--------------------|
| | TO-DATE | TO-DATE |
| | (PER CLAIM) | (PER CLAIM) |
| Falls | 25,997 | 91 |
| Overexertion | 15,204 | 62 |
| Struck By | 12,682 | 42 |
| All others | 15,996 | 49 |

Based on Bureau of Labor Statistics (BLS) in 2010, the average cost per death about \$1,390,000 and cost per injury about 37,000 for the construction industry, so the direct cost for fatalities and injuries through 2010 is shown in table 7.2 (National Safety Council, 2013).

Table 7.2 – Direct Cost of Total Construction and Falls.

| | No. of fatalities | Cost/ Death | total cost for fatality (Million) | | fatality No. of injuries | | total cost for injuries (Million) | | Total cost of Fatalities & Injuries (Million | |
|------------------|-------------------|-----------------|---|----------|--------------------------|--------------|---|-----------|--|-----------|
| All Construction | 774 | \$ 1,390,000.00 | \$ | 1,075.86 | 320,000 | \$ 37,000.00 | \$. | 11,840.00 | \$ | 12,915.86 |
| Falls | 264 | \$ 1,390,000.00 | \$ | 366.96 | 12,950 | \$ 37,000.00 | \$ | 479.15 | \$ | 846.11 |

7.2 INDIRECT COST

Indirect costs are not clear and therefore cannot be calculated accurately because they depend on the situation and the workplace. In general, indirect costs include the costs of training, workers' compensation, accident investigation, repair damaged property, maintain on insurance coverage, and cost resulting from the delay in the project schedule due to accidents.

The rate of indirect costs of injuries to the direct costs may be 20 times (OSHA). Recent study shows that the ratio of indirect cost to direct cost varies widely; from a high of 4:1 to a low of 1:1(U.S. Department of Labor, 1982). See figure 7.2.




Figure 7.2 - The Ratio of Indirect Cost to Direct Cost for Construction Accidents.

The following table shows the indirect cost calculation associated with injuries, and also shows the overlap of the work environment and the impact of injuries on the environment.

Table 7.3 show the indirect costs that are associated with personal- related time and includes non-compensable time related to the worker on the day of the injury and consequences; loss of worker productivity due to the injury, time lost by other workers assisting the injured worker; watching; and interviewed; time lost to find alternative worker, and the time required to new worker training. The total time that related indirect cost associated with the injury was \$22,730.00.

Table 7.3- Time-Related Indirect Injury Cost Calculations.

| Category | NO. of workrs | Time per worker | Days per Worker | Total Time | Cost per hour(\$) | Total cost (\$) |
|--|------------------|--------------------|--------------------|---------------|----------------------|------------------------|
| | | (hrs) | | | | |
| 1- N | on-Compe | nsable Tin | ne | | | |
| a. Day of injury | 1 | 2.00 | 1.00 | 2.00 | 50.00 | 100.00 |
| b. Doctor's Offic/ Hospital | 1 | 24.00 | 1.00 | 24.00 | 50.00 | 1,200.00 |
| c. Follow-up vists | 1 | 2.00 | 12.00 | 24.00 | 50.00 | 1,200.00 |
| d. Rehabilitation (3/week x 20 weeks) | 1 | 1.00 | 60.00 | 60.00 | 50.00 | 3,000.00 |
| Subtotal Non-compensable time | | | | | | 5,500.00 |
| | | | | | | |
| | 2- Over | | | l | | |
| a. Overtime | 3 | 2.00 | 10.00 | 60.00 | 75.00 | 4,500.00 |
| Subtotal Overtime | | | | | | 4,500.00 |
| 3- Time I | ost by Non | -Injured V | Vorkers | | | |
| a. Workers who assisted injured party | 3 | 1.00 | 1.00 | 3,00 | 50.00 | 150.00 |
| b.Workers who watched | 5 | 2.00 | 1.00 | 10.00 | 50.00 | 500.00 |
| c. Workers who were interviewed | 8 | 2.00 | 1.00 | 16.00 | 50.00 | 800.00 |
| Subtotal Non-Injured Lost Time | | | | | | 1,450.00 |
| · | | | • | • | • | |
| | 4- Supervis | or time | | | | |
| a. Time to complete first report of | | | | | | |
| accident/injury form | 1 | 1.00 | 1.00 | 1.00 | 80.00 | 80.00 |
| b. Time to investigate accident/injury | | | | | | |
| b1. Worker interviews | 8 | 2.00 | 1.00 | 16.00 | 80.00 | 1,280.00 |
| b2. Physical eviidence collections and | | | | | | |
| evaluation | 1 | 4.00 | 1.00 | 4.00 | 80.00 | 320.00 |
| c. Time to procure and train | | | | | | |
| replacement worker(s) | | | | | | |
| c1. New worker(s) | 1 | 8.00 | 10.00 | 80.00 | 50.00 | 4,000.00 |
| c2. Supervisor time | 1 | 4.00 | 10.00 | 40.00 | 80.00 | 3,200.00 |
| d. Time to assist production before | | | | | - | |
| replacement worker procurement | 1 | 2.00 | 10.00 | 20.00 | 80.00 | 1,600.00 |
| e. Time to address associated | | W. C. W. W. C. W. | 38 April 1286 C | | 2010 000 10000000 | #2.4C.24C.8F.7C.4AC.ST |
| production problems | 1 | 1.00 | 10.00 | 10.00 | 80.00 | 800.00 |
| Subtotal Supwrvisor Time | | | | | | 11,280.00 |
| Total Times Balated Contra | | | 1 | | 1 | 22 722 62 |
| Total Time-Related Costs | | | l | | | 22,730.00 |

Table 7.4 shows the calculation of indirect costs associated with productivity-related indirect costs. Examples include loss in productivity as a result of the injured worker, and others who are helping the injured worker. In addition, the loss in productivity after the injured worker returns to work, and the percent of his production capacity; and other things that related to the injury and affect the productivity are in the table below. The total lost production-related indirect cost associated with this injury about \$130,000.

Table 7.4 - Production- Related Indirect Injury Cost Calculations.

| | | _ | | | | | |
|--------------------------------|--------|----------|-----------|-------|-----------|----------|-------------|
| Category | NO. of | Mean # | Actual # | Total | Total | Value | Total value |
| | worker | of units | of units | hours | unts lost | per unit | of lost |
| | | per hr. | per hr. | per | | (\$) | production |
| | | 1- Lost | Productio | n | | | |
| a. Injury worker | 1 | 25.00 | 0.00 | 8.00 | 200.00 | 50.00 | 10,000.00 |
| b. Workers assisting injured | | | | | | | |
| worker | 3 | 25.00 | 0.00 | 2.00 | 150.00 | 50.00 | 7,500.00 |
| c. Onlookers(interview time | 5 | 25.00 | 0.00 | 2.00 | 250.00 | 50.00 | 12,500.00 |
| Subtotal Lost Production | | | | | | | 30,000.00 |
| | | | | | | | |
| | | 2- Redu | ced Outp | ut | | | |
| | | | | | | | |
| a. Injured worker after return | | | | | | | |
| week 1 | 1 | 25.00 | 15.00 | 40.00 | 400.00 | 50.00 | 20,000.00 |
| week 2 | 1 | 25.00 | 20.00 | 40.00 | 200.00 | 50.00 | 10,000.00 |
| b. Workers assisting injured | | | | | | | |
| woker | 3 | 25.00 | 20.00 | 20.00 | 300.00 | 50.00 | 15,000.00 |
| c. Onlookers | 5 | 25.00 | 20.00 | 20.00 | 500.00 | 50.00 | 25,000.00 |
| d. Replacement worker(s) | | | | | | | - |
| week 1 | 1 | 25.00 | 15.00 | 40.00 | 400.00 | 50.00 | 20,000.00 |
| week 2 | 1 | 25.00 | 20.00 | 40.00 | 200.00 | 50.00 | 10,000.00 |
| Subtotal Reduced Output | | | | | | | 100,000.00 |
| | | | | | | | |
| Total production-Related | | | | | | | 120 000 00 |
| Costs | | | | | | | 130,000.00 |

From these two tables above. The indirect cost of non-fatal injuries for one worker equal to the sum of (Time-Related Indirect Injury Cost and Production-Related Indirect Injury Cost), which will be about \$ 152,730.

7.3 WORKERS' COMPENSATION INSURANCE

Workers' compensation insurance premium (industrial insurance) coverage protects both employers and workers from the funding impact of a work related injury or job disease. Workers' compensation insurance pays to an injured worker for medical services, hospitals, and related services that are necessary for the treatment of the injured worker and recovery. Also, it pays portions of wages to workers who are temporarily unable to work due to injuries. Employer must provide adequate coverage for their employees. The coverage is mandatory on the employer. On the other hand, workers cannot establish a lawsuit when any injuries happen or other related event. Employers provide the workers by workers' compensation insurance (WCI) through the Department of Labor & Industries (L&I). Workers' Compensation insurance coverage the following:-

- Hospital and medical services needed to treat the job-site injuries and illness.
- Temporary payments to the worker instead of his lost wages.
- Permanent payments to the worker to recompense for permanent effects of the injury.
- A death benefit for the worker's survivors in the event of a fatal injury.
- Lawful representation for the employer by the insurance company carrier.
- Employer protection against most lawsuits for on-the-job injuries and illnesses.

Workers' Compensation Insurance depends on three factors.

- Different worker use different rates depending on their individual jobs that are grouped into class codes.
- Annual payroll and individual occupation class codes are used to calculate the company's rates.

 Each company has an experience modifier based on the company's track record of accidents, safety, and claims filed.

The general equation to determine the (Workers' Compensation Insurance) is:

$$(WCI) = [(Payroll/100) \times Manual rate] \times Experience Modifier.$$

In this case, we will take a carpenter as a case to calculate the (WCI), who is more exposed to fall during his work. Calculate the amount of benefit that he will obtain from the workers' compensation insurance. This amount will be added to the falling cost that is calculated before (direct cost and indirect cost) which costs the employers or the companies. Average national wage for a carpenter is from \$ 45 to \$ 65, so we will use the Missouri rate of \$50. Manual rates vary from \$18 to \$29, so again we will use the Missouri rate of \$20.18 for our calculations. So:-

• Annual Payroll for Carpenter at Missouri= \$50/hr. x 2080 hours (full time around year).

- Manual rate for Carpenter at Missouri = 20.18 (MO Comp Rates, 2013)
- Experience modifiers are typically between 0.6 and 1.6 an industry average modifier would be 1.00.

To calculate the Workers' Compensation Insurance (WCI). The equation will be

$$(WCI) = [(\$104000/100) \times \$20.18] \times \$1.00$$

$$(WCI) = $21,000 \text{ per person}$$

Total amount of (WCI) for all fall fatalities and injuries =

Average of (WCI) =
$$21,000 \times 1.0 \times [No. of (fatalities) + No. of (injuries)].$$

Average of (WCI) =
$$21,000 \times 1.0 \times [264 + 12,950] = 277,494,000$$

So from these results that we have obtained in this part of the thesis, the total cost equal (direct cost, indirect cost and cost of (WCI)) of falls for 2013 is calculated through this simple equation.

Total Cost = Direct Cost + Indirect Cost + Cost of WCI

- Direct Cost = \$ 846.11 Million. (Cost of fatalities and non-fatalities injuries. Table (7.2)
- Indirect Cost = No. of injuries * Indirect cost for one worker tables (7.3, 7.4). = 12,950 * \$ 152,730 = \$ 1,977,853,500
- Workers' Compensation Insurance (WCI) = \$ 111,000,000

If we divided this amount on the number of a fall accident in 2011, which includes fatalities and injuries. It will be \$ 222,000 per worker who affected by a fall incident. In addition, the ratio between indirect costs to direct costs in this case about 3.6 to 1. In some cases, the rate is more than 20 times based on the American Society of Safety Engineers (ASSE).

8. FALLS PROTECTION AND COST

8.1 FALLS PROTECTION

Fall protection involves a broad concept of planning, training and uses appropriate personal protective equipment. Fall protection includes the development of appropriate procedures, proper planning, rules, regulations, and styles that are all aimed to protect from falls, and minimizing damage and losses resulting from these incidents on projects. Fall protection does not mean the use of bulky equipment or cumbersome equipment; also it does not interfere or intersect with the procedures and workflow of the worker if we understand the concept (fall protection) correctly, and apply it in properly.

8.1.1 Fall Protection System. The fall protection system refers to how to design especially equipment to control fall hazards. In general, the fall protections systems use on either prevent a fall from occurring or safely arrest a fall. Typical fall protection systems include the following:

- Personal fall-arrest systems
- Guardrail systems
- Safety-net systems
- Positioning-device systems
- Warning-line systems
- Safety-monitoring systems
- Controlled-access zones.

Personal fall-arrest systems, guardrail systems, and safety net systems are used in most industries where workers are faced to fall hazards, they are called conventional fall protection. Warning lines, positioning devices, and safety monitoring systems are used with more specialized applications; they are used primarily to protect workers doing roofing tasks, and concrete formwork. Controlled-access zone defines an area where the

worker is doing at the edge in the workplace, overhand bricklaying and related work, or working and without using conventional fall protection.

8.1.2 Conventional Fall Protection

- **8.1.2.1 Personal fall arrest systems**. In general, a personal fall arrest system consists from anchor, connectors, and a body harness, they are working together to prevent a person from falling and to minimize the arrest force. Sometimes a personal fall arrest system includes a lanyard, a lifeline, and a deceleration device. However, this system becomes effective only if you know how these groups that make up this system to work together to arrest a fall. OSHA's design and performance requirements for personal fall arrest systems were in Subpart M, 1926.502 (d).
- **8.1.2.1.1** The anchor. An anchor provides an important secure point of attachment for a lanyard, lifeline, or deceleration device. It is considered the most important personal fall arrest system component. It must be able to withstand or support a minimum load of 5,000 pounds. There are some challenges or constrains, when it used on wood framed and residential-type structure. Important points for using an anchor of arrest fall system are it must be installed under the supervision of the person with qualifications, and it must take a safety factor of at least twice the impact force of a worker that has six feet free falling.
- **8.1.2.1.2** <u>Connectors.</u> A pair of conductors is the basic components of a personal fall arrest system. Snap hooks and D-rings are common types of connectors. Connectors must be pressed; drop forged or made from formed steel or strong material. They must be made in a way that it is a high resistance of corrosion, with a smooth surface, and The edges are fair curve to avoid damage other parts of the personal fall arrest system.

The D-ring and a body harness component are attaches to a lanyard or to a deceleration device. D-rings are necessary have a minimum breaking strength 5,000 lbs.

The snap hook consists of a keeper and a hook-shaped member. It is opening to receive a connecting component and when released, automatically closes. Snap hook must also have a minimum breaking strength of 5,000 lbs. There are two common types of snap hooks: locking and non-locking. The locking types will not open until it is

unlocked because they have a self-locking keeper. OSHA considers; the non-locking type is not always safe. It uses only locking snap hooks as part of the system.

8.1.2.1.3 The body harness. There are many types of body harness; all of these consist of tapes that distribute fall arrest forces over the chest, pelvis, waist, thighs, and shoulders. Body harnesses are light and comfortable. Any harness must include a back Dring for attaching lanyards, lifelines, or retractable devices and back pad for support. A body harness must exert an inhibition force of no more than 1,800 lbs. on a falling worker. The following must be remembered when you use a body harness:

- Body harnesses must not be made from natural fibers.
- There are different sizes of body harnesses. The body harness must fit properly.
- The attribution point of a body harness must be located in the back center, around shoulder level.
- Must do not use recreational climbing harnesses.

8.1.2.1.4 <u>Lanyards.</u> A lanyard is a specially designed strap, rope, or webbing. It connects a body harness to a deceleration device on one end, and to an anchor or a lifeline on the other end. There are a variety of designs of a lanyard including self-retracting and shock-absorbing types. Self-retracting type is moving easier either shock-absorbing type is reducing fall-arrest forces. All of the types of lanyards must have a minimum breaking strength of 5,000 lbs. The following must be remembered when you use a lanyard;

- Self-retracting lanyards with free-fall distance to equal or less of two feet must have held a minimum load of 3,000 lbs. and the lanyard in the fully extended position.
- Self-retracting lanyards that do not limit free-fall distance to equal or less of two
 feet must have held a minimum load of 5,000 lbs. and the lanyard in the fully
 extended position.
- When self-retracting lanyards do not limit free-fall distance to equal or less of two
 feet, it is recommended to work near or directly below the anchor to prevent
 swing falls.

- Lanyards should not be made from natural fibers.
- **8.1.2.1.5** <u>Deceleration devices.</u> There are three types of deceleration devices; shock-absorbing lanyard, self-retraction lifeline, and rope grab. All of these types and minimizing the fall distance are reduced to reduce the fall-impact force on the anchor. The third type (rope grab) allows to move up and down a vertical lifeline. It automatically locks onto the lifeline if worker fall.

8.1.2.1.6 <u>Lifelines.</u> In general, there are two types of lifeline, vertical and horizontal. These types are flexible rope or cable that connect to a lanyard, a body harness, or deceleration device and at least one anchor. Vertical lifelines must have a minimum breaking strength of 5,000 lbs. They attach to a lanyard, a body harness, or deceleration device and to an anchor.

The self-declining lifeline is both a vertical lifeline and a deceleration device. It is comprised of a drum-wound line that unwinds and declines from the drum as a worker moves. When the worker falls the drum automatically locks. Self-declining lifelines that automatically limit the free-fall distance to equal or less of two feet must have a minimum breaking strength of 3,000 lbs. Self-declining lifelines that do not limit the free-fall distance to equal or less of two feet must have a minimum breaking strength of 5,000 lbs.

If you are moving horizontally over a long distance, the vertical lifeline can be a risk because it creates the potential for a swing fall - a movement of the pendulum swing that result from swinging under the anchor point. In contrast to the vertical lifeline, the horizontal lifeline extends between two anchors. This allows moving freely across a flat surface when connect to the line with a lanyard, body harness, or deceleration device. Horizontal lifelines and the anchors are under high loads greater than the vertical lifelines. Therefore, if not anchored correctly, horizontal lifelines may fail at the anchor points. For these reasons, it is essential the horizontal lifelines be designed and installed under the supervision of a qualified person to maintain a safety factor of at least twice the impact force of a worker that has six feet free falling. To maintain the integrity of the work, the lifeline must support at least 5,000 lbs. and lifeline of horizontal must support

at least 5,000 lbs. per the worker. Lifeline must not be made from natural fiber rope because the fiber deteriorates with time, and the line must be protected against cuts or abrasions. A fall arrest system must remove from service immediately and do not use it after it stops a fall until a relevant person determines that it is safe to return to service (OSHA). See figure 8.1.




Figure 8.1- Shows Horizontal Lifeline.

8.1.2.2 Guardrail systems. Guardrail systems are preventing workers, materials and equipment from falling to lower level. Guardrail systems are consisting of top rails, mid rails, and vertical members between them. OSHA design and performance requirements for guardrail systems are in CFR 1926.502 (b), and include the following:

- Guardrail systems must be free of bumps or sharp edges that may cause harm to the worker or tearing his clothes. The thickness of the protection systems must be at least a quarter inch, in order to reduce the risk of hand lacerations. Plastic or steel banding is not permitted for top and mid rails.
- Wire rope that is used with a top rail must be signed at least every six feet with high-visibility material.

- The top edge must be 42 inches, plus or minus three inches, above the surface to which it is attached. The top edge height may exceed 45 inches when conditions warrant.
- When there is no wall or parapet at least 21 inches high, mid-rails, mesh, screens, or similar protection must be installed between the top edge of the guardrail system and the working surface. Mid-rails must be installed between the top edge of the guardrail system and the working surface. Mesh and screens must extend from the top rail to the working surface.
- Vertical members, between the top and mid rail, must be no more than 19 inches.
- The guardrail systems must have the ability to withstanding a 200 lbs. force applied within two inches of its top edge in any outward or downward direction. Screens, mid-rails, and vertical members must withstand at least 150 lbs. applied in any downward or outward direction. See figure 8.2.




Figure 8.2- Shows Design of A guardrail Systems.

8.1.2.3 Safety net systems. Safety net systems typically are used to protect workers who work at 25 feet or more above lower levels at building construction sites. Safety net systems are comprised of mesh nets, panels, and a system of connecting them.

OSHA's design and performance, the maximum net opening must not be more than 6 inches on a side, center-to-center (OSHA, CFR 1926.502 (c)).

Safety net systems must be installed to withstand a drop test involving a 400 lb. bag of sand 30 inches in diameter dropped from a working surface. It must be able to resist the impact without supporting anything below it. Safety nets system must be set up as close as possible below working surfaces, but no more than 30 feet below the surfaces. The outer edge of a safety net system must extend at least 8 feet from the edge of the working surface. However, this distance depends on how far the net is below the working surface. In the table 8.1 we can see the minimum distances (U.S. Department of Labor, 1996).

Table 8.1 – Minimum Required Horizontal Distance of Outer Edge of Net from the Edge of the Working Surface.

| Vertical distance | Minimum required horizontal |
|-------------------------|--|
| from working level to | distance of outer edge of net from the |
| horizontal plane of net | edge of the working surface |
| Up to 5 feet | 8 feet |
| 5 to 10 feet | 10 feet |
| More than 10 feet | 13 feet |

8.1.3 Other Fall Protection Systems and Methods.

8.1.3.1 Fall restraint systems. In contrast to the personal fall-arrest system that is designed to stop a fall, the fall restraint system prevents a fall. A fall restraint systems consist of an anchor, a body harness or a body belt, and connectors. The fall restraint system's anchor must be designed to support at least 3000 lbs. Addition; it must be installed, designed, and used under the supervision of a skilled person.

8.1.3.2 Positioning device systems. Positioning device systems help to work on vertical surfaces such as a wall or vertical structure, and enable to work with both hands free. This system is typically used as protection for placing rebar and concrete formwork. There is a difference between a positioning device system and fall-arrest system: the positioning device system supports the worker on an elevated surface and limits fall to two feet. On the other hand, a personal fall arrest system stops a free fall without support it. OSHA design and performance requirements for positioning device systems are in CFR 1926.502 (e).

Positioning device anchors must be designed to support at least 3,000 lbs. Other positioning device such as snap hooks and D-rings must be proof tested to a minimum tensile load of 3,600 lbs. without a failure. To maintain the integrity of the positioning device system the components must always be inspected for wear and damage before using them.

8.1.3.3 Warning line systems. Warning line systems consist of wires, ropes, or chains that are supported by stanchions. This system forms a barrier to warn those who are working near the surfaces that do not have edges or rail. Warning lines systems mark off an area within which worker can do roofing work without using safety nets or guardrails. Warning line systems can be involved with personal fall arrest systems, guardrail systems, or safety monitoring; which protect those doing roofing work on low slope roofs (4:12 or less). OSHA's design and performance requirements for warning line systems covered in CFR 1926.502 (f). See figure 8.3.




Figure 8.3 – Shows Simple Design of A warning Line System.

8.1.3.4 Safety monitoring systems. A safety monitoring system is a set of steps and procedures that take by a qualified person this person responsible to warning and monitoring workers who may be unmindful of fall hazards. This system works in conjunction with a controlled access zone and a fall protection plan is also adequate in situations where conventional fall protection is not feasible. CFR 1926.502 (h) includes the design and performance requirements for safety monitoring systems.

8.1.3.5 Controlled access zones. The controlled access zone defines as an area where ones can do nearing the edge, overhand bricklaying and another related work, or work under a fall hazard without using conventional fall protection. All others are forbidden from entering a controlled access zone. This zone created by establishing lines, or a control line, to restrict access to the area. The control line alerts the workers to work or access to the zone is limited to authorized persons. See figure 8.4.




Figure 8.4 – Shows Controlled Access Zone.

The following criteria must be considered when used the control lines:

- Consist of wires, tapes, ropes, or equivalent materials and supporting Pillars.
- Be marked at least every 6 feet, and used high visibility material
- Must be no more than 45 inches from the working surface at its highest point and no less than 39 inches from the working surface at its lowest point.
- Must be a design at a minimum breaking strength of 200 lbs.
- OSHA's design and requirements for controlled access zones. CFR 1926.502 (g)

8.1.3.6 Covers. A cover includes the use of any rigid or solid object to cover opening in roofs, floors, and other working surfaces. A covering material must be able to load at least twice the maximum load of workers, materials, and equipment. Covers must have enough of edges to cover all parts of the hole, and all covers must be colored marks and writes the word (Hole or Cover). Cover must be safety to prevent accidental displacement. CFR 1926.502 (i) the design and performance requirements for covers. See figure 8.5.




Figure 8.5- Shows Covers Systems.

8.1.3.7 Training workers about fall protection. Employer must be aware of fall hazards at his workplace, and they must work to minimize hazards of falling. The first step must be selecting the fall protection toward meeting that responsibility. Training workers is the second step, so the workers are familiar with the fall protection that they will use. CFR1926.503 requires from employers to provide training for all workers who are exposed to fall hazards.

Responsible person must be qualified to train that ensures workers will recognize hazards of falls and use adequate procedures to reduce exposure to the hazards. In addition, workers should know exactly how to use personal fall arrest systems and know the following:

- How to wear and use the equipment.
- The attachment methods and adequate hookup for the equipment.
- Storage and inspection procedures equipment after used it.
- Appropriate anchoring and tie-off distances.
- Self-rescue methods and techniques

8.2 COST OF FALL PPE

There are a lot of types of personal protective equipment (PPE) that are used by individual workers to protect them from falling. These types vary depending on the worksite at the construction industries, and also depend on the level of elevation from the surface of the work place.

In this section, we will focus on the calculation the cost of PPE, which are generally used to protect from a fall in construction industries. Tables 8.2, 8.3 show the cost of PPE that it is reported by OSHA.

Table 8.2 – Cost of PPE to Protect from A fall in Construction Industries.

| Contains | C-1 | Rate | NI | Dime | nsions | Total cost |
|-----------------------------|------------------------------|---------|--------|------------|-----------|------------|
| Systems | Category | \$/each | Number | Length(ft) | Width(ft) | (\$) |
| | | | | | | |
| | Anchor | 34 | 1 | - | - | 34 |
| | Connectors | 10 | 2 | - | - | 20 |
| Personal Fall Arrest System | Body Harness | 44 | 1 | - | - | 44 |
| Personal Fall Arrest System | Lanyards | 35 | 1 | 6 | - | 35 |
| | Deceleration Devices | 70 | 1 | - | - | 70 |
| | Lifelines | 341 | 1 | 20 | - | 341 |
| | | | | | | |
| Guardrail systems | HUGS Upright and accessories | 144 | 20 | | | 2880 |
| Safety Net systems | | 990 | 1 | 30 | 15 | 990 |
| | | | | | | |
| Total cost | | | | | | 4,414.00 |

Table 8.3 – Other Fall Protection Systems and Methods Cost.

| | Other Fall protection | System a | nd Metho | ods | | |
|----------------------------|-----------------------|----------|----------|-----|---|----------|
| | | | | | | |
| | Anchor | 34 | 1 | 1 | - | 34 |
| Fall Restraint Systems | Connectors | 10 | 2 | - | - | 20 |
| | Body Harness | 44 | 1 | - | - | 44 |
| | | | | | | |
| Positioning Device Systems | | 2120 | 1 | - | - | 2120 |
| | | | | | | |
| | Flag Line | 46 | 1 | 100 | - | 46 |
| Warning Line Systems | Warning Line System – | 148 | 4 | | | 592 |
| | Single Stanchion | 146 | 4 | • | - | 592 |
| | | | | | | |
| Worker's Training | | 25 | 1 | | | 25 |
| | | | | | | |
| Total cost | | | | | | 2881 |
| | | | | | | |
| Total all systems cost | | | | | | 7,295.00 |

Through the above results, the expected cost to protect a person from falling equal \$7,295.00 per person who is exposed to falling. This amount represents a cost of personal protective equipment (PPE) which mentioned it by (OSHA). This equipment is sufficient to protect any worker of falling hazard.

Employers or companies are obliged to provide worker with these equipment to protect them. The cost of these materials is much less than the cost that may result from in the event of a fall, which in Section 7 has been estimated at \$ 222,000 per person.

9. CONCLUSION AND RECOMMENDATION

The main purpose of this research is to encourage employers and companies in the construction industry to take necessary and appropriate measures to reduce falls accidents. A lot of employers may believe that the costs of providing the protection systems to reduce falls accidents are large. They believe this spending will lead to a reduction of profits or perhaps economic loss in construction projects. The consequences of these convictions have contributed to a lot of fatal and non-fatal a fall accidents in the construction industry. Fall accidents in construction are the most common that lead to fatalities and severe injuries; during the last decade falls reached about 34% of the total accidents in the construction industry (BLS 2009 CFOL Data). This percent is high when the construction industry is representing 5% of the labor force in the U.S., but is responsible for 20% of the work fatalities and 12% of disabling injuries.

We have been relying in this research on data and statistics that derived from Occupation Safety and Health Administration (OSHA), and Bureau of Labor Statistics (BLS) in the study and analysis. The study was to compare between the total cost of fall accidents and costs of protective systems to reduce a fall accidents. The total costs of fall accidents include Direct Costs, Indirect Costs, and Worker's Compensation Insurance (WCI), in addition to social and family impacts for the injured person. Costs of protective systems depend on work type, and elevation of work surface. In this thesis, we estimated the cost of all the protection systems that can be used to avoid incidents of falling.

The result was an unexpected. The cost of all fall protection systems through the use of all necessary equipment to protect worker from fall hazard was equal to \$7,295.00 per person. It is much lower than the costs loss that may result from falls accidents. The costs of a fall loss was equal to \$222,000 per person which represents the Direct Costs, Indirect Costs, and Worker's Compensation Insurance (WCI), in addition to social and family impacts for the injured person.

Construction Industry has a prominent role in the growth of the U.S. economy in terms of productivity and employment rat. Through study and analysis in this research,

we recommend taking appropriate measures, and seek to develop a new mechanisms and production systems to reduce all accidents that are causing a loss in money, time and productivity. Also, the loss in worker's lives which is most important, and a negative consequence that impacts on the society and his family.

Also, we recommend the companies to adopt Zero Injury Policy; Preparation programs in the field of process safety to reduce fall accidents in the construction industry. The workers must be trained in safety programs on a regular basis to ensure the preservation their lives and health. In the end, we will reduce the costs that result from a fall accidents.

10. AREAS OF FUTURE RESEARCH

Clearly this research was a study of an important part of the problem facing the construction industry. It has a recurrent incident that is causes a decline in productivity, an increase in wasted spending, and stagnation in economic growth for this sector. Falls are the main factor for incidents in the construction industry, and this was the basis for the subject in this research. This research has been to clarify and correct some concepts about costs of fall accidents and the cost of protection from them, but this certainly is not the only reason that causes injuries.

Future study we will focus on a larger area of reasons that falls have a role in these incidents. One of those reasons is worker's negligence in how use of protection systems. A lot of time and study must be given on how to obligate a worker to be responsible about use protection systems by using the appropriate procedures. One of the measures that can be taken is a list of instructions that must be signed by the worker before starting any work which requires fall protection. These instructions include procedures for checking protection systems before use, measures to make sure of a worker's knowledge for use these systems, procedures to bring equipment back to its original position after use, and a lot of instructions that can be included to reduce these incidents.

In addition, we can study other reasons for accidents that occur in the construction industry. Transportation, contact w/objects, and exposure are equal 59.5% of construction incidents; these represent a large opportunity to improve construction safety.

Another study for future research would be a survey of employers about their perception about the cost of accidents and the cost of protection from accidents in the construction industry. This will help in finding appropriate solutions to increase their interest in supporting programs and protection systems to reduce the rate of accidents.

APPENDIX A

FATAL OCCUPATIONAL INJURIES BY INDUSTRY AND EVENT OR EXPOSURE, ALL U.S.

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All U.S., 2012

| | | | | | Event or exposure ² | xposure ² | | |
|---|-------------------------|-------------------------------------|--|---------------------------------------|--------------------------------|-----------------------|--|------------------------------------|
| $Industry^{^{\downarrow}}$ | NAICS code ¹ | Total fatal injuries (number) | Violence and other injuries by persons or animals ³ | Transportation incidents ⁴ | Fires and explosions | Falls, slips,trips | Exposure to harmful substances or environments | Contact with objects and equipment |
| Construction | | 775 | 32 | 216 | 6 | 280 | 102 | 135 |
| Construction | | 775 | 32 | 216 | 6 | 280 | 102 | 135 |
| Construction of buildings | 236 | 133 | 60 | 20 | 1 | 29 | 11 | 23 |
| Residential building construction | 2361 | 81 | 9 | 6 | 1 | 4 | 7 | 13 |
| Residential building construction | 23611 | 81 | 9 | 6 | 1 | 4 | 7 | 13 |
| New single-family housing construction (except operative builders) | 236115 | 24 | 1 | Ю | ŀ | 14 | m | I |
| New multifamily housing construction (except operative builders) | 236116 | | 1 | 1 | ŀ | Ю | 1 | į |
| Residential remodelers | 236118 | | Ŋ | m | ŀ | 18 | 4 | 7 |
| Nonresidential building construction | 2362 | 49 | - | 8 | 2 | 23 | 4 | 10 |
| Industrial building construction | 23621 | 12 | 100 | I. | 2 | 9 | 1 | 1 |
| Commercial and institutional building construction | 23622 | 36 | - | 9 | 1 | 16 | 4 | œ |
| Heavy and civil engineering construction | 237 | 169 | I. | 76 | I | 19 | 18 | 32 |
| Utility system construction | 2371 | 89 | 1 | 32 | ı | 4 | 14 | 16 |
| Water and sewer line and related structures construction | 23711 | 22 | -1 | 10 | 1 | 1 | 1 | 10 |
| Oil and gas pipeline and related structures construction | 23712 | 19 | l | 14 | E | 1 | ł | m |
| Power and communication line and related structures construction | 23713 | 26 | 1 | 89 | 1 | 4 | 11 | М |
| Land subdivision | 2372 | 9 | 1 | 9 | 1 | 1 | 1 | 1 |
| Land subdivision | 23721 | 9 | ł | 9 | 1 | 1 | 1 | i |
| Highway, street, and bridge construction | 2373 | 84 | 1 | 57 | 1 | 80 | 4 | 14 |
| Highway, street, and bridge construction | 23731 | 84 | 1 | 57 | 1 | 80 | 4 | 14 |
| Other heavy and civil engineering construction | 2379 | 11 | 1 | 1 | ł | 7 | 1 | 1 |
| Specialty trade contractors | 238 | 456 | 19 | 76 | Ŋ | 188 | 70 | 77 |
| Foundation, structure, and building exterior contractors | 2381 | 182 | 1 | 27 | 1 | 109 | 19 | 25 |
| Poured concrete foundation and structure contractors | 23811 | 25 | 1 | 4 | 1 | 9 | 4 | 11 |
| Residential poured concrete foundation and structure contractors | 238111 | 9 | 1 | 1 | 1 | 1 | 1 | m |
| Nonresidential poured concrete foundation and structure contractors | 238112 | 9 | 1 | 1 | 1 | 1 | 1 | 1 |
| Structural steel and precast concrete contractors | 23812 | 18 | 1 | 4 | 1 | 11 | 1 | М |
| Nonresidential structural steel and precast concrete contractors | 238122 | 60 | 1 | 1 | 1 | 5 | 1 | 1 |
| Framing contractors | 23813 | 16 | 1 | 1 | 1 | 11 | 1 | 4 |
| Residential framing contractors | 238131 | | 1 | 1 | 1 | 4 | 1 | 1 |
| Masonry contractors | 23814 | 21 | 1 | 7 | 1 | 11 | 1 | 1 |
| Glass and glazing contractors | 23815 | Ю | 1 | 1 | 1 | 1 | 1 | 1 |
| Non residential glass and glazing contractors | 238152 | 2 | 1 | 1 | T | | 1 | 1 |
| See footnotes at end of table. | | 4 | | | | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All U.S., 2011

| | | | | | Event or exposure ² | xposure ² | | |
|--|-------------------------|-------------------------------------|--|---------------------------------------|--------------------------------|------------------------|--|------------------------------------|
| Industry ² | NAICS code ¹ | Total fatal injuries (number) | Violence and other injuries by persons or animals ³ | Transportation incidents ⁴ | Fires and explosions | Falls, slips, trips | Exposure to harmful substances or environments | Contact with objects and equipment |
| Stone mining and quarrying | 21231 | 6 | 1 | 4 | - 1 | 1 | ı | 3 |
| Dimension stone mining and quarrying | 212311 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| Crushed and broken limestone mining and quarrying | 212312 | Н | 1 | 1 | 1 | 1 | 1 | 1 |
| Sand, gravel, clay, and ceramic and refractory minerals mining and cuarrying | 21232 | Ŋ | l | 1 | ŀ | T | l | m |
| Construction sand and gravel mining | 212321 | S | 1 | 1 | 1 | н | 1 | m |
| Support activities for mining | 213 | 105 | 4 | 48 | 12 | 8 | 6 | 24 |
| Support activities for mining | 2131 | 105 | 4 | 48 | 12 | 89 | 6 | 24 |
| Support activities for mining | 21311 | 105 | 4 | 48 | 12 | 60 | 6 | 24 |
| Drilling oil and gas wells | 213111 | 41 | I. | 15 | S | 4 | 5 | 12 |
| Support activities for oil and gas operations | 213112 | 58 | М | 29 | 7 | 4 | 4 | 11 |
| Construction | | 738 | 32 | 197 | 11 | 262 | 112 | 122 |
| | | | | | | | | |
| Construction | | 738 | 32 | 197 | 11 | 262 | 112 | 122 |
| construction of buildings | 236 | 129 | М | 26 | 4 | 55 | 22 | 20 |
| Residential building construction | 2361 | 72 | М | 17 | ı | 27 | 14 | 6 |
| Residential building construction | 23611 | 72 | e. | 17 | 1 | 27 | 14 | 6 |
| New single-family housing construction (except operative builders) | 236115 | 22 | 1 | 7 | 1 | 8 | 1 | 4 |
| New multifamily housing construction (except operative builders) | 236116 | m | 1 | E | L | li . | E | 1 |
| Residential remodelers | 236118 | 38 | - | 7 | j. | 18 | 11 | 1 |
| | - | - | - | - | - | | - | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2010 - continued

| | | | | | Event or exposure | xposure | | |
|---|-------------------------|------------------------------|---------------------------------------|--|------------------------------------|----------|--|----------------------|
| industry [†] | NAICS code ¹ | Total fatalities (number) | Transportation incidents ³ | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Construction | | 774 | 188 | 30 | 138 | 264 | 126 | 26 |
| Construction | 23 | 774 | 188 | 30 | 138 | 264 | 126 | 56 |
| Construction of buildings | 236 | 159 | 83 | თ | 28 | 8 | 15 | n |
| | 2361 | 9 9 | 5 5 | ဖဖ | চ | 51 | 9 9 | 1 1 |
| New Single-family Housing Construction (except | 736115 | | | | 0 | ÷ ÷ | | |
| operative builders | 611067 | † | | ı | 0 | 2 | l | ı |
| operative builders). | 236116 | 4 | 1 | ì | 1 | 1 | 1 | 1 |
| Residential Remodelers | 236118 | 36 | 3 | 1 | ស | 23 | 4 | 1 |
| Nonresidential Building Construction. | 2362 | 61 | 12 | ო | 12 | 24 | 6 | 1 |
| | 23621 | . 13 | 4 | ı | 1 : | 4 ; | 1 | 1 |
| Commercial and Institutional Building Construction | 23622 | 43 | 9 1 | 1 | Ξ: | 8 9 | 9 (| 1 (|
| Heavy and Civil Engineering Construction | 7371 | 14/ | 5 5 | 4 | 59 | 5 6 | 2 2 | 20 0 |
| Motor and Course Line and Dalated Other than Course Construction | 79744 | 6 | 9 7 | 1 | o ¢ | ~ 0 | <u>†</u> ~ | 0 |
| Vater and Sewer Line and Related Structures Construction | 23712 | 000 | = 1 | 1 1 | 7 7 K | o | 4 4 | |
| Power and Communication Line and Related Structures Construction. | 23713 | 24 | 9 | 1 | 1 | 4 | . 9 | 9 |
| | 2373 | 89 | 47 | 1 | 80 | ဖ | S | 1 |
| Highway, Street, and Bridge Construction | 23731 | 89 | 47 | ì | 00 | 9 | 5 | 1 |
| Other Heavy and Civil Engineering Construction | 2379 | 10 | 1 | 1 | က | 1 | 4 | 1 |
| Other Heavy and Civil Engineering Construction | 23799 | 10 | 1 | 1 | က | 1 | 4 | 1 |
| Specialty Trade Contractors. | 238 | 447 | 8 | 4 | 79 | <u>7</u> | 98 | 41 |
| Foundation, Structure, and Building Exterior Contractors. | 2381 | 146 | σ· | 4 | 22 | 88 | 24 | 1 |
| Poured Concrete Foundation and Structure contractors | 73811 | P. | 4 | ı | 9 | 1 | 9 | 1 |
| Contractors | 238111 | 4 | | 100 | | | N. A. C. | |
| Nonresidential Poured Concrete Foundation and | | | | | | | | |
| Structure Contractors | 238112 | ď | 3 | 1 | 1 | 1 | 1 | 1 |
| Structural Steel and Precast Concrete Contractors | 23812 | 15 | 1 | i | 9 | 9 | 4 | |
| Nonresidential Structural Steel and Precast Concrete | | | | | | | | |
| | 238122 | 5 | 1 | 1 | က | I | 1 | 1 |
| Framing Contractors. | 23813 | 0 | 1 | 1 | 1 | 9 | 1 | 1 |
| ᆍ | 238131 | 4 | 1 | 1 | 1 | ന | 1 | 1 |
| Masonry Contractors. | 23814 | 9 | 1 | 1 | 9 | 12 | 1 | 1 |
| Residential Masonry Contractors. | 238141 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| Nonresidential Masonry Contractors. | 238142 | 4 | 1 | 1 | 1 | 4 | 1 | I |
| Glass and Glazing Contractors. | 23815 | က | 1 | 1 | 1 | 1 | 1 | I |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2009 - continued

| | | | | | | | 00 00 00 00 00 00 00 | 0.00 |
|--|---------------------------|------------------------------|--|--|------------------------------------|--------------|--|----------------------|
| Industry | NAICS code | Total fatalities (number) | Transportation tation incidents ³ | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Other Normetallic Mineral Mining and Ouarrying. Support Activities for Mining. Support Activities for Mining. | 21239 213 2131 | 58 58 58 | : 88 | 111 | 1 5 5 | m m | ; ∞ ∞ | 1 6 6 |
| Support Activities for Mining Drilling of and Gas Wells Support Activities for Oil and Gas Operations. | 21311 213111 213112 | 58 29 27 | 22 0 22 | 111 | <u>ნ</u> ნ ი | က I I | 00 4 4 | တ ၊ က |
| Construction | | 834 | 213 | 4 | 151 | 283 | 132 | 4 |
| Construction | 23 | 834 | 213 | 41 | 151 | 283 | 132 | 14 |
| and the second s | 966 | 727 | c | c | 70 | 1 | 5 | |
| Construction of building Construction | 230 | 4 6 | 27 | 1 0 | 47 7 | | 7 2 | 1 |
| Residential Building Construction | 23611 | 8 8 | = = | , 2 | ÷ | 1 4 | 5 72 | 1 3 |
| New Single-family Housing Construction (except | | | | | | | | |
| operative builders. | 236115 | 36 | 7 | 4 | 4 | 1 | 7 | 3 |
| New Multi-family Housing Construction (except | 236116 | 7 | | | io e | | in the second | |
| Operative Dulliders) | 230110 | - 20 | : | | | 5 ا | . ^ |) |
| Kesidendal Kemodelers. | 236118 | <u>ر</u> د | ; 0 | | 4 6 | 7 8 | ~ 0 | |
| Industrial Building Construction | 2362 | 9 5 | n | | 2 | R 0 | 0 | |
| Commercial and Institutional Building Construction | 23622 | 42 | , o | 1 | 10 | 9 9 | 10 |) |
| Heavy and Civil Engineering Construction. | 237 | 169 | 88 | 4 | 36 | F | 23 | 7 |
| Utility System Construction | 2371 | 9/ | 30 | 1 | 16 | 7 | 16 | 1 |
| Water and Sewer Line and Related Structures Construction | 23711 | 25 | 10 | 1 | 9 | 1 | 9 | 1 |
| Oil and Gas Pipeline and Related Structures Construction | 23712 | 25 | 12 | ì | S | 1 | Tion of the last o | 1 |
| Power and Communication Line and Related Structures Construction | 23713 | 26 | 00 | 1 | S | 4 | 7 | 1 |
| Land Subdivision | 2372 | o 0 | 3 | 1 | G. | 1 | | 1 |
| Highway Street and Bridge Construction | 2373 | . 27 | - 67 | 1 1 | । ट् | ; « | ¥ | « |
| Highway Street and Bridge Construction | 23731 | 72 | 49 | 1 | <u>, t</u> |) (7 | . 4 |) m |
| Other Heavy and Civil Engineering Construction. | 2379 | 16 | 00 | 3 | 9 | 3 | B | 3 |
| Other Heavy and Civil Engineering Construction | 23799 | 16 | 00 | 1 | 9 | 3 | | 3 |
| Specialty Trade Contractors. | 238 | 487 | 86 | 25 | 98 | 190 | 88 | S |
| Foundation, Structure, and Building Exterior Contractors. | 2381 | 170 | 23 | o | 24 | 86 | 17 |) |
| Poured Concrete Foundation and Structure contractors | 23811 | 15 | 9 | 1 | 4 | 1 | က | 3 |
| Residential Poured Concrete Foundation and Structure | | ā | | | 2000 | | | |
| Contractors. | 238111 | 2 | 3 | 1 | 9.0 | 1 : | 3 | 3 |
| Structural Steel and Precast Concrete Contractors | 23812 | 20 | 3 | 1 | S | 13 | | 1 |
| Nonresidential Structural Steel and Precast Concrete | 00,000 | Ċ, | | | c | 1 | 1 | |
| Contractors | 771867 | 2 9 |) | 1 | n | - ; | 1 | 1 |
| Framing Contractors | 23813 | 12 | 1 | 1 | | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2008 - continued

| | | | | | Event or 6 | Event or exposure ² | | |
|--|------------------|------------------------------|--|--|------------------------------------|--------------------------------|--|----------------------|
| Industry ¹ | NAICS code | Total fatalities (number) | Transportation tation incidents ³ | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Sand, Gravel, Clay, and Ceramic and Refractory Minerals | | 1 | 8 | | | 1 19 | | |
| Mining and Quarrying. | 21232 | 9 | 4 . | 1 | 1 | 1 | 1 | 1 |
| Construction Sand and Gravel Mining | 212321 | ກຸ | n . | ı | 1 | 1 | 1 | 1 |
| Support Activities for Mining. | 213 | 104 | 42 | à | 28 | တ | ; | 4 |
| Support Activities for Mining | 2131 | 104 | 42 | 1 | 28 | တ | Ŧ | 4 |
| Support Activities for Mining | 21311 | 104 | 42 | | 28 | တ | F | 4 |
| Drilling Oil and Gas Wells | 213111 | 30 | ဖ | â | 13 | 4 | 4 | က |
| Support Activities for Oil and Gas Operations | 213112 213113 | 9 | 98 : | āā | 12 3 | 4 ¦ | 9 ¦ | Σ! |
| Construction | | 975 | 241 | 38 | 201 | 336 | 132 | 26 |
| Construction | 23 | 975 | 241 | 38 | 201 | 336 | 132 | 26 |
| Construction of buildings. | 236 | 206 | 37 | 15 | 39 | 88 | 26 | 4 |
| Residential Building Construction | 2361 | 97 | 16 | 10 | 17 | 4 | 12 | 1 |
| Residential Building Construction | 23611 | 26 | 16 | 10 | 17 | 9 | 12 | 1 |
| New Single-family Housing Construction (except | 236115 | 40 | 10 | ď | ď | Ť. | 1 | 1 |
| New Multi-family Housing Construction (except | 2 | 2 | 2 | ò | Ď | 2 | | |
| operative builders) | 236116 | 10 | 3 | â | က | က | | 1 |
| Residential Remodelers | 236118 | 34 | က | က | 9 | 4 | 9 | 1 |
| Nonresidential Building Construction | 2362 | 66 | 19 | 2 | 20 | 4 | 13 | 1 |
| Industrial Building Construction | 23621 | 25 | 9 | 3 | 10 | 2 | 1 |) |
| Commercial and Institutional Building Construction | 23622 | 70 | 13 | က | တ | 33 | = | 11 |
| Heavy and Civil Engineering Construction | 237 | 190 | S8 : | ro. | 46 | 20 | 27 | ဖ · |
| Utility System Construction | 23/1 | 8 6 | 20 0 | 1 | 78 | ភ | <u> </u> | 4 |
| Water and bewer Life and Related Structures Construction | 23712 | 3 23 | 0 1 | | <u>-</u> " | 0 | 0 4 | 5 |
| | 23713 | 23 | - m | 3 | യ | Ę | . 6 | F 3 |
| Land Subdivision | 2372 | 9 | 4 | 3 | 1 | 1 | 1 | 1 |
| | 23721 | 9 | 4 | | 1 | 1 | 16220 | 1 |
| Highway, Street, and Bridge Construction | 2373 | 98 | 59 | ო | 17 | 2 | No. | 1 |
| Highway, Street, and Bridge Construction | 23731 | 98 | 59 | ო | 17 | 2 | No. | 1 |
| Other Heavy and Civil Engineering Construction. | 2379 | 6 | 3 | 1 | 3 | 1 | 4 | 1 |
| Other Heavy and Civil Engineering Construction | 23799 | o | 1 | a de | | 1 | 4 | 1 |
| Specialty Trade Contractors | 238 | 292 | 117 | 16 | 115 | 225 | 28 | 16 |
| Foundation, Structure, and Building Exterior Contractors | 2381 | 220 | 36 | 4 | 43 | 113 | 19 | ល |
| Poured Concrete Foundation and Structure contractors | 23811 | 24 | ဧ | 9 | ω | 9 | ဖ | 1 |
| Nonresidential Poured Concrete Foundation and Structure Contractors | 238112 | c | 3 | ā | j | 3 | | 1 |
| | 23812 | 38 | 4 | ä | 41 | 18 | 1 | 1 |
| 100 Mary 100 | | | | | | | Name and the second second | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2007 - continued

| | | | | | Event or exposure | xposnre | | |
|--|------------|------------------------------|--------------------------|--|------------------------------------|----------|--|----------------------|
| Industry | NAICS code | Total fatalities (number) | Transportation incidents | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Support Activities for Oil and Gas Operations | 213112 | 99 | 33 | ı | 19 | 1 | S | 9 |
| Construction | | 1,204 | 296 | 4 | 206 | 447 | 182 | 24 |
| Construction | 23 | 1,204 | 296 | 14 | 206 | 447 | 182 | 24 |
| Construction of buildings | 236 | 249 | 49 | 16 | 39 | 107 | 34 | 3 |
| | 2361 | 129 | ឧឧ | £ £ | र र | R R | 22 | 1 1 |
| New Single-family Housing Construction (except | · | , F | 7 | ď | . « | \$ | 5 | |
| Operative butters | 2 | 3 | <u>t</u> | o |) | 4 | r | ı |
| operative builders). | 236116 | Ţ | 3 | e | j | 9 | 1 | į |
| Residential Remodelers | 236118 | 36 | က | ო | ā | 13 | 13 | į |
| Nonresidential Building Construction | 2362 | 103 | 19 | I | 24 | 46 | 12 | ì |
| Industrial Building Construction | | 20 | 1 | 1 | 7 | œ | က | j |
| Commercial and Institutional Building Construction | 23622 | 77 | 15 | 1 | 5 5 | 37 | ω (| 1 4 |
| Heavy and Civil Engineering Construction | | 219 | D (| 1 | 28 | | 87. | n o |
| Utility System Construction | 23/1 | 9 6 | S 5 | 1 | ¥ ; | 8 2 | 7, | m |
| Water and Cever Line and Related Structures Construction | | 5 - | | 1 1 | ž 6. | t ; | o ; | 1 1 |
| Power and Communication Line and Related Structures Construction | 23713 | 36 | , o | 1 | 4 | 41 | 00 | 1 |
| Highway, Street, and Bridge Construction | 2373 | 95 | 64 | 1 | 18 | 6 | 4 | j |
| Highway, Street, and Bridge Construction | - | 98 | 64 | 1 | 18 | တ | 4 | ā |
| Other Heavy and Civil Engineering Construction | , | 20 | 9 | 1 | വ | 1 | 7 | j |
| Other Heavy and Civil Engineering Construction | 23799 | 20 | 9 | 1 | 2 | 1 | 7 | ì |
| | | 069 | 132 | 21 | 103 | 292 | 118 | 19 |
| Foundation, Structure, and Building Exterior Contractors | 2381 | 252 | 23 | 1 | 35 | 157 | 33 | į |
| Poured Concrete Foundation and Structure contractors | 23811 | 26 | ß | 1 | മ | 80 | 80 | 9 |
| Residential Poured Concrete Foundation and Structure | | (| | | | • | | |
| Contractors | 238111 | တ | 1 | 1 | 1 | n | 1 | 1 |
| Nonresidential Poured Concrete Foundation and | | 8 | | | | | | |
| | | 4 | i | 1 | 1 | 1 | 1 | 1 |
| Structural Steel and Precast Concrete Contractors | 23812 | 40 | 1 | 1 | တ | 30 | 1 | j |
| Residential Structural Steel and Precast Concrete | 10,000 | Ċ | | | | | | |
| | 238121 | n | 1 | ı | 1 | 1 | 1 | į |
| Nonresidential Structural Steel and Precast Concrete | COFFICE | Č | | | | ç | | |
| Contractors | 238122 | 5.53 | 1 | 1 | 4 ւ | 8 9 | ı | 1 |
| Framing Contractors | 23813 | 24 | 1 | 1 | S. | 16 | 1 | 1 |
| Residential Framing Contractors. | 238131 | F | 1 | 1 | 4 | 9 | 1 | į |
| Nonresidential Framing Contractors | 238132 | 4 | 3 8 | 1 | 1 | 4 | 1 | į |
| Masonry Contractors | 23814 | 38 | S | 1 | ; | 16 | S | 1 |
| Residential Masonry Contractors. | 230171 | σ | | | • | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2006 - continued

| | | | | | Event of exposure | o model | | |
|--|--|------------------------------|--------------------------|--|------------------------------------|----------|--|----------------------|
| Industry | NAICS code ¹ | Total fatalities (number) | Transportation incidents | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Construction Sand and Gravel Mining | 212321 | 4 | 31 6 | i | - | 11.0 | 1 | 31 / |
| Support Activities for Mining. | 213 | 103 | 37 | 1 | 32 | / | o (| 4 : |
| Support Activities for Mining. | 2131 | 103 | 37 | 1 | 32 | 7 | ത | 4 |
| Support Activities for Mining | 21311 | 103 | 37 | 1 | 32 | 7 | o | 4 |
| Drilling Oil and Gas Wells | 213111 | 36 | Ξ | 1 | , | 2 | 4 | 1 |
| Support Activities for Oil and Gas Operations | 213112 | 29 | 5 8 | 1 | 21 | 1 | 2 | 12 |
| Construction | | 1,239 | 323 | 42 | 216 | 433 | 191 | 30 |
| Construction | 23 | 1,239 | 323 | 42 | 216 | 433 | 191 | 30 |
| Construction of buildings | 236 | 219 | 4 | 4 | 36 | 66 | 21 | ĸ |
| | 2361 | 132 | ς. | ÷ | σ | 8 | <u> </u> | j. 3) |
| Residential Building Construction | 23611 | 132 | 3 8 | : | <u> </u> | 3 6 | 5 4 | 1 |
| | | | Ė | | | | | |
| | 236115 | 48 | 2 | e | 00 | 26 | က | 1 |
| ~ | | | | | | | | |
| operative builders). | 236116 | 16 | 3 | 1 | ស | 4 | ო | 1 |
| | 236117 | ო | 1 | 1 | 1 | 1 | 1 | 1 |
| Residential Remodelers. | 236118 | 37 | ၉ | 80 | 9 | 16 | 2 | 1 |
| Nonresidential Building Construction. | 2362 | 69 | 73 | ო | 4 | 29 | 1 | 1 |
| Industrial Building Construction | 23621 | 12 | က | 1 | 1 | ဖ | i | 1 |
| Commercial and Institutional Building Construction. | 23622 | 49 | 15 | 1 | 10 | 20 | i | 1 |
| Heavy and Civil Engineering Construction | 237 | 224 | 123 | ဧ | 47 | 21 | 24 | 9 |
| Utility System Construction | 2371 | 103 | 35 | 1 | 25 | 17 | 21 | 4 |
| Water and Sewer Line and Related Structures Construction | 23711 | 52 | 17 | 1 | 16 | 5 | F | 1 |
| Oil and Gas Pipeline and Related Structures Construction | 23712 | 22 | F | 1 | 2 | 1 | • | 1 |
| Power and Communication Line and Related Structures Construction | 23713 | 29 | ^ | 1 | 1 | 9 | တ | 1 |
| Highway, Street, and Bridge Construction | 2373 | 106 | 84 | 1 | 16 | 4 | 1 | 1 |
| Highway, Street, and Bridge Construction | 23731 | 106 | 8 | H | 16 | 4 | 1 | 1 |
| Other Heavy and Civil Engineering Construction | 2379 | 12 | S | 1 | ဖ | 1 | 1 | 1 |
| Other Heavy and Civil Engineering Construction | 23799 | 12 | 2 | 1 | 9 | 1 | 1 | 1 |
| Specialty Trade Contractors | 238 | 724 | <u>+</u> | 22 | 122 | 290 | 135 | 19 |
| Foundation, Structure, and Building Exterior Contractors. | 2381 | 271 | 29 | 4 | 40 | 165 | 29 | 1 |
| Poured Concrete Foundation and Structure contractors | 23811 | 39 | 12 | 1 | œ | 7 | 00 | 1 |
| Residential Poured Concrete Foundation and Structure | | | | | 13 | | | |
| Contractors. | 238111 | = | က | 1 | 4 | 1 | ო | 1 |
| Nonresidential Poured Concrete Foundation and | No. of Contract of | | | | | | | |
| Structure Contractors | 238112 | 9 | 3 | 1 | 1 | 1 | 1 | 1 |
| Structural Steel and Precast Concrete Contractors | 23812 | 33 | 9 | 1 | 4 | 24 | 1 | 1 |
| Nonresidential Structural Steel and Precast Concrete | *************************************** | 100 | | | (6 | | | |
| Contractors | 238122 | 16 | က | 1 | က | 9 | 1 | 1 |
| | | | | | 3 | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2005 - continued

| | | | | | Event or exposure ² | xposure ² | | • |
|--|------------|------------------------------|---------------------------------|--|------------------------------------|----------------------|--|----------------------|
| Industry ¹ | NAICS code | Total fatalities (number) | Transportation tation incidents | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Other Nonmetallic Mineral Mining and Quarrying | 21239 | 9 | 4 | 1 | 1 | | 1 | 1 |
| Support Activities for Mining | . 213 | 82 | 32 | 1 | 24 | 6 | 10 | 7 |
| Support Activities for Mining | 2131 | 82 | 32 | 1 | 24 | 6 | 9 | 7 |
| Support Activities for Mining | 21311 | 98 | 32 | 1 | 24 | 6 | 10 | 7 |
| Drilling Oil and Gas Wells. | 213111 | 8 | 6 | 1 | 10 | 7 | 4 | 1 |
| Support Activities for Oil and Gas Operations | 213112 | 47 | 21 | 1 | 13 | 1 | S | 5 |
| Construction | | 1,192 | 318 | 31 | 244 | 394 | 164 | 40 |
| Construction | 23 | 1,192 | 318 | 31 | 244 | 394 | 164 | 40 |
| Construction of buildings. | 236 | 227 | 27 | o | 40 | 128 | 17 | 9 |
| | 2361 | 128 | 12 | α | 23 | 74 | Ŧ | c |
| Residential Building Construction. | 23611 | 128 | 1 2 | ο σο | 23 23 | 71 | Ξ | ന |
| New Single-family Housing Construction (except | | | | | | | | |
| operative builders. | 236115 | 20 | 80 | 1 | တ | 26 | ന | 1 |
| New Multi-family Housing Construction (except | | 7 | | | | | | |
| operative builders) | 236116 | <u> </u> | ì | 1 4 | 1 (| ω ; | 1 9 | 1 |
| Residential Remodelers | 236118 | 35 | 1 | m | က | 23 | m | 1 |
| Nonresidential Building Construction | 2362 | 71 | 9 | ı | 4 | 38 | 9 | ന |
| Industrial Building Construction | . 23621 | 19 | 1 | 1 | 7 | 6 | 1 | 1 |
| Commercial and Institutional Building Construction | 23622 | 47 | 6 | 1 | 9 | 26 | 4 | ı |
| Heavy and Civil Engineering Construction | 237 | 244 | 125 | ന | 61 | 12 | 27 | 16 |
| Utility System Construction | 2371 | 106 | 32 | 1 | 32 | ∞ | 9 | 4 |
| Water and Sewer Line and Related Structures Construction | 23/11 | 64 | 17 | 1 | 26 | 1 | က | 1 |
| Oil and Gas Pipeline and Related Structures Construction | 23712 | 22 | ოქ | 1 | о с | 1 4 | 1 5 | 4 |
| Power and Communication Line and Related Suddines Construction | 237.13 | ç, « | 7 | ı | 9 | n | 2 | ı |
| 0 | 23721 |) rr | 1 | ı | 1 | | | 1 |
| Highway Street and Bridge Construction | 2373 | 116 | 25 | 1 | 20 | e. | ĸ | 1 |
| Highway. Street, and Bridge Construction. | 23731 | 116 | 8 | 1 | 20 | ı en | , ro | 1 |
| Other Heavy and Civil Engineering Construction | 2379 | 16 | 7 | 1 | 9 | • | ന | I |
| Other Heavy and Civil Engineering Construction | 23799 | 16 | 7 | 1 | ဖ | 1 | 'n | ı |
| Specially Trade Contractors | 238 | 2/9 | 158 | 15 | 136 | 237 | 113 | 17 |
| Foundation Structure, and Building Exterior Contractors | 2381 | 247 | 4 | 4 | 44 | 130 | 27 | : 1 |
| Poured Concrete Foundation and Structure contractors. | 23811 | 29 | 15 | 1 | တ | 1 | ന | I |
| Residential Poured Concrete Foundation and Structure | | i i | | | | | | |
| Contractors. | 238111 | ဂ | 3 | 1 | 1 | 1 | 1 | 1 |
| Nonresidential Poured Concrete Foundation and | | | | | | | | |
| Structure Contractors | 238112 | 13 | 80 | 1 | 1 | 1 | 1 | ı |
| | 23812 | 35 | 4 | 1 | Ξ | 20 | 1 | 1 |
| Nonresidential Structural Steel and Precast Concrete | | 2000 | | | 1000 | | | |
| Contractors. | 238122 | 20 | | 1 | 9 | 13 | 4 | 1 |
| See footnotes at end of table. | | | | | | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2004 - continued

| | | | | | Event or 6 | Event or exposure ² | | |
|--|------------|------------------------------|---------------------------------------|--|------------------------------------|--------------------------------|--|----------------------|
| Industry [†] | NAICS code | Total fatalities (number) | Transportation incidents ³ | Assaults and violent acts ⁴ | Contact with objects and equipment | Falls | Exposure to harmful substances or environments | Fires and explosions |
| Coal Mining. | 21211 | 26 | 80 | î | 14 | 1 | 1 | 1 |
| | 212111 | က | က | 1 | 1 | 1 | 3 | 1 |
| Bituminous Coal Underground Mining | 212112 | 41 | 1 | ì | 10 | 1 | 1 | 1 |
| Metal Ore Mining. | 2122 | 20 | 3 | ì | 1 | 1 | 1 | 1 |
| Quarrying | 2123 | 19 | S | 1 | o | 4 | 1 | 1 |
| Stone Mining and Quarrying | 21231 | 9 | 1 | ā | က | 1 | 1 | 1 |
| Crushed and Broken Limestone Mining and Quarrying | 212312 | 6 | 3 | 1 | 1 | 1 | 1 | 1 |
| Sand Gravel Clay and Ceramic and Refractory Minerals | | | | | | | | |
| Mining and Ottaming | 21232 | , | _ | | ų | 1) | | |
| Willing and Cuantyling | 717574 | 4 0 | | | | | | |
| Construction Sand and Gravel Mining | 176717 | n i | 1 ; | ı | 4 . | 1) | 1 ! | 1 . |
| Support Activities for Mining | 213 | Σ. | 78 | 1 | 2.1 | , | O. | ກ |
| Support Activities for Mining. | 2131 | 71 | 78 | 1 | 21 | 7 | ល | တ |
| Support Activities for Mining | 21311 | 7 | 28 | 1 | 21 | 2 | ഗ | တ |
| Drilling Oil and Gas Wells | 213111 | 30 | 9 | 1 | ÷ | 9 | e | 1 |
| | 213112 | 38 | 22 | A | 10 | 1 | 1 | ĸ |
| | 1 | | | | | | | 1 |
| Construction. | | 1,234 | 287 | 31 | 267 | 445 | 170 | 8 |
| Construction | 23 | 1,234 | 287 | 31 | 267 | 445 | 170 | 34 |
| Construction of buildings | 236 | 225 | 43 | 9 | 52 | 106 | 17 | 3 |
| | 2361 | 4 | 4 | _ | 27 | 2 | | 1 |
| איניין אייין איניין אייין אייי | 2000 | | 2 5 | , | † ⁷ C | \$ 2 | 4 4 | |
| Kesidential Building Construction | 73611 | 20 | 2 | 4 | 47 | \$ | 12 | 1 |
| New Single-family Housing Construction (except | 3 | | 0 | | 8 | ì | 7 | |
| operative builders. | 236115 | 4 | ū | 1 | ဘ | 72 | n | 1 |
| New Multi-family Housing Construction (except | | Î | | | | | | |
| operative builders) | | ത | 1 | ì | 1 | 9 | 1 | 1 |
| New Housing Operative Builders | 236117 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| Residential Remodelers. | 236118 | 31 | 1 | 4 | ၉ | 16 | ស | 1 |
| Nonresidential Building Construction | 2362 | 8 | 24 | à | 23 | 23 | 4 | 1 |
| Industrial Building Construction. | 23621 | 24 | α | 1 | 00 | σ | 1 | 1 |
| Commercial and Institutional Building Construction | 23622 | 49 | 12 | | 13 | 19 | 4 | 1 |
| Heavy and Civil Engineering Construction | 237 | 220 | 06 | 1 | 73 | 18 | 27 | T |
| Utility System Construction. | 2371 | 95 | 20 | ì | 41 | F | 19 | 4 |
| 3 | | 53 | 12 | à | 31 | 1 | 7 | 1 |
| Oil and Gas Pipeline and Related Structures Construction | | o | 1 | | 4 | 3 | 1 | 1 |
| Power and Communication Line and Related Structures Construction | 23713 | 30 | 4 | î | 9 | 10 | o | 1 |
| Highway Street and Bridge Construction | | 1001 | 9 | 1 | 90 | . 4 | ı LC | 1 |
| Highway Street and Bridge Construction | 23731 | 901 | 3 6 | | 3 6 | y C |) LC | 1 |
| Other Dear And Francisco Control | 2370 | 3 8 | 3 0 | | 3 " | • | • | ď |
| Other Deady and Othi Engineering Construction | 23.700 | 3 8 | 0 | |) (° | | | 9 (4 |
| n | 230 | 750 | , t | ۱ ۶ | , , | 946 | 1 7 | ° č |
| Specialty Irade Contractors. | | 600 | 747 | 1 0 | 85 | 210 | 47 0 | 7 ' |
| Foundation, Structure, and Building Exterior Contractors | 7381 | 100 | ‡ | s | 40 | 0/- | 17 | O |
| See lootholes at elia oi table. | | | | | | | | |

TABLE A-1. Fatal occupational injuries by industry and event or exposure, All United States, 2003 - continued

| Dimension Store Mining and Outsrying Outsr | Contact with objects and equipment | 0 + 021100 U.S. | |
|--|--|--|----------------------|
| 212311 4 - <th></th> <th>Exposure to harmful substances or environments</th> <th>Fires and explosions</th> | | Exposure to harmful substances or environments | Fires and explosions |
| 212312 3 <td></td> <td></td> <td>3</td> | | | 3 |
| 212319 3 3 21232 13 6 4 | | 3 | 9 |
| 21232 13 6 - 4 <td>202</td> <td>8</td> <td>3</td> | 202 | 8 | 3 |
| 21222 13 6 - 4 4 - 4 4 23 | 100000 | | |
| 212321 10 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 23 23 23 23 23 23 23 23 1,131 290 37 231 232 232 232 232 232 232 233 233 233 233 233 233 233 233 233 233 233 233 233 23 | 10 | | 3 |
| 213 69 22 - 23 21311 69 22 - 23 21311 26 5 - 13 21311 26 5 - 13 21311 26 5 - 14 21312 42 17 - 10 236 1,131 290 37 231 236 1,23 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 13 23 8 21 23611 131 27 6 79 2371 49 8 - 11 2373 49 6 5 23 </td <td>10</td> <td></td> <td>1</td> | 10 | | 1 |
| 2131 69 22 - 23 213112 26 5 - 13 213112 42 17 - 10 213112 42 17 - 10 236 227 51 13 231 236 227 51 13 39 236116 57 17 - 10 236117 129 32 8 21 236118 29 - 6 4 236119 57 17 - 10 236119 57 17 - 10 236119 57 17 - 10 236119 57 17 - 10 236119 57 17 - 10 23611 13 2 1 1 23611 13 2 1 1 2371 14 2 2 2< | | | 16 |
| 21311 69 22 - 23 213112 26 5 - 13 213112 42 17 - 10 23 1,131 290 37 231 23611 129 37 231 23611 129 37 231 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 29 17 - 10 23611 29 32 8 21 23611 29 32 8 21 23611 29 - - - - 23611 29 - - - - - 23611 29 - - - - - - - - - - - - - - | | 4 | 16 |
| 213111 26 5 — 13 213112 42 17 — 10 23 1,131 290 37 231 23611 129 37 231 23611 129 37 231 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 129 32 8 21 23611 149 23 8 21 23611 131 27 6 4 2371 149 6 7 9 2371 49 8 — 11 2373 96 52 — 23 2378 19 10 — 3 | | | 16 |
| 236112 42 17 — 10 236 227 51 13 231 23611 129 37 231 23611 129 32 8 21 236116 57 17 — 10 236118 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 236119 29 6 4 23611 13 27 10 23611 13 27 11 2371 14 27 23 2373 49 6 23 2373 29 19 10 3 2373 29 19 10 3 2373 29 19 10 - | | | ស |
| 236 1,131 290 37 231 236 227 51 13 39 23611 129 32 8 21 236116 57 17 — 10 236116 9 — — 10 236117 57 17 — 10 236118 29 — 6 4 236119 29 — 6 4 23621 19 — 6 4 23621 19 — 6 14 23622 247 90 — 3 2371 131 27 — 53 2371 14 27 — 53 2371 49 8 — 3 2373 96 52 — 23 2373 96 52 — 23 2373 96 52 — 23 2379 19 10 — 3 2378 228 10 — 3 2381 228 13 1 6 23811 5 — 6 23 2381 | 10 | £ | 10 |
| 236 227 51 13 39 23611 129 32 8 21 236116 129 32 8 21 236116 57 17 — — 236118 29 — — — 236118 29 — — — 236118 29 — — — 236118 29 — — — 236118 29 — — — 236118 29 — — — 236118 29 — — — 23611 29 — — — 23611 29 — — — 2371 66 12 — 3 2371 66 12 — 3 2373 96 52 — 23 2378 19 10 — 3 | | 364 179 | 29 |
| 236 227 51 13 39 23611 129 32 8 21 236116 57 17 — 10 236118 29 — 6 4 23621 19 — 6 14 23622 56 5 3 12 23621 19 — 6 14 23622 56 5 3 12 2371 131 27 — 6 16 2371 66 12 — 3 11 2371 49 8 — 3 11 2373 96 62 — 23 23 2373 19 10 — 3 3 2378 19 10 — 3 3 2379 19 10 — 3 3 23811 23 35 5 39 <td>600</td> <td>364 179</td> <td>29</td> | 600 | 364 179 | 29 |
| 23611 129 32 8 21 236115 57 17 - 10 236116 9 - - 10 23621 9 - 6 4 23621 19 - 6 4 23621 19 - 6 16 23721 131 27 - 3 2371 149 9 - 39 2373 49 8 - 11 2373 96 65 - 23 2373 96 62 - 23 2379 19 10 - 3 2378 28 62 - 23 2379 19 10 - 3 23811 23 35 5 39 23811 5 - - 3 238111 5 - - - | 5000 | CONT | 3 |
| 236115 57 17 - 10 236116 9 - - - 10 236118 29 - | | - 77 | |
| 236116 9 10 236118 29 6 4 23621 19 6 14 23622 26 5 5 3 12 23623 247 90 3 12 2371 131 27 53 12 2371 16 6 3 12 23 2371 15 6 3 11 27 23 23 2373 49 6 52 23 < | | 50 | 3 |
| 236116 9 10 236118 29 6 4 23621 19 6 4 23622 56 5 3 12 237 247 90 53 2371 131 27 53 2371 66 12 53 2371 66 12 39 2373 95 52 23 2373 96 52 23 2379 19 10 3 2378 23 10 3 2379 19 10 3 2381 228 33 5 39 23811 23 11 23811 5 | | | |
| 236116 9 6 4 23621 80 10 5 16 23621 80 10 5 16 23622 56 5 3 12 2371 247 90 79 2371 66 12 53 23712 15 6 39 2373 49 8 11 2373 95 52 23 2373 95 52 23 2378 19 10 3 2378 6 52 23 2379 19 10 3 2378 23 10 3 2379 23 10 3 238 629 13 5 3 23811 23 11 238111 5 | | 20 8 | 9 |
| 236116 9 6 4 23621 80 6 4 23622 80 6 16 23621 19 3 12 23622 247 90 79 2371 131 27 53 23712 15 6 39 2373 96 52 23 2373 96 62 23 2373 19 10 3 2373 19 10 3 2373 19 10 3 2378 19 10 3 238 629 136 11 10 238 228 136 13 6 238111 5 | A CONTRACTOR OF THE PROPERTY O | | |
| 236118 29 6 4 2362 80 10 6 16 23621 19 5 16 23622 247 90 79 2371 131 27 53 23713 149 8 11 2373 96 52 23 2379 19 10 3 2379 19 10 3 23811 23 33 5 39 238111 5 | | 4 | 1 |
| 2362 80 10 6 16 23621 19 3 23622 56 5 3 12 237 247 90 79 2371 131 27 79 23713 66 12 39 2373 96 52 23 2379 19 10 3 2378 19 10 3 2378 19 10 3 238 629 13 5 39 23811 23 5 39 39 238111 5 | 1200 | 12 5 | 9 |
| 23621 19 3 23622 56 5 3 12 237 247 90 79 2371 131 27 53 23712 16 6 39 2373 96 52 23 2373 96 52 23 2379 19 10 3 2378 19 10 3 2378 238 629 136 21 110 238 629 136 21 110 23811 23 13 6 238111 5 | | 39 | 3 |
| 23622 56 5 3 12 2371 247 90 - 79 2371 131 27 - 53 23712 15 6 12 - 39 2373 49 8 - 11 2373 96 62 - 23 2379 19 10 - 3 2379 19 10 - 3 2381 228 136 21 110 23811 23 11 - 6 238111 5 - - - | | | 1 |
| 237 247 90 - 79 2371 131 27 - 63 23713 16 6 12 - 39 23713 49 8 - 11 2373 96 52 - 23 2379 19 10 - 3 2378 19 10 - 3 238 629 136 21 110 23811 23 11 - 6 238111 5 - - - | | | 1 |
| 2371 131 27 53 23712 16 12 53 23713 49 8 - 11 2373 96 52 - 23 2379 19 10 - 3 2378 19 10 - 3 2378 19 10 - 3 238 629 136 21 110 23811 23 11 - 6 238111 5 - - - | | | 9 |
| ad Structures Construction 23711 66 12 3 1 Structures Construction 23712 15 6 - 3 1 And Related Structures Construction 2373 96 52 - 23 1 ction 2373 96 52 - 23 structures Construction 2379 19 10 - 3 2 Construction 2379 19 10 - 3 Stretion Contractors 238 629 19 10 - 3 Exterior Contractors 23811 238 5 39 5 39 Condition and Structure 23811 5 - | | | ო |
| Structures Construction | | | 3 |
| and Related Structures Construction | | | 3 |
| tutorin 2373 95 52 - 23 struction 2373 95 52 - 23 struction 2379 19 10 - 3 g Construction 23789 19 10 - 3 Exterior Contractors 2381 228 33 5 Gundation and Structure 23811 238 11 | | 0 | 1 |
| struction 23731 96 62 - 23 construction 2379 19 10 - 3 g Construction 238 629 136 21 110 Exterior Contractors 2381 228 33 5 39 Structure contractors 23811 23 11 - - - coundation and Structure 23811 5 - - - - | | 6 | 9 |
| onstruction 2379 19 10 - 3 g Construction 238 629 15 21 110 Exterior Contractors 238 228 33 5 39 Structure contractors 23811 23 11 - 6 coundation and Structure 23811 5 - - - | | | 100 |
| g Construction | | | 9 |
| Exterior Contractors. 238 629 135 21 110 Exterior Contractors. 2381 228 33 5 39 Structure contractors. 23811 23 11 - 6 -oundation and Structure 23811 5 - - - | | | 1 |
| 2381 228 33 5 39 23811 23 11 - 6 238111 5 | | 235 107 | 21 |
| Structure contractors | 10 miles | | ഹ |
| oundation and Structure | | | 3 |
| : 807 | The state of the s | 18x40000 | Charles |
| | 1 |) |) |
| Nonresidential Poured Concrete Foundation and 200412 F. 2 | 1000 | | 600 |
| 711007 | | | |

APPENDIX B

CURRENT EMPLOYMENT STATISTICS SURVEY, ALL U.S.

Bureau of Labor Statistics

Employment, Hours, and Earnings from the Current Employment Statistics survey (National) Original Data Value

Construction Industry 1970 - 2014

| 1970 | | | | | | | 100 | 5 | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 3615 | 3703 | 3697 | 3669 | 3634 | 3636 | 3645 | 3649 | 3618 | 3626 | 3643 | 3688 |
| 13/1 | 3643 | 3633 | 3674 | 3735 | 3750 | 3759 | 3786 | 3786 | 3820 | 3867 | 3903 | 3867 |
| 1972 | 3912 | 3888 | 3921 | 3931 | 3957 | 3969 | 3939 | 3983 | 4000 | 4038 | 4002 | 3937 |
| 1973 | 4004 | 4071 | 4089 | 4106 | 4137 | 4193 | 4232 | 4233 | 4237 | 4232 | 4232 | 4239 |
| 1974 | 4196 | 4259 | 4255 | 4225 | 4198 | 4146 | 4045 | 4059 | 4009 | 3972 | 3911 | 3860 |
| 1975 | 3841 | 3718 | 3628 | 3565 | 3552 | 3526 | 3501 | 3547 | 3573 | 3587 | 3604 | 3641 |
| 1976 | 3688 | 3687 | 3685 | 3684 | 3649 | 3632 | 3627 | 3632 | 3634 | 3645 | 3678 | 3688 |
| 1977 | 3660 | 3775 | 3859 | 3904 | 3930 | 3962 | 3981 | 3995 | 4023 | 4034 | 4058 | 4087 |
| 1978 | 4029 | 4058 | 4178 | 4308 | 4302 | 4379 | 4403 | 4420 | 4424 | 4447 | 4453 | 4450 |
| 1979 | 4373 | 4389 | 4552 | 4516 | 4565 | 4604 | 4621 | 4634 | 4625 | 4620 | 4617 | 4630 |
| 1980 | 4625 | 4605 | 4548 | 4473 | 4434 | 4395 | 4351 | 4377 | 4401 | 4411 | 4409 | 4415 |
| 1981 | 4374 | 4357 | 4396 | 4414 | 4343 | 4311 | 4299 | 4278 | 4254 | 4238 | 4209 | 4177 |
| 1982 | 4069 | 4131 | 4108 | 4083 | 4092 | 4030 | 4001 | 3977 | 3962 | 3940 | 3947 | 3948 |
| 1983 | 4021 | 3964 | 3942 | 3948 | 3960 | 4006 | 4055 | 4100 | 4138 | 4178 | 4217 | 4248 |
| 1984 | 4305 | 4410 | 4393 | 4423 | 4456 | 4507 | 4534 | 4547 | 4576 | 4590 | 4617 | 4652 |
| 1985 | 4668 | 4662 | 4730 | 4764 | 4787 | 4789 | 4799 | 4823 | 4852 | 4868 | 4879 | 4887 |
| 1986 | 4908 | 4904 | 4914 | 4950 | 4924 | 4917 | 4930 | 4943 | 4939 | 4954 | 4960 | 4993 |
| 1987 | 2002 | 5038 | 5039 | 5053 | 5080 | 5086 | 5092 | 5102 | 9609 | 5142 | 5152 | 5180 |
| 1988 | 5094 | 5162 | 5201 | 5227 | 5228 | 5261 | 5270 | 5268 | 5270 | 5262 | 5273 | 5277 |
| 1989 | 5289 | 5278 | 5260 | 5295 | 5299 | 5298 | 5317 | 5330 | 5323 | 5347 | 5364 | 5309 |
| 1990 | 5422 | 5416 | 5392 | 5355 | 5321 | 5303 | 5274 | 5234 | 5197 | 5134 | 5095 | 5047 |
| 1991 | 4972 | 4929 | 4881 | 4842 | 4800 | 4782 | 4752 | 4733 | 4728 | 4698 | 4640 | 4647 |
| 1992 | 4667 | 4612 | 4621 | 4603 | 4605 | 4584 | 4570 | 4581 | 4584 | 4600 | 4606 | 4630 |
| 1993 | 4664 | 4714 | 4676 | 4690 | 4753 | 4760 | 4783 | 4806 | 4823 | 4868 | 4887 | 4925 |
| 1994 | 4940 | 4923 | 4990 | 5047 | 5084 | 2097 | 5125 | 5139 | 5175 | 5177 | 5210 | 5226 |
| 1995 | 5234 | 5192 | 5242 | 5252 | 5220 | 5250 | 5262 | 5286 | 5324 | 5353 | 5358 | 5344 |
| 1996 | 5355 | 5415 | 5446 | 5474 | 5498 | 5534 | 5557 | 5586 | 5610 | 5643 | 5668 | 2675 |
| 1997 | 2299 | 5722 | 5751 | 5764 | 5793 | 5793 | 5817 | 5846 | 5874 | 5883 | 5899 | 5938 |
| 1998 | 5983 | 2882 | 5969 | 6049 | 6087 | 6130 | 6172 | 6215 | 6225 | 6262 | 6301 | 6378 |

Bureau of Labor Statistics

| | 6429 | 6402 | 6480 | 6516 | 6547 | 6571 | 9859 | 6613 | 6640 | 2899 | 6029 |
|------------------|------|------|------|------|------|------|------|------|------|------|------|
| • | 6730 | 6811 | 6794 | 0229 | 8778 | 6794 | 9629 | 6807 | 6814 | 6817 | 6792 |
| • | 6841 | 6862 | 6844 | 6849 | 6840 | 6845 | 6827 | 6813 | 6804 | 6784 | 6785 |
| • | 99/9 | 6755 | 6710 | 6684 | 6701 | 6688 | 6701 | 6702 | 6899 | 6713 | 00/9 |
| • | 2999 | 6654 | 6899 | 90/9 | 6723 | 6735 | 09/9 | 6783 | 6784 | 9629 | 6827 |
| 2004 6848 | 6838 | 6887 | 6901 | 6948 | 6962 | 2269 | 7003 | 7029 | 7077 | 7091 | 7117 |
| | 7153 | 7181 | 7266 | 7294 | 7333 | 7353 | 7394 | 7415 | 7460 | 7524 | 7533 |
| | 7664 | 7689 | 7726 | 7713 | 2697 | 7712 | 7720 | 7718 | 7682 | 9992 | 7685 |
| | 7626 | 2106 | 7686 | 7673 | 7687 | 7660 | 7610 | 7577 | 7565 | 7523 | 7490 |
| | 7453 | 7406 | 7327 | 7274 | 7213 | 7160 | 7114 | 7044 | 2969 | 6813 | 6701 |
| • | 6446 | 6291 | 6154 | 6100 | 6010 | 5932 | 5855 | 5787 | 5716 | 9699 | 5654 |
| 4, | 5508 | 5536 | 5555 | 5524 | 5512 | 5502 | 5525 | 5503 | 5507 | 5504 | 5462 |
| 4, | 5464 | 5475 | 5496 | 5520 | 5524 | 5551 | 5553 | 5590 | 5584 | 5585 | 2606 |
| 4, | 5622 | 5627 | 5630 | 5613 | 5620 | 5635 | 5647 | 5648 | 9999 | 2687 | 5720 |
| 4, | 5789 | 5813 | 5811 | 5816 | 5829 | 5830 | 5836 | 5849 | 5864 | 5896 | 5876 |
| ~ | 5941 | | | | | | | | | | |

Bureau of Labor Statistics

Employment, Hours, and Earnings from the Current Employment Statistics survey (National) 12-Month Percent Change

Construction Industry 1970 - 2014

| 1970 0.8 3.6 0.0 -0.6 -0.6 -1.6 -1.3 -1.1 -0.6 1971 1972 0.0 0.0 0.0 0.0 0.0 -0.6 1.8 2.0 0.0 0.0 -1.6 -1.7 -1.7 0.0 | Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--|------|------|-------|-------|---------------------|-------|-------|-------|-------|-------|------|------|------|
| 0.8 -1.9 -0.6 1.8 3.2 3.4 3.9 3.8 5.6 6.6 7.1 4.4 4.7 4.3 4.5 4.5 5.6 7.4 6.7 4.4 4.7 4.3 4.5 4.5 5.6 7.4 6.3 5.9 4.0 6.7 4.4 </th <th>1970</th> <th>2.3</th> <th>3.6</th> <th>3.3</th> <th>2.2</th> <th>0.0</th> <th>9.0-</th> <th>-0.5</th> <th>-0.1</th> <th>-1.6</th> <th>-1.3</th> <th>Į.</th> <th>-0.5</th> | 1970 | 2.3 | 3.6 | 3.3 | 2.2 | 0.0 | 9.0- | -0.5 | -0.1 | -1.6 | -1.3 | Į. | -0.5 |
| 74 7.0 6.7 5.2 5.5 5.6 4.0 5.2 4.7 4.4 4.1 2.9 4.5 5.6 7.4 6.3 5.9 4.8 5.7 4.8 6.9 4.8 6.7 4.8 6.9 4.8 6.7 7.8 4.8 6.0 7.4 4.1 5.9 4.8 6.0 7.7 6.0 9.7 7.8 9.7 7.0 9.1 9.8 10.0 10.7 10.2 7.7 9.1 9.8 10.0 10.7 10.2 7.8 9.7 10.3 9.7 10.0 10.7 10.2 9.7 7.0 9.1 9.8 10.0 10.7 10.2 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 10.3 9.7 9.7 9.7 9.7 9.7 9.7 9.7 9.7 9.7 </th <th>1971</th> <th>0.8</th> <th>6.1-</th> <th>9.0-</th> <th>1.8</th> <th>3.2</th> <th>3.4</th> <th>3.9</th> <th>3.8</th> <th>5.6</th> <th>9.9</th> <th>7.1</th> <th>4.9</th> | 1971 | 0.8 | 6.1- | 9.0- | 1.8 | 3.2 | 3.4 | 3.9 | 3.8 | 5.6 | 9.9 | 7.1 | 4.9 |
| 24 4.7 4.3 4.5 4.5 4.6 7.4 -6.3 5.9 4.8 5.7 4.8 -6.1 -7.6 -7.6 -7.6 -7.6 -7.7 -7.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.6 -1.7 -1.0 | 1972 | 7.4 | 7.0 | 6.7 | 5.2 | 5.5 | 5.6 | 4.0 | 5.2 | 4.7 | 4.4 | 2.5 | 1.8 |
| 4.8 4.6 4.1 2.9 1.5 -1.1 -4.4 -4.1 -5.4 -6.1 -5.7 -7.8 -8.5 -12.7 -14.7 -15.6 -15.4 -15.0 -13.4 -12.6 -10.9 -7.7 -9.1 -9.8 -10.0 -10.7 -17.7 -17.8 -10.9 -17.7 -10.7 - | 1973 | 2.4 | 4.7 | 4.3 | 4.5 | 4.5 | 5.6 | 7.4 | 6.3 | 5.9 | 4.8 | 5.7 | 7.7 |
| -8.5 -12.7 -14.7 -15.6 -15.4 -15.0 -13.4 -12.6 -10.9 -9.7 -7.8 -4.0 -0.8 1.6 3.3 2.7 3.0 3.6 2.4 1.7 1.6 2.1 -0.8 2.4 1.6 3.3 1.7 3.7 3.0 3.6 10.6 10.0 10.7 10.7 10.2 8.5 8.2 9.0 4.8 6.1 5.1 5.0 4.8 4.5 3.9 3.7 5.8 4.9 -0.1 -1.0 -2.9 -4.5 -5.8 -5.5 -4.8 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.5 -4.6 -4.5 | 1974 | 4.8 | 4.6 | 4.1 | 2.9 | 1.5 | 7 | 4.4 | -4.1 | -5.4 | -6.1 | -7.6 | 6.8 |
| -4.0 -0.8 1.6 3.3 2.7 3.0 3.6 2.4 1.7 1.6 2.1 -0.8 2.4 4.7 6.0 7.7 9.1 9.8 10.7 10.7 10.7 10.7 -0.8 8.2 9.0 4.8 6.1 5.1 5.0 4.8 4.5 3.9 3.7 -5.6 4.9 -0.1 -1.0 -2.9 4.5 -5.8 -6.5 -4.8 4.5 3.9 3.7 -7.0 -5.4 -5.4 -5.9 -4.6 -5.9 -4.8 4.5 3.9 3.7 -7.0 -5.4 -5.3 -4.6 -5.6 -6.9 -7.0 -6.9 -7.0 -6.9 -7. | 1975 | -8.5 | -12.7 | -14.7 | -15.6 | -15.4 | -15.0 | -13.4 | -12.6 | -10.9 | -9.7 | -7.8 | -5.7 |
| -0.8 2.4 4.7 6.0 7.7 9.1 9.8 10.0 10.7 10.7 10.2 10.8 10.0 10.7 10.7 10.2 9.7 10.3 10.5 10.6 10.6 10.0 10.2 9.7 9.7 9.1 10.6 10.6 10.0 10.2 9.7 | 1976 | -4.0 | 9.0 | 1.6 | 3.3 | 2.7 | 3.0 | 3.6 | 2.4 | 1.7 | 1.6 | 2.1 | 1.3 |
| 10.1 7.5 8.3 10.3 9.5 10.5 10.6 10.6 10.0 10.2 9.7 8.6 8.2 9.0 4.8 6.1 5.1 5.0 4.8 4.5 3.9 3.7 5.8 4.9 -0.1 -1.0 -2.9 4.5 -5.8 4.5 3.9 3.7 -7.0 -5.2 -6.6 -7.5 -6.8 -6.5 -6.9 -7.0 -6.9 <th>1977</th> <th>9.0-</th> <th>2.4</th> <th>4.7</th> <th>0.9</th> <th>7.7</th> <th>9.1</th> <th>9.8</th> <th>10.0</th> <th>10.7</th> <th>10.7</th> <th>10.3</th> <th>10.8</th> | 1977 | 9.0- | 2.4 | 4.7 | 0.9 | 7.7 | 9.1 | 9.8 | 10.0 | 10.7 | 10.7 | 10.3 | 10.8 |
| 8.5 8.2 9.0 4.8 6.1 5.1 5.0 4.8 4.5 3.9 3.7 5.8 4.9 -0.1 -1.0 -2.9 4.5 -5.8 -5.5 -4.8 -4.5 -4.5 -4.8 -4.5 -4.5 -4.8 -4.5 -4.5 -4.8 -4.5 -4.8 -4.5 -4.5 -4.8 -4.5 -4.5 -4.8 -4.5 -4.8 -4.5 -4.9 -4.0 -4.9 -4.0 -4.9 -4.0 -3.3 -3.2 -0.6 1.3 -0.4 -4.9 -4.5 | 1978 | 10.1 | 7.5 | 8.3 | 10.3 | 9.5 | 10.5 | 10.6 | 10.6 | 10.0 | 10.2 | 9.7 | 8.9 |
| 5.8 4.9 -0.1 -1.0 -2.9 4.5 -5.8 -5.5 -4.8 -4.5 -4.9 -4.5 -4.9 -4.5 -4.9 -4.5 -4.9 -4.5 -4.9 -4.5 -4.9 -4.5 -4.9 -4.9 -4.9 -4.5 -4.9 -4.0 -6.9 -7.0 -6.9 <t< th=""><th>1979</th><th>8.5</th><th>8.2</th><th>9.0</th><th>4.8</th><th>6.1</th><th>5.1</th><th>5.0</th><th>4.8</th><th>4.5</th><th>3.9</th><th>3.7</th><th>4.0</th></t<> | 1979 | 8.5 | 8.2 | 9.0 | 4.8 | 6.1 | 5.1 | 5.0 | 4.8 | 4.5 | 3.9 | 3.7 | 4.0 |
| -5.4 -5.4 -5.3 -1.3 -2.1 -1.9 -1.2 -2.3 -3.3 -3.9 -4.5 -1.2 -2.0 -5.2 -6.6 -7.5 -5.8 -6.5 -6.9 -7.0 -6.9 -7.0 -6.2 -1.2 -1.2 -1.2 -1.0 -1.2 -2.3 -3.3 -3.9 -4.5 -1.2 -1.2 -1.0 -1.2 -1.0 -1.2 -1.0 -1.2 -1.0 -1.2 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 | 1980 | 5.8 | 4.9 | 0.1 | -1.0 | -2.9 | 4.5 | -5.8 | -5.5 | 4.8 | -4.5 | -4.5 | 4.6 |
| -7.0 -5.2 -6.6 -7.5 -6.8 -6.5 -6.9 -7.0 -6.9 -7.0 -6.2 -7.0 -7.0 -7.0 -7.0 -7.0 -7.0 -7.0 -7.0 | 1981 | -5.4 | -5.4 | -3.3 | ر. د. | -2.1 | 6.1- | -1.2 | -2.3 | 5.3 | -3.9 | -4.5 | -5.4 |
| -1.2 | 1982 | -7.0 | -5.2 | 9.9- | -7.5 | -5.8 | 6.5 | 6.9 | -7.0 | 6.9 | -7.0 | -6.2 | -5.5 |
| 7.1 11.3 11.4 12.0 12.5 11.8 10.9 10.6 9.9 9.5 8.4 5.7 7.7 7.4 6.3 5.8 6.1 60.0 6.1 5.7 5.1 5.2 3.9 3.9 2.9 2.7 2.7 2.8 6.1 6.0 6.1 5.7 2.0 2.7 2.7 3.9 3.9 2.9 2.7 2.7 1.8 1.7 2.0 2.7 2.7 2.7 4.9 2.9 2.7 2.8 3.9 3.9 3.9 2.0 2.7 2.2 3.4 2.9 3.4 3.3 3.4 2.3 3.8 3.9 3.9 3.9 3.9 3.9 2.2 3.8 3.9 | 1983 | -1.2 | 4.0 | -4.0 | -3.3 | -3.2 | 9.0- | 1.3 | 3.1 | 4.4 | 0.9 | 6.8 | 7.6 |
| 84 5,7 7,7 7,7 7,4 6,3 5,8 6,1 6,0 6,1 5,7 5,1 5,2 3,9 3,9 2,9 2,7 2,7 1,8 1,8 1,7 2,0 2,7 2,5 3,4 3,3 3,2 3,2 3,9 3,9 1,7 2,5 2,1 3,2 3,4 3,3 3,4 2,3 3,9 3,9 2,0 2,7 2,5 1,1 1,3 1,4 0,7 0,9 1,2 1,0 1,6 1,7 2,5 2,6 2,5 1,1 1,3 1,4 0,7 0,9 1,2 1,0 1,6 1,7 2,5 2,6 2,5 2,6 2,6 2,8 3,9 3,0 2,1 1,7 2,6 2,6 2,6 2,8 -9,8 -9,8 -9,9 -9,6 -9,0 -8,5 -8,9 6,1 2,2 1,2 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1,4 1,4 | 1984 | 7.1 | 11.3 | 11.4 | 12.0 | 12.5 | 12.5 | 11.8 | 10.9 | 10.6 | 9.9 | 9.5 | 9.5 |
| 5.1 5.2 3.9 2.9 2.7 2.7 2.5 1.8 1.8 1.7 2.0 2.7 2.5 2.1 3.2 3.4 3.3 3.2 3.8 3.9 3.9 1.7 2.5 2.1 3.2 3.4 3.3 3.2 3.8 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.0 4.1 1.7 4.0 4.1 4.1 4.1 4.3 4.9 4.9 4.0 4 | 1985 | 8.4 | 5.7 | 7.7 | 7.7 | 7.4 | 6.3 | 5.8 | 6.1 | 0.9 | 6.1 | 5.7 | 5.1 |
| 2.0 2.7 2.5 2.1 3.2 3.4 3.3 3.2 3.2 3.8 3.9 1.7 2.5 3.2 3.4 2.9 3.4 3.5 3.3 3.4 2.3 3.8 3.9 3.8 3.9 2.2 3.8 3.9 3.2 3.8 3.9 3.8 2.2 3.8 3.9 3.9 3.9 3.9 3.9 3.2 3.8 2.4 4.0 -5.0 -6.0 <td< th=""><th>1986</th><th>5.1</th><th>5.2</th><th>3.9</th><th>3.9</th><th>2.9</th><th>2.7</th><th>2.7</th><th>2.5</th><th>1.8</th><th>1.8</th><th>1.7</th><th>2.2</th></td<> | 1986 | 5.1 | 5.2 | 3.9 | 3.9 | 2.9 | 2.7 | 2.7 | 2.5 | 1.8 | 1.8 | 1.7 | 2.2 |
| 1.7 2.5 3.2 3.4 2.9 3.4 3.5 3.3 3.4 2.3 2.4 4.0 -5.0 -6.1 -6.0 | 1987 | 2.0 | 2.7 | 2.5 | 2.1 | 3.2 | 3.4 | 3.3 | 3.2 | 3.2 | 3.8 | 3.9 | 3.7 |
| 3.8 2.2 1.1 1.3 1.4 0.7 0.9 1.2 1.0 1.6 1.7 2.5 2.6 2.5 1.1 0.4 0.1 -0.8 -1.8 -2.4 -4.0 -5.0 -9.5 -9.6 -9.8 -9.8 -9.9 -9.6 -9.0 -9.5 -9.6 -9.8 -9.8 -9.9 -9.6 -9.0 -9.5 -9.6 1.2 1.0 1.6 1.7 -0.8 -1.8 -2.4 -4.0 -5.0 -9.0 -9.5 -9.6 -9.8 -9.8 -9.9 -9.6 -9.0 -9.5 -9.5 -9.5 -9.5 -9.5 -9.5 -9.5 -9.5 | 1988 | 1.7 | 2.5 | 3.2 | 3.4 | 2.9 | 3.4 | 3.5 | 3.3 | 3.4 | 2.3 | 2.3 | 1.9 |
| 2.5 2.6 2.5 1.1 0.4 0.1 -0.8 -1.8 -2.4 -4.0 -5.0 -8.3 -9.0 -9.5 -9.6 -9.8 -9.9 -9.6 -9.0 -8.5 -8.9 -6.1 -6.4 -5.3 -4.9 -4.1 -4.1 -3.8 -3.2 -3.0 -2.1 -0.7 -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 -3.0 -2.1 -0.7 5.9 4.4 6.7 7.6 7.0 7.1 7.2 6.9 -5.9 -9.6 -9.0 -8.9 - | 1989 | 3.8 | 2.2 | - | 1.3 6. | 1.4 | 0.7 | 0.9 | 1.2 | 1.0 | 1.6 | 1.7 | 9.0 |
| -8.3 -9.0 -9.5 -9.6 -9.8 -9.8 -9.9 -9.6 -9.0 -8.5 -8.9 -9.6 -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 -3.0 2.1 -0.7 -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 5.8 6.1 5.9 5.9 5.0 5.1 5.0 5.1 5.0 5.1 5.0 5.1 5.1 5.1 5.2 5.3 5.4 5.2 5.3 5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4 | 1990 | 2.5 | 2.6 | 2.5 | Ξ. | 0.4 | 0.1 | -0.8 | -1.8 | -2.4 | -4.0 | -5.0 | 4.9 |
| -6.1 -6.4 -5.3 -4.9 -4.1 -4.1 -3.8 -3.2 -3.0 -2.1 -0.7 -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 5.8 6.1 -0.7 -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 5.8 6.1 5.9 4.4 6.7 7.6 7.0 7.1 7.2 6.9 7.3 6.3 6.6 5.1 4.1 2.7 3.0 2.7 2.9 2.9 3.4 2.8 5.1 6.0 5.7 5.6 5.3 5.4 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4 | 1991 | -8.3 | 9.0 | -9.5 | 9.6- | 9.6 | 8.6 | 6.6- | 9.6- | 0.6 | -8.5 | 6.8 | -7.9 |
| -0.1 2.2 1.2 1.9 3.2 3.8 4.7 4.9 5.2 5.8 6.1 6.1 5.9 4.4 6.7 7.6 7.0 7.1 7.2 6.9 7.3 6.3 6.6 6.1 6.0 5.5 5.1 4.1 2.7 3.0 2.7 2.9 2.9 3.4 2.8 6.0 6.0 5.7 5.6 5.3 5.4 5.8 6.1 6.0 5.7 5.6 5.3 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.2 6.0 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1992 | -6.1 | -6.4 | -5.3 | -4.9 | -4.1 | -4.1 | 9.6 | -3.2 | -3.0 | -2.1 | -0.7 | 4.0 |
| 5.9 4.4 6.7 7.6 7.0 7.1 7.2 6.9 7.3 6.3 6.6 6.0 5.5 5.1 4.1 2.7 3.0 2.7 2.9 2.9 3.4 2.8 2.3 4.3 3.9 4.2 5.3 5.4 5.6 5.7 5.4 5.4 5.8 6.0 5.7 5.6 5.3 5.4 4.7 4.7 4.7 4.7 4.7 4.7 4.3 4.1 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.4 6.8 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.9 1.9 | 1993 | -0.1 | 2.2 | 1.2 | 1.9 | 3.2 | 3.8 | 4.7 | 4.9 | 5.2 | 5.8 | 6.1 | 6.4 |
| 6.0 5.5 5.1 4.1 2.7 3.0 2.7 2.9 2.9 3.4 2.8 2.3 4.3 3.9 4.2 5.3 5.4 5.6 5.7 5.4 5.6 5.7 5.4 5.8 5.4 6.0 5.7 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.4 6.8 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.3 6.0 6.1 6.1 6.3 6.0 6.1 6.3 6.0 6.1 6.3 6.0 6.1 6.3 6.0 6.1 6.3 6.0 6.1 6.1 6.3 6.0 6.1 6.3 6.1 6. | 1994 | 5.9 | 4.4 | 6.7 | 7.6 | 7.0 | 7.1 | 7.2 | 6.9 | 7.3 | 6.3 | 9.9 | 6.1 |
| 2.3 4.3 3.9 4.2 5.3 5.4 5.6 5.7 5.4 5.4 5.4 5.8 6.0 5.7 5.6 5.3 5.4 4.7 4.7 4.7 4.7 4.7 4.7 4.7 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.4 6.8 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1995 | 0.9 | 5.5 | 5.1 | 4.1 | 2.7 | 3.0 | 2.7 | 2.9 | 2.9 | 3.4 | 2.8 | 2.3 |
| 6.0 5.7 5.6 5.3 5.4 4.7 4.7 4.7 4.7 4.3 4.1 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.4 6.8 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1996 | 2.3 | 4.3 | 3.9 | 4.2 | 5.3 | 5.4 | 5.6 | 5.7 | 5.4 | 5.4 | 5.8 | 6.2 |
| 5.4 4.8 3.8 4.9 5.1 5.8 6.1 6.3 6.0 6.4 6.8 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1997 | 0.9 | 5.7 | 5.6 | 5.3 | 5.4 | 4.7 | 4.7 | 4.7 | 4.7 | 4.3 | 4.1 | 4.6 |
| 6.3 7.2 7.3 7.1 7.0 6.8 6.5 6.0 6.2 6.0 6.1 6.1 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1998 | 5.4 | 4.8 | 3.8 | 4.9 | 5.1 | 5.8 | 6.1 | 6.3 | 0.9 | 6.4 | 6.8 | 7.4 |
| 6.2 4.7 6.4 4.8 3.9 3.5 3.4 3.2 2.9 2.6 1.9 | 1999 | 6.3 | 7.2 | 7.3 | 7.1 | 7.0 | 8.9 | 6.5 | 0.9 | 6.2 | 0.9 | 6.1 | 5.2 |
| | 2000 | 6.2 | 4.7 | 6.4 | 4.8 | 3.9 | 3.5 | 3.4 | 3.2 | 2.9 | 2.6 | 1.9 | 1.2 |

| 2001 2002 2003 2004 2005 2006 2007 | 1.1. 0.1. 2.2. 2.2. 2.2. 2.2. 2.2. 2.2. | 6 | V 0 1 1 8 4 V 0 8 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7.0 6.8 8.8 6.4 4.6 7.0 8.4 8.8 8.4 7.0 8. | 2 + 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 200 8.4. 9.0. 9.4. 7.7. 7.7. | 1.0 6.1 7.0 8.0 7.0 8.0 7.0 8.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8 |
|--|---|---------------|---|---|---|---------------------------------------|---------------------------------------|---|---|
| 2010 2011 | -14.9 -2.8 | -14.6 -0.8 | -12.0 -1.1 | -9.7 | 9.4 4.0 | ф 6.0 | -7.2 0.9 | -5.6 0.5 | |
| 2012 2013 | 3.6 | 3.0 | 3.3 | 2.4 | 1.7 | 1.7 | 3.5 | 1.7 | |
| 2014 | 3.2 | 2.6 | | | | | | | |

APPENDIX C ANNUAL VALUE OF CONSTRUCTION PUT IN PLACE, 1993 - 2013

10:00 AM EST 03/03/14

Annual Value of Construction Put in Place 2008-2013 (Millions of dollars. Details may not add to totals due to rounding.)

| Type of Construction: | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
|------------------------------|-----------|---------|---------|---------|---------|---------|
| Total Construction | 1,067,564 | 903,201 | 804,561 | 788,014 | 856,953 | 899,206 |
| Residential | 357,746 | 253,928 | 249,112 | 252,657 | 286,524 | 337,270 |
| Nonresidential | 709,818 | 649,273 | 555,449 | 535,357 | 570,429 | 561,936 |
| Lodging | 35,806 | 25,499 | 11,635 | 9,129 | 11,423 | 14,356 |
| Office | 68,563 | 51,908 | 37,850 | 36,011 | 38,433 | 38,584 |
| Commercial | 86,212 | 54,069 | 39,450 | 43,386 | 46,303 | 49,144 |
| Health care | 46,902 | 44,845 | 39,344 | 40,204 | 41,797 | 40,553 |
| Educational | 104,890 | 103,202 | 88,405 | 84,985 | 84,618 | 79,355 |
| Religious | 7,225 | 6,192 | 5,288 | 4,239 | 3,768 | 3,457 |
| Public safety | 13,083 | 13,787 | 11,153 | 10,407 | 10,295 | 9,418 |
| Amusement and recreation | 21,829 | 19,404 | 16,943 | 15,995 | 14,977 | 14,440 |
| Transportation | 35,471 | 36,701 | 38,340 | 34,737 | 38,210 | 41,266 |
| Communication | 26,487 | 19,753 | 17,730 | 17,685 | 17,528 | 15,513 |
| Power | 81,075 | 88,861 | 77,945 | 75,185 | 94,068 | 83,730 |
| Highway and street | 81,361 | 82,166 | 82,529 | 79,322 | 80,517 | 81,302 |
| Sewage and waste disposal | 25,696 | 24,830 | 25,991 | 22,710 | 22,066 | 21,787 |
| Water supply | 16,752 | 15,471 | 15,322 | 14,163 | 13,227 | 13,831 |
| Conservation and development | 5,234 | 5,750 | 7,172 | 7,538 | 6,350 | 5,918 |
| Manufacturing | 53,234 | 56,836 | 40,350 | 39,660 | 46,850 | 49,283 |
| Total Private Construction 1 | 758,827 | 588,306 | 500,595 | 501,607 | 577,930 | 627,447 |
| Residential | 350,257 | 245,912 | 238,819 | 244,133 | 280,257 | 331,355 |
| Nonresidential | 408,569 | 342,394 | 261,776 | 257,474 | 297,673 | 296,091 |
| Lodging | 35,364 | 25,388 | 11,201 | 8,395 | 10,783 | 13,864 |
| Office | 55,502 | 37,282 | 24,368 | 23,738 | 27,963 | 30,678 |
| Commercial | 82,654 | 50,460 | 36,504 | 39,723 | 43,163 | 46,734 |
| Health care | 38,437 | 35,309 | 29,552 | 28,906 | 30,767 | 29,736 |
| Educational | 18,624 | 16,851 | 13,418 | 14,081 | 16,440 | 16,556 |
| Religious | 7,197 | 6,177 | 5,237 | 4,205 | 3,739 | 3,429 |
| Public safety | 623 | 471 | 241 | 205 | 121 | 130 |
| Amusement and recreation | 10,508 | 8,402 | 6,483 | 6,744 | 5,788 | 6,132 |
| Transportation | 9,934 | 9,056 | 9,894 | 9,537 | 11,372 | 12,205 |
| Communication | 26,343 | 19,712 | 17,689 | 17,536 | 17,320 | 15,350 |
| Power | 69,242 | 76,064 | 66,117 | 64,262 | 83,151 | 71,396 |
| Sewage and waste disposal | 999 | 468 | 439 | 520 | 009 | 418 |
| Water supply | 466 | 319 | 717 | 635 | 417 | 694 |
| Manufacturing | 52,754 | 56,296 | 39,778 | 38,869 | 45,833 | 48,561 |

Annual Value of Construction Put in Place 2008-2013 (Millions of dollars. Details may not add to totals due to rounding.)

| Type of Construction: | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
|------------------------------|-----------|---------|---------|---------|---------|---------|
| Total Construction | 1,067,564 | 903,201 | 804,561 | 788,014 | 856,953 | 899,206 |
| Residential | 357,746 | 253,928 | 249,112 | 252,657 | 286,524 | 337,270 |
| Nonresidential | 709,818 | 649,273 | 555,449 | 535,357 | 570,429 | 561,936 |
| Lodging | 35,806 | 25,499 | 11,635 | 9,129 | 11,423 | 14,356 |
| Office | 68,563 | 51,908 | 37,850 | 36,011 | 38,433 | 38,584 |
| Commercial | 86,212 | 54,069 | 39,450 | 43,386 | 46,303 | 49,144 |
| Health care | 46,902 | 44,845 | 39,344 | 40,204 | 41,797 | 40,553 |
| Educational | 104,890 | 103,202 | 88,405 | 84,985 | 84,618 | 79,355 |
| Religious | 7,225 | 6,192 | 5,288 | 4,239 | 3,768 | 3,457 |
| Public safety | 13,083 | 13,787 | 11,153 | 10,407 | 10,295 | 9,418 |
| Amusement and recreation | 21,829 | 19,404 | 16,943 | 15,995 | 14,977 | 14,440 |
| Transportation | 35,471 | 36,701 | 38,340 | 34,737 | 38,210 | 41,266 |
| Communication | 26,487 | 19,753 | 17,730 | 17,685 | 17,528 | 15,513 |
| Power | 81,075 | 88,861 | 77,945 | 75,185 | 94,068 | 83,730 |
| Highway and street | 81,361 | 82,166 | 82,529 | 79,322 | 80,517 | 81,302 |
| Sewage and waste disposal | 25,696 | 24,830 | 25,991 | 22,710 | 22,066 | 21,787 |
| Water supply | 16,752 | 15,471 | 15,322 | 14,163 | 13,227 | 13,831 |
| Conservation and development | 5,234 | 5,750 | 7,172 | 7,538 | 6,350 | 5,918 |
| Manufacturing | 53,234 | 56,836 | 40,350 | 39,660 | 46,850 | 49,283 |
| Total Private Construction 1 | 758,827 | 588,306 | 500,595 | 501,607 | 577,930 | 627,447 |
| Residential | 350,257 | 245,912 | 238,819 | 244,133 | 280,257 | 331,355 |
| Nonresidential | 408,569 | 342,394 | 261,776 | 257,474 | 297,673 | 296,091 |
| Lodging | 35,364 | 25,388 | 11,201 | 8,395 | 10,783 | 13,864 |
| Office | 55,502 | 37,282 | 24,368 | 23,738 | 27,963 | 30,678 |
| Commercial | 82,654 | 50,460 | 36,504 | 39,723 | 43,163 | 46,734 |
| Health care | 38,437 | 35,309 | 29,552 | 28,906 | 30,767 | 29,736 |
| Educational | 18,624 | 16,851 | 13,418 | 14,081 | 16,440 | 16,556 |
| Religious | 7,197 | 6,177 | 5,237 | 4,205 | 3,739 | 3,429 |
| Public safety | 623 | 471 | 241 | 205 | 121 | 130 |
| Amusement and recreation | 10,508 | 8,402 | 6,483 | 6,744 | 5,788 | 6,132 |
| Transportation | 9,934 | 9,056 | 9,894 | 9,537 | 11,372 | 12,205 |
| Communication | 26,343 | 19,712 | 17,689 | 17,536 | 17,320 | 15,350 |
| Power | 69,242 | 76,064 | 66,117 | 64,262 | 83,151 | 71,396 |
| Sewage and waste disposal | 999 | 468 | 439 | 520 | 009 | 418 |
| Water supply | 466 | 319 | 717 | 635 | 417 | 694 |
| Manufacturing | 52,754 | 56,296 | 39,778 | 38,869 | 45,833 | 48,561 |

10:00 AM EST 03/03/14

10:00 AM EDT 07/01/13

Annual Value of Construction Put in Place 2002-2007 (Millions of dollars. Details may not add to totals due to rounding.)

| Type of Construction: | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|------------------------------|---------|---------|---------|-----------|-----------|-----------|
| Total Construction | 847,874 | 891,497 | 991,356 | 1,104,136 | 1,167,222 | 1,152,351 |
| Residential | 401,960 | 451,251 | 538,408 | 617,507 | 619,814 | 500,468 |
| Nonresidential | 445,914 | 440,246 | 452,948 | 486,629 | 547,408 | 651,883 |
| Lodging | 10,869 | 10,712 | 12,363 | 12,840 | 18,139 | 28,706 |
| Office | 44,277 | 39,418 | 42,404 | 45,763 | 54,187 | 65,259 |
| Commercial | 62,520 | 61,529 | 67,057 | 70,242 | 76,713 | 89,684 |
| Health care | 27,139 | 29,329 | 32,184 | 34,430 | 38,472 | 43,766 |
| Educational | 73,862 | 74,316 | 74,250 | 79,687 | 84,928 | 96,758 |
| Religious | 8,339 | 8,569 | 8,159 | 7,735 | 7,749 | 7,540 |
| Public safety | 7,827 | 7,161 | 7,019 | 7,314 | 7,768 | 10,201 |
| Amusement and recreation | 17,328 | 16,847 | 16,695 | 15,236 | 19,033 | 21,212 |
| Transportation | 25,781 | 24,710 | 25,059 | 25,052 | 27,964 | 31,877 |
| Communication | 18,457 | 14,550 | 15,546 | 18,906 | 22,219 | 27,580 |
| Power | 36,804 | 41,450 | 35,638 | 38,371 | 42,244 | 66,055 |
| Highway and street | 57,484 | 57,139 | 58,623 | 64,139 | 72,040 | 76,682 |
| Sewage and waste disposal | 16,237 | 16,581 | 17,929 | 19,867 | 23,186 | 24,872 |
| Water supply | 12,442 | 12,492 | 12,620 | 14,028 | 14,960 | 15,798 |
| Conservation and development | 3,621 | 3,935 | 4,044 | 4,453 | 5,130 | 5,260 |
| Manufacturing | 22,926 | 21,508 | 23,360 | 28,568 | 32,677 | 40,633 |
| Total Private Construction | 634,435 | 675,370 | 771,173 | 926'698 | 911,837 | 863,278 |
| Residential | 396,696 | 446,035 | 532,900 | 611,899 | 613,731 | 493,246 |
| Nonresidential | 237,739 | 229,335 | 238,273 | 258,077 | 298,105 | 370,032 |
| Lodging | 10,467 | 9,930 | 11,982 | 12,666 | 17,624 | 27,481 |
| Office | 35,296 | 30,579 | 32,879 | 37,276 | 45,680 | 53,815 |
| Commercial | 59,008 | 57,505 | 63,195 | 66,584 | 73,368 | 85,858 |
| Health care | 22,438 | 24,217 | 26,272 | 28,495 | 32,016 | 35,588 |
| Educational | 13,109 | 13,424 | 12,701 | 12,788 | 13,839 | 16,691 |
| Religious | 8,335 | 8,559 | 8,153 | 7,715 | 7,740 | 7,522 |
| Public safety | 217 | 185 | 289 | 408 | 419 | 595 |
| Amusement and recreation | 7,478 | 7,781 | 8,432 | 7,507 | 9,326 | 10,193 |
| Transportation | 6,773 | 6,568 | 6,841 | 7,124 | 8,654 | 600'6 |
| Communication | 18,384 | 14,456 | 15,468 | 18,846 | 22,187 | 27,488 |
| Power | 32,608 | 33,619 | 27,603 | 29,210 | 33,654 | 54,115 |
| Sewage and waste disposal | 246 | 278 | 331 | 240 | 305 | 408 |
| Water supply | 397 | 393 | 405 | 326 | 477 | 516 |
| Manufacturing | 22,744 | 21,434 | 23,219 | 28,413 | 32,264 | 40,215 |

Annual Value of Construction Put in Place 2002-2007
(Millions of Adlars Details may not add to totals due to conding)

| rounding.) |
|------------|
| 2 |
| que |
| totals |
| 2 |
| add |
| not |
| may |
| Details |
| dollars. |
| of |
| (Millions |

| Type of Construction: | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|------------------------------|---------|---------|---------|---------|---------|---------|
| Total Public Construction 2 | 213,438 | 216,127 | 220,183 | 234,160 | 255,385 | 289,073 |
| Residential | 5,264 | 5,216 | 5,508 | 5,608 | 6,083 | 7,222 |
| Nonresidential | 208,174 | 210,911 | 214,675 | 228,552 | 249,303 | 281,852 |
| Office | 8,982 | 8,839 | 9,525 | 8,487 | 8,507 | 11,445 |
| Commercial | 3,512 | 4,024 | 3,862 | 3,658 | 3,345 | 3,827 |
| Health care | 4,701 | 5,112 | 5,912 | 5,935 | 6,456 | 8,179 |
| Educational | 60,753 | 60,892 | 61,549 | 66,899 | 71,089 | 80,068 |
| Public safety | 7,610 | 9,69 | 6,730 | 906'9 | 7,350 | 909'6 |
| Amusement and recreation | 9,851 | 990'6 | 8,263 | 7,728 | 9,707 | 11,019 |
| Transportation | 19,007 | 18,142 | 18,219 | 17,928 | 19,310 | 22,868 |
| Power | 4,196 | 7,831 | 8,035 | 9,161 | 8,590 | 11,940 |
| Highway and street | 57,350 | 56,974 | 58,294 | 63,790 | 71,567 | 76,248 |
| Sewage and waste disposal | 15,991 | 16,304 | 17,598 | 19,627 | 22,881 | 24,464 |
| Water supply | 12,045 | 12,100 | 12,215 | 13,703 | 14,483 | 15,282 |
| Conservation and development | 3,516 | 3,694 | 3,869 | 4,322 | 5,047 | 5,155 |

 $^{^{\}rm I}$ includes the following categories of private construction not shown separately: highway and street and conservation and development.

 $^{^2}$ includes the following categories of public construction not shown separately: lodging, religious, communication, and manufacturing.

Annual Value of Construction Put in Place 1993-2001 (Millions of dollars. Details may not add to totals due to rounding.)

| Type of Construction: | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 |
|---------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Total Construction ¹ | 485,548 | 531,892 | 548,666 | 599,693 | 631,853 | 688,515 | 744,551 | 802,756 | 840,249 |
| Total Private Construction 2 | 358,186 | 401,471 | 408,655 | 453,018 | 478,416 | 533,737 | 575,469 | 621,431 | 638,337 |
| Residential | 208,180 | 241,033 | 228,121 | 257,495 | 264,696 | 296,343 | 326,302 | 346,138 | 364,414 |
| Nonresidential | 150,006 | 160,438 | 180,534 | 195,523 | 213,720 | 237,394 | 249,167 | 275,293 | 273,922 |
| Lodging | 4,590 | 4,657 | 7,131 | 10,914 | 12,898 | 14,818 | 15,955 | 16,304 | 14,519 |
| Office | 19,999 | 20,443 | 22,996 | 26,530 | 32,813 | 40,394 | 45,052 | 52,407 | 49,745 |
| Commercial | 34,396 | 39,615 | 44,096 | 49,381 | 53,088 | 55,681 | 59,376 | 64,055 | 909'89 |
| Health care | 14,939 | 15,447 | 15,259 | 15,420 | 17,390 | 17,737 | 18,388 | 19,455 | 19,506 |
| Educational | 4,814 | 5,009 | 5,699 | 6,985 | 8,802 | 9,829 | 9,756 | 11,683 | 12,846 |
| Religious | 3,894 | 3,871 | 4,348 | 4,537 | 5,782 | 6,604 | 7,371 | 8,030 | 8,393 |
| Public safety | 215 | 327 | 185 | 321 | 999 | 586 | 465 | 423 | 274 |
| Amusement and recreation | 4,601 | 5,108 | 5,886 | 7,016 | 8,537 | 8,589 | 9,550 | 8,768 | 7,828 |
| Transportation | 4,680 | 4,704 | 4,759 | 5,820 | 6,208 | 7,290 | 6,525 | 6,879 | 7,058 |
| Communication | 9,751 | 10,149 | 11,112 | 11,824 | 12,452 | 12,473 | 18,405 | 18,799 | 19,596 |
| Power | 23,554 | 21,043 | 22,006 | 17,413 | 16,362 | 21,690 | 22,040 | 29,344 | 31,499 |
| Sewage and waste disposal | 373 | 299 | 576 | 637 | 468 | 339 | 516 | 508 | 402 |
| Water supply | 426 | 292 | 029 | 468 | 448 | 543 | 413 | 714 | 563 |
| Manufacturing | 23,371 | 28,845 | 35,364 | 38,101 | 37,624 | 40,485 | 35,126 | 37,583 | 37,815 |
| Total Public Construction 1 | 127,362 | 130,421 | 140,011 | 146,675 | 153,437 | 154,778 | 169,082 | 181,325 | 201,912 |

¹ Detailed types of construction not available prior to 2002.

² Includes the following categories of private construction not shown separately: highway and street and conservation and development.

BIBLIOGRAPHY

- Berg, G., & Dutmer, R. (1998). Productivity, Quality, and Safety. A Relationship for Success. *Construction Dimensions*, 9.
- Bhattacharjee, S., & Ghosh, S. (2011). Safety Improvement Approaches in Construction: A Review and Future Directions *ASC Annual International Conference Proceedings*, 47, 8.
- CPWR. (2013). *The Construction Chart Book. The U.S. Construction Industry and Its Workers*. (978-0-9802115-1-1). 8484 Georgia Avenue, Suite 1000, Silver Spring, MD 20910: Library of Congress Control Number: 2013937372.
- Everett, J. G., & Jr., P. B. F. (1996). Costs of Accidents and Injuries to the Construction Industry. *CONSTRUCTION ENGINEERING AND MANAGEMENT*, 6.
- Hinze, J., & Appelgate, L. L. (1991). Costs of Construction Injuries. *Construction Engineering Management*, 14.
- Kaskutas, V., Dale, A. M., Lipscomb, H., & Evanoff, B. (2013). Fall prevention and safety communication training for foremen: Report of a pilot project designed to improve residential construction safety. *Journal of safety research*, 44, 111-118.
- Leigh, P. J., & Miller, T. R. (1997). Ranking occupations based upon the costs of jobrelated injuries and diseases. *Journal of Occupational and Environmental Medicine*, 39(12), 1170-1182.

- McAlinden, S. P., Hill, K., & Swiecki, B. (Fall 2003). Economic Contribution of the Automotive Industry to the U.S. Economy An Update. *Alliance of Automobile Manufacturers*, 47.
- MO Comp Rates. (2013). Missouri Rates for Select Workers Comp Class Codes. *Worker Compensation Shop*. Retrieved 11-02, 2013, from http://www.workerscompensationshop.com/mo-workers-comp-rates.html
- N.C. Department of Labor. Occupational Safety and Health Division. (2008). A Guide to Fall Prevention in Industry. *Industry Guide*, *32*, 50.
- National Safety Council. (2013). *Injury facts. 2013 Edition*. Itasca, IL: Author. Library of Congress Catalog Card Number: 99-74142.
- NIOSH Publications and Products. (2006). NIOSH Fatal Occupational Injury Cost Fact Sheet: Construction. *Centers for Disease Control and Prevention*. Retrieved 09-16, 2013, from http://www.cdc.gov/niosh/docs/2006-153/.
- Reid, Janine L. (1995). Challenges for the Construction Industry, *Construction Business Review*. 30-32.
- Schulze, L. (2010). Case Study: Indirect Costs Associated with a Back Injury Incurred in a Manufacturing Facility. *American Society of Safety Engineers*, *3*(3)
- Silverstein, B., Welp, E., Nelson, N., & Kalat, J. (1998). Claims incidence of work-related disorders of the upper extremities: Washington State, 1987 through 1995. *American Journal of Public Health*, 88(12), 1827-1833.
- Texas Department of Insurance. (2009). Fall Protection for the Construction Industry. *Division of Workers' Compensation*(3), 19.

- U.S. Census Bureau. (2012). Construction Industry Statistics. *Statistic Brain*. Retrieved 12-07, 2013, from http://www.statisticbrain.com/construction-industry-statistics/.
- U.S. Department of Commerce. (2012). Gross Domestic Product by Industry Data. *Bureau of Economic Analysis* Retrieved 05-10, 2013, from <u>http://bea.gov/industry/gdpbyind_data.htm.</u>
- U.S. Department of Commerce. (2013). Construction Spending: Historical Value Put in Place. *Census* Retrieved 05-17, 2013, from http://www.census.gov/construction/c30/historical_data.html.
- U.S. Department of Labor (2012). Safety and Health Topics. *Occupational Safety & Health Administration*. Retrieved 03-23, 2014, from https://www.osha.gov/dcsp/products/topics/businesscase/.
- U.S. Department of Labor. (1982). OSHA's Ratio of Indirect to Direct Costs. Occupational Safety & Health Administration. Retrieved 06-20, 2013, from https://www.osha.gov/SLTC/etools/safetyhealth/mod1_costs.html.
- U.S. Department of Labor. (2012). All about OSHA. *Occupational Safety and Health Administration*. Retrieved 11-18, 2013, from https://www.osha.gov/Publications/3302-06N-2006-English.html.
- U.S. Department of Labor. (2013). Employment, Hours, and Earnings from the Current Employment Statistics survey>. *Bureau of Labor Statistics*. Retrieved 08-03, 2013, from http://data.bls.gov/pdq/SurveyOutputServlet.
- U.S. Department of Labor. (n.d.). OSHA Construction Etool: Safety Net Systems. *Occupation safety & Health Administration*. Retrieved 07-12, 2013, from https://www.osha.gov/SLTC/etools/construction/falls/safetynet.html.

- United States Department of Labor. (2012). Census of Fatal Occupational Injuries (CFOI) Current and Revised Data. *Bureau of Labor Statistics*. Retrieved 12-10, 2013, from http://www.bls.gov/iif/oshcfoi1.htm#charts.
- Voorde, J. R. V. d. (1991). *Estimating Indirect Costs of Injuries to Construction Workers*. University of Washington. (91-10897)
- Waehrer, G. M., Dong, X. S., Miller, T., Haile, E., & Men, Y. (2007). Costs of occupational injuries in construction in the United States. *Accid Anal Prev*, *39*(6), 1258-1266. doi: 10.1016/j.aap.2007.03.012
- Work Safe BC. (2005). An Introduction to Personal Fall Protection Equipment. *Workers' Compensation Board of B.C.*, 20.
- Work Safe BC. (2012). Construction Sector Overview: Mechanism of Injury (MOI) Sheets. *Mechanism of Injury*, 4.

VITA

Mr. Sultan Noori Al-karawi. He was born in Jalawlaa, Diyala, Iraq in 1981. He studied at Jalawlaa High School; he completed it in 1999. He entered collegiate studies at Technology University in Baghdad, Iraq. Majoring in Civil Engineering, he graduated with a Bachelor of Science with Good in September of 2003.

After graduation, He worked in a number of construction projects in his country for three years. Since 2006 to 2011 he served in the Civil Engineering Department, Diyala University to help civil engineering students in laboratories (Soil Lab, Concrete Lab). In August 2011, he got a scholarship from the Higher Committee for Education Development in Iraq to complete a master degree in Civil Engineering at Missouri University of Science & Technology.

He focused in Construction Engineering and management when he studied at Missouri University of Science and Technology, and he graduated with a Master of Science in Civil Engineering in May 2014.