

Tecnura

https://revistas.udistrital.edu.co/ojs/index.php/Tecnura/issue/view/918 DOI: https://doi.org/10.14483/22487638.9169

INVESTIGACIÓN

Operational planning capacities associated with profitability of service companies. A system dynamics approach

Planeación de capacidades operativas asociadas a la rentabilidad en empresas prestadoras de servicios. Un enfoque de dinámica de sistemas

Mauricio Becerra Fernández¹, Mauricio Milton Herrera Ramirez²

Fecha de recepción: 23 de agosto de 2017

Fecha de aceptación: 23 de marzo de 2018

Cómo citar: Becerra F., M. & Herrera R., M.M. (2018). Operational planning capacities associated with profitability of service companies. A system dynamics approach. *Tecnura*, *22*(57), 32-43. DOI: https://doi. org/10.14483/22487638.9169

Abstract

Context: Capacity planning is one of the critical elements in business decisions at any level since it is possible to respond to the fluctuating needs of the market through its correct configuration and allocation. As in most decisions in the field of Industrial Engineering, in the processes of planning and programming of the capacity of the productive systems, there are some aspects that cannot be left aside: the costs related to each configuration, the relationship between the variables of allocation of resources, and the response to the requirements of the clients; these constitute the basis of the models applied in the processes related to the capacities in the organizational systems.

Method: A model was developed using systems dynamics, which allows to determine the number of personnel to respond to changes in demand; the best use of the capacity of the resources assigned to the service provision was sought according to the profitability of the business unit; and the behavior of the demand for services was simulated based on historical data on the behavior of the system. **Results:** The proposed model allows to identify the capacities, and their respective calculations, involved in the modeling. In addition, it is possible to contrast the behavior of the model (which seeks to maximize the use of available capacity by seeking the best configuration in the allocation of resources) without neglecting the profitability of the operation. This is of interest for the planning of the system, considering the costs associated with the underutilization of the work force or the insufficient provision of the service to the client.

Conclusions: The model presented in this research is a proposal for the analysis of operational capacities in service providers that have several variables to consider, such as the use of human resources, the demand for diverse services attended by specialized personnel, different work days, and the use of specific facilities. The search for the best configuration of the resources involved in this service provision allows companies to continually inquire about obtaining better rates of use and profitability.

Keywords: capacity planning, financial model, profitability, system dynamics.

¹ Productions Engineer, magister in Industrial Engineering, PhD. (c) in model based public planning, policy design and management. Professor and researcher in logistics, manufacture, modeling and simulation at the Catholic University of Colombia, leader of Manufacturing Research Group (GIP). Bogotá, Colombia. Contact: mbecerra@ucatolica.edu.co, mauriciobecerrafernandez@gmail.com

² Productions Engineer, magister in Industrial Engineering, PhD. (c) in model based public planning, policy design and management. Assistant professor in production and logistics of the Faculty of Economic Sciences at the Militar University Nueva Granada. Bogotá, Colombia. Contact: milton.herrera@unimilitar.edu.co

Resumen

Contexto: La planeación de capacidades constituye uno de los elementos críticos en las decisiones empresariales a cualquier nivel ya que por medio de su correcta configuración y asignación se logra responder a las necesidades fluctuantes del mercado. En los procesos de planeación y programación de la capacidad de los sistemas productivos, como en la mayoría de las decisiones en el campo de ingeniería industrial, no se pueden dejar a un lado los costos relacionados con una configuración u otra, la relación entre las variables de asignación de recursos y la respuesta a los requerimientos de los clientes, que constituyen el fundamento de los modelos aplicados en los procesos relacionados con las capacidades en los sistemas organizacionales.

Método: Se elaboró un modelo empleando una dinámica de sistemas, la cual permite determinar la cantidad de personal que responde a los cambios en la demanda. Se buscó la mejor utilización de la capacidad de los recursos asignados a la prestación del servicio según la rentabilidad de la unidad de negocio. A partir de datos históricos del comportamiento del sistema, se simuló el comportamiento de la demanda de servicios. **Resultados:** El modelo planteado permite identificar las capacidades involucradas y su cálculo en el modelamiento; además, se logra contrastar el comportamiento del modelo, el cual, mediante la búsqueda de la mejor configuración en la asignación de recursos, persigue el objetivo de maximizar la utilización de la capacidad disponible, sin dejar de lado la rentabilidad de la operación. Lo que resulta de interés para la planeación del sistema, dados los costos asociados a la subutilización de la fuerza de trabajo o la prestación insuficiente del servicio al cliente.

Conclusiones: El modelo se establece como una propuesta para el análisis de capacidades operativas en empresas prestadoras de servicios que contemplen recurso humano para su ejecución, en donde se presente una demanda de servicios de diversos tipos para ser atendida por personal especializado, en diferentes jornadas de trabajo y mediante el uso de instalaciones específicas. La búsqueda de la mejor configuración de los recursos involucrados en dicha prestación de servicio permite a las empresas de este sector la continua indagación sobre la obtención de mejores índices de utilización y rentabilidad. **Palabras clave:** planeación de capacidad, modelo fi-

nanciero, rentabilidad, dinámica de sistemas.

INTRODUCTION

A service is defined as a set of activities that satisfy a particular need and is characterized by a high level of intangibility, which requires management before and after the process in order to achieve complete satisfaction from the customer. This section will show the international and national panorama of the sector of service provision.

Services have an important repercussion on growth and efficiency in many industries and in general economic results. Presently, they represent more than two thirds of the global gross domestic product (GDP), and the added value of services in the GDP tends to significantly increase with the income level of a country (World Trade Organization, 2010). Financial services cover financial intermediation activities and auxiliary services provided by banks, stock markets, factoring companies, credit card companies, etc., and include financial intermediation services that are measured indirectly. Importation of this type of service due to technological advances in this sector is representative; however, exports of this type of service in the national field have been steady.

This study addresses the problem of profitability as a determining factor in assigning resources in order to identify performance in planning capacity. Additionally, we seek to study the impact of financial results in the provision of a service with respect to the allocation of capacities for such service provision, by looking for the best configuration that guarantees a good result in terms of service levels and labor cost that respond to fluctuations in demand. The article is structured into four chapters: The first presents a review of literature that focuses on the dynamics of publications and the taxonomy of models related to capacity and profitability from a systems dynamics approach. The second chapter presents the method used and its relation to the conceptual model used. The third chapter shows the model using the methodology proposed by Forrester (Forrester, 1961). And the chapter 4 presents the results, the discussion, and the conclusions.

Review of Literature

The System Dynamics methodology allows the performance of highly complex systems to be modeled. The interaction of profitability used in decision making according to capacity allows a company to optimize the use of resources to provide the service. One of the reasons to use the System Dynamics methodology is that the service systems contemplate various scenarios and players that interrelate in a complex and unpredictable way; therefore, if the performance of this system is understood, the objectives of the system can be simulated through archetypes.

The dynamics of the publication of articles presented at the International Conference of the



Figure 1. Dynamics of publications at the international conference of the system dynamics society in capacity and profitability

System Dynamics Society is shown in figure 1. An exponential performance of publications is shown in aspects associated with service capacity and profitability. It also identifies an increase in the number of publications from 1981 to 2017. From 2004 the number of publications diminishes but stays constant, reflecting the validity of the subject addressed by various authors.

The different models presented by the authors in System Dynamics can be categorized using five publication approaches: Applied to governmental politics, logistics, health, planning and telecommunications. As shown in figure 2.

On the other hand, the evolution of publications related to the capacity of addressing a system using the System Dynamics Methodology is presented in figure 3. In referring to profitability models using the System Dynamics approach, the dynamics of publications diminishes starting in 2004; however, it continues to have a minimum amount until 2012. This is due to the fact that profitability models are approached from a financial perspective that does not contemplate the complexity of assignment relationships in capacities that a system comes to have. For that reason, this study provides information that shows the need to integrate profitability concept with system capacity.



Figure 2. Taxonomy of model classification related to Capacity and profitability

Source: own work





Source: own work

Models of capacities applied to logistics

The models addressed using the System Dynamics Methodology include an analysis of capacity levels in the design and management of the supply chain, which analyze capacity restrictions through several combinations of levels in the supply chain (Evans, 1994).

On the other hand, the performance of services in the supply chain is addressed using the System Dynamics Methodology, due to the changes in demand and its relationship to inventory levels, the information in the supply chain, the deficit, and the physical capacity of product manufacturing (Douglas, 2005; Gonçalves Hines & Sterman, 2005). In this sense, the methodology using the System Dynamics has been widely used to address logistic problems in the supply chain (Zilouchian, Cardenas Martinez, Koochak-Yazdi, & Murad, 2012), (Tiru, Yuhua, & Anson, 2012), (Shamsuddoha, Quaddus, & Klass, 2013) y (Hettesheimer & Lerch, 2013).

The planning of resources through a logistics operator has been considered from the modeling of System Dynamics, and it considers financial performance, among other aspects (Romero Quiroga & Becerra Fernández, 2017).

Models applied to planning

An analysis of human resources assignments in bank service activities, which provides new structures when compared to classical assignment techniques generated by the Operations Investigation, is done (Becerra Fernandez, 2013).

Orjuela and Huertas (Orjuela & Huertas, 2004) characterize the capacities of companies of services provision, from their evolution, and compare them with the capacities available to the manufacturing sector. Mejia, Hincapie y Gallego (Mejia Solanilla, Hincapié Isaza, & Gallego Rendón, 2015) propose a model applied to the energy sector for distribution planning through a multi-objective analysis, associated with financial measures, such as the cost of operation and investment.

Other models analyze attention capacities using perception parameters regarding the length of lines (Delgado, 2011), (Ann van Ackere, 2006). System Dynamics analyses contemplate models that use human capital and planning analysis to model service dynamics, in order to present models that evaluate public policies in Australia (Sveiby, 2002).

Models that analyze services and impacts on quality to determine service management policies are approached through System Dynamics using empirical tests that determine service quality (Senge, 1993).

Additionally, the design and planning of the supply chains for the reduction of logistic costs is approached from a multiple selection objective programming model to find a favorite solution (Aalaei & Davoudpour, 2016).

METHODS

The conceptual structure of the model that was developed was based on the study of effects that are generated in the dynamics of the financial services sector and activities associated with the generation of profitability in providing services. The construction of the conceptual structure requires formulating the problem and the underlying dynamic hypothesis as an axis of a causal diagram and the creation of structure simulation sectors. Then, aspects inherent to the conceptual structure and analysis of the model with system dynamics are developed. Methodology proposed by (Morecroft & Sterman, 1994) and (Forrester, 1961) was used to develop the capacity planning model, which was done using the ITHINK computer program.

Model

The model used analyzes the performance of resource capacity planning using the profitability modeling of a financial services company, and the problem and the hypothesis used were formulated. Then the problem addressed was approached using the system dynamics methodology.

Formulating the problem

The growth of an organization requires a change in procedures and processes that requires looking at the impact of quality and food safety in fruit products. Therefore, the problem formulated is: *What is the capacity performance due to changes in the profitability of companies that provide financial services?*

In this way, the following dynamic hypothesis that supports the developed model was proposed.

Dynamic hypothesis

Capacity planning of resources used by financial services companies depend on the profits obtained during certain periods.

Causal diagram

The causal diagram of the model for resource capacity planning by means of dynamic analysis of profitability approaches the conceptual elements of experts in the financial sector and theories that have looked at the subject using different approaches and simulation structures. The causal diagram proposed has five balancing loops and two reinforcing loops. In this case, the reinforcing loops represent the effect of the net income and profitability. The balancing loops are related to the effect of taxes on profitability of the financial services companies (figure 4).

The simulation structure, developed using the System Dynamic methodology, is presented as follows.

Simulation structure

The structure of the profitability sector is shown in levels: Gross Profit, operational profit, profit before



Figure 4. Causal diagram of the capacity and profitability planning model

taxes, and profit after taxes. Figure 5 represents the Forrester diagram in the profitability sector. This contemplates income calculated from profitability and placement time used as a point for decision making.

Profitability is analyzed using this structure, keeping in mind the placement time of financial income, and different rates that intervene in profitability flows.

On the other hand, the capacity planning structure was designed according to different workdays in a financial services company (daytime, additional hours, and Saturdays), and service levels (cashiers and representatives). Figure 6 presents a Forrester model designed to analyze performance in assigned work positions according to transactions and available capacity.

The combination of the two sectors allows the analysis of the performance of resource capacity planning from the profitability of financial service companies. The calibration of the model mainly consisted in analyzing the behavior of the allocation of personnel against the installed capacity and the available capacity of the system, which means that the appropriate assignment is made according to the capacity of the system (see figure 7).

The following section presents the simulation results obtained from the structures of the sector.



Figure 5. Profitability sector forrester diagram

Source: own work



Figure 6. Forrester diagram capacity planning sector



Figure 7. Calibration of the model

Source: own work

RESULTS AND DISCUSSION

Capacity and profitability planning

The capacity planning model shows the assignment performance over time of representatives and cashiers in a financial services company. Performance fluctuations are shown in Table 1, where higher assignment values for representatives in daytime work (DW) and a lesser value in the assignment for Saturday work (SW) stand out. Capacity planning performance maintains a similar pattern in the first 12 months to that of profitability performance, as shown in table 1 and table 2.

Table 1. Profitability performance in the capacity planning model to cash

Months	Profitability Cash	Q1 Cash Profitability	Profitability Police Cash	FTEs Allocated Cash	FTEs Allocated JA Cash	FTEs Allocated JS Cash
1	102,23			0	0	11,24
2	132,72			37,38	15,87	0
3	155,88	117,48	1	12,94	1,25	8,56
4	168,17			22,73	9,21	0
5	182,89			0	0	15,48
6	200,55	175,53	1	0	4,23	16,65
7	204,03			4,14	10,4	0
8	212,31			0	0	0
9	247,62	208,17	1	46,99	15,2	0
10	241,52			53,86	21,75	21,62
11	222,96			0	0	0
12	226,99	224,98	1	0	0	0
13	245,94			8,47	2,63	7,46
14	242,94			0	0	4,14
15	255,4	244,44	1	11,02	6,75	0
16	256,93			0	0	58,23
17	258,69			23,71	18,06	0
18	261,32	257,81	1	0	0	0
19	252,65			46,47	28,5	0
20	249,36			23,24	4,55	12,15
21	239,13	244,25	0	0	0	0
22	249,45			0	0	40,36
23	248,18			0	0	0
24	273,28	248,82	1	11,57	7,69	0

On the other hand, profitability diminishes as the number of representatives assigned increases each day. Therefore, Table 1 and 2 show that profitability limits the assignment of representatives and/or cashiers in a financial services company.

Profitability performance in the capacity planning model can analyze changes in placement time and in the influence of assets rates in income; these this in turn change the assignment of personnel (representatives or cashiers). With a higher placement time the profitability grows slower, which affects in the assignment of resources. Conversely, with a lesser time the system presents a better performance in reference to assignment of resources.

CONCLUSIONS

In a capacity planning process, the fluctuating restrictions of the system affect the assignment of resources. This means that less profitability results in lower resource assignment; thus, optimizing the resource using other analysis techniques will not allow the absorption of fluctuations associated with placement times of assets and profitability in financial services companies. The application of system dynamics methodology to address complexity models allow the capacities' performance and fluctuation over time to be analyzed. The analysis of financial aspects linked to capacity allows the

Table 2. Profitability performance in the capacity planning model to advice

Months	Profitability Advice	Q1 Advice Profitability	Profitability Police Advice	FTEs Allocated Advice	FTEs Allocated JA Advice	FTEs Allocated JS Advice
1	95,74			0	0	6,15
2	139,36			77,71	29,31	0
3	151,2	117,55	1	17,67	0	15,04
4	173,03			46,38	31,07	0
5	178,06			0	0	15,35
6	209,54	175,55	1	15,62	0	28,96
7	218,86			24,47	96,22	30,32
8	195,45			0	0	0
9	250,57	207,155	1	80,1	3,15	0
10	232,51			92,03	33,97	0
11	201,5			0	0	18,01
12	224,58	213,04	1	0	0	0
13	250,33			7,18	52,93	0
14	238,06			0	0	7,33
15	272,54	244,20	1	26,26	22,2	4,83
16	258,03			0	0	0
17	310,56			75,1	9,06	0
18	272,68	265,36	1	0	0	
19	281,01			161,39	38,8	38,02
20	212,72			46,33	15,52	27,67
21	194,26	203,49	0	0	0	0
22	222,21			0	25,13	1
23	235,56			0	41,46	
24	260,03	228,89	1	0	11,24	41,43

integral contextualizing of the performance of a financial services company system.

FUTURE STUDIES

By means of this model, analysis of planning capacity performance is done while keeping in mind the profitability restriction in several service sectors. Also, it can include other aspects that restrict the assignment of personnel in service companies, such as technologies used, processing resources available and factors involving service quality.

APPENDIX

The main equations of the model are presented as follows:

Gross_profit(t) = Gross_profit(t-dt) + (Financial_income + Income_rate-Financial_expenses) * dt

- INIT Gross_profit = 65178
- INFLOWS:
- Financial_income = ((((1+Lending_rate)^ (30/365))-1)*Balanced_of_palcement)
- Income_rate = Administrative_income
- OUTFLOWS:
- Financial_expenses = (((1+Deposit_rate)^ (30/365))-1)*Saldo_Captación

 $Income_before_taxes(t) = Income_before_taxes(t-dt)$

- + (Staff_expenses-taxes_rate) * dt
- INIT Income_before_taxes = 32494.82
- INFLOWS:
- Staff_expenses = Opertional_profit*Salaries_rate
- OUTFLOWS:
- taxes_rate = Income_before_taxes-(Income_before_taxes*Taxes)

Net_income(t) = Net_income(t-dt) + (taxes_rate-Profitability) * dt

- INIT Net_income = 21771.53
- INFLOWS:
- taxes_rate = Income_before_taxes-(Income_before_taxes*Taxes)
- OUTFLOWS:
- Profitability = Net_income/Workstation

Opertional_profit(t) = Opertional_profit(t-dt) + (Financial_expenses-Staff_expenses-Administrative_ expenses) * dt

- INIT Opertional_profit = 61350.38
- INFLOWS:
- Financial_expenses = (((1+Deposit_rate)^(30/365))-1)*Saldo_Captación
- OUTFLOWS:

Staff_expenses = Opertional_profit*Salaries_rate Administrative_expenses = Opertional_profit* Insurance_rate Administrative_income = NORMAL(23.76, 8.48) Balanced_of_palcement = NORMAL(6257.27, 2844.28) Deposit_rate = NORMAL(0.0359, 0.0009) Insurance_rate = 0.08 Lending_rate = NORMAL(0.1422, 0.001907) Salaries_rate = 0.04 Saldo_Captación = NORMAL(4992.84, 2149) Taxes = 0.33

REFERENCES

- Aalaei, A., and Davoudpour, H. (2016). Revised multi-choice goal programming for incorporated dynamic virtual cellular manufacturing into supply chain management: A case study. *Engineering Applications of Artificial Intelligence*, 47(1), 3-15. DOI: https://doi.org/10.1016/j.engappai.2015.04.005
- Ackere, A., Haxholdt, C., and Larsen E. R. (2006). Longterm and short-term customer reaction: a two-stage queueing approach. *System Dynamics Review*, 22(4), 349-369. DOI: https://doi.org/10.1002/ sdr.348
- Anson, L., and Kambiz, M. (2011). A Supply Chain Paradox. *International Conference of the System Dynamics Society*. Washington, DC: System Dynamics Society.
- Anson, L., and Kambiz, M. (2012). A Supply Chain Paradox. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Ashish, A., Ravi, S., and Purnendu, M. (2008). Modelling Integration and Responsiveness for Supply

Chain. International Conference of the System Dynamics Society. Athens: System Dynamics Society.

- Becerra, M., Orjuela, J. A., Romero, O. R., Herrera, M. M. (2013). Model for Calculating Operational Capacities in Service Providers Using System Dynamics. System Dynamics Conference. Cambridge, USA.
- Betancur, M., Giraldo, D., and Arango, S. (2011). Effects of Food Availability Policies on National Food Security: Colombian case. *International Conference of the System Dynamics Society*. Washington, DC: System Dynamics Society.
- Bijulal, D., and Venkateswaran, J. (2008). Closed-Loop Supply Chain Stability under Different Production-Inventory Policies. *International Conference of the System Dynamics Society*. Athens: System Dynamics Society.
- Campuzano Bolarin, F., Ros McDonnell, L., and García, J. M. (2008). Reducing the impact of demand process variability within a multi-echelon supply chain. *International Conference of the System Dynamics Society*. Athens: System Dynamics Society.
- Delgado, C. (2011). Capacity Adjustment in a Service Facility with Reactive Customers and Delays: Simulation and Experimental Analysis. *System Dynamics Conference*. Washington, USA.
- Deogratias, K., Jain, S., and McLean, C. (2009). A System Dynamics Framework for Sustainable Manufacturing. *International Conference of the System Dynamics Society*. Albuquerque: System Dynamics Society.
- Diaz Pabon, F., Espinoza, C., Namen Leon, M., Palacio, M., and Cuervo, R. (2010). Humanitarian Crisis: when Supply Chain really matters. *International Conference of System Dynamics Society*. Seoul: System Dynamics Society.
- Douglas, J. Morrice, G. L. (2005). The "physics" of capacity and backlog management in service and custom manufacturing supply chains. *System Dynamics Review*, 21(3), 217-247. DOI: https://doi. org/10.1002/sdr.319
- Dudley, R. (2011). Might Continued Emphasis on Maize at the Expense of More Drought Tolerant Crops Endanger Food Security in the Horn of Africa?

International Conference of the System Dynamics Society. Washington, DC: System Dynamics Society.

- Elmasry, S., Shalaby, M., and Saleh, M. (2012). A System dynamics simulation model for scalable-capacity manufacturing systems. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Evans, G. N. (1994). The Dynamics of Capacity Constrained Supply Chains. *International System Dynamics Conference*, 28-42. Stirling, Scotland.
- Forrester, J. W. (1961). *Industrial Dynamics*. Cambridge, USA: Massachusetts Institute.
- Fukushima, S., and Yamaguchi, K. (2009). Is Japanese Manufacturing Style (so-called Monozukuri) really robust?–A Causal Loop Diagram and Modeling Approach. International Conference of the System Dynamics Society. Albuquerque: System Dynamics Society.
- Giraldo, D., Arango, S., and Betancur, M. (2008). Model on Food security in development countries: A systemic perspective. *International Conference of the System Dynamics Society.* Athens: System Dynamics Society.
- Gyu Rim, K. (2009). Analysis of Global Food Market and Food-Energy Price Links: Based on System Dynamics Approach. *International Conference of the System Dynamics Society*. Albuquerque: System Dynamics Society.
- Hettesheimer, T., and Lerch, C. (2013). Future Trends of the automotive Li-Ion Battery Supply Chain in Germany – Dynamic effects on raw materials and employment. *International Conference of the System Dynamics Society.* Cambridge: System Dynamics Society.
- Hoa Vo, T. L., and Thiel, D. (2008). A System Dynamics Model of the Chicken Meat Supply Chain faced with Bird Flu. *International Conference of the System Dynamics Society.* Athens: System Dynamics Society.
- Killingsworth, W., Chavez, R., and Nelson, M. (2008). The Dynamics of Multi-Tier, Multi-Channel Supply Chains for High-Value Government Aviation Parts. *International Conference of the System Dynamics Society.* Athens: System Dynamics Society.

- Lee, Y., An, L., and Connors, D. (2010). Controlling Workforce in Response to Demand Disturbances in Services Supply Chains. *International Conference of the System Dynamics Society.* Seoul: System Dynamics Society.
- Lehr, C., and Milling, P. (2009). From Waste to Value–A System Dynamics Model for Strategic Decision Making in Closed-Loop Supply Chains. *International Conference of the System Dynamics Society*. Albuquerque: System Dynamics Society.
- Lopez, L., and Zuniga, R. (2012). The Dynamics of a Judicial Service Supply Chain: A case study. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Maani, K., and Fan, A. (2008). Resolving Performance Measure Conflicts in a Supply Chain using Systems Thinking Methodology. *International Conference of the System Dynamics Society*. Athens: System Dynamics Society.
- Mejia Solanilla, A. M., Hincapié Isaza, R. A., and Gallego Rendón, R. A. (2015). Planeación óptima de sistemas de distribución considerando múltiple objetivos: costo de inversión, confiabilidad y prédidas técnicas. *Tecnura*, *19*(43) 106-118. DOI: https://doi. org/10.14483/udistrital.jour.tecnura.2015.1.a08
- Morecroft, J., and Sterman, J. (1994). *Modeling for Learning Organizations*. Portland, EEUU: Productivity Press.
- Moxnes, E. (2009). Peak oil, biofuels, and long-term food security. *International Conference of the System Dynamics Society*. System Dynamics Society.
- Niu, M. (2008). The Dynamic Analysis of a Simplified Centralised Supply Chain and Delay Effects. *International Conference of the System Dynamics Socie ty*. Athens: System Dynamics Society.
- Orjuela, J., and Huertas, I. (2004). Las empresas de prestación de servicios y la determinación de su capacidad de operaciones. *Tecnura*, *7*(14), 7-16.
- Gonçalves, P. Hines, J., and Sterman, J. (2005). The impact of endogenous demand on push–pull production systems. *System Dynamics Review*, *21*(3), 187-216. DOI: https://doi.org/10.1002/sdr.318
- Poles, R., and Cheong, F. (2009). Inventory Control in Closed Loop Supply Chain using System Dynamics.

International Conference of the System Dynamics Society. Albuquerque: System Dynamics Society.

- Pruyt, E., and De Sitter, G. (2008). Food or Energy? Is that the question? *International Conference of the System Dynamics Society*. Athens: System Dynamics Society.
- Rodrigues, L., Farahnaz, M., Deepak, R., and Vasanth,
 K. (2012). System Dynamics Model for Remanufacturing in Closed Loop Supply Chains. *International Conference of the System Dynamics Society*. St. Gallen: System Dynamics Society.
- Rogelio, O., Herrero, L., Kraizelburd, S., and Watson, N. (2010). Understanding Supply Chain Replenishment Decisions. *International Conference of the System Dynamics Society*. Seoul: System Dynamics Society.
- Romero, O. R., and Becerra, M. (2017). Dynamic Planning of Infraestructure and Logistics Resources in Distribution Centers. *Communications in Computer and Information Science*,752(1), 760-773.
- Sanches, L., and Lima, O. (2011). Hockey-stick phenomenon: supply chain challenges in Emerging countries. *International Conference of the System Dynamics Society*. Washington, DC: System Dynamics Society.
- Senge, P. M. (1993). Developing Theory of Service Quality/Service Capacity Interaction. *System Dynamics Conference*, (p. No). Cancun, Mexico.
- Shamsuddoha, M., Quaddus, M., and Klass, D. (2013). Poultry Supply Chain: A System Approach. *International Conference of the System Dynamics Society.* Cambridge: System Dynamics Society.
- Soloukdar, A. (2012). Designing and Analysis a Dynamic Model of World Class Manufacturing in Iranian Automotive Industry. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Struben, J., and Chan, D. (2011). Non-communicable Disease Dynamics and Prevention: Dynamics of Nutritious Food Market Transformation Initiatives. *International Conference of the System Dymanics Society*. Washington, DC: System Dymanics Society.

- Sveiby, K.-E. (2002). Building a Knowledge-Based Strategy: A system Dynamics Model for Allocating Value-Adding Capacity. *International Conference of the System Dynamics Society*. Palermo, Italy.
- Sverdrup, H., Koca, D., and Ragnarsdottir, V. (2012). The WORLD model: Peak metals, minerals, energy, wealth, food and population. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Tasrif, M., and Juniarti, I. (2011). A Dynamic View on Knowledge Development: A Case of Industrial Aerospace Supply Chain Development in Indonesia. *International Conference of the System Dynamics Society.* Washintong, DC: System Dynamics Society.
- Tiru, A., Yuhua, Z., and Anson, L. (2012). Leveraging Supply Chain Relationships – A System Dynamics Perspective. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.
- Tseng, Y.-t., and Yang Wang, W. (2012). A System Dynamics Model of Evolving Supply Chain Relationships

and Inter-firm Trust. *International Conference of the System Dynamics Society.* St. Gallen: System Dynamics Society.

- World Trade Organization (2015). *WTO Statistics Database*. Geneva, Switzerland: International Trade Statistics Section. Recovered https://www.wto.org/ english/res_e/statis_e/statis_e.htm
- Yasarcan, H. (2011). Information Sharing in Supply Chains: A Systemic Approach. *International Conference of the System Dynamics Society*. Washington, DC: System Dynamics Society.Zilouchian, E., Cardenas Martinez, A., Koochak-Yazdi, S., and Murad, H. (2012). Industry Analysis: The Fastener Supply Chain in Aerospace Industry. *International Conference of the System Dynamics Society*. St. Gallen: System Dynamics Society.
- Zimmermann, N. (2011). Mechanisms of consumer boycotts: Evidence from the Nestlé infant food controversy. *International Conference of the System Dynamics Society*. Washington, DC: System Dynamics Society.

