

An Application of Ant Colony Optimization in Industrial Training Allocation

Ramona Ramli, Navhin Gopal

College of Information Technology, Universiti Tenaga Nasional,
Jalan IKRAM-UNITEN, 43000 Kajang, Selangor.
ramona@uniten.edu.my

Abstract—The process of assigning a visiting university's supervisor to visit a group of industrial training practical students in the university is currently being done manually. In order to perform such task, two constraints need to be fulfilled at any time: (1) Practical student can only be supervised by university supervisor from the same department; (2) location of the places to be visited by the visiting university's supervisor must be as near as possible in order to optimize the travelling cost, time and budget. Using manual approach, the process can be very tedious and time consuming especially when it involved large number of practical students and lecturers. Furthermore, the optimized result is seldom achievable as not all practical student-lecturer combinations are examined. By automating the process, the tedious and time consuming process can be avoided as well as establishing optimized combinations based on the given constraints. This paper discusses on how the assignment process is automated using Ant Colony Optimization (ACO). The results are then compared with Dijkstra's Algorithm to evaluate the ability of ACO algorithms. The algorithm design, implementation, its future direction and improvements are discussed as well.

Index Terms—Ant Colony Optimization; Allocation Problem; Industrial Training; Path Finding Problem.

I. INTRODUCTION

One of the graduation requirements for Bachelor practical students in the university is to undergo for industrial training. Practical students who registered for industrial training will be attached to a company to gain experiences and get expose to the work environment. The company or organization which hosts the practical student will assign appropriate projects or tasks to the practical students to during the training period. At the end of the training, practical students need to present their progress for the whole training duration. The presentation will be done at the training location, with the present of a visiting lecturer from the university.

The Industrial Training Committee (ITC) who is responsible to manage the process will assign lecturers as visiting lecturer for the assessment or presentation session. In order to optimize travelling cost and time, each lecturer will be assigned to a few practical students in the same vicinity. The process of assigning lecturer to practical students could be tedious and time taxing to the committee. This is due to various locations of practical students throughout the nation and in some cases; the location is quiet far from one another. Since the process is done manually, the allocation of practical students-lecturers could be not optimized and inefficient.

In this paper, we propose Ant Colony Optimization (ACO) to be used for assigning lecturers to visit industrial training practical students. ACO is chosen based on its abilities to find

approximate solutions for optimization problems, using software agents known as artificial ants.

The objective of this study is divided into two. First, we apply ACO to allocate a suitable university's supervisor to a few practical students based on few constraints. The constraints that need to be fulfilled are:

1. A university's supervisor (visiting university lecturer) must supervise a certain number of practical students from the same academic department.
2. The location of the places to be visited by the university university's supervisor must as near as possible in order to help the university's supervisor plan their journey, time and optimized the university's budget.

For the second objective, we compared the ability of ACO in solving the problem with a known shortest path algorithm, Dijkstra's Algorithm. Time taken to find the shortest path and the distance between places are recorded for both algorithm to evaluate the performance of ACO.

In the next section, we present the related works. In Section 3, the implementation of ACO in the industrial training allocation system is discussed. In Section 4, we discuss the results of implementing the ACO. And lastly in the last section we present our conclusion and propose the future works.

II. LITERATURE REVIEW

A. Ant Colony Optimization (ACO)

ACO was introduced by Dorigo [1] in the application of the classical Travelling Salesman problem. The algorithm inspired by the foraging behavior of real ants in search of foods. Among the capabilities of real ants are:

1. Find the shortest path from a food source to the nest without using visual cues [2].
2. Adapt to change in the environments.

The main characteristic of this model [3] are positive feedback that accounts for rapid discovery of the new solutions, distributed computation to avoids for premature convergence and the use of constructive greedy heuristic that helps find acceptable solutions in the early stages of the search process.

B. Behavior of ACO Algorithm

An ant travels from the colony in search of food source, when an ant finds a food source it leaves a trail of pheromones along the way from the food source to the colony. Other ants would follow this trail pheromones to exploit the food source. The stronger the concentration of pheromones in the trail, the more ants will follow it.

This process can be broken down into the following steps:

1. The ant leaves the colony searching for food
2. Since it is the first ant, it searches the surrounding environment randomly
3. When the ant finds a food source, it will go back to the colony leaving a trail of pheromones on the way back.
4. Other ants search for food sources in a slightly random manner, they follow the trail with the strongest pheromone concentration. Yet, some ants might follow other paths searching for other food sources that might be better.
5. The pheromones on the trails vaporizes in time, this indicates that trails that have a strong pheromone concentration are the most used trails. If the food source is depleted or no longer beneficial, less ants will travel to it and eventually the pheromone trail would disappear.

At first, an ant would leave the colony N searching randomly for food source F. It randomly chooses a path to go through to reach the food source, on its way back to N, and the ant would leave a trail of pheromones. The next ants will take the path with the pheromone trail or choose to explore a different path to the food source. After a while, the pheromone trail on the path with less ants will start to evaporate, which reduces the path's attractiveness to other ants. The longer the path between the food source and the colony, the more time the pheromone has to evaporate. In situation where more ants are traveling the short path to the food source, the longer path is slowly abandoned. Figure 1 illustrate the behavior of ACO algorithm.

This natural behavior of ants has inspired the main characteristics of this organizational model, which are distributed computation for avoiding premature convergence, sharing positive feedback that helps in quick discovery of new solutions, and finding acceptable solutions early in the search process using greedy heuristics [4].




Figure 1: Behavior of ACO Algorithm

C. Application of ACO

Since ACO was first proposed, number of research and application adopting this technique has been increased.

Among the popular applied domain area are routing, assignment and scheduling, For routing, ACO has been applied in various problem such as travelling salesman [5-7], vehicle route planning [8-12], emergency escape and evacuation planning [13-16], also transportation problem [17,18].

III. IMPLEMENTATION OF ACO FOR INDUSTRIAL TRAINING ALLOCATION

1. The Input

Details of university's supervisors and practical students will be needed to be the input to the algorithm parts such as name, ID number; faculty and home address and coordinate of the address (Figure 2). Practical student's details are name, ID number, faculty, company address and coordinate (Figure 3). Coordinate which is the latitude and longitude is used instead of the real because it can provide accurate result and show the exact starting point and end point for the distance calculation.

Figure 2: Interface of inserting new lecturer details

Figure 3: Interface of inserting new practical students details

2. The Implementation

The implementation is done by using Graph Hopper application. This application allows the developer to convert the A* algorithm, a built-in algorithm, to ACO and Dijkstra's Algorithm. Dijkstra's Algorithm will be used as comparison to evaluate the ability for ACO.

Several paths will be creating by the ants from starting point to the destination in order to identify the shortest path that can be used to reach the food destination. In this study, starting point refers to the location of university’s supervisor. The location can be their home’s address during the initial allocation or location of the first practical student that have been assigned previously to the university’s supervisor. Meanwhile, destination refers to the company’s address where the practical students have been placed.

Once the shortest path has been found, all the ants will use the same path to move from starting point to end point. Same as ant’s movement, several paths will be finding by the ant colony algorithm from university’s supervisors location to practical students location. Then the algorithm will identify the shortest path among the founded path in order to allocate the practical students to the lecturers.

All the searching process of the random paths and allocation of the shortest path from starting point to ending point will be process internally by the algorithm. So as a result, the founded shortest path will be display as an output due to time efficiency (Figure 4).




Figure 4: Display output

To ensure the accuracy of the ACO results, Dijkstra’s Algorithm is applied to the same test cases. Dijkstra’s was chosen based on its powerful ability in calculating shortest distance path for various research previously. The flowchart of the implementation as illustrated in Figure 5.




Figure 5: Flowchart of the implementation

IV. RESULTS

Ten test cases have been conducted. As mentioned earlier, one of the problems aimed to be solved is the extensive time required to complete the allocation process manually. Thus, time extraction for both algorithm to perform the allocation process is recorded.

The first objective for this study is the algorithm must be able to allocate a university supervisor’s must be in the same academic department with the practical students. As example, if the university supervisor’s is from Software Engineering department, the allocated practical student must also a student from Software Engineering department.

At the same time, the algorithm has to ensure that the location of the places to be visited by the university university’s supervisor must as near as possible in order to help the university’s supervisor plan their journey, time and optimized the university’s budget. Based on both objectives, we create several test cases to measure the achievement.

Test case 1 contains data with two university’s supervisors (L1 and L2) and two practical students (S1 and S2) from the same department. Result from the test case shown that the allocation was given according to the department and as near as possible from the supervisor’s location (Table 1).

Table 1
Results for Test Case 1

Lecturer	Results from ACO		Results from Dijkstra	
	Student	Distance (km)	Student	Distance (km)
L1	S2	8.783	S2	8.783
L2	S1	19.435	S1	18.656

Test case 8 contains data with four university supervisors (L1, L2, L3 and L4) and five practical students (S1, S2, S3, S4 and S5), also from the same department. The allocation are fair to all university supervisor except for L1 since the number of student are greater than number of university supervisor by 1 (Table 2). The allocation of S5 is to L1 due to the nearer location compared with other university’s supervisor.

Table 2
Result for Test Case 8

Lecturer	Results from ACO		Results from Dijkstra	
	Student	Distance (km)	Student	Distance (km)
L1	S2	8.783	S2	8.783
L1	S5	37.674	S5	30.96
L2	S3	11.928	S3	11.573
L3	S1	13.448	S1	11.139
L4	S4	4.95	S4	1.592

Additional test case, which is test case 10 was conducted to test the algorithm’s ability in allocating data of university supervisor and practical student from different academic department (Table 3).

Table 3
Data for different academic department

University Supervisor ID	Department	Practical student ID	Department
L1	SE	S1	SE
L2	IS	S2	SE
L3	SE	S3	IS
L4	SN	S4	SN
		S5	SE
		S6	SN

The results showed that the allocation were done according to the department (Table 4). Although location S6 is nearer to L1, the allocation is given to L4 due to same academic department.

Table 4
Result for Test case 10

Lecturer	Results from ACO		Results from Dijkstra	
	Student	Distance (km)	Student	Distance (km)
L1	S2	8.783	S2	8.783
L1	S5	37.674	S5	30.96
L2	S3	11.928	S3	11.573
L3	S1	13.448	S1	11.139
L4	S4	4.95	S4	1.592
L4	S6	151.496	S6	111.253

Results from the test cases shown that ACO able to perform the allocation process and produce the same allocation result as Dijkstra's algorithm. However there are variance in distance calculated by both algorithm. ACO takes longer times in producing the results), whereas Dijkstra's algorithm takes shorter time to perform the allocation process (Table 5).

Table 5
Time extraction

Test Number	Total Lecturer	Total practical student	Total extract time by ACO	Total extract time by Dijkstra
1	2	2	0.0131	0.0064
2	2	2	0.0010	0.0007
3	2	2	0.0009	0.0009
4	2	2	0.0016	0.0004
5	3	3	0.0013	0.0011
6	4	4	0.0022	0.0042
7	4	4	0.0085	0.0053
8	4	5	0.0181	0.0119
9	5	5	0.0267	0.0159
10	5	6	0.0204	0.0090

However, in some condition, both of the algorithm complete the allocation process in similar time. In this study, the results shown that ACO is not good enough to perform the allocation process compared to Dijkstra's algorithm because the duration to perform the allocation process is slower when involves large number of data and. Furthermore, ACO searches for longer route compare to Dijkstra's algorithm.

V. CONCLUSIONS AND PROPOSED FUTURE WORKS

In this study, we have considered industrial training allocation problem to be solved using ACO. The objectives of this study are:

1. To allocate a suitable university's supervisor to a few practical students based on the defined constraints
2. To evaluate the ability of ACO in performing the allocation process by comparing the performance with Dijkstra's algorithm.

We implement the algorithm by using the GrassHopper Application. Results from the test cases are then analyzed to evaluate the objectives.

Based on the results, we can concluded that:

- ACO is not suitable to be used in this study because it takes long time to perform the allocation process
- Dijkstra's algorithm provide optimum result in a shorter time
- The process involving more data requires more time for ACO

In future, we propose to apply other heuristic algorithm such as Bee Colony Algorithm. Results from the study will be compared to investigate the efficiency of the algorithms. We also plan to conduct the test case with larger scale of data in order to evaluate the efficient performance for both algorithm.

REFERENCES

- [1] Colomi A., Dorigo M., and Maniezzo V. 1992. An Investigation of some Properties of an ``Ant Algorithm''. *Ppsn.*(92): 2–7.
- [2] Guo Q., Ni S., Li C., and Chen D. 2009. An Improved Ant Colony Algorithm for Placing-In and Taking-Out of Wagons in Branch-Shaped Sidings. in *ICCTP.*(1996): 1–6.
- [3] Tsai C., Wu H., and Tsai C. 2002. A new data clustering approach for data mining in large databases. *Proc. Int. Symp. Parallel Archit. Algorithms Networks. I-SPAN'02.* 315–320.
- [4] Agrawal K. and Bagoria R. 2014. a Nt C Olony O Ptimization : E Fficient W Ay T O F Ind. *Int. J. Adv. Technol. Eng. Res.* 4(3):18–21.
- [5] Dorigo M. and Gambardella L. M. 1997. Ant colonies for the travelling salesman problem. *Biosystems.* 43(2): 73–81.
- [6] Bianchi L., Gambardella L. M., and Dorigo M. An Ant Colony Optimization Approach to the Probabilistic Traveling Salesman Problem. in *Parallel Problem Solving from Nature - PPSN VII.* 2439.
- [7] Dorigo M., Maniezzo V., and Colomi A. 1996. Ant system: optimization by a colony of cooperating agents. *IEEE Trans. Syst. Man Cybern. Part B.* 26(1) 29–41.
- [8] Tsou M. C. and Hsueh C. K. 2010. The study of ship collision avoidance route planning by ant colony algorithm. *J. Mar. Sci. Technol.* 18(5):746–756.
- [9] Ding Q., Hu X., Sun L., and Wang Y. 2012. An improved ant colony optimization and its application to vehicle routing problem with time windows. *Neurocomputing.*98:101–107.
- [10] Bell J. E. and McMullen P. R. 2004. Ant colony optimization techniques for the vehicle routing problem. *Adv. Eng. Informatics.* 18(1): 41–48.
- [11] Yu B., Yang Z.-Z., and Xie J.-X. 2011. A parallel improved ant colony optimization for multi-depot vehicle routing problem," *J. Oper. Res. Soc.* 62(1): 183–188.
- [12] Kammoun H. M., Kalle I.I, Alimi A. M., and Casillas J. 2010. An adaptive vehicle guidance system instigated from ant colony behavior. *Conf. Proc. - IEEE Int. Conf. Syst. Man Cybern.* 2948–2955.
- [13] Goodwin M., Granmo O., Radianti J., Sarshar P., and Glimsdal S. 2013. Ant Colony Optimisation for Planning Safe Escape Routes. in *Recent Trends in Applied Artificial Intelligence.* 53–62.
- [14] Goodwin M., Granmo O.-C., and Radianti J. 2015. Escape planning in realistic fire scenarios with Ant Colony Optimisation, *Appl. Intell.* 42(1): 24–35.
- [15] Baharmand H. and Comes T. 2015. A Framework for Shelter Location Decisions by Ant Colony Optimization. in *Proceedings of the ISCRAM 2015 Conference.*
- [16] Yan G. and Feng D. 2013. Escape-Route Planning of Underground Coal Mine Based on Improved Ant Algorithm. *Math. Probl. Eng.* 1–14.
- [17] Musa R., Arnaout J.-P., and Jung H. 2010. Ant colony optimization algorithm to solve for the transportation problem of cross-docking network. *Comput. Ind. Eng.* 59(1): 85–92.
- [18] Zhan Z. H., Zhang J., Li Y., Liu O., Kwok S. K., Ip W. H., and Kaynak O. 2010. An efficient ant colony system based on receding horizon control for the aircraft arrival sequencing and scheduling problem, *IEEE Trans. Intell. Transp. Syst.* 11(2): 399–412.