



Missouri University of Science and Technology
Scholars' Mine

Electrical and Computer Engineering Faculty
Research & Creative Works

Electrical and Computer Engineering

13 Mar 2007

Method and Apparatus for Nondestructive Sample Inspection

R. Zoughi

Missouri University of Science and Technology, zoughi@mst.edu

Sergey Kharkovsky

Missouri University of Science and Technology

Mohammad Tayeb Ahmad Ghasr

Missouri University of Science and Technology, mtg7w6@mst.edu

Follow this and additional works at: https://scholarsmine.mst.edu/ele_comeng_facwork

 Part of the [Electrical and Computer Engineering Commons](#)

Recommended Citation

R. Zoughi et al., "Method and Apparatus for Nondestructive Sample Inspection," *U.S. Patents*, Mar 2007.

This Patent is brought to you for free and open access by Scholars' Mine. It has been accepted for inclusion in Electrical and Computer Engineering Faculty Research & Creative Works by an authorized administrator of Scholars' Mine. This work is protected by U. S. Copyright Law. Unauthorized use including reproduction for redistribution requires the permission of the copyright holder. For more information, please contact scholarsmine@mst.edu.



US007190177B2

(12) **United States Patent**
Zoughi et al.

(10) **Patent No.:** **US 7,190,177 B2**
(45) **Date of Patent:** **Mar. 13, 2007**

(54) **METHOD AND APPARATUS FOR
NONDESTRUCTIVE SAMPLE INSPECTION**

(75) Inventors: **Reza Zoughi**, Wildwood, MO (US);
Sergiy Kharkivskiy, Rolla, MO (US);
Mohammad Tayeb Ahmad Ghasr,
Rolla, MO (US)

(73) Assignee: **The Curators of the University of
Missouri**, Columbia, MO (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 135 days.

(21) Appl. No.: **10/920,723**

(22) Filed: **Aug. 18, 2004**

(65) **Prior Publication Data**

US 2006/0039257 A1 Feb. 23, 2006

(51) **Int. Cl.**
G01R 27/32 (2006.01)

(52) **U.S. Cl.** **324/642**; 324/763; 324/765

(58) **Field of Classification Search** 324/642,
324/765-766, 763-764

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,286,216 A	8/1981	Auld et al.	324/237
4,364,012 A *	12/1982	Auld	324/237
5,216,372 A	6/1993	Zoughi et al.	324/644
5,384,543 A *	1/1995	Bible et al.	324/644
5,438,276 A *	8/1995	Kawata et al.	324/765
5,440,238 A	8/1995	Martens et al.	324/636
5,701,083 A *	12/1997	Goldberg et al.	324/642
5,748,003 A	5/1998	Zoughi et al.	324/644
5,847,573 A *	12/1998	How et al.	324/765
5,859,535 A	1/1999	Liu	324/632

6,100,703 A	8/2000	Davidov et al.	324/631
6,359,446 B1	3/2002	Little, Jr.	324/637
6,426,644 B1 *	7/2002	Borden et al.	324/765
6,462,561 B1	10/2002	Bigelow et al.	324/637
6,512,385 B1 *	1/2003	Pfaff et al.	324/753
6,538,454 B1	3/2003	Frenkel et al.	324/637
6,639,393 B2 *	10/2003	Tasker et al.	324/76.19
6,819,120 B2 *	11/2004	Tam	324/633

OTHER PUBLICATIONS

D. Hughes, N. Wang, T. Case, K. Donnel, and R. Zoughi, "Micro-wave Nondestructive Detection of Corrosion Under thin Paint and Primer in Aluminum Panels," *Subsurface Sensing Technologies and Applications*, vol. 2, N4, Oct. 2001.

D. Hughes, R. Zoughi, R. Austin, N. Wood, and R. Engelbart, "Near-Field Microwave Detection of Corrosion Precursor Pitting Under Thin Dielectric Coatings in Metallic Substrate," *Review of progress in Quantitative Nondestructive Evaluation*, vol. 22, ed. by D.O. Thompson and D.E. Chimenti, Belingham, Washington, 2002, p. 462-469.

* cited by examiner

Primary Examiner—Andrew H. Hirshfeld


Assistant Examiner—Marina Kramskaya

(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(57) **ABSTRACT**

An apparatus for inspecting a sample for defects includes a signal generator for generating a signal and a device for splitting the signal into two separate signals which have substantially equal phase and magnitude. A sensor radiates the two signals on the sample and receives the two signals reflected from the sample. A device is provided for determining a difference between the two signals reflected from the sample without unwanted influence of variations of distance between the sensor and sample, and reflections from nearby sample edges and boundaries. A defect is determined to exist when a difference is found between the two reflected signals.

38 Claims, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

1

METHOD AND APPARATUS FOR NONDESTRUCTIVE SAMPLE INSPECTION

STATEMENT OF GOVERNMENT INTEREST

This invention was made with Government assistance under Air Force Contract No. F33615-02-C5705. The Government has certain rights in this invention.

FIELD OF THE INVENTION

The field of the invention is sample analysis. The invention concerns other more particular fields, including but not limited to nondestructive testing and evaluation of physical properties of materials.

BACKGROUND OF THE INVENTION

Various techniques are known for conducting non-destructive inspection of structures having a surface area. In one known technique, monochromatic, phase coherent electromagnetic radiation in the 5–50 GHz frequency range (i.e., microwaves) is used for nondestructive testing of dielectric materials. A portion of the impinged beam is combined with the signal reflected by the specimen being inspected. The signals combine to produce an interference pattern, a pattern that changes as the specimen changes, or as the position of the specimen changes relative to that of the detector.

In another known technique, a near-field microwave microscope including a dielectric resonator is used. The microwave microscope has a resonant slit in the conductive end of a microwave waveguide that forms a probe tip. A short dielectric rod is fit into the microwave waveguide near its conductive end. A longer dielectric rod is placed in back of the short dielectric rod with a small gap between the two rods. The length of the shorter rod and the size of the gap are chosen to form a dielectric resonator at the microwave frequency adjacent to the probe tip.

Yet another known testing technique uses a near-field sensor including circuitry which removes variation in the “standoff distance” (i.e., the distance of the sensor from the inspected object) as a factor in the inspection system readings. An original output voltage which varies linearly according to the standoff distance is modified and added to a counterbalancing output voltage which equivalently but oppositely varies linearly according to the standoff distance, resulting in a constant output voltage regardless of the standoff distance.

SUMMARY OF THE INVENTION

The present invention involves an apparatus for inspecting a sample for defects. The apparatus includes a signal generator for generating a signal and a device for splitting the signal into two separate signals which have substantially equal phases and magnitudes. A sensor radiates the two signals on the sample and receives the two signals reflected from the sample. A device is provided for determining a difference between the two signals reflected from the sample without unwanted influence of variations of distance between the sensor and sample, and reflections from nearby sample edges and boundaries. A defect is determined to exist when a difference is found between the two reflected signals.

2

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of the testing system in accordance with one embodiment of the present invention;

FIG. 2 is a schematic diagram of one embodiment of the testing system shown in FIG. 1;

FIG. 3 is a schematic diagram of another embodiment of the testing system shown in FIG. 1;

FIG. 4 is a schematic diagram of a further embodiment of the testing system shown in FIG. 1;

FIG. 5 is a schematic diagram of yet another embodiment of the testing system shown in FIG. 1; and

FIG. 6 is a schematic diagram of still another embodiment of the testing system shown in FIG. 1.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the present invention, two coherent electromagnetic signals such as, for example, microwave or millimeter wave signals having substantially identical phase and magnitude are provided from a single generating source and transmitted to a sensor having dual probes. The sensor transmits these signals to a sample under inspection, and receives the signals reflected from the sample. The difference in the reflected signals indicates the presence of a defect in the sample.

The use of dual probes provides for increased sensitivity of the inspection technique and probability of detection of defects. An electrical distance between two apertures of the dual probes provides for removing or significantly reducing unwanted variations or fluctuations in the reflected signals, which could mask the desired reflected signals. These variations or fluctuations may result from variations in the standoff distance caused by, for example, sample surface roughness, sample curvature, scanning platform fluctuations, presence of nearby sample edges and boundaries, etc. In another example, the unwanted variations or fluctuations in reflected signals may be the result of fluctuations in temperature, instability of the source frequency and/or power.

Turning now to FIG. 1, a nondestructive testing system 10 in accordance with the present invention includes a signal generator 12, a sensor 14 for radiating signals from the generator 12 to a sample 16 under inspection and for receiving signals reflected from the sample. The testing system 10 also includes a power splitter 18 for dividing a single signal from the signal generator 12 into two separate signals, and obtaining the difference, if any, of the two signals after being reflected from the sample 16. A detector 20 quantifies the difference in the two reflected signals obtained by the power splitter 18. An indicator 22 such as a voltmeter, an oscilloscope or a computer provides a visible indication of the signal difference quantified by the detector 20. The sample 16 and/or the sensor 14 are connected to a position controller 24, e.g., a scanning platform, for exposing the desired areas of the sample 16 to the sensor 14 at a desired standoff distance.

Referring to FIG. 2 and in accordance with one embodiment of the testing system 10, the signal generator 12 is an oscillator for generating electromagnetic energy, for example, radio frequency (RF), microwave or millimeter wave energy at the desired operating frequency. A signal from the generator 12 goes through an isolator 26, which is a device for allowing the signal to transmit forward, but very little reflected signal to be retransmitted into the signal generator. The isolator 26 protects the signal generator 12 from unwanted reflected signals, which may cause unacceptable source power and frequency instability.

The isolator 26 is connected to the power splitter 18, which in this embodiment is a hybrid tee (also known as a magic tee). The power splitter 18 may also be other hybrid devices which divide signals from the generator 12, and obtain the difference in the two signals after being reflected from the sample 16. A magic tee with 30-dB isolation and 0.5-dB balance over the waveguide frequency bandwidth is an example of the power splitter 18. The power splitter 18 includes four arms 28, 30, 32, 34 which come together at a center point 36. Signals sent from the generator 12 through the isolator 26 to the arm 28 are divided by the power splitter 18 into two signals having equal phases and magnitudes. The divided signals are routed into two arms 30, 32 to be transmitted to the sensor 14. The two arms 30, 32 also receive signals that have been reflected from the sample 16. The power splitter 18 combines these reflected signals and obtains the difference in the signals, which is routed in the arm 34.

The arms 30, 32 in the power splitter 18 are connected respectively to two transmission lines 38, 40, which have substantially the same length and cross-sectional dimensions. While a pair of rectangular waveguides serve as the two transmission lines 38, 40 in one embodiment, other types of lines for carrying signals may be used, such as, for example, circular waveguides, coaxial cables, dielectric waveguides, microstrip lines, fiber optic lines, etc.

The transmission lines 38, 40 at the opposite ends from the power splitter 18 are respectively connected to two probes 42, 44, of the sensor 14. The distal ends (the ends closer to the sample 16) of the probes 42, 44 are open, and thus, they are open-ended transmission lines such as open-ended rectangular waveguides, dielectric waveguides, coaxial cables, microstrip lines, fibers optic lines, etc. The probes 42, 44 may also be open-ended tapered transmission lines (for example, rectangular waveguides which narrow gradually toward their ends) or open-ended flared waveguides (for example, horns). The two probes 42, 44 have substantially identical length and dimensions, and in one embodiment, have a rectangular cross-section. It should be understood, however, that the cross-sections of the probes 42, 44 may have other shapes such as, for example, circular, square, elliptical, etc.

The dimensions of the probes 42, 44 vary with the function of the frequency of the signal from the generator 12 and are proportional to the wavelength. As the frequency of the signal increases, the dimensions of the probes 42, 44 decrease. For example, at the wavelengths of approximately 3 centimeters and 1 centimeters (frequency of 10 gigahertz (GHz) and 30 GHz), the cross-section of a typical open-ended rectangular waveguide probe would be approximately 2 centimeters by 1 centimeter and approximately 0.7 centimeters by 0.3 centimeters, respectively. The probes 42, 44 can be any desired length, which, in effect, includes the length of the transmission lines 38, 40 since they also act as waveguides.

The operating frequency (wavelength) and the probe dimensions are selected according to the desired spatial resolution and radiation efficiency of the testing system 10. When operating in the near-field and for the purpose of microwave or millimeter wave imaging, the aperture size of the probe significantly influences the resulting system spatial resolution. For example, open-ended rectangular waveguide probes 42, 44 at frequencies of greater than 10 GHz may be suitable for inspecting samples such as a metal plate for defects in the form of pits larger than 1 millimeters in diameter. However, for aircraft health monitoring and effective maintenance purposes it is necessary to detect smaller

pits since detection of smaller pits means the discovery of earlier corrosion initiation. In this type of application, it may be necessary to increase the frequency of the signal to increase the spatial resolution. As the frequency of the signal increases, the physical aperture dimensions of the probes 42, 44 decrease, resulting in higher spatial resolution. A higher spatial resolution may also be achieved at a given signal frequency by utilizing physical reduction of the probe aperture dimensions through tapering of the walls of the probes 42, 44. On the other hand, when operating in the far-field, open-ended flared waveguide such as, for example, horns, may be used as the probes 42, 44 to increase radiation efficiency and directivity (gain) of the probes.

The signals originating from the generator 12 are radiated from openings of the probes 42, 44 and are incident on an area of the sample 16. In the embodiment shown in FIG. 2 for operating in the near-field, the probes 42, 44 are placed wall to wall and both probes are positioned near the sample 16 approximately 2 mm, for example. In this manner, the signals from the probes are incident on substantially the same location areas of the sample surface and the signals incident on the sample 16 reflect back into the same probes 42, 44 from where they were radiated. The distance between the probes 42, 44 may be varied by moving the probes 42, 44 with respect to one another. When the distance between the centers of the probe apertures is equal to multiple halves of operating wavelength, the testing system 10 effectively removes or significantly reduces the influence of unwanted reflected signals that may come from incidental extended discontinuities of the sample (edges, boundaries, etc.) as a result of the inherent cancellation of the two signals appearing at each probe due to the specific distance between the probes (e.g., half of a wavelength).

The reflected signals travel back through their respective probes 42, 44 and the transmission lines 38, 40, and enter the arms 30, 32 of the power splitter 18, where one signal is subtracted from the other (i.e., one is added to the negative of the other through a 180° phase shift caused by the magic tee). The result of the subtraction in the power splitter 18 appears as a signal across the detector 20 which in this embodiment is a device that converts microwave energy to DC signal such as a diode or a power meter, for example. If the two signals reflected from the sample 16 are identically the same, they cancel out to zero, and the detector 20 ideally does not detect any signal. However, a finite signal at the detector 20 (other than minimal signal due to noise, for example) indicates a detection of a defect. The signal detected at the detector 20 can be converted to a user readable form by connecting the detector 20 to an indicator 22 (shown in FIG. 2) such as a voltmeter, an oscilloscope or a computer.

In the embodiment of the present invention shown in FIG. 2, the paths of the signals generated by the signal generator 12 from the power splitter 18 to the ends of the probes 42, 44 are bi-directional, so that the signals being transmitted to, and being reflected back from, the sample 16 are propagating simultaneously. In this manner, signals from the generator 12 are generated and transmitted continuously as long as necessary to scan the sample 16.

As a way of example, the present invention may be used in inspecting a sample such as a metal plate for anomalies or defects in the form of microscopic corrosion pits, which can grow and become visible corrosion under the paint in a car, for instance. In the aircraft industry, detection of corrosion pits aid in predicting where the corrosion is going to occur. A defect such as a corrosion pit causes the signal radiated on the sample 16 to change in phase and/or magnitude. There-

fore, a difference in the phase and/or magnitude of the two signals reflected from the sample indicates the presence of a defect.

In operation, the position controller **24** (shown in FIG. 1) continuously moves the sample **16** or the sensor **14** so that if a defect is present, it would first reach the one of the two probes **42**, **44** and then the other one a moment later. The signal reflected from the probes **42** or **44** that first encountered the defect would be different in phase and/or in magnitude from the signal reflected from the other probe which has not yet reached the defect. When the two reflected signals are combined and subtracted in the power splitter **18**, a finite (e.g., non-zero) signal (without unwanted influence of standoff distance variation, incidental extended discontinuities of the sample, temperature variation, and frequency and power non-stability of the source) would be obtained. Accordingly, some DC signal drop would appear across the detector **20**, indicating that a defect has been found.

Turning now to FIG. 3, and in accordance with another embodiment of the invention, the testing system **10** includes a variable phase shifter **46** connected between the arm **30** of the power splitter **18** and the transmission line **38**, and another variable phase shifter **48** connected between the arm **32** of power splitter **18** and the transmission line **40**. The phase shifters **46**, **48** adjust the phase of one or both signals that come out of the power splitter **18**, so that they have substantially equal phases when the signals are radiated onto the sample **16**. The phase shifters **46**, **48** may be required, for example, when the total distance from the power splitter **18** to the ends of the two waveguides **42**, **44** are not equal, resulting in the two signals having different phases. The phase shifters **46**, **48** are controlled to balance the two signals output from the power splitter **18**. The phase shifters **46**, **48** may be typical variable phase shifters, for example, rotary vane phase shifters, or simple rectangular waveguides with internal moveable dielectric insertions.

In FIG. 4, another embodiment of the testing system **10** includes a directional coupler **50** connected between the isolator **26** and a variable phase shifter **52** connected to the arm **28** of the power splitter **18**, another directional coupler **54** connected between the arm **34** and the detector **20**, and a variable phase shifter **52** connected between the directional couplers **50**, **54**. The variable phase shifter **52** may be a rotary vane phase shifters, or simple rectangular waveguides with internal moveable dielectric insertions, for example. While FIG. 4 does not show the variable phase shifters **46**, **48** being included in the testing system **10**, the directional couplers **50**, **54** may be incorporated in the testing system with or without the phase shifters. Directional couplers **50**, **54** with 10-dB coupling and 20-dB directivity or higher over the transmission line bandwidth are examples of couplers that are suitable for use in this embodiment of the invention.

In operation, the coupler **50** routes part of the signal produced by the generator **12** to the coupler **54**. The phase shifter **52** provides this part of the signal to be in phase with the difference between the two signals reflected from the sample **16** before being input to the detector **20**. In this manner, the couplers **50**, **54** and phase shifter **52** supply the detector **20** with some extra power or bias. For example, the signal coming out of the arm **34** of the power splitter **18** may be in the range of approximately 0 milliwatt (if no defect is found) to about 5 milliwatts (if a defect is detected). Even at 5 milliwatts, the signal will not provide for operating of the detector **20** such as a square law diode in optimal linear region and will only result in approximately 2 millivolt drop at the detector **20**, making it difficult to accurately read the results of the inspection. By inserting the couplers **50**, **54** and

the phase shifter **52** in the testing system **10**, the detector will be biased at its square law region and smaller input signals will be better detected.

In FIG. 5, another embodiment of the system **10** includes a signal amplifier **56** connected between the arm **34** of the power splitter **18** and the detector **20**. The signal amplifier **56** is an amplifier for amplifying electromagnetic energy, for example, microwave or millimeter wave energy at the operating frequency of the signal generator **12**. A solid state microwave or millimeter wave low noise amplifier with 10–20 dB gain is an example of the signal amplifier **56**. In operation, the amplifier **56** amplifies the signal obtained from taking the difference between the two signals reflected from sample **16** before being input to the detector **20**. While FIG. 5 does not show the variable phase shifters **46**, **48** (shown in FIG. 3) being included in the testing system **10**, the signal amplifier **56** may be incorporated in the testing system with or without the phase shifters **46**, **48**.

Turning now to FIG. 6, and in accordance with another embodiment of the invention, the testing system **10** includes a directional coupler **58** connected between the arm **30** of the power splitter **18** and the transmission line **38**, and another directional coupler **60** connected between the arm **32** of the power splitter **18** and the transmission line **40**. The directional couplers **58** and **60** with 10-dB coupling and 20-dB directivity or higher over the transmission line bandwidth are examples of couplers that are suitable for use in this embodiment of the invention. Regardless of the type directional coupler used, both couplers **58** and **60** should be identical to one another and inserted into the same location along their respective transmission lines **38** and **40** (relative at least with respect to the probes **42**, **44**) so that the difference, if any, between the two reflected signals from the sample **16** are not affected by the insertion of the couplers **58**, **60** in the transmission lines **38**, **40**.

A part of the signal reflected from the sample **16** goes through the directional coupler **58** from the probe **42** to a detector **62**, which is a device that converts microwave energy to DC signal such as a diode or a power meter, for example. Similarly, the part of signal reflected from the sample **16** goes through the directional coupler **60** from the probe **44** to a detector **64**, which is also a device that converts microwave energy to DC signal such as a diode or a power meter, for example. The signals detected at the detectors **62**, **64** can be converted to a user readable form by connecting the detectors **62**, **64** to the indicator **22** (shown in FIG. 1), such as a voltmeter, an oscilloscope or a computer. These signals provide increasing probability of defect detection and evaluation. While FIG. 6 does not show the variable phase shifters **46**, **48** (shown in FIG. 3) being included in the testing system **10**, the directional couplers **58**, **60** and the detectors **62**, **64** may also be incorporated in the testing system **10** with or without the directional couplers **50**, **54** (shown in FIG. 4). The directional couplers **58**, **60** and the detectors **62**, **64** may also be incorporated in the testing system **10** with or without the signal amplifier **56** (shown in FIG. 5).

In one embodiment, the position controller **24** (shown in FIG. 1) is a scanning table (not shown), which moves the sensor **14** and the sample **16** with respect to each other to provide a raster or C-scan. As the scanning table moves the sample **16** under the sensor **14**, a 2D matrix consisting of DC voltages proportional to the local reflection properties of the sample are produced. These voltages are then processed by the indicator **22**, which in this embodiment would be a signal

processor such as a computer to generate an image of the scanned area. The indicator 22 may generate one image in the case of the embodiments shown in FIGS. 2-4, where the indicator is connected only to the detector 20, or three images simultaneously for the embodiment shown in FIG. 5, where the indicator 22 would be connected to three detectors 20, 58, 60.

While a specific embodiment of the present invention has been shown and described, it should be understood that other modifications, substitutions and alternatives are apparent to one of ordinary skill in the art. Such modifications, substitutions and alternatives can be made without departing from the spirit and scope of the invention, which should be determined from the appended claims.

Various features of the invention are set forth in the appended claims.

The invention claimed is:

1. An apparatus for inspecting a sample for defects, comprising:

a signal generator for generating a first signal;
means for splitting said first signal into a second signal and a third signal, said second and third signals having substantially equal phase and magnitude;

a sensor for radiating said second and third signals on the sample and receiving said second and third signals reflected from the sample; and

means for determining a difference between said second and third signals reflected from the sample;

wherein a defect is determined to exist when said difference is found between said second and third signals reflected from the sample.

2. The apparatus as defined in claim 1, wherein said signal generator comprises an oscillator for generating electromagnetic signals.

3. The apparatus as defined in claim 2, wherein said first signal comprises a microwave, a millimeter wave or an RF signal.

4. The apparatus as defined in claim 1, wherein said first signal splitting means and said difference determining means are incorporated in a power splitter.

5. The apparatus as defined in claim 4, wherein said power splitter comprises a hybrid tee.

6. The apparatus as defined in claim 4, wherein said power splitter includes a first arm for receiving said first signal from said signal generator, and a second arm for receiving said difference between said second and third signals reflected from the sample.

7. The apparatus as defined in claim 6, wherein said power splitter further includes a third arm for transmitting said second signal to said sensor and said reflected second signal from said sensor, and a fourth arm for transmitting said third signal to said sensor and said reflected third signal from said sensor.

8. The apparatus as defined in claim 1, further comprising a first transmission line connected between said splitting means and said sensor for transmitting said second signal to said sensor and said reflected second signal from said sensor, and a second transmission line connected between said splitting means and said sensor for transmitting said third signal to said sensor and said reflected third signal from said sensor.

9. The apparatus as defined in claim 8, wherein said first transmission line and said second transmission line have substantially equal length and dimensions.

10. The apparatus as defined in claim 9, wherein said first and second transmission lines are rectangular waveguides, circular waveguides, coaxial cables or dielectric waveguides.

11. The apparatus as defined in claim 8, further including a first phase shifter connected to said first transmission line for adjusting a phase of said second signal, and a second phase shifter connected to said second transmission line for adjusting a phase of said third signal.

12. The apparatus as defined in claim 11, wherein said first and second phase shifters are rotary vane phase shifters or rectangular waveguides with internal moveable dielectric insertions.

13. The apparatus as defined in claim 8, further including a first coupling device electrically connected to said first transmission line for directing a part of said second reflected signal to a first signal detector, and a second coupling device electrically connected to said second transmission line for directing a part of said third reflected signal to a second signal detector, wherein said first signal detector detects voltage proportional to said second reflected signal and said second signal detects a voltage proportional to said third reflected signal.

14. The apparatus as defined in claim 1, wherein said sensor comprises a first probe for radiating said second signal on the sample and receiving said second signal reflected from said sample, and a second probe for radiating said third signal on the sample and receiving said third signal reflected from said sample.

15. The apparatus as defined in claim 14, wherein said first and second probes are open-ended transmission lines having substantially identical dimensions.

16. The apparatus as defined in claim 15, wherein said first and second probes have a cross section which is substantially rectangular, circular or elliptical.

17. The apparatus as defined in claim 1 further comprising a signal detector connected to said difference determining means for obtaining a signal indicating said difference between said reflected second and third signals.

18. The apparatus as defined in claim 17, wherein said signal detector is a diode or a power meter.

19. The apparatus as defined in claim 17, further comprising a first coupling device electrically connected to said signal generator, and a second coupling device electrically connected to said signal detector, wherein said first coupling device is operatively connected to said second coupling device for channeling a part of said first signal to said signal detector.

20. The apparatus as defined in claim 19, further comprising a phase shifter connected between said first and second coupling devices for adjusting said part of said first signal, to be in phase with said signal indicating said difference between said reflected second and third signals.

21. The apparatus as defined in claim 17, further comprising a signal amplifier connected between said difference determining means and said signal detector for amplifying said difference between said reflected second and third signals.

22. The apparatus as defined in claim 21, wherein said signal amplifier is a microwave or millimeter wave amplifier.

23. The apparatus as defined in claim 17 further comprising an indicator electrically connected to said signal detector for visually indicating said difference between said reflected second and third signals.

24. The apparatus as defined in claim 23, wherein said indicator is a voltmeter or an oscilloscope.

25. The apparatus as defined in claim 23, wherein said indicator comprises a computer connected to a position controller for generating an image of said desired area of said sample.

26. The apparatus as defined in claim 1, further comprising a position controller operatively connected to at least one of said sample and said sensor for exposing a desired area of said sample to said sensor.

27. The apparatus as defined in claim 1 further comprising an isolator connected between said signal generator and said splitting means for guiding said first signal into said splitting means and preventing second and third signals from entering said signal generator.

28. A method for inspecting a sample for defects, comprising:

- generating a first signal and a second signal having substantially equal phase and magnitude;
 - radiating said first and second signals on the sample; and
 - determining a difference between said first and second signals reflected from the sample;
- wherein a defect is determined to exist when said difference is found between said first and second signals reflected from the sample.

29. The method as defined in claim 28, further comprising generating a source signal and splitting said source signal to generate said first and second signals.

30. The method as defined in claim 28 further comprising converting said difference between said first and second signals reflected from the sample to a DC signal.

31. The method as defined in claim 27 further comprising adding a part of said source signal to said difference between said first and second signals reflected from the sample to amplify said difference.

32. The method as defined in claim 28, wherein first and second signals are radiated on and received from the sample using first and second open-ended transmission lines having substantially identical dimensions.

33. The method as defined in claim 32, wherein said first and second signals radiated on, and reflected from, the sample are transmitted to and from said first and second open-ended transmission lines using first and second transmission lines having substantially equal length and dimensions.

34. The method as defined in claim 28, further comprising adjusting the phase of at least one of said first and second signals to make the phases of said first and second signals substantially equal.

35. The method as defined in claim 28, further comprising dividing at least one of said first reflected and second reflected signals into two parts, and converting one of said two parts to a DC signal to obtain a DC signal proportional to said at least one of said first and second reflected signals.

36. The method as defined in claim 28, further comprising moving said sample or sensor to expose a desired area of said sample to said first and second signals.

37. The method as defined in claim 28, further comprising generating an image of said desired area of said sample based on said difference between said first and second reflected signals.

38. The method as defined in claim 28, further comprising amplifying said difference between said first and second signals reflected from the sample.

* * * * *