### LAUTECH Journal of Engineering and Technology 11 (1) 2017: 105-110

# ESTIMATES OF COST OF ACCIDENTS IN SOME SELECTED INDUSTRIES IN SOUTHWEST NIGERIA

Enwerem, G. C.<sup>1</sup>, Ajayeoba A. O.<sup>2\*</sup>, Raheem W. A.<sup>3</sup>, Adebiyi K. A.<sup>4</sup> and Akinyemi O. O.<sup>5</sup>

<sup>1</sup>Department of Mechanical Engineering, Federal Polytechnic Ede, Ede, Osun State, Nigeria <sup>2,4</sup>Department of Mechanical Engineering, Ladoke Akintola University of Technology, Ogbomoso, Oyo State, Nigeria <sup>3</sup>Department of Systems Engineering, University of Lagos, Lagos, Nigeria <sup>5</sup>Agricultural and Mechanical Engineering Department, Olabisi Onabanjo University, Ago-Iwoye, Nigeria **\*Corresponding author: aoajayeoba@lautech.edu.ng** 

# ABSTRACT

The manufacturing industry is one of the most dangerous branches in light of the frequency of occupational accident. Direct and indirect losses generated by major manufacturing accidents reduce profit and cause management crises. Such losses significantly impact manufacturing business owners, workers, clients and the public. This research evaluated the effect of safety practices on operational performance of some selected manufacturing companies in Nigeria. Ten-year data were collected on yearly basis from four (4) manufacturing industries in Nigeria which are chemical, oil/gas, food/beverages, and metal/fabrication industries on annual record of accidents and annual expenditure on safety intervention programmes. The data were analyzed using existing mathematical models. The probability of each class of accidents has highest values estimated as: 0.19, 0.52, and 0.68 for fatal, serious and minor accidents, respectively while the lowest was estimated as: 0.03, 0.2, and 0.32 for fatal, serious and minor accidents, respectively. The highest accidents cost of potential consequences of accidents were estimated as \$94,701,700, \$13,339,567and \$2,969,210 for fatal, serious and minor accidents, respectively while the least accidents

cost was estimated as \$541,072, \$1,834,120 and \$341,562 for fatal, serious and minor accidents, respectively. However, minor and fatal accidents in metal/fabrication industry has the highest (0.68) and the least (0.03) values of probabilities of occurrence of accident, respectively, while fatal accident in oil and gas industry has the highest cost of accident estimated as \$94,701,700 (fatal accident) which is 93.21% of the total cost of accidents in the industry.

Keywords: Accidents, Safety Interventions, safety practices and cost of accidents.

#### 1. INTRODUCTION

Despite all established standards and legislations on safety, with sophisticated devices developed and researches carried out (Adebiyi et al, 2005); yet, a perfectly safe condition for human and property is still an illusion. The manufacturing industry remains one of the most dangerous branches in light of the frequency of occupational accident (Adebiyi et al, 2007 and Nenonen, 2011). Manufacturing is the process of adding more value to raw materials by process them into products or transforming such raw materials, purchase components or semi-finished products into finished products for sale (Misiurek and Misiurek, 2016 and Ajayeoba 2015) It is adjudged to be the third most risk sector with stakeholders besides private households and construction industry (Abdulzubair, et al., 2014). Technological innovation and advancement, these days, particularly in manufacturing industries, has undeniably brands industrial professions more complex and high accidents prone, with higher operational risk consequently, made operational risks more significant than ever before (Nielsen, 2014). A very profligate stride of transformation of technology is initiated at the operative level therefore making operational risks core cause of numerous accidents (Shur, et. al., 2015) This poses threat to human life through accidents and injuries. Occupational injuries and workplace accidents remains a challenge globally (Kines et al., 2013) Direct and indirect losses resulting from major manufacturing accidents greatly affect the establishment's profit and cause management crises (Yaw-Yauan et al. 2011, Pons, 2010., Choi, 2006 and Adebiyi 2006). Accident is not only reducing productivity but besides upset cost of production (Umoh and Tobira ,2013, Gerard et al., 2013 and Mohamed Taufek, et. al., 2016) Consequently, many companies have been struggling to minimize the number of incidents and lost work days at the workplace. However, the relationship between business performance and occupational health and safety interventions aimed at reducing accidental injury is strongly contested. The safety expert's perception views that good health and safety practice is good for business and productivity while the industry views that Occupational Health Safety (OHS) interventions are costly and interrupt the flow of work activity and the regulations impose a non-productive investment. Unfortunately, a significant share of these costs is carried by business enterprises, with the effect of increasing their losses and reducing their profitability.

For example, Occupational Safety and Health Administration (OSHA) estimated that businesses spend \$170 billion a year on costs associated with occupational injuries and illnesses; expenditures that come straight out of company profits. ((www.osha.gov)). In its 2007 workplace safety index, liberty mutual also estimated that employers paid almost \$1 billion per week for direct workers' compensation costs for the most disabling workplace injuries and illnesses. Injuries and illnesses increase workers' compensation and retraining costs, absenteeism, and faulty product. Therefore, as an employer or self-employed person, awareness of the costs of accidents and information about the type/frequency/location etc. of their occurrence can be of considerable value in improving health and safety management. This approach of estimating potential and actual losses highlights a feature that the successful safety programme should address, and that is the difference between day-to-day risk and the effect of a potential catastrophe.

## 2. METHODOLOGY

Baseline measures included safety observations, questionnaires, interviews and documentation (vetting of records) were employed to obtain data from forty manufacturing industries in south western Nigeria. The companies were classified into four based on the nature of their operation as chemical, oil and gas, food/beverage and metal and fabrication. Data on accident records, budgets and other model parameters were collected over a ten-year period (2005-2014). The manufacturing accident cost estimation model developed by Adebiyi and Ajayeoba (2012) was adopted.

### 2.1 Theoretical Consideration of the Accident Cost Estimation Model

The resultant effects of accidents are basis for developing most accidents estimating models. Though various estimates have been made for the cost of industrial accidents in strictly monetary terms, but there are still some hidden accident costs (Charles-Owaba and Adebiyi, 2001). The problem of appropriately quantifying human life is the major problem of costing accident and as such no yet generally accepted model for this. Thus, it depends on the situation and circumstances. The existing accidents cost estimating models employ deterministic approach. But the occurrence of accident is probabilistic in nature and also the associated costs. Therefore, in the model developed by Adebiyi and Ajayeoba, (2011), the probability of occurrence of accidents and costs of accident consequences are considered using equations 1 – 8y.

The unit Cost of Accident Class i  $(C_i)$  may be given as:

$$C_i = f(a_i, P_c)$$
 1

Using dimensional consistency,

$$C_i = a_i * P_c$$
 2

However,

$$P_c = f(H_i, E_{qi}, E_{ci})$$

Applying dimensional consistency,

$$P_c = ai^*(H_i + E_{qi} + E_{ci})$$

But,

$$H_i = f z$$

5

8

$$E_{qi} = f \left[ \frac{(\mathbf{1} + t)^{L-T}}{(\mathbf{1} + t)^{L-T} - \mathbf{1}} \right] \mathbf{N} + \mathbf{M} \mathbf{H} \mathbf{R}$$
 6

Also,

$$E_{ci} = Q_i + {}_i \qquad \qquad 7$$

Substituting equations 4, 5, 6 and 7 in equation 2, we have:  $C_{i} = {}_{ai}[f[z + N[\frac{(1+t)^{L-T}}{(1+t)^{L-T}-1}]] + MHR + Q_{i} + {}_{i}]$ 

Where:

<sub>ai</sub>= Probability of occurrence of accident class i(Dimensionless)

H<sub>i</sub>= Human severity cost for accident class i (N)

= Establishment average annual salary (N /year)

z = Establishment maximum allowable service year (year)

f<sub>i</sub>= Degree of severity (Dimensionless)

L = Service life of the equipment involved in the accident (Year)

t = Interest rate

N = Acquisition cost of damaged equipment (N)

MHR = Machine Hour Rate (N/T)

<sub>i</sub>= Period of idleness of equipment due to accident i(T)

 $Q_i$ = Value of goods/materials damaged in accident class i (N)

 $_{i}$ = Total production down time due to accident class i

= Establishment's overall hourly cost of production (N/T).

i = Counter of class of accidents

T= Total no of years considered

G = Number of identified class of accidents

1 = Fatal, 2 = Serious, 3 = Minor

### 2.2 The model Application

The model was applied to estimate the cost of accident in manufacturing industries in Nigeria. Data were collected from four (4) different type of manufacturing industries in Nigeria. The data include the accident occurrence and other model parameters. As a matter of fact, a single factor rarely causes an accident. Accident occurrence involves combination of two or more contributory factors and also the cost of potential consequences. The data on Table 1 were the values collated from the surveys

# 3. **RESULTS AND DISCUSSION**

The consequential effects of accidents may be categorized into human severity, property damaged and economic implication. The estimates of the model parameters are presented in Table 1. The probability of each class of accidents has highest values estimated as: 0.19, 0.52, and 0.68 for fatal, serious and minor accidents, respectively while the lowest was estimated as: 0.03, 0.2, and 0.32 for fatal, serious and minor accidents, respectively. This reflects that minor accidents have greatest probability of occurrence while fatal accidents have the least. However, metal and fabrication industries among the four listed have the highest and the least values of probability of occurrence of accident. Also, from Table 2, the highest accidents cost of

Results

 Table 1:
 Manufacturing Accidents Unit Cost Estimation Model Parameters

PARAMETERS		Chemical	Oil and Gas	Food and	Metal and	Average
		Industry		Beverages	Fabrication	
Establishment ave salary(N/year)	erage annual	1,320,000	9,000,000	1,200,000	N8,700,000	3,840,000.00
Establishment maximum Allowable Service year (year)		16	35	15	35	25.25
Service life of the equipment involved in the accident (year)		15	30	9	20	18.50
Interest rate		10	10	10	10	10.00
Usage Life of Equipment		9	24	7	12	13.00
Acquisition cost of damaged equip(N)		1,000,000	10,000,000	900,000	20,000,000	7,975,000.00
Machine Hour Rate (N/T)		50,000	300,000	60,000	432.23	102,608.06
Establishment's overall hourly cost of production (N/T)		500,000	3,000,000	600,000	50,000	1,037,500.00
Total production dov accident:	vn time due to Fatal	16	16	12	12	14.00
	Serious	6	5	4	6	5.25
	Minor	3	4	2	3	3.00
Valve of goods/materials damaged in accident : Fatal		8,000,000	4,800,000	7,200,000	2,000,000	5,500,000
	Serious	3,000,000	1,500,000	2,400,000	750,000	1,912,500
	Minor	1,500,000	1,200,000	1,200,000	100,000	1,000,000
Period of idleness o accident:	f equip due to Fatal	10	10	12	14	11.50
	Serious	8	7	6	4	6.25
	Minor	3	2	4	0.5	2.38
Degree of severity	Fatal Serious Minor	0.9 0.09 0.01	0.72 0.27 0.01	0.9 0.07 0.03	0.96 0.039 0.001	0.87 0.12 0.01
Probability of Occurrent	nce of Accident:					
Fatal	a .	0.12	0.19	0.16	0.03	0.12
	Serious	0.26	0.2	0.52	0.29	0.32
	Minor	0.62	0.61	0.32	0.68	0.56

# Table 2: Cost Estimation

Class o	f Chemical	Oil and Gas	Food and Beverages	Manufacturing	Average (N)
Accider	t Industry ( <del>N</del> )	( <del>ℕ</del> )	( <del>N</del> )	( <del>ℕ</del> )	
Fatal	541,072	94,701,700	921,271	29,617,953	18,183,096
Serious	575,103	3,933,980	1,834,120	13,339,567	3,143,489
Minor	1,300,870	2,969,210	341,562	853,503	1,366,286

potential consequences of accidents were estimated as N94,701,700, N13,339,567and N2,969,210 for fatal, serious and minor accidents, respectively while the least accidents cost was estimated as N541,072, N1,834,120 and N341,562 for fatal, serious and minor accidents, respectively. This showed that the fatal accidents have the greatest economic cost implication while the minor has the least. Thus, fatal accident in oil and gas industry has the

highest cost of accident estimated as \$94,701,700 which is 93.21% of the total cost of accidents in the industry while minor accident in food and beverages industry has the least cost of accident estimated as \$341,562 which is 11.03% of the total cost of accidents in the industry.

#### CONCLUSION

In this study, the cost estimation model was formulated and applied to the data collected from the four different types of manufacturing industries. Therefore, it could be concluded that the fatal accident has the highest contribution to adversity, hence, has the highest cost of accident estimated, while minor accident has highest probability of occurrence.

# REFERENCES

- Abdul Zubar, H., Visagavel, K., Deepak Raja, V. and Mohan, A. (2014). Occupational Health and Safety Management in Manufacturing Industries Journal of Scientific and Industrial Research73: 381-386
- Adebiyi K. A. (2002) "Road Traffic Accident Cost Estimation Model" Research Communications in Management. 1 (2) pp 32 - 35
- Adebiyi K. A. and Ajayeoba A.O. (2011) Manufacturing Accidents Cost Estimation Model. Department of Mechanical Engineering, Ladoke Akintola University of Technology, P. M. B. 4000, Ogbomoso, Nigeria.
- Adebiyi, K.A, Charles-Owaba, E.O., Waheed, M.A. (2007) "Safety performance evaluation models: a review", Disaster Prevention and Management, Vol. 16 Iss: 2, pp.178 – 187
- Adebiyi, K.A. (2006). The development of a manufacturing safety program simulator. Ph D thesis. Department of Industrial and Production Engineering, University of Ibadan, Ibadan, Nigeria.
- Adebiyi, K.A.; Jekayinfa, S.O.; Charles-Owaba, E.O. (2005). Appraisal of Safety Practices in Agro-Allied Industries in South-Western Nigeria. Journal of Disaster Prevention and Management: 14(1): 80-88.
- Alagbe, J.B., et al. (2014). Prediction of Accidents Rate in Manufacturing Industries using Artificial Neural Network(ANN). Unpublished B. Tech project, department of Mechanical Engineering department, LAUTECH Ogbomoso, Oyo state, Nigeria.
- Barber D. H. and R. E. Donovan (1998) Industrial Safety Handbook of Industrial Engineering and Management. Prentice Hall of India Private Limited, New Delhi, 110001.
- Burns, C. M. (2006). Towards Proactive Monitoring in the Petrochemical Industry Journal of Safety Science 44: 27-36.
- Charles-Owaba, O.E. and Adebiyi, K.A. (2001). On the Performance of the FRSC: Oyo State Sector Command. Nigerian Journal of Engineering Management. 2(3): 50-6.
- Choi, S.D. (2006). "A Survey of Safety Roles and Cost of Injuries in The Roofing Contracting Injury", Journal of Safety, Health and Environmental Research, Vol. 3, pp. 1-20.

- Duignan, T. (2003), "Good health and safety is good business", Engineering Technology. July/August, pp. 12-13. Encarta, Encarta Encyclopedias.
- Fayad R., I. Nuwayhid, H. Tamin, K. Kassak and M. Khogali (2003) "Cost of Work –
- Gary, A. M., (2004), Development of an ergonomics guideline for the furniture manufacturing industry. *The Ergonomics Laboratory, Department of Industrial Engineering, North Carolina State University, Raleigh.*
- Gerard, I.J.M, Aaltonen, Z.M, Jean Luc, W. Saari, J., Kines, P. and Beck, R.O.D. (2013). The Case for Research into the Zero Accidents Vision. *Journal* of Safety Science58: 41 – 48
- Harold E. R. and B. Moriarity (1990) System Safety Engineering and Management. A Wiley Science Publication. John Wiley and Sons Inc. NY, USA.
- Ige A. O. (1999) "Safety Programme Performance Evaluation in Manufacturing Industry"
- Kent J. Nielsen (2014) Improving safety culture through the health and safety organization: A case study *Journal of Safety Research* 48: 7–17
- Kines P., Andersen D., Andersen L.P. Nielsen, K. and Pedersen L. (2013). Improving safety in small enterprises through an integrated safety management intervention. *Journal of Safety Research*, 44: 87–95
- Misiurek, K. and Misiurek, B. (2016). Methodology of improving occupational safety in the construction industry on the basis of the TWI program, *Safety Science* 92: 225–231
- Mohamed Taufek, F., Zulkifle, Z. and Abdul Kadir, S. (2016). Safety And Health Practices And Injury Management In Manufacturing Industry Procedia Economics and Finance 35: 705 – 712
- National Safety Council (2003) Estimate Costs of Unintentional Injuries. Available from www.nsc.org
- Nenonen, S. (2011). Fatal Workplace Accidents in Outsourced Operations in the Manufacturing Industry, *Journal of Safety Science* 49: 1394 – 1403
- Oluwatuyi, O.I., (2010). Allocation of Safety Interventions in Manufacturing Industries using Neural Network. LadokeAkintola University, Ogbomoso, Oyo,State.
- Ong, C. H., (2014), University Utara Malaysia, Sintok, Kedah, Malaysia, Factors Contribute to Safety Culture in the Manufacturing Industry in Malaysia, A.
- Ozbay K., B.Bartin and J. Berecham (2001) "Estimating and Evaluation of Full Margin Cost of Highway Transportation in New Jersey". Journal of Transportation and Statistics. Vol. 4. No. 1, pp 81 – 103.
- D.J. Pons (2010). Strategic Risk Management: Application to Manufacturing, *The Open Industrial & Manufacturing Engineering Journal*

- Related Injuries in Insured Work Place in Lebanon" Bullentin of World Health Organization 8 (7) pp 509 – 516.
- Shur PZ, Za tseva NV, Alekseev VB, Shliapnikov DM (2015). Occupational Health Risk Assessment and Management In Workers In Improvement Of National Policy In Occupational Hygiene And Safety Journal of Safety science 94(2):72-5
- Umoh, G.I and Torbira, L. L. (2013). Safety Practices and the Productivity of Employees in Manufacturing Firms: Evidence from Nigeria. International Journal of Business and Management Review 1(3):128-137