

Unleashing the Power of Diagnostic Tests in the Fight Against Antibiotic Resistance

Antibiotic Resistance: A Global Crisis

The discovery of antibiotics was heralded as one of the greatest medical discoveries in modern history and the drugs quickly became the cornerstone of modern medicine. Yet after 80 years of significant overuse in human medicine and agriculture, antibiotics are losing their effectiveness. It is estimated that up to 50% of all prescribed antibiotics are either not needed—such as antibiotics given to treat viral infections—or are not properly “matched” to the bacteria they’ve been prescribed to treat, and therefore are not as effective as they could be.² This has led to a sharp increase in drug-resistant infections around the world. As a result, antibiotic resistance is now one of the greatest public health threats of our time, with substantial impacts on people, health care systems and economies worldwide. Without



It is estimated that by 2050, 10 million people a year will die from drug-resistant infections and \$100 trillion in global economic productivity will have been lost over that time period.

THE REVIEW ON
ANTIMICROBIAL RESISTANCE

“Without urgent, coordinated action by many stakeholders the world is headed for a post-antibiotic era, in which common infections and minor injuries, which have been treatable for decades can once again kill.”¹

THE WORLD HEALTH
ORGANIZATION



Diagnostic Tests Can:

Improve
patient care

Decrease
overall medical costs

Ensure
doctors prescribe the
correct antibiotics at the
right time

Improve
the judicious use of
antibiotics, especially in
outpatient settings where
antibiotics are often
overused

Reduce
misuse of antibiotics

Identify
drug-resistant organisms
to enable patient isolation,
decontamination,
and reduce spread
of infections

Revitalize
antibiotics that have been
abandoned due to high
rates of resistance

urgent action, it is estimated that by 2050, 10 million people a year will die from drug-resistant infections and \$100 trillion in global economic productivity will have been lost over that time period.³

Addressing antibiotic resistance requires a coordinated global response. In September 2016, the United Nations General Assembly took up the issue for the first time by adopting a UN declaration⁴, signed by all 193 member states, on the importance of combating antibiotic resistance. It noted: “no one country, sector or organization can address this issue alone”⁵ and called for better promotion of existing diagnostic tests as well as the need to develop and fund new diagnostic tools.⁶

What are Diagnostic Tests?

Diagnostic tests are a critical component in any strategy to reduce antibiotic resistance. Diagnostic tests can help clinicians decide whether an antibiotic will cure an infection and which specific drug will work best. This could dramatically reduce unnecessary antibiotic use and improve patient care.

There are many safe and effective diagnostic tests available to health care professionals today. These tests—performed in laboratories, at the hospital bedside, in medical clinics, and in the home—improve quality of care, promote wellness and often reduce health care costs.

Diagnostic tests are an integral component of health care and an important part of the fight against antimicrobial resistance. Diagnostic tests can be used to quickly distinguish between infections that require

treatment and those that do not—such as viral infections—in order to determine the appropriate treatment strategy. Rapid, point-of-care tests can quickly inform physicians’ decisions on what antibiotics, if any, are most appropriate for the treatment of their patients—before they leave the physicians’ offices. These tests are critical in defining the pathway for improved patient care. More frequent use of diagnostic tests to inform



treatment decisions will reduce unnecessary use of antibiotics and therefore slow down antimicrobial resistance. Furthermore, the value of diagnostic tests continues to increase as manufacturers develop new and improved tests that help doctors quickly identify infections, predict health outcomes, and choose the most effective treatment options.



The Role of Diagnostics in Curbing Resistance

In many cases, health care professionals prescribe antibiotics based on just their professional judgment and immediate assessment of a patient. As a result, patients frequently are given antibiotics that are unnecessary or may be ineffective.⁸ In fact, at least 30% of antibiotics prescribed in the United States are unnecessary,⁹ and the percentage of antibiotics unnecessarily prescribed in the rest of the world is estimated to be even higher. Diagnostic tests can help health care professionals determine when to start, and importantly, when to stop antibiotics, ensuring that patients only receive these powerful drugs when they need them. This could substantially improve patient care and help slow antibiotic resistance.

Antimicrobial resistance is a massive global public health challenge, and the increased use of currently available diagnostic tests and the development of new, rapid diagnostic tests are critical parts of the solution.



“Today, antibiotics are rarely prescribed based on a definitive diagnosis. Diagnostic tests can show whether or not an antibiotic is actually needed, and which one. Having rapid, low-cost, and readily available diagnostics is an essential part of the solution to this urgent problem.”⁷

DR. MARGARET CHAN,
DIRECTOR GENERAL
OF THE WORLD HEALTH
ORGANIZATION

This fact sheet was created in partnership between:

AdvaMedDx

701 Pennsylvania Ave., N.W., Suite 800

Washington, D.C. 20004

Phone: 202-783-8700

Twitter: @AdvaMedDx

Facebook: /AdvaMedDx



AdvaMedDx

Vital Insights | Transforming Care

Antibiotic Resistance Action Center

Milken Institute School of Public Health

George Washington University

800 22nd St., N.W., Suite 7530

Washington, D.C. 20052

Phone: 202-994-9085

Twitter: @battlesuperbugs

Facebook: /citizensagainstsuperbugs

Instagram: @battlesuperbugs

**Milken Institute School
of Public Health**

THE GEORGE WASHINGTON UNIVERSITY

**ANTIBIOTIC
RESISTANCE
ACTION CENTER**

Endnotes

- 1 World Health Organization. WHO's First Global Report on Antibiotic Resistance Reveals Serious, Worldwide Threat to Public Health. N.p., 30 Apr. 2014. Web. <http://www.who.int/mediacentre/news/releases/2014/amr-report/en/>.
- 2 Antibiotic Resistance Threats in the United States, Centers for Disease Control and Prevention, accessed November 1, 2016 at http://www.stepaheadmicro.com/cmss_files/attachmentlibrary/my-role-matters/ar-threats-US-2013.pdf.
- 3 Review on Antimicrobial Resistance, Tackling a Crisis for the Future Health and Wealth of Nations, December 2014 https://amr-review.org/sites/default/files/160525_Final%20paper_with%20cover.pdf.
- 4 United Nations. At UN, Global Leaders Commit to Act on Antimicrobial Resistance. N.p., 21 Sept. 2016. Web. <http://www.un.org/pga/71/2016/09/21/press-release-hl-meeting-on-antimicrobial-resistance/>.
- 5 Ibid.
- 6 Draft Political Declaration of the High-level Meeting of the General Assembly on Antimicrobial Resistance. 21 Sept. 2016. United Nations, New York City. http://www.un.org/pga/71/wp-content/uploads/sites/40/2016/09/DGACM_GAEAD_ESCAB-AMR-Draft-Political-Declaration-1616108E.pdf.
- 7 Press Release, October 23, 2015: Jim O'Neill calls for new rapid diagnostics to stop unnecessary use of antibiotics and tackle superbugs [https://amr-review.org/sites/default/files/Press%20notice%202%20for%20diagnostics%20paper%20\(2\).pdf](https://amr-review.org/sites/default/files/Press%20notice%202%20for%20diagnostics%20paper%20(2).pdf).
- 8 O'Neill, Jim. Tackling Drug-Resistant Infections Globally: Final Report and Recommendations. Rep. N.p.: n.p., 2016. Print.
- 9 Fleming-Dutra KE, Hersh AL, Shapiro DJ, et al. Prevalence of Inappropriate Antibiotic Prescriptions Among US Ambulatory Care Visits, 2010–2011. *JAMA*. 2016;315(17):1864–1873.