

DAFTAR PUSTAKA

- 1 Aranguren, L., Prada, C., Medina, C., Marcos, L. (2014). Review article: Endothelial dysfunction and preeclampsia.
- 2 _____ 2013. Laporan Kasus Preeklampsia dari Tahun 2010-2013. Padang: Medical Record RSUP. Dr. M. Djamil.
- 3 Bastek, J., Elovitz, M. (2013). The role and challenges of biomarkers in spontaneous preterm birth and preeclampsia. Department of Obstetrics and Gynecology. 17-23.
- 4 Bender, R and Ryan, G. (2013). Pre-eclampsia and eclampsia: global challenges. Proceedings in Obstetrics and Gynecology.
- 5 Benian, A., Madazli, R., Aksu, F., Uzun, H., Aydin, S. (2002). Plasma and placental levels of interleukin-10, transforming growth factor- β 1, and epithelial-cadherin in preeclampsia, 327-331.
- 6 Bersinger, N., Groome, N., Muttukrishna, S. (2002). Pregnancy-associated and placental proteins in the placental tissue of normal pregnant women and patients with pre-eclampsia at term. Eur J Endocrinol, 785-793.
- 7 Bilezikjian, L., Blount, A., Donaldson, C., & Vale, W. (2006). Pituitary action of ligands of the TGF-B family : activins and inhibins. Reproduction, 207-215.
- 8 Centlow, M., Carninci, P., Nemeth, K., Mezey, E., Brownstein, M., Hansson, S. (2008). Placental expression profiling in preeclampsia: local overproduction of hemoglobin may drive pathological changes. Am Society for Reprod Med, 1834-1843.
- 9 Cunningham., Gant., Leveno., Gilstrap., Hauth., & Wenstrom. (2014). Williams Obstetrics 24th Edition. Jakarta: EGC.
- 10 Duley, L. (2009). The Global Impact of Pre-eclampsia and Eclampsia. Seminars in Perinatology, 33(3), 130-137.
- 11 Enquobahrie, Daniel, A., Williams., Michelle, Q., Woelk, Godfrey, B et al. (2005). Maternal plasma transforming growth factor-[beta]¹ concentrations in preeclamptic and normotensive pregnant Zimbabwean women, 17.
- 12 Espinoza. (2007). Identification of Patients at risk for Early and/or Severe Preeclampsia with The Use of Uterine Artery Doppler Velocimetry and Placental Growth Factor. American Journal Obstetric gynecology, 196, 326-33.
- 13 Furuya, M., Kurusawa, K., Nagahama, K., Kawachi, K., Nozawa, A., Takahashi, T., et al. (2011). Review Article: Disrupted Balance of Angiogenic and Antiangiogenic Signalings in Preeclampsia. Journal of Pregnancy, 1-10. Hal.

- 14 Gaber, K., Hamdy, E., Hanafy, A. (2009). Soluble Endoglin as a new marker for prediction of pre-eclampsia in early pregnancy. Vol 15: 42–46.
- 15 Gilbert, J., Ryan, M., LaMarca, B., Sedeek, M., Murphy, S., Granger, J. (2008). Review: Pathophysiology of hypertension during preeclampsia: linking placental ischemia with endothelial dysfunction.
- 16 Granger, J., Alexander, B., Llines, M., Bennet, W., Khalil, R. (2001). Pathophysiology of Hypertension During Preeclampsia Linking Placental Ischemia with Endothelial Dysfunction.
- 17 Grill, S., Rusterholz, C., Dallenbach, R., Tercanli, S., Holzgreve W., Hahn, S. (2009). Review article: Potential markers of preeclampsia.
- 18 Govender, N., Naicker, T., Moodley, J. (2013). Maternal imbalance between pro-angiogenic and anti-angiogenic factors in HIV-infected women with preeclampsia. *Journal of Africa*. Vol 24.
- 19 Jeyabalan, A. (2013). Epidemiology of preeclampsia. *Nutrition Review*, S18-S25.
- 20 Jones, R., Stoikos, C., Findlay, J., Salamonsen, L. (2006). TGF- β superfamily expression and action in the endometrium and placenta. *Reproduction*. 217-232.
- 21 Karumanchi, S., Epstein, F. (2007). Placental ischemia and soluble fms-like tyrosine kinase 1: cause or consequence of preeclampsia?. *Kidney Int*. 71: 959–961.
- 22 Kauffman, P., Black, S., Huppertz, B. (2003). Endovascular Trophoblast Invasion: Implications for the Pathogenesis of Intrauterine Growth Retardation and Preeclampsia. *Biology of Reproduction*, 69, 1-7.
- 23 Keman, K., Prasetyorini, N., Langgar, J. (2009). Perbandingan Ekspresi p53, Bcl-2 dan Indeks Apoptosis Trofoblas Pada Preeklampsia/Eklampsia dan kehamilan Normal. *Majalah Obstetri Ginekologi Indonesia* 33, 3, 151-159.
- 24 Kinney, V., Lawn, J., Howson, P., & Belizan, J. (2012). Million Preterm Births Annually : What has Changed This Year? *Reproduction Health*, 9:28.
- 25 Khan, A., Fahim, A., Qureshi, A., Nizamani, G., Azmi, M. (2014). Pregnancy induced hypertension; assessment of prognostic value of platelet count in women with varying degree. *Professional Med* 23: 436-440.
- 26 Kayisli, O and Taylor. (2009). The Role of Growth Factor and Cytokines during Implantation: Endocrine and Paracrine Interactions. Department of Obstetrics, Gynecology and Reproductive Sciences.
- 27 Levine, R., Lam, C., Qian, C., Yu, K., Maynard, S., Sachs, B., et al. (2006). Soluble endoglin and other circulating antiangiogenic factors in preeclampsia. *The New England Journal of Medicine*, 355: 992–1005.
- 28 Li, Q. (2014). Transforming growth factor β signaling in uterine development and function. *Journal of Animal Science and Biotechnology*.

- 29 Lyall, F., Simpson, H., Bulmer, J., Barber, A., Robson, S. (2001). Transforming Growth Factor β Expression in Human Placenta and Placental Bed in Third Trimester Normal Pregnancy, Preeclampsia, and Fetal Growth Restriction. *Am J Pathol* 159:1827–1838.
- 30 Luttun, A and Carmeliet, P. 2003. Soluble VEGF receptor Flt1: the elusive preeclampsia factor discovered?. *The Journal of Clinical Investigation*. Vol 111: 600–602.
- 31 Maynard, S., Karumanchi, A., (2011). Angiogenic Factors and Preeclampsia. *Journal Clinical Invest*. 31: 33–46.
- 32 Muttukrishna, S., Suri, S., Groome, N., Jauniaux, E. (2008). Relationships between TGF β Proteins and Oxygen Concentrations Inside the First Trimester Human Gestational Sac.
- 33 Perucci, L., Gomes, K., Freitas, L., Godoi, LC., Alpoim, P., Pinheiro, B. et al. (2014). Soluble Endoglin, Transforming Growth Factor-Beta1 and Soluble Tumor Necrosis Factor Alpha Receptors in Different Clinical Manifestations of Preeclampsia.
- 34 Prawirohardjo, S. (2011). Ilmu Kebidanan. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- 35 Powe, C., Levine, R., & Karumanchi, S. (2011). Preeclampsia, a disease of the maternal endothelium ; The role of antiangiogenic factor and implication for later cardiovascular disease. American Heart Association, Inc, 2856-2869.
- 36 Raijmakers, M. (2004). Oxidative stress and preeclampsia rationale for antioxidant clinical trials. *article in hypertension*. 82-182.
- 37 Redman, C., & Sargent, I. (2005). Latest Advances In Understanding Preeclampsia. *Science*, 308, 1592-1594.
- 38 Rifa'i, M. (2009). Signal Transduksi dan sistem pertahanan Tubuh. Buku Ajar Fisiologi.
- 39 Roberts, J., Bodnar, L, Patrick, T. (2011). The role of obesity in preeclampsia. *Pregnancy Hypertens.*, 1:6–16.
- 40 Rodriguez, M., Moreno, J., Hasbun, J. (2012). Review Article: RAS in Pregnancy and Preeclampsia and Eclampsia.
- 41 Singh, M., Orazulike, N., Ashmore, J., Konje, J. (2013). Change in maternal serum Transforming Growth Factor Beta-1 during Pregnancy: A Cross-Sectional Study.
- 42 Saito, S., Nakashima, A. (2013). A review of the mechanism for poor placentation in early-onset preeclampsia: the role of autophagy in trophoblast invasion and vascular remodeling.
- 43 Santibanez, J., Quintanilla, M., Bernabeu, C. (2011). TGF- β /TGF- β receptor system and its role in physiological and pathological condition.

- 44 Tamas, P., Hantosi, E., Bodis, J. (2010). Hypertensive Disorders of Pregnancy Theory of Hypoperfusion and Hyperperfusion Types of Preclamsia.
- 45 Tsukimori, K., Fukushima, K., Tsushima, A., & Nakano, H. (2005). Generation of Reactive Oxygen Species by Neutrophils and Endothelial Cell Injury in Normal and Preeclamptic Pregnancies. *Hypertension*, 46:696-700.
- 46 Uzan, J., Carbonnel, M., Asmar, R., Ayoubi, J. (2011). Pre-eclampsia: pathophysiology, diagnosis and management. *Review: Vascular Health and Risk Management*.
- 47 Valenzuela, F., Sepulveda, A., Correa, P., Repetto, G., Illanes, S., (2011). Review Article; Pathogenesis of Preeclampsia: The Genetic Component.
- 48 Wang, A., Rana, S., & Karumanchi, S. (2009). Preeclampsia : The Role of Angiogenic Factors in its Pathogenesis. *Physiology*, 24, 147-158.
- 49 Walshe, T., Geniez, M., Maharaj, A., Sekiyama, E., Maldonado, A., Patricia, A. (2008). TGF- β 1 Is Required for Vascular Barrier Function, Endothelial Survival and Homeostasis of the Adult Microvasculature.
- 50 Xun, L., Lin, Shen., Hongzhuan, T. (2014). Polymorphisms and Plasma Level of Transforming Growth Factor-Beta 1 and Risk for Preeclampsia: A Systematic Review.
- 51 Zuo, Y., Fu, Y., Li Y., Xu, Q., Sun, D., Tan Y. (2013). Effects of Transforming growth Factor- β 1 on the proliferation and invasion of the HTR-8/SVneo cell line.

