

## DAFTAR PUSTAKA

- Acomovic, T. dan J.D. Brooker. 2005. Biochemistry of plant secondary metabolites and their effects in animal. Proc. Nutr. Soc. 64: 403-412.
- Akbarian., A. Golian, A. Kermanshahi, H. Raji, A. Forhoosh, R. Smet, S.D. Michiels. 2013. Microbial changes in the ileal and caeca digesta of broiler fed lemon peel and orange peel extracts and curcuma xanthoriza essential oil, and subjected to chronic heat stress. J. Appl. Microbiol. 100: 296-305.
- Allen, M.S. 2000. Effects of diet on short-term regulation of feed intake by lactating dairy cattle. J. Dairy Sci. 83:1598-1624.
- Alsaht, A.A., S.B. Bassiony, G.A. Abdel-Rahman and S.A. Shehata. 2014. Effect of cynamaldehyde thymol mixture on growth performance and some ruminal and blood constituents in growing lambs fed high concentrate diet. J. Life Sci. 11:240-248.
- Ashok, K., M. Narayani, A. Subanthini dan M. Jayakumar. 2011. Antimicrobial activity and phytochemical analysis of citrus fruit peels-utilization of fruit waste. Int. J. Of Engi. Sci. And Tech. (IJEST). 3(6): 5414-5421.
- Astarini, N.P.F., R.Y.P. Burhan dan Y. Zetra. 2010. Minyak atsiri dari kulit jeruk *Citrus garndis*, *Citrus aurantium* (L) dan *Citrus aurantifolia* (RUTACEAE) sebagai senyawa antibakteri dan insektisida. Proseding Kimia FMIPA-ITS.
- Avgustin, G., R.J. Wallace, dan H.J. Flint. 1997. Phenotypic diversity among ruminal isolate of *Prevotella ruminicola*: Proposal of *Prevotella brevis* sp. Nov., *Prevotella bryantii* sp. Nov., and *Prevotella albensis* sp. Nov. And Redefinition of *Prevotella ruminicola*. Intern. J. Env. Bacter. 47: 284-288
- Babayemi, O.J., M.A. Bamikole, M.O. Daodu. 2009. In vitro gas production and its prediction on metabolizable energy, organic matter digestibility and short chain fatty acids of some tropical seeds. Pakistan Journal of Nutrition, Asian Network for Scientific Information. 8(7): 1078-1082.
- Badan Litbang Pertanian 2010. Prospek Dan Arah Pengembangan Agribisnis Jeruk. Kementerian Pertanian-Republik Indonesia.
- Bampidis, V. A., and P. H. Robinson. 2006. citrus by products as ruminant feeds: A Review. Anim. Feed Sci. Technol. 128: 175-217.
- Barton, M.D. 2000. Antibiotic use in animal feed and its impact on human health. Nutr. Res. Rev. 13: 279-299.
- Beauchemin, K.A. and McGinn. 2006. Methan emission from beef cattle; Effect of fumaric acid, essential oil and canola oil. J. Anim. Sci. 84: 1489-1496.

- Behrendorff, B.Y.H. J., C.E. Vickers, P. Chrysanthopoulos and L.K. Neilsen. 2013. 2,2-Diphenyl-1picrylhydrazil as a screening tool for recombinant monoterpene biosynthesis. *Microbial Cell Factories*. 12(76):1-11.
- Benchaar, C., H.V. Petit, R. Berthiaume, T.D. Whyte, and P.Y. Chouinard. 2006a. Effects of addition of essential oils and monensin premix on digestion, ruminal fermentation, milk production and milk composition in dairy cows. *J. Dairy Sci.* 89:4352-4364.
- Benchaar, C., J.L. Duynisveld, and Charmley. 2006b. Effects of monensin and increasing dose levels of a mixture of essential oil compounds on intake, digestion, and growth performance of beef cattle. *Can. J. Anim. Sci.* 86:91-96.
- Benchaar, C., A.V. Chaves, G.R. Fraser, Y. Yang, K.A. Beauchemin and T.A. McAllister. 2007a. Effect of essential oils and their component on in vitro microbial fermentation. *Can. J. Anim. Sci.* 87:413-419.
- Benchaar, C., H.V. Petit, R. Bertiaume, D.R. Ouellet, J. Chiquete, dan P.Y. Chouinard. 2007b. Effect of essential oils on digestion, ruminal fermentation, rumen microbial populations, milk production, and milk composition in dairy cows fed alfalfa silage or corn silage. *J. Dairy Sci.* 90: 886-897.
- Benchaar, C., S. Calsamiglia, A.V. Chaves, G.R. Fraser, D. Colombatto, T.A. McAllister, and K. Beauchemin. 2008. A review of plant-derived essential oils in ruminant nutrition and production. *Anim. Feed Sci. Technol.* 145:209-228.
- Blummel, M. and E.R. Orskov. 1993. Comparasion of an *in vitro* gas production and nylon bag degradability of roughages in predicting feed intake in cattle. *Anim. Feed Sci. Technol.* 40:109-119.
- Boga, M., U. Kilic, M. Gorgulu. 2012. The effect of some essential oils on *In Vitro Gas* production of different feedstuffs. EAAP Annual Meeting, Bratislava-Slovakia, August 27-31.
- Burt, S. 2004. Essential oils: Their antibacterial properties and potential application in Foods. A. Review. *Int. J. Food Microbiol.* 94: 223-253.
- Busquet, M., S. Calsamiglia, S. Ferret, C. Kamel. 2005. Screening for the effects of natural plant extracts and secondary plant metabolites on rumen microbial fermentation in continuous culture . *Anim. Feed Sci. Tech.* 123: 597-613.
- Busquet, M., S. Calsamiglia, A. Ferret and C. Kamel. 2006. Plant extracts affect in vitro rumen microbial fermentation. *J. Dairy Sci.* 89: 761-771.

- Callaway,T.R., J.A. Carroll, J.D. Arthington, C. Pratt, T.S. Edrington, R.C. Anderson,M.L. Galyean, S.C. Ricke, P. Crandall, and D.J. Nisbet. 2008. Citrus Products Decrease Growth of *E. Coil* 0157:1-17 And *Salmonella* Typhimurium in Pure Culture and in Fermentation with Mixed Ruminal Microorganisms *In Vitro*. Foodborne Pathogens And Disease Volume 5, Number 5 :621-627.
- Calsamiglia,S., M. Busquet, P. W. Cardozo, L. Castillejos, and A. Ferret. 2007. Invited Review: Essential Oils as Modifiers of Rumen Microbial Fermentation. *J. Dairy Sci.* 90:2580–2595.
- Cardozo, P.W., S. Calsamiglia, A. Ferret dan C. Kamel. 2006. Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of high-concentrate diet for beef cattle. *J. Anim. Sci.* 84: 2801-2808.
- Castillejos, L., S. Calsamiglia, dan A. Ferret. 2006. Effect of essential oils active compounds on rumen microbial fermentation and nutrient flow in in vitro system. *J. Dairy Sci.* 89: 2649-2658.
- Castillo, A. R., E. Kebraeb, D. E. Beever, J.H. Barbi, J.D. Sutton, H.C. Kirby, J. France. 2001. The effect of protein supplementation of nitrogen utilization in lactating dairy cows fed grass silage diets. *J. Anim. Sci.* 79: 247-253.
- Celikel, N. and G. Kavas. 2006. Antimicrobial properties of some essential oils against some pathogenic microorganisms. *Czech. J. Food Sci.* 26(03):174-181.
- Chaisawadi, S., D. Thongbutr, W. Methawiriyaslip, A. Chaisawadi, N. Pitakworarat, K. Jaturonrasamee, J. Khemkhaw, and W. Tanuthumchareon. 2003. Preliminary study of antimicrobial activities on medicinal herbs of thai food's ingredients. The Third World Congress on Medicinal and Aromatic Plants. Chiang Mai, Thailand.
- Chao, S.C. and D.G. Young. 2000. Screening for inhibitory activity of essential oils on selected bacteria, fungi and viruses. *J. Essent. Oils Res.* 12: 639-649.
- Chaves, A.V., K. Stanford, L.L. Gibson, T.A. McAllister, and C. Benchaar. 2008. Effects of cinnamaldehyde, garlic and juniper berry essential oils on rumen fermentation, blood metabolites, growth performance and carcass characteristics of growing lambs. *Livest. Sci.* 117:215-224.
- Chen, G.J., and J.B. Russell. 1989. More Monensin-Sensitive. Ammonia-Producing Bacteria from the Rumen. *Appl. Environ. Microbiol.* 55: 1052-1057.
- Cieślak, A., P. Zmora, P. Nowakowska, A., Szumacher-Strabel m. 2009. Limonene effect rumen methanogenesis. *Acta Bioch. Pol.* 56, suppl. 2. 59-60.
- Cimanga, K., K. Kambu, L. Tona, S. Apers, T. Bruyne, N. Hermans, J.Totte', L. Pieters, and A.J. Vlietinick. 2002. Correlation between chemical composition and antibacterial activity of essential oils of some aromatic medicinal plants growing in the Democratic Republic of Congo. *J. Ethnopharmacol.* 79: 213-220.

- Conner, D.E. 1993. Naturally occurring compounds. In. Davidson, P.M. and L.L. Branen (Eds). *Antimicrobial in foods*. Marcel Dekker, New York, USA. pp. 441-448.
- Cordozo, P.W., S. Calsamiglia, A. Ferret, C. Kamel. 2004. Effect of natural plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. *J. Anim. Sci.* 82: 3230-3236.
- Cordozo, P.W., S. Calsamiglia, A. Ferret, C. Kamel. 2005. Screening for the effect of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle. *J. Anim. Sci.* 83: 2572-2579.
- Cowan, M. M. 1999. Plant product as antimicrobial agents. *Clin. Microbiol. Rev.* 12 :564-582.
- Cox, S.D., C.M. Mann, J.L. Markham, J.E. Gustafson, J.R. Warmington and Wyllie. 2001. Determining the antimicrobial action of tea tree oil. *Molecules*. 6:87-91. [Doi:10.3390/60100087](https://doi.org/10.3390/60100087).
- Dai, J., L. Zhu, L. Yang and J. Qiu. 2013. Chemical composition, antioxidant and antimicrobial activities of essential oil from *Wedelia prostrata*. *Excli Journal*. 12:479-490.
- Davidson, P. M., and A. S. Naidu. 2000. Phyto-phenols. in *Natural Food Antimicrobial Systems*. A. S. Naidu, ed. CRC Press, Boca Raton, FL. Pp. 265–293.
- Davis, W.W. and T.R. Stout. 1971. Disc plate methods of microbiological antibiotic assay. *Microbiol.* 22: 659-665.
- Deba, F., T.D. Xuan, M. Yasuda and S. Tawata. 2008. Chemical composition and antioxidant, antibacterial and antifungal activities of the essential oils from *Bidens pilosa* Linn. Var. Radiata. *Food Control*. 19:346-352. <http://dx.doi.org/10.1016/j.lwt.2007.04.011>
- Deptan. 2005. Prospek dan Arah Pengembangan Agribisnis Jeruk. Badan Penelitian dan Pengembangan Pertanian. Jakarta.
- Devant, M., A. Anglada, and A. Bach. 2007. Effects of plant extract supplementation on rumen fermentation and metabolism in young Holstein bulls consuming high levels of concentrate. *Anim. Feed Sci. Technol.* 137:46-57.
- Deyhim F, A. Villarreal, K, Garcia, R. Rios, C. Garcia, C.Gonzales, K. Mandadi and B.S. Patil. 2007. Orange pulp improves antioxidant status and suppresses lipid peroxidation in orchidectomized male rats. *Nutrition* 23: 617-621.
- Dong, G.Z., X.J. Wang, Z.B. Liuand F. Wang. 2010. Effect of phytogenic product on in vitro rumen fermentation and methane emission in goats. *J. Anim. Feed Sci.* 19: 218-229

- Dorman, D.H. and Deans, S. G. 2000. Antimicrobial agents from plants: Antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* 88: 308–316.
- Dusan F, S. Marian, D. Katarina, and B. Dohroslava. 2006. Essential oils—their antimicrobial activity against *Esclu'richiaco/i* and effect on intestinal cell viability. *Toxicol. in Vitro* 20:1435-1445.
- Ebrahimi, A., A.A.A. Qotbi, A. Seidavi, V. Laudadio and V. Tufarelli. 2013. Effect of different leevels of dried sweet orange (*Citrus sinensis*) peel on broiler chiken growth performance. *Archiv Tierzuct* 56 (2): 11-17.
- EC. 2003. Regulation EC 1831/2003 of the European Parliament and Council of 22 September 2003 on additives for use in Animal Nutrition. *Off. J. Eur. Commun.* L268:29-43.
- Erdman, R.A. 1988. Dietary buffering requirement of the lactating dairy cow; A Review. *J. Dairy Sci.* 71:3246.
- Evan, J.D. and S.A. Martin. 2000. Effect pf thymol on ruminal microorganisms. *Curr. Microbiol.* 41: 336-340.
- Fahey, G.C. Jr. dan L.L. Berger. 1988. Carbohydrate Nutrition of Ruminant. In. The Ruminant Digestive Physiologi and Nutrition. Ed. D.C. Church. A. Reston Book Prentice Hall, Englewood, New Jersey.
- Fandino, I., S. Calsamiglia, A. Ferret, and M. Blanch. 2008. Anise and capsicum as alternatives to monensin to modify rumen fermentation in beef heifers fed a high concentrate diet. *Feed Sci. Technol.* 145:409-417.
- FAO/OIE/WHO. 2004. Second join antimicrobial usage and antimicrobial resistence: management options. Oslo, Norway, March, 15-18
- Tambalo, F.Z. 2007. The Versatility of Essential Oils. AgriLink. World Trade Center, Pasay City.
- Fisher K, and C.A. Phillips. 2006. The effect of lemon, orange and bergamon essential oils and their components on the survival of *Campylobacter jejuni*, *Escherichia coli* O157, *Listeria monocytogenes*, *Bacilluscereus* and *Staphylococcus aureus* *in vitro* and in food systems. *J.*
- Foskolos, A. 2012. Strategies To Reduce Nitrogen Excretion From Ruminant: Targeting the Rumen. Tesis doctoral. Universitat Autonoma de Barcelona.
- Fraser, G.R., A.V. Chaves, Y. Wang, T.A. McAlislinger, K.A. Beuchamin and C. Benchaar. 2007. Assesment of the effect of cinnamon leaf oil on rumen microbial fermentation using two continuous culture systems. *J. Anim. Sci.* 90: 2315-2328.

- Frassinetti, S., L. Caltavuturo, M. Cini and G.M. Della Croce, B. Maseri. 2011. Antibacterial and antioxidant activity of essential oils from *Citrus spp.* J. of Essential Oils Research. 23:27-31.
- Gandra, J.R., P.C. Nunes Gil, N.R.B. Cônsolo, E.R.S. Gandra, and A.A.O. Gobesso. 2012. Addition of increasing doses of ricinoleic acid from castor oil (*Ricinus communis* L.) in diets of Nellore steers in feedlot. J. Anim and Feed Sci. 21:566-576.
- General Laboratory Procedures. 1966. Department of Dairy Science. University of Wisconsin, Madison.
- Gershenson, J. And R. Croteau, 1991, Terpenoid. In: Herbivore: Their Interaction with Secondary Plant Metabolites, Rosental, G.A. and M.R. Berenbaum (Eds). Vol.1, Academic Press, San Diego, CA., pp:165-210.
- Getachew, G., E.J. Depeters, P.H. Robinson and J.G. Fadel. 2005. Use of an in vitro rumen gas production technique to evaluate microbial fermentation of ruminant feeds and its impact on fermentation products . Anim. Feed Sci. and Tech. 124: 547-559.
- Grainger, C. and K.A. Beauchemin. 2011. Can enteric methane emissions from ruminants be lowered without lowering their production?. Animal Feed Science and Technology 166– 167: 308– 320.
- Greathead, H. 2003. Plants and plant extracts for improving animal productivity. Proc. Nutr. Soc. 62, 279-290.
- Griffin, S.G., S.G. Wyllie, J.L. Markham dan D.N. Leach. 1999. The role of structure and molecular properties of terpenoid in determining their antimicrobial activity Flavour. Fragr. J. 14: 322-332.
- Gunner, E., J. Langberg, J., R.Wodecki, R., 2005. South Australian Citrus Industry situational Analysis. Government of South Australian Primary Industries and Resources SA.
- Gutiérrez, M. E., A. F. García, M. A. de Madariaga, M. L. Sagrista, F. J. Casado, and M. Mora. 2003. Interaction of tocopherols and phenolic compounds with membrane lipid components: Evaluation of their antioxidant activity in a liposomal model system. Life Sci. 72:2337–2360.
- Harborne, J. B., and C. A. Williams. 2000. Advances in flavonoid research since 1992. Phytochemistry 55:481–504.
- Harfoot, C.G. and G.P. Hazelwood. 1988. Lipid metabolism in the rumen. In: P.N. Hobson, Editor. The Rumen Microbial Ecosystem, Elsevier Applied Science Publishers, London, UK. 285-322.

- Hart KJ, D.R. Yanez-Ruiz , S.M. Duval,N.R. McEwan, C.J. Newbold. 2008. Plant extracts to manipulate rumen fermentation. *Anim. Feed Sci. Technol.*, 147: 8–35.
- Hassan, E.H., and S.M. Abdel-Raheem. 2013. Response of growing buffalo calves to dietary supplementation of caraway and garlic as natural additives. *J. World Appl. Sci.* 22 (3):408-414.
- Helander, I.M., H. Alakomi, K. Latva-Kala, T. Matilla-Sandholm, I. Pol, E.J. Smid, L.G.M. Gorris, dan A. Wright.1998. Characterization of the action of selected essential oil components on gram-negative bacteria. *J. Agric. Food Chem.* 46: 3590-3595.
- Hristov AN, Ivan M, and McAllister TA. 2001. *In vitro* effects offeed oils, ionophores, tannic acid, saponin-containingplant extracts and other bioactive agents on ruminalfermentation and protozoal activity. *J. Dairy Sci.* ;84(Suppl. 1):360.
- Hungate, R.E. 1966. *The Rumen and Its Microbes*. Academic Press, New York.
- ICMR. 2009. Detection of antimicrobial resistance in common gram-negative and gram-positive bacteria encountered in infectious deseases-an update. *ICMR Bulletin*. 39:1-3.
- Jamroz D, T. Wertelecki , M. Houszka, C. KamelC. 2006. Influence of diet type on the inclusion of plant origin active substances on morphological and histochemical characteristics of the stomach and jejunum walls in chicken. *J. Anim. Physiol. Anim. Nutr.*, 90: 255–268.
- Javed, S., R. Ahmad, K. Shahzad, S. Nawaz, S. Saeed and Y. Saleem. 2013. Chemical constituents, antimicrobial and antioxidant activity of essential oil of *Citrus limetta* var Mitha (*sweet lime*) peel in Pakistan. *African J of Microbiol. Research*. 7(24):3071-3077.
- Javed, S., A. Javaid, S. Nawaz, M.K. Saeed, Z. Mahmood, S.Z. Sidiqi and R. Ahmad. 2014. Phytochemistry, GC-MS analysis, antioxidant and antimicrobial potential of essential oil from five Citrus Species. *J. of Agric. Sci.* 6(3):201-207.
- Jawetz, E., J.L. Melnick and E.A. Adelberg. 1996. *Mikrobiologi Kedokteran*. Terjemahan Oleh Nugroho Edi dan Maulany, Edisi XX., Jakarta, EGC. 234-240.
- Jayanegara, A. 2008. Reducing methan emissions from livestock; nutritional approaches. Proceedings of Indonesia Students Scientifics Meeting (ISSM), Institut for Science and Technology Studies (ISTECS) European Chapter, 13-15 May 2008, Delft, the Netherland: 18-21.
- Jayanegara, A., H.P.S. Makar dan A.K. Becker. 2009. Emisi metan dan fermentasi rumen *In Vitro* ransum hay yang mengandung tannin murni pada konsentrasi rendah. *Media Peternakan*. 32 (3): 185-195.

- Jensen, B.B. 1996. Methanogenesis in monogastric animals. Environ. Monit. Asses. 42: 99-112.
- Jhonson, K.A. dan D.E. Jhonson. 1995. Methan emission from cattle. Anim. Sci. 73: 2483-2492.
- Jhonson, D.E., and G.M. Ward. 1996. Estimation of animal methane emissions from cattle. J. Environ. Monit. Asses. 42: 133-141.
- Jones FA. 1996. Herbs – useful plants. Their role in history and today. *Euro J Gastroenterol Hepatol*, 8:1227-1231.
- Kale, P. N., and P. G. Adsule. 1995. Citrus. In: Salunkhe, D.K., Kadam, S.S.(Eds), Handbook of fruit science and Technology: production, composition, storage, and processing. Marcel Dekker Inc., New York, USA, pp. 39-65.
- Kamal, G. M., F. Anwar, A.I. Hussain, N. Sarri, and M.Y. Ashraf. 2011. Yield and chemical composition of *Citrus* essential oils as affected by drying pretreatment of peels. International Food Research Journal 18(4): 1275-1282.
- Kamalak, A., A.I. Atalay, C. O. Ozkan, A. Tatliyer and E. Kaya. 2011. Effect of essential orange (*citrus sinensis* l.) oil on rumen Microbial fermentation using *in vitro* gas production technique. The Journal of Animal & Plant Sciences, 21(4): : 764-769 ISSN: 1018-7081.
- Kamra, D.N., A.K. Patra, P.N. Chatterjee, K. Ravindra, A. Neeta and L.C. Chaudhary, 2008. Effect of plants extract on methanogenenesis and microbial profile of the rumen buffalo: A brief overview. Aust. J. Exp. Agric., 48: 175-178.
- Kim, J., Marshall, M. R. and Wei, C.-I. 1995. Antibacterial activity of some essential oil compounds against five foodborne pathogens. J. Agri. Food Chem. 43: 2839–2845.
- Kim, E.T., C.H. Kim, K.S. Min, and S.S. Lee. 2012. Effect of plant extracts on microbial population, methan emission and ruminal fermentation characteristics in *in vitro*. Asian-Aust. J. Anim. Sci. 25(6):806-811.
- Kinsella, J.E., E. Frankel, B. German, J. Kanner. 1993. Possible mechanisms for protective role antioxidants in wine and plant foods. J. Food and Technol. 47:85-89.
- Kirbaşlar, F.G., A. Tavman, B. Dülger And G. Türker. 2009. Antimicrobial Activity Of Turkish *Citrus* Peel Oils. *Pak. J. Bot.*, 41(6): 3207-3212.
- Kumar, R., D.N. Kamra, N. Agrawal and L.C. Chaudary. 2009. Effect of eucaliptus (*Eucalyptus globules*) oil on in vitro methanogenesis and fermentation of feed with buffalo rumen liquor. Anim. Nutr. Feed Technol., 9:237-243.

- Kumar, K. S. 2010. Extraction of essential oil using steam distillation" A thesis submitted in partial fulfillment of the requirements for the degree of bachelor of technology in chemical engineering. Department of Chemical Engineering National Institute of Technology Rourkela.<http://www.buzzle.com/articles/sweet-orange-oil.html>.
- Kurowska, F.M., J.A. Manthey, S. Hasegawa, G.D. Manner, and T.A. Vandenberg. 2000. Cholesterol lowering effects of citrus juice, flavonoids and limonoids. Paper presented at: International Conference and Exhibition on Nutraceuticals and Functional Foods. September 13-17. Houston, TX.
- Lee, K.G. and T. Shibamoto. 2001. Antioxidant property of aroma extract isolated from clove buds. Food Chemistry, 74: 443-448.
- Lee, K.-W., H. Everts, H.J. Kappert, M. Frehner, R. Losa, and A.C. Beynen, 2003. Effects of dietary essential oil components on growth performance, digestive enzymes and lipid metabolism in female broiler chickens. Br. Poult. Sci., 44:450-457.
- Lestari, A. dan S. Arreneuz. 2014. Uji bioaktivitas minyak atsiri buah jeruk Pontianak (*Citrus nobilis Lour*) terhadap rayap tanah (*Coptotermes curvignathus sp.*). JKK 3(4):38-43.
- Lewis MR, Rose SP, Mackenzie AM, Tucker LA (2003). Effects of dietary inclusion of plant extracts on the growth performance of male broiler chickens. British Poult. Sci., 44(Suppl. 1): S43–S44.
- Macedo, I.T.F., C. M. Bevilaqua, L.M.B. de Oliveira, A.L.F. Camurça-Vasconcelos, L. da Silva Vieira, ; S. dos Santos Albano Amóra, 2011. Evaluation of *Eucalyptus citriodora* essential oil on goat gastrointestinal nematodes. Rev. Bras. Parasitol. Vet., Jaboticabal, v. 20, n. 3, p. 223-227.
- Macheboeuf, D., D.P. Morgavi, Y. Papon, J.L. Mousset dan M. Arturo-Schaan. 2008. Dose respon effect of essential oil on in vitro fermentation activity of the rumen microbial population. Anim. Feed Sci. Technol., 145:335-350.
- Maestri, D.M., V. Nepote, A.L. Lamarque and J.A. Zygadlo. 2006. Natural products as antioxidants. In. Phytochemistry: Advanced in Research. (Ed) by Imperato, F. Instituto Multidisciplinario de Biología Vegetal, Universidad Nacional Córdoba, Argentina.
- Makkar, H. P. S. 2004. Aplication of *In Vitro* Gas Method in the Evaluation of Feed Resources, and Enhancement of Nutritional Value of Tannin-Rich Tree/Browse Leaves and Agro-Industrial By Products. Animal Production and Health Section, International Anatomic Energy Agency, Vienna.

- Manh, N.S., M. Wanapat, S. Uriyapongson, P. Khejornsart and V. Chanthakhoun. 2012. Effect of eucalyptus (*Camaldulensis*) leaf meal powder on rumen fermentation characteristics in cattle fed on rice straw. African. J. of Agric. Research. 7 (13): 1997-2003.
- Maróstica M.R., T.A.A.R.E. Silva, G.C. Franchi, A. Nowill, G.M. Pastore, S. Hyslop. Antioxidant potential of aroma compounds obtained by limonene biotransformation of orange essential oil. Food Chem 2009;116: 8-12.
- Martin, C., D.P. Morgavi, and M. Doreu. 2010. Methan mitigation in ruminant: from microbe to the farm scale. Animal. 4: 351-365.
- Martinez-Pascual, J., and J. Fernandez Carmona. 1980. Citrus pulp in diets for fattening lambs. Anim. Feed Sci. Technol. 5: 11-14.
- Martins, L.R. M.J. Salgueiro, R. Goncalves, F. Villa, T. Torni, T. Adzet and J. Casanova. 2000. Antimicrobial activity and chemical composition of the bark oil of *Croton stellifer*, an endemic species from S. Tome Principe, Plant Med., 66:647-650.
- Mauricio, R.M., F.L. Mould, M.S. Dhanoa, E. Owen, K.S. Channa and M.K. Theodorou. 1999. A semi-automated in vitro gas production technique for ruminant feedstuff evaluation. Anim. Feed Sci. and Technol. 79: 321-330.
- McIntosh, F.M., P. Williems, R. Losa, R.J. Wallace, D.A. Beever and C.J. Newbold. 2003. Effect of essential oils on ruminal microorganisms and their protein metabolism. Microbiol., 69: 5011-5014.
- More, F.N. 2007. Antimicrobial properties of conifers essential oil, a Summary, Thomson Rivers University, London.
- Moreira, M.R., A.G. Ponce, C.E. DelValle, S.I. Roura. 2005. Inhibitory parameters of essential oil to reduce a foodborne pathogen. Lebensmittel-Wissenschaft und Technologie-LWT. 38: 565-570
- Mulyani, S., Susilowati dan M.M. Hutabarat. 2009. Analisa GC-MS dan daya anti bakteri minyak atsiri *Citrus amblycarpa* (Hassk) Ochse. Majalah Farmasi Indonesia. 20(3):127-132.
- Özdoğan, M., S.S. Önenç and A. Önenç. 2011. Fattening performance, blood parameters and slaughter traits of Karya lambs consuming blend of essential oil Compounds. African Journal of Biotechnology Vol. 10(34), pp. 6663-6669. Available online at <http://www.academicjournals.org/AJB>.
- Nam, I.S., P.C. Garusworthy and J.H. Ahn. 2006. Supplementation of essential oil extracted from citrus peel to animal feeds decreases microbial activity and aflatoxin contamination without disrupting in vitro ruminal fermentation. Asian-Aust. J. Anim. Sci. 19 (11): 1617-1622.

- Newbold, C.J., F.M. McIntosh, P. Williams, R. Losa, and R.J. Wallace. 2004. Effects of specific blend of essential oil compounds on rumen fermentation. *Anim. Feed Sci. Technol.* 114:105-112.
- NRC. 2001. Nutrient Requirements of Dairy Cattle. 7<sup>th</sup> Edition. Natinal Academic Press. Washinton, DC.
- Ogino, A., H. Orito, K. Shimadad, H. Hirooka. 2007. Evaluating environmental impacts of the Japannes beef-cow-calf system by the life cycle assesment methode. *J. Anim. Sci.* 78: 424-432.
- Ørskov, E. R and P. McDonald. 1981. The Estimation of Protein Degradability in the Rumen from Incubation Measurement Weighted According to Rate Passage. *Journal Agricultural Science, Cambridge* 92 : 499 – 503.
- Ørskov, E.R. 1982. Protein Nutrition in Ruminant. Academic Press Inc. Ltd. London.
- Ørskov, E.R. and M. Ryle. 1990. Energy Nutrition in Ruminants. Elsevier Appl. Sci., London and New York.
- Özdogan, M., S.S. Önenç and A. Önenç.2011. Fattening performance, blood parameters and slaughter traits of Karya lambs consuming blend of essential oil Compounds. *African Journal of Biotechnology* Vol. 10(34): 6663-6669.
- Patra, A.K. dan J. Saxena. 2009. Dietary phytochemicals as rumen modifiers: a review of the effects on microbial populations. *Anton. Leeuwenhoek Int. J. Gen. M.* 96: 369-375.
- Patra, A.K. dan J. Saxena. 2010. A new perspective on the use of plant secondary metabolites ti inhibit methanogenesis in the rumen. *Phytochemistry.* 71:1198-1222.
- Patra, A.K. 2011. Effect of essential oil on rumen fermentation, microbial ecology and ruminant production. *Asian, J. Anim. And Vet. Advances.* 6 (5): 416-428.
- Patra, A.K. and Z. Yu. 2012. Effect of essential oils on methan production and fermentation by, abundance and diversity of, rumen microbial populations. *J. Appl. Microbiol.* 78 (12): 4271-4280.
- Pavithra, P.S., N. Sreevidya and R.S. Verma. 2009. Antibacterial activity and chemical composition of essential oil of *Pamburusmissionis*. *J. of Ethnopharmacology.* 124; 151-153.
- Ponce, A.G., R. Fritz, C.E. DelValle, S.I. Raoura. 2003. Antimicrobial activity of essential oils on the native microflora of organic Swiss chard. *Lebensmittel-Wissenschaft und-Technologie.* 36: 679-684.

- Preston, T.R. and R.A.Leng. 1987. Matching Ruminant Production Systems with Available Resources in the Tropics and sub-Tropics. Penambul Books, Armidale, Australia.
- Putrino , S.M., P.R. Leme, S.L. Silva, G.F. Allconi, D.P.D. Lanna, and C. Grossklauss. 2006. Net requirements of protein and energy for wight gain of Nellore steers fed diet containing corn moist and protected fat. Rev. Bras. Zoot. 35:301-308.
- Reddy, L., B. Odhav, and K. D. Bhoola. 2003. Natural products for cancer prevention: A global perspective. Pharmacol. Therap. 99:1–13.
- Roberto, D., P. Micuci, T. Sebastian, F. Graciela and C. Anesini. 2009. Antioxidant activity of limonene on normal murine lymphocytes: relation to H<sub>2</sub>O<sub>2</sub> modulation and cell proliferation. J. Compilation Nordic Pharmacological Society. Basic & Clinical Pharmacology & Toxicology. 106:38-44.
- Rofiq, M.N. 2013. The effect of some essential oils on milk yield, milk composition and methan production in goat. PhD Thesis. Cukuruva University, Institut of Natural and Applied Sciences, Adana, Turkey.
- Roza, J.M., Z.X. Liu, and N. Guthrie. 2007. Effect of citrus flavonoids and tocotrienol on serum cholesterol level in hypercholesterolemic subjects. Alternative Therapies. 13 (6): 44-48.
- Russel, J.B., H.J. Strobel dan G. Chen. 1988. Enrichment and isolation of a ruminal bacterium with avery high specific activity of ammonia production. App. Environ. Microbiol. 54: 872-877.
- Russell, J.B. and H.J. Strobel. 1989. Effect of Ionophores on ruminal fermentation. J. Appl. and Environ. Microbio. 55:1-6.
- Rychlik, J.L. dan J.B. Russell. 2000. Mathematical estimation of hyper-amonia producing ruminal bacteria and evidence for bacterial antagonism that decreases ruminal ammonia production. FEMS Microbiol. Ecol. 32:121-128.
- Sallam, S.M.A., I.C.S. Bueno, P. Brigide, P.B. Godoy, D.M.S.S. Vitti and A.L. Abdalla. 2009. Efficacy of eucalyptus oil on in vitro ruminal fermentation and methan production . Options Mediterraneennes-Nutritional and foraging ecology of sheep and goats. 85:267-272.
- Sallam, S.M.A. and A.L. Abdalla. 2011. Antimetanogenic and antiprotozoal effect of some essential oils in vitro. Egyptian, J. Anim. Prod. 48 (2): 203-215.
- Sarrou, E., P. Chatzopoulou, K. Dimassi-Therios. 2013. Volatile constituents and antioxidant activity of peel, flowers and leaf oils of *Citrus aurantium* L. growing in Greece. J. Molecules. 18: 10639-10647.
- Schelling, G. 1984. Monensin mode of action in the rumen. J. Anim. Sci. 58: 1518-1527.

- Siburian, R. 2008. Isolasi dan identifikasi komponen utama minyak atsiri dari kulit jeruk buah manis (*Citrus sinensis* L.) asal Timor. *J.Nature Indonesia*. 11(1):8-13.
- Sikkema, J., J.A.M. Bont dan B. Poolman. 1994. Interaction of cyclic hydrocarbons with biological membranes. *J. Biol. Chem.* 269: 8022-8028.
- Slyter, L.L., L.D. Satter, and D.A. Dinius. 1979. Effect of ruminal ammonia concentration on nitrogen utilization. *J. Anim. Sci.* 48:906-912.
- Soltan, M.A. 2009. Effect of essential oils supplementation on growth performance, nutrient digestibility, health condition of holstein male calf during pre- and post-weaning periods. *Pakistan J. Of Nutr.* 8 (5): 642-652.
- Steel, R. G. dan H. J. Torrie. 1989. Prinsip dan Prosedur Statistik. Suatu pendekatan biometrik. Alih bahasa: B. Sumantri. PT. Gramedia Pustaka Utama, Jakarta.
- Stewart, C. S. 1991. The rumen bacteria. In: *Rumen Microbial Metabolism and Ruminant Digestion* (Ed. J.P. Jouany). INRA Edition, Paris, France. pp. 15-26.
- Sutardi, T. 1980. Landasan Ilmu Nutrisi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Swenson, M.J. W. Reece, and J.R. Dukes. 1996. *Physiology of Domestic Animals*. 11<sup>st</sup> Edition. Rio de Janeiro. Guanabara.
- Szumacher-Strabel, M. and A. Cieślak. 2010. Potential of phytofactor to mitigate rumen ammonia and methan production. *Journal of Animal and Feed Sci.* 19: 319-337.
- Tavendale, M.H. L.P. Meahger, D. Pacheco, N. Walker, G.G. Attwood and S. Sivakumaran. 2005. Methan production from in vitro rumen incubation with *Lotus pondiculatus* and *Medicago sativa* and effects of extractable condensed tannin fraction on methanogenesis. *Anim. Feed Sci. and Technol.* 123-124: 403-419.
- Trabelsi, D., A. Haj Amar, F. Bouabdallah, F. Zagrouba. 2014. Antioxidant and antimicrobial activities of essential oils and methanolic extract of Tunisian *Citrus aurantium* L.IOSR J of Environmental Sci., Toxicol. And Food Technol. 8(5); 18-27.
- Trombetta, D., F. Castelli, M. G. Sarpietro, V. Venuti, M. Cristani, C. Daniele, A. Salja, G. Massanti And G.Bisignano. 2005. Mechanism and antibacterila action of three monoterpenes. *Antimicrobial Agent and Chemotherapy*. 49 (6) : 2472-2478.
- Trouillas, P., C. A. Calliste, D. P. Allais, A. Simon, A. Marfak, C. Delage, and J. L. Duroux. 2003. Antioxidant, anti-inflammatory and antiproliferative properties of sixteen water plant extracts used in the Limousin countryside as herbal teas. *Food Chem.* 80:399–407.

- Ultte, A., E.P. Kets dan E.J. Smid.1999. Mechanisms of action of carvacrol on food-borne pathogen *Bacillus cereu*. Appl. Environ. Microbiol. 65 : 4606-4610.
- Vakili, A.R., B. Khorrami, M. Danesh Mesgaran, and E. Parand. 2013. The Effects of Thyme and Cinnamon Essential Oils on Performance, Rumen Fermentation and Blood Metabolites in Holstein Calves Consuming High Concentrate Diet. Asian Australas. J.Anim. Sci. 26 (7): 935-944.
- Vallimont, J.E., F. Bargo, T.W. Cassidy, N.D. Luchini, G.A. Broderick, and G.A. Varga. 2004. Effects of replacing dietary starch with sucrose on ruminal fermentation and nitrogen metabolism in continuous culture. J. Dairy Sci. 87:4221-4229.
- van Nevel, C.J. and D.I. Demeyer. 1996. Control of rumen methanogenesis. Environ Monit Assess. 42:73-97.
- Van Soest, P.J. 1982. Nutritional Ecology of the Ruminant. Commstocks Publishing Associates. A Devision Of Cornell University Press. Ithaca and London.
- Van Soest, P.J. 1994. Nutritional Ecology of the Ruminant, 2<sup>nd</sup> Edition. Cornell University Press, Ithaca, NY. 253-255.
- van Vuuren, S. 2007. The Antimicrobial Activity and Essential Oil Composition of Medicinal Aromatic Plants Used in African Traditional Healing. Thesis Phd. Faculty of Health Sciences, University of the Witwatersrand, Johannesburg.
- Vasudeva, N., and T. Sharma. 2012. Chemical composition and antimicrobial activity of essential oil of *Citrus limettiodes* Tanaka. J of Pharmaceutical Technol & Drug Research. 1:2-7. <http://www.haoajonline.com/journals/pdf/2050-120X-1-2.pdf>.
- Villanueva, Z., M. A. Ibarra, P. Zárate, F. Briones, O. S. Escamilla, A. González, and E. Gutiérrez. 2013. Productive performance of hair lambs fed fresh orange (*Citrus sinensis*) residues substituting sorghum (*Sorghum vulgare*) grains. Cuban. J. Of Agric. Sci. 47 (1): 27-31.
- Walker, N.D., C.J. Newbold, R.J. Wallace. 2005. Nitrogen metabolism in the rumen. In: Feffer E. Hristov, A. (Ed). Nitrogen and Phosphorus Nutrition of Cattle. CABI Publishing, Cambridge. Pp. 71-116.
- Wallace, R.J. dan M.A. Cotta. 1988. Metabolism of nitrogen-containing compound. In: Hobson, P.N. (Ed). The Rumen Microbial Ecosystem Science Publishing Co. Inc., New York, USA.
- Wallace, R.J., N.R. McEwan, F.M. McInotoch, B. Teferedegne and C.J. Newbold. 2002. Natural product as manipulators of rumen fermentation. Asian-Aust. J. Anim. Sci. 10: 1458-1468.

- Wallace , R.J., N.R. McEwen, F. M. McIntosh, and C.J. Newbold. 2003. Natural products for manipulation of fermentation. In: Ruminant Proceedings of the 5<sup>th</sup> Maryland Nutrition Conference on Natural Products for manipulation of fermentation in ruminant, March 27-28, Timonium, Maryland, pp. 116-125.
- Wallace, R. J. 2004. Effects of a specific blend essential oil compounds on rumen fermentation. *Anim. Feed Sci. Technol.* 114:105-112.
- Wallace, R.J. 2004. Symposium on plants as animal foods: a case of catch 22. Anitimicrobial properties of plant secondary metabolite. *Proc. Nutr. Soc.* 63: 621-629.
- Wang, C.J. S.P. Wang dan H. Zhou. 2009. Influence flavomicin, ropadiar, and saponin on nutrien digestibility, rumen fermentation and methane emission from sheep. *Anim. Feed Sci. Technol.* 148: 157-166.
- Wang, W., N. Wu, Y.G. Zu, Y.J. Fu. 2008. Antioxidative activity of *Rosmarinus officinalis* L. essential oil compared to its main components. *Food Chemistry.* 108:1019-1022.
- Westendarp, H. 2005. Essential oils for the nutrition of poultry, swine and ruminants. *Dtsch Tierarztl Wochenschr.* 112(10): 375-380.
- Wijaya, C.H., I.T. Hadiprodjo dan A. Apriyantono. 2001. Komponen volatile dan karakterisasi komponen kunci aroma buah andaliman (*Zanthoxylum acanthopodium* DC.). *J. Teknol. Dan Industri Pangan.* Vol. XII, No.2: 117-125.
- Wing, J.M. 2003. Citrus Feed Stuffs for Dairy Cattle. Departement of Animal Science. University of Florida, Florida.
- Wuebbles, D.J. dan K. Hayhoe, 2002. Atmospheric methane and global change. *Earth-Sci. Rev.* 57: 177-210.
- Yang, S.A., S.K. Jeon, E.J. Lee, C.H. Shim and I.S. Lee. 2010a. Comparative study of the chemical composition and antioxidant activity of six essential oil and their components. *Natural Product Research.* 24:140-151.
- Yang, W.Z., B.N. Amentaj, M. L. He, C. Benchaar, and K.A. Beauchemin. 2010b. Cinnamaldehyde in feedlot cattle diets: intake, growth performance, carcass characteristics, and blood metabolites. *J. Anim. Sci.* 88:1082-1092.
- Yang, W.Z., C. Benchaar, B.N. Amentaj, A.V. Chaves, M.L. He, and T.A. McAllister. 2007. Effects of garlic and juniper berry essential oils on rumen fermentation and on the site and extent of digestion in lactating cows. *J. Dairy Sci.* 90:5671-5681.
- Yang, X.N. and S.C. Kang. 2013. Chemical composition, antioxidant and antibacterial activities of essential oil from Korean *Citrus unshiu* peel. *J. of Agric Chemist. and Environm.* 2:42-49.

Yu, J., L.L. Wang, Rosmary, Walzemm, E.G. Miller, L. Pike and B.S. Pail. 2005. Antioxidant activity of citrus limonoid, flavonoid and cumarins. *J. Agric. Food. Chemis.* 37: 878-880.

Yuliaty. 2013. Energy requirement for maintenance and growth of Bali cattle in East Timor. *Thesis.*, Faculty of Science and Engineering, Muresk Institut, Curtin University.

