

DAFTAR PUSTAKA

- Algren AB, Shanava RG, Young BA (2016). Uremia. <http://emedicine.medscape.com/article/245296-overview>. Diakses pada tanggal 16 April 2017.
- Badan Penelitian dan Pengembangan Kesehatan (Litbangkes) (2013). Riset Kesehatan Dasar. Kementerian Kesehatan Republik Indonesia : 1-268.
- Brouns R dan De Deyn PP (2004). Neurological complications in renal failure: a review. Clinical Neurology and Nephrology, 107: 1-16.
- Bugnicourt JM, Godefroy O, Chillon JM, Choukroun G, Massy ZA (2013). Cognitive disorders and dementia in CKD : The Neglected Kidney-Brain Axis. J Am Soc Nephrol, 24 :353-363.
- Coresh J, Selvin E, Stevens LA, Manzi J, Kusek JW, Eggers P, et al (2007). Prevalence of chronic kidney disease in the United States. JAMA, 298 (17): 2038-2047.
- Dahlan MS (2014). Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. Jakarta: Sagung Seto.
- Elias MF, Elias PK, Seliger SL, Narinspur SS, Dore GA, Robbins MA (2009). Chronic kidney disease, creatinine and cognitive functioning. Nephrol Dial Transplant, 24: 2446 – 2452.
- Fadhia N, Ulfiana E, Ismono S (2012). Hubungan fungsi kognitif dengan kemandirian dalam melakukan *activities of daily living (ADL)* pada lansia di UPT PSLU Pasuruan. Universitas Airlangga.
- Fadili w, Aldouni AA, Louhab N, Allah MH, Kissani N, Laouad I (2013). Prevalence and risk factors of cognitive dysfunction in chronic hemodialysis patients. Aging and Mental Health : 1-5
- Fogo AB (2007). Mechanism of progression of chronic kidney disease. Pediatr Nephrol, 22: 2011-2022.
- Garasto S, Fusco S, Corica F, Rosignuolo M, Marino A, Montestanto A, De Rango F, et al (2014). Estimating glomerular filtration rate in older people. Biomed Research International, 1: 1-13.
- Glasscock RJ, Winearls C (2009). Ageing and the glomerular filtration rate: truths and consequences. Trans Am Clin Climatol Assoc, 120: 419-428.
- Horspool S (2015). Global Burden of Disease Study Outline Chronic Kidney Disease as a cause of death worldwide. <http://www.theisn.org/news/item/2969-global-burden-of-disease-study-2015-outlines-chronic-kidney-disease-as-a-cause-of-death-worldwide> Diakses pada tanggal 16 April 2017.

- Khatri M, Nickolas T, Moon YP, Paik MC, Rundek T, Elkind MSV, *et al* (2009). CKD Associates with cognitive decline. *J Am Soc Nephrol*, 20: 2427-2432.
- Knopman DS (2007). Alzheimer's disease and others dementia. Dalam : Arend WP, Armitage JO, Clemons DR, Drazen JM, Griggs RC, LaRusso N , *et al* (eds). *Goldman's Cecil Medicine* 23rd Edition. Philadelphia: Saunders Elsevier.
- Kurella M, Chertow GM, Luan J, Yaffe K (2004). Cognitive impairment in chronic kidney disease . *Journal f the American Geriatric society* 52 (11): 1863-1869.
- Kurella M, Larive B, Unruh ML (2010). Pervalence and correlates of cognitive impairment in hemodialysis patients : the frequent hemodialysis network trials. *American Society of Nefrology. International Society of Nephrology* 66: 2361-2367.
- Kurella M dan Yaffe K (2011). Dementia and cognitive impairmnet in ESRD : diagnostic and therapeutic strategies, *International Society of Nephrology*, 79: 14-22.
- Longo DL, Fauci AS, Kasper DL, Hauser SL, Jameson JL, Loscalzo J (2012). *Harrisson's Principle of Internal Medicine*. Edisi ke 18. United States of America: The McGraw-Hil Companies, Inc.
- Madero M, Gul A, Sarnak MJ (2008). Cognitive function in chronic kidney disease. *Seminars in Dialysis*, 21(1): 29-37.
- McQuillan R dan Jassal SV (2010). Neuropsychiatric complications of chronic kidney disease. *Nature Reviews. Nephrology*, 6: 471-479.
- Mitch WE (2007). Chronic kidney disease. Dalam : Arend WP, Armitage JO, Clemons DR, Drazen JM, Griggs RC, LaRusso N, *et al* (eds). *Goldman's Cecil Medicine* 23rd Edition. Philadelphia: Saunders Elsevier.
- Mufson EJ, Binder L, Counts SE, DeKosky ST, Toledo-Morrell L, Ginberg SD, *et al* (2012). Mild Cognitive Impairment : pathology and mechanism. *Acta Neuropathol*, 123: 13-30.
- Murray Am, Tuooer DE, Knopman DS (2006). Cognitive impairment in hemodialysis patients in common. *American Academy of Neurology*, 67:216.
- National Kidney Foundation (2012). KDIGO 2012 Clinical practice guideline for the evaluation and management of chronic kidney disease. *Kid International Supplements*, 3 (1): 1-163.
- Nicholette D Palmer, Kaycee M. Sink, Susan carrie Smith, Jianzhao Xu, Donald W. Bowden (2014). Kidney disease and cognitive function : African

- American Diabetes Association. American Journal of Nephrology, 40: 200-207.
- Nursalam (2006) Asuhan keperawatan pada pasien dengan gangguan sistem perkemihan. Jakarta: Salemba Medika.
- Obrador GT dan Pereira BJ (2002). Systemic complications of chronic kidney disease. Pinpointing clinical manifestations and best management. Postgraduate Medicine, 111(2): 115-122.
- Oghenekaro Godwin EbiOlubunmi Ogunrin, Efosa Oviasu (2015). Cognitive deficits of patients with chronic kidney disease and effects on hemodialysis. Greener Journal of Medical Sciences.
- Perhimpunan Nefrologi Indonesia (Pernefri) (2011). Annual Report of Indonesian renal registry. Pernefri, 4: 1-39.
- Price SA dan Wilson LM (2013). Gangguan neurologis dan simptomatologi generalisata. Dalam: Hartanto H, Susi N, Wulansari P, Mahanani DA (eds). Patofisiologi : Konsep klinis Proses-Proses Penyakit dalam jilid II. Jakarta: Penerbit Buku Kedokteran EGC.
- Prodjosudjadi W dan Suhardjono A (2009). End-stage renal disease in Indonesia: treatment Development. Ethnicity & Disease, 19: 33-36.
- Rebekah S. Nulsen, M. Magdi Yacoob, Althea Mahon (2008). Prevalence of cognitive impairment in patients attending pre-dialysis. Journal of renal care, 34: 121-126
- Rochman K dan Harimurti (2014). Demensia. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). Buku ajar ilmu penyakit dalam dalam jilid II. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI.
- Schneider SM, Kielstein JT, Braverman J, Novak M (2015). Cognitive function in patients with chronic kidney disease: challenges in neuropsychological assessments. Seminar in Nephrology, 35 (4): 304-310.
- Siska AM (2015). Perbandingan kognitif sebelum dan sesudah dialisis pada subjek penyakit ginjal kronik yang menjalni hemodialisis. Jurnal e-clinic, 3
- Stevens LA, Coresh J, Greene T, Levey AS (2006). Assessing kidney function—measured and estimated glomerular filtration rate. N Engl J Med, 354: 2473-2483.
- Suhardjono (2009). Kelainan kardiovaskular pada penyakit ginjal kronik. Perhimpunan Nefrologi Indonesia, 9: 34 – 40.
- Suharyanto, Abdul, Madjid (2009). Asuhan keperawatan pada klien dengan gangguan sistem perkemihan. Jakarta : Trans Info Media

- Sundariyati IGAH, Ratep N, Westa W (2014). Gambaran faktor-faktor yang mempengaruhi status kognitif pada lansia di wilayah kerja puskesmas kubu II, Januari-Februari 2014. Bagian Psikiatri Fakultas Kedokteran Universitas Udayana.
- Suryadi T (2014). Prevalensi dan faktor risiko penyakit ginjal kronik di RSUP Dr. M. Hoesin Palembang. MKS : 4.
- Susalit E (2009). Diagnosis dini penyakit ginjal kronik. Perhimpunan Nefrologi Indonesia, 9: 9-13.
- Suwitra K (2014). Penyakit Ginjal Kronik. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). Buku ajar ilmu penyakit dalam dalam jilid II. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI.
- Tayeb ME, Shawki S, Sany D (2012). Assessment of cognitive dysfunction in kidney disease. Saudi J Kidney Dis Transpl, 23(6):1208-1214.
- Thomas R, Kanso A, Sedor JR (2008). Chronic kidney disease and its complications. Prim Care Clin Office Pract, 35: 329-344.
- Triyanti K, Suhardjono, Soewondo P, Shatri H (2008). Renal function decrement in type 2 diabetes mellitus patients in Cipto Mangunkusumo Hospital. Department of Internal Medicine, Faculty of Medicine, University of Indonesia, 40 (4): 192 -200.
- Vanholder R dan Laecke SV (2008). What is new in uremic toxicity? Pediatr Nephrol, 23: 1211-1221.
- Watanabe K, Watanabe T, Nakayama M (2014). Cerebro-rena; interactions: Impact of uremic toxins on cognitive function. NeuroToxicology, 44: 184-193.
- William UE, Owolabi MO, Ogunniyi A, Ezunu EO (2013). Prevalence and pattern of neurocognitive impairment in nigerians with stage 3 to 5 chronic kidney disease, Neurology: 1-7.
- Wreksoatmodjo BR (2014). Beberapa kondisi fisik dan penyakit yang merupakan faktor risiko gangguan fungsi kognitif. CKD-212, 41(1): 25-32.
- Yaffe K, Ackerson L, Kurella M, Kusek JW, Sehgal AR, Cohen D, et al (2010). Chronic kidney disease and cognitive function in older adults: findings from the chronic renal insufficiency cohort cognitive study. Journal of the American Geriatrics Society, 58 (2): 338-345.