

## DAFTAR PUSTAKA

- Adams, PD dan J.W. Kloepper. 1996. Seed borne bacterial endophytes in different cotton cultivars. In: Abstract, annual meeting of American Phytopathological Society, p 97
- Amaldoss, G and N.C. Hsue. 1989. The biology and the reproductive morphology of beet armyworm *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae). *Chinese Entomol* 9;2: 239-250.
- Ashrafuzzaman, M., F.A. Hossen, M.R. Ismail, M.A. Hoque, M.Z. Islam, S.M. Shahidullah and S. Meon. 2009. Efficiency of Plant Growth-Promoting Rhizobacteria (PGPR) for the rice growth. *African Journal of Biotechnology*. Vol.8(7). P : 1247-1252
- Bacon, C.W. and D.M. Hinton. 2006. Bacterial endophytes : the endophytic niche, its occupants, and its utility. *Dalam : Gnanamanickam SS, editor. Plant Associated Bacteria*. Netherland : Springer.
- Badan Litbang Pertanian. 2005. Prospek dan arah pengembangan agribisnis bawangmerah. RPPK Badan Litbang Pertanian, Departemen Pertanian.
- Beattie, G.A and S.E. Lindow. 1995. The secret life of foliar bacterial pathogens on leaves. *Annu Rev Phytopathol* 33:145–172
- Brader, G., S. Compant., B. Mitter., F. Trognitz dan A. Sessitsch. 2014. Metabolic potential of endophytic bacteria. *Curr Opin Biotechnol*. 27:30–37.
- Brewster, J.L. 1994. *Onion and Other Vegetable Alliums*. Wallingford (UK): CAB International. 236 p.
- Buren, A.M., C. Andre and C.A. Ishimaru. 1993. Biological control of the bacterial ring rot pathogen by endophytic bacteria isolated from potato. *Phytopathology* 83:1406.
- CAB INTERNATIONAL. 2000. *Crop Protection Compendium*. Wallingford, UK.
- Capinera, J. L. 2008. Beet Armyworm, *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). In: Capinera, J. L. (Ed.), *Encyclopedia of Entomology*. Springer Netherlands, Dordrecht, Netherlands, pp. 434-437.
- Caradus, J. 2012. Grass endophytes for insect mana-gement and improved pasture productivity, Grasslanz Technology Ltd, PB 11008, Palmer-ston North New Zealand, ([www.grasslanz.com/LinkClick.aspx?fileticket%3Dm72RjgiOCK8%253D%26tabid%3D58+insect+pest+endophyte&hl=en&pid](http://www.grasslanz.com/LinkClick.aspx?fileticket%3Dm72RjgiOCK8%253D%26tabid%3D58+insect+pest+endophyte&hl=en&pid)) [diakses 28 Desember 2017].
- Chen., Bauske., Kabana and Kloepper. 1995. Biological Control Of Fusarium Wilt On Cotton by Use Endofitic Bacteria. [www.ag.auburn.edu](http://www.ag.auburn.edu) [diakses 28 Desember 2017].
- Cronquist, A. 1989. *An Integrated System of Clasification of Flowering Plants*. Columbia : Columbia University Press.

- Delahaut, K.A. and A.C. Newenhouse. 2003. *Growing Onions, Garlic, Leeks and Other Allium in Wisconsin A Guide for Fresh-Market Growers*. University of Wisconsin. Wisconsin. p 2-4.
- Dong, Z., Canny, M.J., McCully, M.E., Roberedo, M.R., Cabadilla, C.F., Ortega, E., Rodes, R. 1997. A nitrogen fixing endophyte of sugarcane stems. *Plant Physiol.* 105: 119-1147.
- Downing, K.J., G. Leslie dan J.A. Thomson. 2000, Biocontrol of the sugarcane borer *Eldana saccharina* by expression of the *Bacillus thuringiensis* cry1Ac7 and *Serratia marcescens* chiA genes in sugarcane-associated bacteria, *Appl. Environ. Microbiol.* 66:2804–2810.
- Dwidjoseputro, D. 1989. *Dasar-Dasar Mikrobiologi*. Djambatan. Surabaya
- Effendi, B.S. 2009. Strategi Pengendalian Hama Terpadu Tanaman Padi Dalam Perspektif Praktek Pertanian Yang Baik (Good Agricultural Practices). *Pengembangan inovasi pertanian* 2(1) 65-78.
- Fahy, P.C and A.C. Hayward. 1983. Media and Methods for Isolation and Diagnostic Tests. In: P.C. Fahy and G.J. Persley. *Plant Bacterial Diseases A Diagnostic Guide*. Academic Press. New York.
- Ferreira, A., Quecine, M.C., Lacava, P.T., Oda, S., Azevedo, J.L., Araujo, W.L. 2008. Diversity of endophytic bacteria from *Eucalyptus* species seeds and colonization of seedlings by *Pantoea agglomerans*. *FEMS Microbiol Lett.* 287(2008):8–14.
- Habazar, T., Nasrun., Jamsari dan i. Rusdi. 2007. Pola penyebaran penyakit hawar daun bakteri (*xanthomonas axonopodis* pv. *allii*) pada bawang merah dan upaya pengendaliannya melalui imunisasi menggunakan Rhizobakteria. Laporan Hasil penelitian: Padang.
- Haji, A. G., Z. A. Mas'ud dan G. Pari. 2012. Identifikasi senyawa bioaktif antifeedant dari asap cair hasil pirolisis sampah organik perkotaan. *Jurnal Bumi Lestari* 12 (1): 1 - 8
- Hallmann, J., A.Q. Hallmann, W.F. Mahaffe, & J.W. Kloepper. 1997. Bacteria endophytes in agricultural crops. *Canadian Journal Microbiology* 43: 895–914
- Harni, R., A. Munif., Supramana dan I. Mustika. 2007. Pemanfaatan bakteri endofit untuk mengendalikan nematoda peluka akar (*pratylenchus brachyurus*) pada tanaman nilam. *Jurnal Hayati* 14 (1) : 7-12.
- Hardoim, P,R,, L.S. Overbeek dan J.D. Elsas. 2008. Properties of bacterial endophytes and their proposed role in plant growth. *Trends Microbiol.* 16:463–475.
- Hasegawa, S., A. Meguro., M. Shimizu., T. Nishimura dan H. Kunoh. 2006. Endophytic actinomycetes and their interaction with host plant. *Actinomycetologica.* 20: 72-81.

- Herrera, G., S.J. Snyman dan J.A. Thomson. 1994. Construction of a bioinsecticidal strain of *Pseu-domonas fluorescens* active against the sugar cane borer, *Eldana saccharina*, App. Environ. *Microbiol.* 60:682–690.
- Hidayati, U., I.A. Chaniago., A. Munif., Siswanto., D.A. Santosa. 2014. Potency of plant growth promoting endophytic bacteria from rubber plants (*Hevea brasiliensis* Mill. Arg.) *J Agronomy.* 13(3):147–152.
- Hilman, Y., R. Rosliani dan E.R. Palupi. 2014. Pengaruh ketinggian tempat terhadap pembungaan, produksi dan mutu benih bawang merah. *J. Hort.* 24(2):154-161
- Huang, J.S. 1986. Ultrastructure of bacterial penetration in plants. *Annu Rev Phytopathol* 24:141–157
- James, E.K and F.L. Olivares. 1998. Infection and colonization of sugarcane and other graminaceous plants by endophytic diazotrophs. *Crit Rev Plant Sci* 17:77–119
- Jokubowska, A., J.M. Vlak and J. Ziemnicka. 2005. Characterization of a nucleopolyhedrovirus isolated from the laboratory rearing of the beet armyworm *Spodoptera exigua* (Hbn.) in Poland. *J Plant Protec Res* 45;4: 279-286.
- Kalshoven, L.G.E. 1981. *The Pests of Crops in Indonesia* (Revised and Translated by van der Laan PA). PT Icthiar Baru-Van Hoeve. Jakarta. 701 p.
- Karimi-Malati, A., Y. Fathipour and A.A. Talebi. 2014. Development response of *Spodoptera exigua* to eight constant temperatures: Linear and nonlinear modeling. *Journal of Asia- Pacific Entomology* 17: 349-354.
- Klement, Z., K. Rudolph and D.C. Sands. 1990. *Methods in Phytobacteriology* Akademiai. Kiado. *Budapest*, p. 568.
- Kobayashi, D.Y and J.D. Palumbo. 2000. Bacterial endophytes and their effects on plant and uses in agriculture. In *microbial Endophytes*. Edited by CW Bacon and JF White Jr. New York; Marcel Dekker inc.
- Krishnawati, D. 2003. Pengaruh pemberian pupuk kascing terhadap pertumbuhan vegetatif tanaman kentang (*Solanum tuberosum*). *KAPPA* Vol. 4, No.1, 9-12. ISSN 1411-4046.
- Kusumaningrum, I., Rini, H.B., dan Sri, H., 2007. Pengaruh perasan sargassum crassifolium dengan konsentrasi yang berbeda terhadap pertumbuhan tanaman kedelai (*Glycine max* (L) Merill). *Buletin anatomi dan fisiologi*, vol. XV, no.2.
- Lampel, J.S., G.L. Canter., M.B. Dimock., J.L. Kelly., J.J. Anderson., B.B. Uratani., J.S. Foulke and J.T. Turner. 1994. Integrative cloning, expression, and stability of the cryIA(c) gene from *Bacillus thuringiensis* subsp. kurstaki in a re-combinant strain of *Clavibacter xyli* subsp. *Cynodontis*, *Appl. Environ. Microbiol.* 60:501–508
- Larran, S., A. Perello and M.R. Simon. 2007. The endophytic fungi from wheat (*Triticum aestivum* L). *World J Microbiol Biotechnol* (23): 565–572



- Lasa, R., P. Caballero and T. William. 2007. Juvenile hormone analogs greatly increase the production of a nucleopolyhedrovirus. *Biol Cont* 41: 389-396.
- Lay, B.W. & Hastowo. 1992. *Mikrobiologi*. Edisi Pertama. Jakarta. Rajawali Press.
- Leiwakabessy, C dan Y. Latupeirissa .2013. Eksplorasi bakteri endofit sebagai agens hayati pada tanaman kersen (*Muntingia calabura* L.). *Jurnal Budidaya Pertanian* (9)1: 16-21.
- Li, H., A. Marcos., Soares., S. Mónica., Torres., B. Marshall and James F. White. 2015. Endophytic bacterium, *Bacillus amyloliquefaciens*, enhances ornamental hosta resistance to diseases and insect pests. *Journal of Plant Interactions* 10 (1): 224–229.
- Limbongan J, Maskar. 2003. Potensi pengembangan dan ketersediaan teknologibawang merah Palu di Sulawesi Tengah. *J Litbang Pertanian* 22;3: 103-108.
- Lodewyckx, C., J. Vangronsveld., F. Porteous., E.R.B. Moore., S. Taghavi., M. Mezgeay and D. van der Lelie. 2002, Endophytic bacteria and their potential applications, *Critical Reviews in Plant Sciences* 21: 583–606.
- Maddox, J. V. 1975. Use Of Diases in Pest Management. *Introduction to pest management*. Edited by R. C. Metcalf and W.H. Luckman. Pp. 189-234. John Wiley & Sons
- Mahaffee, WF and J.W. Kloepper. 1997. Temporal changes in the bacterial communities of soil, rhizosphere and endorhiza. *Microb Ecol* 34:210–223
- Mei, C dan B.S. Flinn. 2010. The use of beneficial microbial endophytes for plant biomass and stress tolerance improvement. *Recent Pat Biotechnol*. 4:81–95.
- Metcalf, R.L. and W. P. Flint. 1979. Destructive and Useful Insect, Their Habits And Control. Tata McGraw-Hill Publishing, New Delhi.1087 p.
- Misaghi, I.J and C.R. Dondelinger. 1990. Endophytic bakteria In symptom free cotton plants. *Phytopatology* 80 (9): 808-811.
- Moekasan, TK 1994. Pengujian ambang pengendalian hama *Spodoptera exigua* berdasarkan umur tanaman dan intensitas kerusakan tanaman bawang merah didataran rendah. Pros Seminar Hasil Penelitian pendukung Pengendalian Hama Terpadu. Lembang
- Moekasan, T.K., E. Suryaningsih., I. Sulastrini., N. Gunadi., W. Adiyoga., A.Hendra., M.A. Martono dan Karsum. 2004. Kelayakan teknis dan ekonomis penerapan teknologi pengendalian hama terpadu pada sistem tanam tumpanggilir bawang merah dan cabai. *J. Hort.*, vol. 14, no. 3, hlm. 188-203.
- Mossler, M.A., B.C. Larson and O.N. Nesheim. 2007. Florida Crop/Pest Management Profiles: Celery1. University of Florida IFAS Extension.

- Munif, A., S. Wiyono dan Suwarno. 2012. Isolasi bakteri endofit asal padi gogo dan potensinya sebagai agens biokontrol dan pemacu pertumbuhan. *J Fitopatol Indones.* 8(3):57–64.
- Munif, A., R. Harni. 2011. Keefektifan bakteri endofit untuk mengendalikan nematoda parasit *Meloidogyne incognita* pada tanaman lada. *Buletin Ristri.* 2(3):377–382.
- Naczk, M. and F. Shahidi. 2006. Phenolics in cereals, fruits and vegetables: occurrence, extraction and analysis. *J Pharm Biomed Anal* 41:1523-42.
- Nurjanani dan Ramlan, 2008. Pengendalian hama *Spodoptera exigua* Hubn. untuk meningkatkan produktivitas bawang merah pada lahan sawah tadah hujan di Jeneponto, Sulawesi Selatan. *Jurnal Pengkajian dan pengembangan Teknologi Pertanian.* Vol 11 (2):164-170.
- Nurjanani. 2011. Identifikasi hama dan penyakit pada tanaman bawang merah di Kabupaten Bone. Balai Pengkajian Teknologi Pertanian Sulawesi Selatan *Superman : Suara Perlindungan Tanaman* 1(4).
- Pal, S.S. 1998. Interaction of an acid toleran strain of phosphate solubilizing bacteria with a few acid toleran crops. *Plant Soil.* 198:169-177.
- Pleban, S., F. Ingel dan I. Chet. 1995. Control of *Rhizoctonia solani* and *Sclerotium rolfsii* in the greenhouse using endophytic *Bacillus* spp. *Eur J Plant Pathol* 101:665–672
- Pranoto, E., G. Fauzi and Hingdri. 2014. Isolasi dan karakterisasi bakteri endofit pada tanaman teh (*Camellia Sinensis* (L.) O.Kuntze) produktif dan belum menghasilkan klon gmb 7 dataran tinggi. *Biospecies* 7 (1): 1-7.
- Priyatno, P. T., A.D. Yohana., S. Yadi., N.S. Dw.,, R. Iman., S.W. Baskoro dan I. Cahyadi. 2011. Identifikasi entomopatogen bakteri merah pada wereng batang coklat (*Nilaparvata lugens* Stål.). *Jurnal AgroBiogen* 7(2):85-95.
- Putrasamedja, S., W. Setiawati., L. Lukman dan A. Hasyim. 2012. Penampilan beberapa klon bawang merah dan hubungannya dengan intensitas serangan organisme pengganggu tumbuhan. *J. Hort.* 22(4):349-359.
- Radji, M. 2005. Peranan bioteknologi dan mikroba endofit dalam pengembangan obat herbal. *Majalah Ilmu Kefarmasian.* Vol 11. No.3.
- Rasmussen, J.B., R. Hammerschmidt and M. Zook. 1991. Systemic Induction Of Salicylic Acid Accumulation In Cucumber After Inoculation with *Pseudomonas syringae* pv *syringae*. *Plant Physiol* 97:1342–1347.
- Rauf, A. 1999. Dinamika populasi *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) pada tanaman bawang merah di dataran rendah. *Bul HPT* 11;2: 39- 47.
- Ross, I.A. 2001. Medicinal plants of the world: Chemical constituents, Traditional and modern medicinal uses. *Totowa, New Jersey* (2) 81-85.
- Sastrosiswojo, S., T.K. Moekasan & W. Setiawati. 1995. Petunjuk studi lapangan PHT-sayuran. Balai Penelitian Tanaman Sayuran. Lembang. 193 h.

- Schaad, N.W., J.B. Jones and W. Chun. 2001. Laboratory Guide for Identification of Plant Pathogenic Bacteria. *St Paul: The American Phytopathology Society*
- Sembel, D.T. 2010. Pengendalian hayati. Hama-hama serangga tropis dan gulma. Yogyakarta: Andi.
- Senewe, E and S.J.M. Guntur. 2011. Identification And Pathogenicity Test Of Local Entomopathogen Fungi Against *Leptocorisa Oratorius* Eugenia 17 (3): 1-9
- Senewe, E., R. Maramis dan C. Salaki. 2012. Pemanfaatan bakteri entomopatogenik *bacillus cereuster*hadap hama *Spodoptera litura* pada tanaman kubis. *Eugenia* Vol 18 No. 2.
- Setiawati. W. 1996 Kerusakan dan Kehilangan Hasil Bawang Merah akibat Serangan Ulat Perusak daun (*Spodoptera exigua* Hubn.) Hal.418
- Siddiqui, I.A. dan S.S. Shaukat. 2003. Endophytic bacteria: Prospects and opportunities for the biological control of plant parasitic nematodes. *Nematol Medit.* 31:111–120.
- Simarmata, R., S. Lekatompessy dan H. Sukiman. 2007. Isolasi mikroba endofitik dari tanaman obat sambung nyawa (*Gynura procumbens*) dan analisis potensinya sebagai antimikroba. *Berk Pene Hayati* 13 : 85-90.
- Soetiarso, T.A. 2010. Teknologi Inovatif bawang merah dan pengembangannya. *Prosiding Seminar Nasional Pengembangan Inovasi Pertanian Lahan marginal. Balai Penelitian Tanaman Sayuran.*
- Sparks, Jr.A., D.G. Riley., P. Robert and P. Guillebeau. 2008. *Spodoptera exigua*. [http://wiki.bugwood.org/Spodoptera exigua](http://wiki.bugwood.org/Spodoptera_exigua) [diakses 18 Desember 2016].
- Sturz, A.V. 1995. The role of endophytic bacteria during seed piece decay and potato tuberization. *Plant Soil* 175:257–263
- Sturz, A.V. and B.G. Matheson. 1996. Populations of endophytic bacteria which influence host resistance to Erwinia induced bacterial soft rot in potato tubers. *Plant Soil* 184: 265–271.
- Sturz, A.V., B. R. Christie., and J. Nowak. 2000. Bacterial Endophytes: Potential role in developing sustainable systems of crop production. *Critical Reviews in Plant Sciences* 19: 1–30.
- Sutarya R. 1996. Hama ulat spodoptera pada bawang merah dan strategi pengendaliannya. *Jurnal Litbang Pertanian* 15 (2) : 41-46.
- Suwandi. 2009. Menakar kebutuhan hara tanaman dalam pengembangan inovasi budi daya sayuran berkelanjutan. *Pengembangan Inovasi Pertanian* 2: 131-147.
- Suwdani. 2014. Budidaya bawang merah diluar musim teknologi unggulan mangantisipasi dampak perubahan iklim. IAARD Press, Jakarta.



- Tania, N. A. dan S. Budi. 2012. Pengaruh pemberian pupuk hayati terhadap pertumbuhan dan hasil jagung semi pada tanah podsolik merah kuning. *Jurnal Sains Mahasiswa Pertanian* 1: 10-15.
- Thakuria, D., N.C. Talukdar., C. Goswawanni., S. Hasarika., R.C. Boro and M.R. Khan. 2004. characterization and screening of bacteria from rhizosphere of rice grown in acidic soil of assam. *Curr. Sci.* 86: 978-985.
- Vallet-Gely, I., B. Lemaitre and F. Bocard. 2008. Bacterial strategies to overcome insect defences. *Microbiology.* 6:302-313
- Van Driesche, R.G., Bellows, T.S. 1996. Biological Control. USA; Chapman & hall An International thomson Publishing Company.
- Yang He, S. 1996. Elicitation of plant hypersensitive response by bacteria. *Plant Physiol.* 112:865-869.
- Yanti, Y., Gustian., H. Rahma. 2009. Aplikasi Agen Hayati *Pseudomonas Fluorescens* Sebagai Penginduksi Ketahanan Untuk Meningkatkan Produksi Tanaman Cabai Terhadap Penyakit Virus Kuning Di Kecamatan Kuranji Kotamadya Padang. *Warta Pengabdian Andalas XV* (22):48-54.
- Zehnder, G., J. Kloepper., S. Tuzun., C. Yoa., G. Wei., O. Chambliss and R. Shelby. 1997. Insect feeding on cucumber mediated by rhizobacteria induced plant resistance. *Entomol. Exp. Appl.* 83: 81-85.
- Zheng XL, X.P. Cong., X.P. Wang and C.L. Lei. 2011. A Review of geographic distribution, overwintering and migration in *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). *J. Entomol. Res. Soc.*, 13(3): 39-48.
- Zinniel, DK., P. Lambrecht., N.B. Harris., Z. Feng., D. Kuczarski., P. Higley., C.A. Ishimaru., A. Arunakumari., R.G. Barletta and A.K. Vidaver. 2002. Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants. *Applied Environmental Microbiology.* 68(5):2198-2208.

