

DAFTAR KEPUSTAKAAN

- Abdel-Fattah, A.F. and M.A. Abdel-Naby. 2012. Pretreatment and Enzymic Saccharification of Water Hyacinth Cellulose. *Carbohydrate Polymers* 87: 2109–2113.
- Abdul, W., S. Nursyimi., and A., Syed. 2016. Morphology and Properties of Durian Cellulose Nanofibres Reinforced Polyvinyl Alcohol / Starch Based Composite. *AIP Conference Proceeding 20005*: 1–10.
- Abraham, E., B. Deepa., L.A. Pothan., M. Jacob., S. Thomas., U. Cvelbar., and R. Anandjiwala. 2011. Extraction of Nanocellulose Fibrils from Lignocellulosic Fibres: A Novel Approach. *Carbohydrate Polymers* 86: 1468-1475.
- Abraham, E., B. Deepa., L.A. Pothan., J. Cintil., S. Thomas., M.J. John., R. Anandjiwala., and S.S. Narine. 2013. Environmental Friendly Method for The Extraction of Coir Fibre aIsolation of Nanofibre. *Carbohydrate polymers*, 92: 1477-1483.
- Abral, H., M.F. Gafar., H. Andriyanto., S.M. Sapuan., and M.R. Ishak. 2011. Alkali Treatment of Screw Pine (*Pandanus Odoratissimus*) Fibers and Its Effect on Unsaturated Polyester Composites. *Polymer-Plastics Technology and Engineering*, 51: 37–41.
- Abral, H., D. Kadriadi., A. Rodianus., P. Mastariyanto., Ilhamdi, S. Arief., S.M.Sapuan., and M.R. Ishak. 2014. Mechanical Properties of Water Hyacinth Fibers - Polyester Composites Before and After Immersion in Water. *Materials and Design* 58: 125–129.
- Abral, H., G.J. Putra., M. Asrofi., J.W. Park., and H.J. Kim. 2018a. Effect of Vibration Duration of High Ultrasound Applied to Bio-Composite While Gelatinized on Its Properties. *Ultrasonics sonochemistry* 40: 697-702.
- Abral, H., M.H. Dalimunthe., J. Hartono., R.P. Efendi., M. Asrofi, E. Sugiarti., S.M. Sapuan., J.W. Park., and H.J. Kim. 2018b. Characterization of Tapioca Starch Biopolymer Composites Reinforced with Micro Scale Water Hyacinth Fibers. *Starch-Stärke* 1700287.
- Agustin, M. B., B. Ahmmad., E.R.P De Leon., J.L. Buenaobra., J.R. Salazar., and F. Hirose. 2013. Starch-Based Biocomposite Films Reinforced with Cellulose Nanocrystals from Garlic Stalks. *Polymer Composites* 34: 1325-1332.
- Ahmad, Z., H. Anuar., and Y. Yusof. 2011. The Study of Biodegradable Thermoplastics Sago Starch. *Key Engineering Materials* 471-472: 397-402.
- Akil, H. M., M.F. Omar., A.A.M Mazuki., S. Safiee., Z.A.M Ishak., and A.A.

- Bakar. 2011. Kenaf Fiber Reinforced Composites : A Review. *Materials and Design* 32: 4107–4121.
- Alemdar, A. and M. Sain. 2008. Isolation and Characterization of Nanofibers from Agricultural Residues – Wheat Straw and Soy Hulls. *Bioresource Technology* 99: 1664–1671.
- Al-Hassan, A. A. and M.H. Norziah. 2012. Starch-Gelatin Edible Films: Water Vapor Permeability and Mechanical Properties as Affected by Plasticizers. *Food Hydrocolloids* 26: 108–117.
- Alves, V. D., S. Mali., A. Beleia., M. Victo., and E. Grossmann. 2007. Effect of Glycerol and Amylose Enrichment on Cassava Starch Film Properties. *Journal of Food Engineering* 78: 941–946.
- Asrofi, M., H. Abral., A. Kasim., and A. Pratoto. 2017a. Characterization of the Microfibrillated Cellulose from Water Hyacinth Pulp After Alkali Treatment and Wet Blending. *IOP Conf. Series: Materials Science and Engineering* 204: 1–7.
- Asrofi, M., H. Abral., A. Kasim., and A. Pratoto. 2017b. XRD and FTIR Studies of Nanocrystalline Cellulose from Water Hyacinth (*Eichornia crassipes*) Fiber. *Journal of Metastable and Nanocrystalline Materials* 29: 9-16.
- Asrofi, M., H. Abral., Y.K. Putra., S.M. Sapuan., and H.J. Kim. 2018a. Effect of Duration of Sonication During Gelatinization on Properties of Tapioca Starch Water Hyacinth Fiber Biocomposite. *International Journal of Biological Macromolecules* 108: 167-176.
- Asrofi, M., H. Abral., A. Kasim., A. Pratoto., M. Mahardika., and F. Hafizulhaq. 2018b. Mechanical Properties of a Water Hyacinth Nanofiber Cellulose Reinforced Thermoplastic Starch Bionanocomposite: Effect of Ultrasonic Vibration During Processing. *Fibers* 6: 40.
- American Standard Testing Materials, ASTM D 882 - 02 Standard Test Methods for Tensile Properties of Thin Plastic Sheeting, Annual book of ASTM standards, Philadelphia 1991.
- American Standard Testing Materials, ASTM E 1131 - 08 Standard Test Method for Compositional Analysis by Thermogravimetry, Annual book of ASTM standards, Philadelphia 1991.
- American Standard Testing Materials, ASTM D 1746 - 03 Standard Test Method for Transparency of Plastic Sheeting, Annual book of ASTM standards, Philadelphia 1991.
- American Standard Testing Materials, ASTM D5229 / D5229M – 92 Standard Test Method for Moisture Absorption Properties and Equilibrium Conditioning of

Polymer Matrix Composite Materials, Annual book of ASTM standards, Philadelphia 2004.

Badan Pusat Statistik (BPS). 2013. Produksi Buah-Buah dan Sayuran Tahunan Menurut Jenisnya dan Kabupaten/Kota (Ton), 2010-2014. <https://sumbar.bps.go.id/Subjek/view/id/55#subjekViewTab3|accordion-daftar-subjek3>. [9 Juni 2017].

Bagir, A. dan G.E. Perdana. 2011. Pemanfaatan Serat Eceng Gondok Sebagai Bahan Baku Pembuatan Komposit. 1-7.

Balasundaram, G. and T.J. Webster. 2006. Nanotechnology and Biomaterials for Orthopedic Medical Applications. *Future Medicine* 1: 169–176.

Baldwin, P. M., J. Adler., M.C. Davies., and C.D. Melia. 1994. Holes in Starch Granules : Confocal , SEM and Light Microscopy Studies of Starch Granule Structure. *Starch/Starke* 49: 1–5.

Beilen Van, J.B. and Y. Poirier. 2007. Prospects for Biopolymer Production in Plants. *Adv Biochem Engin/Biotechnol* 107: 133–151.

Bertuzzi, M.A., E.F.C Vidaurre., M. Armada., and J.C. Gottifredi. 2007. Water Vapor Permeability of Edible Starch Based Films. *Journal of Food Engineering* 80: 972–978.

Bootklad, M. and K. Kaewtatip. 2013. Biodegradation of Thermoplastic Starch / Eggshell Powder Composites. *Carbohydrate Polymers* 97: 315–320.

Callister, W. D., & Rethwisch, D. G. (2011). *Materials Science and Engineering*. (B. Stenquist, Ed.) (S1 Version). Hoboken USA: John Willey & Sons (Asia) Pte Ltd.

Cao, X., Y. Chen., P.R. Chang., A.D. Muir., and G. Falk. 2008. Starch-Based Nanocomposites Reinforced with Flax Cellulose Nanocrystals. *Express Polym Lett* 2: 502-510.

Chandra, J. C. S., N. George., and S.K. Narayanankutty. 2016. Isolation and Characterization of Cellulose Nanofibrils from Arecanut Husk Fibre. *Carbohydrate Polymers* 142: 158–166.

Chang, P. R., R. Jian., P. Zheng., J. Yu., and X. Ma. 2010. Preparation and Properties of Glycerol Plasticized-Starch (GPS)/ Cellulose Nanoparticle (CN) Composites. *Carbohydrate Polymers* 79: 301–305.

Chen, W., H. Yu., Y. Liu., P. Chen., M. Zhang., Y. Hai. 2011. Individualization of Cellulose Nanofibers from Wood Using High-Intensity Ultrasonication Combined with Chemical Pretreatments. *Carbohydrate Polymers* 83: 1804-1811.

- Chen, X., J. Yu., Z. Zhang., and C. Lu. 2011. Study on Structure and Thermal Stability Properties of Cellulose Fibers from Rice Straw. *Carbohydrate polymers* 85: 245-250.
- Chen, Y., X. Cao., P.R. Chang., and M.A. Huneault. 2008. Comparative Study on The Films of Poly (Vinyl Alcohol)/Pea Starch Nanocrystals and Poly (Vinyl Alcohol)/Native Pea Starch. *Carbohydrate Polymers* 73: 8-17.
- Cheng, W., J. Chen., D. Liu., X. Ye., and F. Ke. 2010. Impact of Ultrasonic Treatment on Properties of Starch Film-Forming Dispersion and The Resulting Films. *Carbohydrate Polymers* 81: 707–711.
- Cherian, B. M., A.L. Leao. S.F. de Souza., S. Thomas., L.A. Pothan., and M. Kottaisamy. 2010. Isolation of Nanocellulose from Pineapple Leaf Fibres by Steam Explosion. *Carbohydrate Polymers* 81: 720-725.
- Coursera. 4 April 2017. Definitions and Nanomaterials (15 minute) by Prof. Hossam Haick. <https://www.youtube.com/watch?v=diZY7MahAYA>
- Cyras, V. P., L.B. Manfredi., M.T. Ton-That., and A. Vázquez. 2008. Physical and Mechanical Properties of Thermoplastic Starch/Montmorillonite Nanocomposite Films. *Carbohydrate Polymers* 73: 55-63.
- Dash, S. and S.K. Swain. 2013. Synthesis of Thermal and Chemical Resistant Oxygen Barrier Starch with Reinforcement of Nano Silicon Carbide. *Carbohydrate Polymers* 97: 758–763.
- Dufresne, A., D. Dupeyre, and M. R. Vignon. 2000. Cellulose Microfibrils from Potato Tuber Cells: Processing and Characterization of Starch–Cellulose Microfibril Composites. *Journal of Applied Polymer Science* 76: 2080-2092.
- Duncan, T. V. 2011. Applications of Nanotechnology in Food Packaging and Food Safety : Barrier Materials, Antimicrobials and Sensors. *Journal of Colloid and Interface Science* 363: 1–24.
- Effendi, D. B., N.H. Rosyid., A.B. Nandiyanto., dan A. Mudzakir. 2015. Review: Sintesis Nanoselulosa. *Jurnal Integrasi Proses* 5: 61-74.
- Falguera, V., J. Pablo., A. Jimenez., J.A. Munoz., and A. Ibarz. 2011. Edible Films and Coatings : Structures, Active Functions and Trends In Their Use. *Trends in Food Science & Technology* 22: 292–303.
- Farahbakhsh, N., P.S. Roodposhti., A. Ayoub., R.A. Venditti., and J.S. Jur. 2015. Melt Extrusion of Polyethylene Nanocomposites Reinforced with Nanofibrillated Cellulose from Cotton and Wood Sources. *Journal of Applied Polymer Science* 41857: 1–10.

- Fengel, D., & Wegener, G. (1989). *Wood: Chemistry, Ultrastructure, Reactions*. Munich, Germany: Institute for Wood Research, University of Munich
- Gallego-juarez, J. A., E. Riera., V. Acosta., G. Rodríguez., and A. Blanco. 2010. Ultrasonic System For Continuous Washing of Textiles In Liquid Layers. *Ultrasonics Sonochemistry* 17: 234–238.
- Gani, M. N., A.K. Alam., M. Rahman., S. Iqbal., M.A Samad., and M. Asaduzzaman. 2002. Comparative Effect of Water Hyacinth and Chemical Fertilizer on Growth and Fibre Quality of Jute. *Journal of Biological Science* 2: 558–559.
- García, N. L., L. Ribba., A. Dufresne., M. Aranguren., and S. Goyanes. 2011. Effect of glycerol on the morphology of nanocomposites made from thermoplastic starch and starch nanocrystals. *Carbohydrate Polymers* 84: 203-210.
- Gardner, D. J., G.S. Oporto., R. Mills., and A.S.A Samir. 2008. Adhesion and Surface Issues in Cellulose and Nanocellulose. *Journal of Adhesion Science and Technology* 22: 545–567.
- Gilfillan, W. N., L. Moghaddam., and W.O. Doherty. 2014. Preparation and Characterization of Composites from Starch with Sugarcane Bagasse Nanofibres. *Cellulose* 21: 2695-2712.
- Gledhill, W. E. 1974. Linear Alkylbenzene Sulfonate : Biodegradation and Aquatic Interaction. *Advances in Applied Microbiology* 17: 265-293.
- Granstrom, M. 2009. *Cellulose Derivatives : Synthesis , Properties and Applications*. [Dissertation]. Helsinki. Faculty of Sciences. University of Helsinki. 120 p.
- Gudmundsson, M. 1994. Retrogradation of Starch and The Role of Its Components. *Thermocimica Acta* 246: 329–341.
- Hapsari, B.W. 2009. Sintesis nanosfer berbasis ferrofluid dan poly lactic acid (PLA) dengan metode sonikasi. [Skripsi]. Bogor. Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Harmsen, P., W. Huijgen., L.M.B Lopez., and R.R.C Bakker 2010. Literature Review of Physical and Chemical Pretreatment Processes For Lignocellulosic Biomass. *Food & Biobased Research ECN-E-10*: 1–49.
- Harvey, G., A. Gachagan., and T. Mutasa. 2014. Review of High-Power Ultrasound — Industrial Applications and Measurement Methods. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control* 61: 481–495.
- Hearle. 1957. A Fringed Fibril Theory of Structure In Crystalline Polymers. *Journal of Polymer Science* 28: 432–435.

- Hietala, M., A.P. Mathew., and K. Oksman. 2013. Bionanocomposites of Thermoplastic Starch and Cellulose Nanofibers Manufactured Using Twin-Screw Extrusion. *European Polymer Journal* 49: 950–956.
- Hutapea, P. 2010. Pembuatan Tepung Biji Durian (*Durio Zibethinus Murr*) dengan Variasi Perendaman dalam Air Kapur dan Uji Mutunya. [Skripsi]. Medan. Fakultas Kesehatan Masyarakat. Universitas Sumatera Utara. 70 hal.
- Hulleman, S. H. D., M.G. Kalisvaart., F.H.P Janssen., H. Feil., and J.F.G Vliegenthart. 1999. Origins of B-Type Crystallinity In Glycerol-Plasticised, Compression-Moulded Potato Starches. *Carbohydrate Polymers* 39: 351-360.
- Husna, B. 2015. Identitas Sosial Pengguna Jilbab Dalam Kelompok Mahasiswi Inkafa, Kelompok Rohis Universitas Brawijaya Dan Komunitas Hijaber Malang. [Skripsi]. Malang. Universitas Islam Negeri (UIN) Maulana Malik Ibrahim.
- International Anatomist Wood Association (IAWA). 2008. *Microscopic Features for Hardwood Identification*.
- Iida, Y., T. Tuziuti., K. Yasui., A. Towata., and T. Kozuka. 2008. Control of Viscosity In Starch and Polysaccharide Solutions with Ultrasound After Gelatinization. *Innovative Food Science & Emerging Technologies* 9: 140–146.
- Jo, G., M. Choe., S. Lee., W. Park., Y.H. Kahng., and T. Lee. 2012. The Application of Graphene as Electrodes in Electrical and Optical Devices. *Nanotechnology* 23: 1-19.
- Joedodibroto, R., L.S. Widyanto., and M. Soerjani. 1983. Potential Uses of Some Aquatic Weeds as Paper Pulp. *Journal of Aquatic Plant Management* 21: 29–32.
- Johansson, C., J. Bras., I. Mondragon., P. Nechita., D. Plackett., P. Simon., D.G. Svetec., S. Virtanen., M.G. Baschetti., C. Breen., and S. Aucejo. 2012. Renewable Fibers and Bio-Based Materials For Packaging Applications - A Review of Recent Developments. *BioResources* 7: 2506–2552.
- Jonoobi, M., Harun, J., Shakeri, A., Misra, M., & Oksman, K. (2009). Chemical composition, crystallinity, and thermal degradation of bleached and unbleached kenaf bast. *Bio Resources*, 4(2), 626–639.
- Jonoobi, M., A.P. Mathew., M.M. Abdi., M.D. Makinejad., and K. Oksman. 2012. A Comparison of Modified and Unmodified Cellulose Nanofiber Reinforced Polylactic Acid (PLA) Prepared by Twin Screw Extrusion. *J Polym Environ* 20: 991–997.

- Juarez, A. G., G.R. Corral., G.N.V de Parga., F.V. Martinez., and P. van der Vlist. 2001. Process and Device For Continuous Ultrasonic Washing of Textile. [Patent]. USA.
- Kaewtatip, K. and J. Thongmee. 2012. Studies on The Structure and Properties of Thermoplastic Starch / Luffa Fiber Composites. *Materials & Design* 40: 314–318.
- Kalia, S., B.S. Kaith., and I. Kaur. 2011. *Cellulose Fibers: Bio-and Nano-Polymer Composites: Green Chemistry and Technology*. New York: Springer Science & Business Media. 723 p.
- Kargarzadeh, H., N. Johar., and I. Ahmad. 2017. Starch Biocomposite Film Reinforced By Multiscale Rice Husk Fiber. *Composites Science and Technology* 151: 147-155.
- Karimi, S., A. Dufresne., P.M. Tahir., A. Karimi., and A. Abdulkhani. 2014. Biodegradable Starch-Based Composites: Effect of Micro and Nanoreinforcements on Composite Properties. *J Mater Sci* 49: 4513–4521.
- Kaushik, A. and R. Kaur. 2016. Thermoplastic Starch Nanocomposites Reinforced with Cellulose Nanocrystals: Effect of Plasticizer on Properties. *Composite Interfaces* 23: 701-717.
- Kavelin, K. G. 2005. Investigation of Natural Fiber Composites Heterogeneity with Respect To Automotive Structures. [Dissertation]. Budapest. Budapest University of Technology and Economics.
- Khan, A., A.R. Khan., S. Salmieri., C. Le., B. Riedl., J. Bouchard., G. Chauve., V. Tan., M.R. Kamal., and Lacroix, M. 2012. Mechanical and Barrier Properties of Nanocrystalline Cellulose Reinforced Chitosan Based Nanocomposite Films. *Carbohydrate Polymers* 90: 1601–1608.
- Khan, W., R. Sharma., and P. Saini. 2016. *Carbon Nanotube-Based Polymer Composites: Synthesis, Properties and Applications*. Intechopen. pp. 1-46
- Kisambira, A., J.H. Muyonga., Y.B. Byaruhanga., and P. Tukamuhabwa. 2015. Composition and Functional Properties of Yam Bean (*Pachyrhizus Spp.*) Seed Flour. *Food and Nutrition Sciences* 6: 736–746.
- Kolpak, F.J. and J. Blackwell. 1976. Determination of The Structure of Cellulose II. *Macromolecules* 9: 273–278.
- Kurniawan, D. 2013. Sintesis nanopartikel serat rami dengan metode ultrasonikasi. [Skripsi]. Bogor. Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Lail, N. 2008. Penggunaan Tanaman Enceng Gondok Sebagai Pre-Treatmen

Pengolahan Air Minum pada Air Selokan Mataram. [Skripsi]. Fakultas Teknik Sipil dan Perencanaan. Universitas Islam Indonesia. 62 hal

- Langan, P., Y. Nishiyama., and H. Chanzy. 1999. A Revised Structure and Hydrogen-Bonding System In Cellulose II from A Neutron Fiber Diffraction Analysis. *Journal American Chemical Society* 121: 9940–9946.
- Lani, N. S., N. Ngadi., A. Johari., and M. Jusoh. 2014. Isolation, Characterization, and Application of Nanocellulose from Oil Palm Empty Fruit Bunch Fiber as Nanocomposites. *Journal of Nanomaterials* 2014: 13.
- Lapshin, S., S.K. Swain., and A.I. Isayev. 2008. Ultrasound Aided Extrusion Process For Preparation of Polyolefin – Clay Nanocomposites. *Polymer Engineering and Science* 39: 1585–1591.
- La-Rosa, A., M. Yan., R. Fernandez., X. Wang., and E. Zegarra. 2013. Top-Down and Bottom-Up Approaches To Nanotechnology. Portland State University. USA. 43 p.
- Lastriyanto, A., B.D. Argo., S. Hs., N. Komar., L.C. Hawa., dan B. Hermanto. 2007. Penentuan Koefisien Permeabilitas Film Edibel Terhadap Transmisi Uap Air, Gas O₂, Dan Gas CO₂. *Jurnal Teknologi Pertanian* 8: 182–187.
- Lee, S.Y., D.J. Mohan., I.A. Kang., G.H. Doh, S. Lee., and S.O. Han., 2009. Nanocellulose Reinforced PVA Composite Films: Effects of Acid Treatment and Filler Loading. *Fibers and Polymers* 10: 77-82.
- Li, W., J. Yue., and S. Liu., 2012. Preparation of nanocrystalline cellulose via ultrasound and its reinforcement capability for poly(vinyl alcohol) composites. *Ultrasonics Sonochemistry* 19: 479-485.
- Liang, C.Y. and R.H. Marchessault. 1959. Infrared Spectra of Crystalline Polysaccharides I. Hydrogen Bonds In Native Celluloses. *Journal of Polymer Science* 37: 385–395.
- Lima, F.F. and C.T. Andrade. 2010. Effect of Melt-Processing and Ultrasonic Treatment on Physical Properties of High-Amylose Maize Starch. *Ultrasonics Sonochemistry* 17: 637–641.
- Lopez, O.V., L.A. Castillo., M.A. Garcia., M.A. Villar., and S.E. Barbosa. 2015. Food Packaging Bags Based on Thermoplastic Corn Starch Reinforced with Talc Nanoparticles. *Food Hydrocolloids* 43: 18–24.
- Lozano, J.E., C. Annon., G.V. Barbosa-Canovas., and E. Parada-Arias. 2000. Food Preservation Technology Series : Trends In Food Engineering. (M. M. Gongora-Nieto, Ed.). Lancaster: Technomic Publishing.
- Lu, D.R., C.M. Xiao., and S.J. Xu. 2009. Starch-Based Completely Biodegradable

Polymer Materials. *Express Polymer Letters* 3: 366–375.

- Ma, X.F., J.G. Yu., and Y.B. Ma. 2005. Urea and Formamide as a Mixed Plasticizer For Thermoplastic Wheat Flour. *Carbohydrate Polymers* 60: 111–116.
- Magalhaes, N.F. and C.T. Andrade. 2009. Thermoplastic Corn Starch / Clay Hybrids: Effect of Clay Type and Content on Physical Properties. *Carbohydrate Polymers* 75: 712–718.
- Mali, S., E. Grossmann., M.A. Garcia., M.N. Martino., and N.E. Zaritzky. 2005. Mechanical and Thermal Properties of Yam Starch Films. *Food Hydrocolloids* 19: 157–164.
- Mali, S., E. Grossmann., M.A. Garcia., M.N. Martino., M. Victo., and N.E. Zaritzky. 2002. Microstructural Characterization of Yam Starch Films. *Carbohydrate Polymers* 50: 379–386.
- Mandal, A. and D. Chakrabarty. 2011. Isolation of Nanocellulose from Waste Sugarcane Bagasse (SCB) and Its Characterization. *Carbohydrate Polymers*, 86(3), 1291-1299.
- Manshor, M. R., H. Anuar., M.N.N Aimi., M.I.A Fitrie., W.B.W Nazri., S.M. Sapuan., Y.A. El-Shekeil., M.U. Wahit. 2014. Mechanical , Thermal and Morphological Properties of Durian Skin Fibre Reinforced PLA Biocomposites. *Materials and Design* 59: 279–286.
- Martin, A.R., M.A. Martins., O.R. da Silva., and L.H. Mattoso. 2010. Studies on The Thermal Properties of Sisal Fiber and Its Constituents. *Thermochimica Acta* 506: 14-19.
- Mason, T. J. and J.P. Lorimer. 1988. *Sonochemistry, Theory, Applications and Uses of Ultrasound In Chemistry (Ch.1)*. New York: NY: Wiley.
- Meyers, M.A., A. Mishra., and D.J. Benson. 2006. Mechanical Properties of Nanocrystalline Materials. *Progress in Materials Science* 51: 427–556.
- Mishra, S. and T. Rai. 2006. Morphology and Functional Properties of Corn, Potato and Tapioca Starches. *Food Hydrocolloids* 20: 557–566.
- Moran, J.I., V.A. Alvarez., V.P. Cyrus., and A. Vazquez. 2008. Extraction of Cellulose and Preparation of Nanocellulose from Sisal Fibers. *Cellulose* 15: 149–159.
- Mustafa, A. 2015. Analisis Proses Pembuatan Pati Ubi Kayu (Tapioka) Berbasis Neraca Massa. *Agrointek* 9: 127–133.
- Mwaikambo, L.Y. and M.P. Ansell, M. P. 2002. Chemical Modification of Hemp, Sisal, Jute, and Kapok Fibers By Alkalization. *Journal of Applied Polymer*

Science 84: 2222–2234.

- Nascimento, P., R. Marim., G. Carvalho., and S. Mali. 2016. Nanocellulose Produced from Rice Hulls and Its Effect on The Properties of Biodegradable Starch Films. *Materials Research* 19: 167-174.
- Nasution, H., H. Harahap., Y. Afandy., and M.T.A Fath. 2017. The Effect of Cellulose Nanocrystal (CNC) from Rattan Biomass as Filler and Citric Acid as Co-Plasticizer on Tensile Properties of Sago Starch Biocomposite. *AIP Conference Proceedings* 1904: p. 020043
- Nikmatin, S. 2012. Bionanokomposit filler nanopartikel serat kulit rotan sebagai material pengganti komposit sintetis fiber glass pada komponen kendaraan bermotor. [Disertasi]. Bogor. Fakultas Teknologi Pertanian, Institut Pertanian Bogor
- Onteniente, J., B. Abbes., L. Haidar., and R. France 2000. Fully Biodegradable Lubricated Thermoplastic Wheat Starch: Mechanical and Rheological Properties of an Injection Grade. *Starch/Stärke* 52: 112–117.
- Pareta, R. and M.J. Edirisinghe. 2006. A Novel Method For The Preparation of Starch Films and Coatings. *Carbohydrate Polymers* 63: 425–431.
- Parra, D. F., C.C. Tadini., P. Ponce., and A.B. Luga. 2004. Mechanical Properties and Water Vapor Transmission in Some Blends of Cassava Starch Edible Films. *Carbohydrate Polymers* 58: 475–481.
- Patriani, D. 2016. Pengaruh Penambahan Pati Bengkuang (*Pachyrhizus Erosus*) Terhadap Karakteristik Edible Film Berbahan Dasar Tepung Tapioka. [Skripsi]. Padang. Universitas Andalas.
- Pelissari, F.M., M.V.E Grossmann., F. Yamashita., and E.A.G Pineda. 2009. Antimicrobial , Mechanical , and Barrier Properties of Cassava Starch - Chitosan Films Incorporated with Oregano Essential Oil. *Journal of Agricultural and Food Chemistry* 57: 7499–7504.
- Pereda, M., G. Amica., I. Racz., and N.E. Marcovich. 2011. Structure and Properties of Nanocomposite Films Based on Sodium Caseinate and Nanocellulose Fibers. *Journal of Food Engineering* 103: 76–83.
- Persin, Z., K. Stana-Kleinschek., and T. Kreze, 2002. Hydrophilic / Hydrophobic Characteristics of Different Cellulose Fibres Monitored By Tensiometry. *Croatia Chemica Acta* 75: 271–280.
- Phua, Y.J., N.S. Lau., K. Sudesh., W.S. Chow., and Z.A.M Ishak. 2012. Biodegradability Studies of Poly (Butylene Succinate)/ Organo-Montmorillonite Nanocomposites Under Controlled Compost Soil Conditions: Effects of Clay Loading and Compatibiliser. *Polymer*

Degradation and Stability 97: 1345–1354.

- Prachayawarakorn, J., P. Sangnitdej., and P. Boonpasith. 2010. Properties of Thermoplastic Rice Starch Composites Reinforced by Cotton Fiber or Low-Density Polyethylene. *Carbohydrate Polymers* 81: 425–433.
- Prachayawarakorn, J. and P. Ruttanabu. 2011. Effect of Cotton Fiber Contents and Lengths on Properties of Thermoplastic Starch Composites Prepared from Rice and Waxy Rice Starches. *Journal Polymer Environment* 9: 274–282.
- Priya. B, V.K. Gupta., D. Pathania., and A.S. Singh. 2014. Synthesis, Characterization and Antibacterial Activity of Biodegradable Starch/PVA Composite Films Reinforced with Cellulosic Fibre. *Carbohydrate Polymers* 109: 171-179.
- Purnawati. R., I. Wahyudi, dan T. Priadi. 2012. Sifat Anatomi Kayu Flindersia pimenteliana F. Muell asal Teluk Wondama Papua Barat. *Jurnal Ilmu dan Teknologi Kayu Tropis* 10: 122-129.
- Putera, R.D.H. 2012. Ekstraksi Serat Selulosa Dari Tanaman Eceng Gondok (*Eichornia Crassipes*) Dengan Variasi Pelarut. [Skripsi]. Jakarta. Universitas Indonesia.
- Rahayu (2014). *Manfaat Bengkuang*. Penebar Swadaya. Jakarta: PT. Mirota Indah Indonesia.
- Ramesh, M., J.R. Mitchell., K. Jumel., and S.E. Harding. 1999. Amylose Content of Rice Starch. *Starch/Starke* 51: 311–313.
- Rhim, J.W., H.M. Park., and C.S. Ha. 2013. Bio-Nanocomposites for Food Packaging Applications. *Progress in Polymer Science* 38: 1629–1652.
- Rindlav-Westling, A., M. Stading., A.M. Hermansson., and P. Gatenholm. 1998. Structure, Mechanical and Barrier Properties of Amylose and Amylopectin Films. *Carbohydrate Polymers* 36: 217-224.
- Safitri, R. 2016. Pengaruh Konsentrasi Aktivator dan Waktu Aktivasi Terhadap Kualitas Karbon Aktif Dari Pelepah Kelapa Sawit. [Laporan Akhir]. Palembang. Jurusan Teknik Kimia, Politeknik Negeri Sriwijaya.
- Saiah, R., P.A. Sreekumar., P. Gopalakrishnan., N. Leblanc., R. Gattin., and J.M. Saiter. 2009. Fabrication and Characterization of 100 % Green Composite : Thermoplastic Based on Wheat Flour Reinforced by Flax Fibers. *Polymer Composites* 30: 1595–1600.
- Salaberria, A.M., R.H. Diaz., J. Labidi., and S.C. Fernandes. 2015. Role of Chitin Nanocrystals and Nanofibers on Physical, Mechanical and Functional Properties in Thermoplastic Starch Films. *Food Hydrocolloids* 46: 93-102.

- Salehudin, M.H., E. Salleh., I.I. Muhamad., and S.N.H Mamat. 2014. Starch-Based Biofilm Reinforced with Empty Fruit Bunch Cellulose Nanofibre. *Materials Research Innovations* 18: 322–325.
- Sanyang, M.L., S.M. Sapuan., M. Jawaid., M.R. Ishak., and J. Sahari. 2016. Effect of Sugar Palm-Derived Cellulose Reinforcement on The Mechanical and Water Barrier Properties of Sugar Palm Starch Biocomposite Films. *BioResources* 11: 4134-4145.
- Savadekar, N.R. and S.T. Mhaske. 2012. Synthesis of Nano Cellulose Fibers and Effect on Thermoplastics Starch Based Films. *Carbohydrate polymers* 89: 146-151.
- Savadekar, N.R. V.S. Karande., N. Vigneshwaran., A.K. Bharimalla., and S.T. Mhaske. 2012. Preparation of Nano Cellulose Fibers and Its Application in Kappa-Carrageenan Based Film. *International Journal of Biological Macromolecules* 51: 1008-1013.
- Shlieout, G., K. Arnold., and G. Muller. 2002. Powder and Mechanical Properties of Microcrystalline Cellulose with Different Degrees of Polymerization. *AAPS Pharmacy Science Technology* 3: 1–10.
- Silva, J.B.A., F.V. Pereira., and J.I. Druzian. 2012. Cassava Starch-Based Films Plasticized with Sucrose and Inverted Sugar and Reinforced with Cellulose Nanocrystals. *Journal of Food Science* 77: 14–19.
- Singh, N., J. Singh., L. Kaur., N.S. Sodhi., and B.S. Gill. 2003. Morphological, Thermal and Rheological Properties of Starches from Different Botanical Sources. *Food Chemistry* 81: 219–231.
- Singh, N. and L. Kaur. 2004. Morphological, Thermal, Rheological and Retrogradation Properties of Potato Starch Fractions Varying in Granule Size. *Journal of the Science of Food and Agriculture* 84: 1241-1252.
- Sorrentino, A., G. Gorassi., and V. Vittoria. 2007. Potential Perspectives of Bio-Nanocomposites For Food Packaging Applications. *Food Science and Technology* 18: 84–95.
- Sothornvit, R., J. Rhim., and S. Hong. 2009. Effect of Nano-Clay Type on The Physical and Antimicrobial Properties of Whey Protein Isolate / Clay Composite Films. *Journal of Food Engineering* 91: 468–473.
- Soykeabkaew, N., N. Laosat., A. Ngaokla., N. Yodsuwan., and T. Tunkasiri. 2012. Reinforcing Potential of Micro-and Nano-Sized Fibers in The Starch-Based Biocomposites. *Composites Science and Technology* 72: 845-852.
- Sreekumar, P.A., P. Gopalakrishnan., N. Leblanc., and J.M. Saiter. 2010. Effect of

Glycerol and Short Sisal Fibers on The Viscoelastic Behavior of Wheat Flour Based Thermoplastic. *Composites Part A* 41: 991–996.

Stacy, W. S. & Hrabak, O. (1989). *Biodegradable Natural Synthetic Polymer Graft Copolymer*. Antec, Lafayette.

Stepo, R.F.T. 2003. The Processing of Starch as a Thermoplastic. *Macromolecules Symposium* 201: 203–212.

Subardi. 2009. Pengaruh Penambahan Partikel Chromium terhadap Kekerasan Alumina yang Mengandung 20% Berat Silika. *Media Mesin* 10: 30-36.

Summerscales, J., N.P.J. Dissanayake., A.S. Virk., and W. Hall. 2010. A Review of Bast Fibres and Their Composites . Part 1 – Fibres as Reinforcements. *Composites Part A* 41: 1329–1335.

Supranto, J. (2000). *Statistik Teori dan Aplikasi (Edisi ke-enam) (Jilid 1)*. Ciracas, Jakarta: Erlangga

Suslick, K. S. (1994). *The chemistry of ultrasound from the yearbook of science and the future*. Chicago, USA: Encyclopedia Britannica.

Swain, S.K. and A.I. Isayev. 2009. PA6 / Clay Nanocomposites By Continuous Sonication Process. *Journal of Applied Polymer Science* 114: 2378–2387.

Swain, S.K., A.K. Pradhan., and H.S. Sahu. 2013. Synthesis of Gas Barrier Starch By Dispersion of Functionalized Multiwalled Carbon Nanotubes. *Carbohydrate Polymers* 94: 663–668.

Syafri, E., A. Kasim., A. Asben., P. Senthamarai kannan., and M.R. Sanjay. 2018. Studies on Ramie Cellulose Microfibrils Reinforced Cassava Starch Composite: Influence of Microfibrils. *Journal of Natural Fibers*: 1–10.

Syafrudin, A., Suryono, J.E. Suseno. 2008. Rancang bangun generator pulsa gelombang ultrasonik dan implementasinya untuk pengukuran jarak antara dua obyek. *Fisika* 11: 29-37.

Talja, R.A., M. Peura., R. Serimaa., and K. Jouppila. 2008. Effect of Amylose Content on Physical and Mechanical Properties of Potato-Starch-Based Edible Films. *Biomacromolecules* 9: 658–663.

Teixeira, E.D.M., D. Pasquini., A.A. Curvelo., E. Corradini., M.N. Belgacem., and A. Dufresne. 2009. Cassava Bagasse Cellulose Nanofibrils Reinforced Thermoplastic Cassava Starch. *Carbohydrate polymers* 78: 422-431.

Teixeira, E.D.M., C. Lotti., A.C. Correa., K.B.R Teodoro., J.M. Marconcini., and L.H.C Mattoso. 2010. Thermoplastic Corn Starch Reinforced with Cotton Cellulose Nanofibers. *Journal of Applied Polymer Science* 120: 2428–2433.

- Teixeira, E.M., A.L. Roz, A.J.F Carvalho., and A.A.S Curvelo. 2007. The Effect of Glycerol / Sugar / Water and Sugar / Water Mixtures on The Plasticization of Thermoplastic Cassava Starch. *Carbohydrate Polymers* 69: 619–624.
- Thunwall, M., A. Boldizar., and M. Rigdahl. 2006. Compression Molding and Tensile Properties of Thermoplastic Potato Starch Materials. *Biomacromolecules* 7: 981–986.
- Tibbets. 2015. Managing Marine Plastic Pollution. *Spheres of Influence* 123: 90–93.
- Ticoalu, A., T. Aravinthan., and F. Cardona. 2010. A Review of Current Development in Natural Fiber Composites For Structural and Infrastructure Applications. Southern Region Engineering Conference, SREC2010-F(November), 1–5.
- Tipler, P. A. (2011). *Fisika untuk Sains dan Teknik*. Edisi ke-3. Volume ke-2. Jakarta, Indonesia: Erlangga.
- Ulfah, M. 2007. Kajian Biodegradasi Bioplastik Berbasis Poli- β -Hidroksialkanoat (PHA) dengan Pemplastis Dimetil Ftalat, Dietil Glikol dan Polietilen Glikol pada Lingkungan Tanah yang Berbeda. [Skripsi]. Bogor. Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Trisiana, L.S., T. Maideliza., and R. Mayerni. 2016. Kualitas Serat Lima Klon Tanaman Rami (*Boehmeria Nivea L.Gaud*). *Eksakta* 1: 8-16.
- Van Soest, J.J.G. and P. Essers. 2006. Influence of Amylose-Amylopectin Ratio on Properties of Extruded Starch Plastic Sheets. *Journal of Macromolecular Science, Part A: Pure and Applied Chemistry* 9: 1665–1687.
- Vimala, K., Y.M. Mohan., K. Varaprasad. and N. Narayana. 2011. Fabrication of Curcumin Encapsulated Chitosan-PVA Silver Nanocomposite Films For Improved Antimicrobial Activity. *Journal of Biomaterials and Nanobiotechnology* 2: 55–64.
- Waryat, M. Romli., A. Suryani., I. Yuliasih., dan S.J.A Nasiri. 2013. Pemanfaatan Pati Termoplastik Sebagai Bahan Baku Plastik Kemasan Ramah Lingkungan. *Buletin Pertanian Perkotaan* 3: 15–20.
- Widya, D. 2003. Proses produksi dan karakterisasi tepung biji mangga jenis arummanis (*Magifera indica L.*). [Skripsi]. Bogor. Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Winarno, F. G. (1997). *Kimia Pangan dan Gizi*. Jakarta Indonesia: Gramedia Pustaka Utama

- Winata, R.C.A. 2011. Studi Pengomposan Eceng Gondok (*Eichornia Crassipes*) Dan Jerami Padi Dengan Penambahan Biodekomposer. [Skripsi]. Malang. Universitas Islam Negeri (UIN) Maulana Malik Ibrahim.
- Yasmine, S., Z. Zainuddin., I. Ahmad., H. Kargarzadeh., I. Abdullah., and A. Dufresne. 2013. Potential of Using Multiscale Kenaf Fibers as Reinforcing Filler in Cassava Starch-Kenaf Biocomposites. *Carbohydrate Polymers* 92: 2299–2305.
- Yatarif, N.W. 2008. Karakterisasi sinyal akustik untuk mendeteksi keabnormalan jaringan tubuh menggunakan ultrasonik. [Skripsi]. Depok. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia.
- Yue Zuo, J., K. Knoerzer., R. Mawson., S. Kentish., and M. Ashokkumar. 2009. The Pasting Properties of Sonicated Waxy Rice Starch Suspensions. *Ultrasonics Sonochemistry* 16: 462–468.
- Yulianti, L. 2016. Pengaruh Perbandingan Terigu Dengan Parutan Bengkuang (*Pachyrhizus Erosus*) Terhadap Mutu Dan Karakteristik Cookies Yang Dihasilkan. [Skripsi]. Padang. Universitas Andalas.
- Zhang, J., H. Song., L. Lin., J. Zhuang., C. Pang., and S. Liu. 2010. Microfibrillated Cellulose from Bamboo Pulp and Its Properties. *Biomass and Bioenergy* 39: 78-83.
- Zhang, Y.P. and L.R. Lynd. 2005. Determination of The Number-Average Degree of Polymerization of Cellodextrins and Cellulose with Application To Enzymatic Hydrolysis. *Biomacromolecules* 6: 1510–1515.

