

ORNITOLOGÍA NEOTROPICAL

(2017) 28: 333–343

INDEXSociedad
de Ornitología
Neotropical**André-A. Weller**

Section of Ornithology, Zoological Research Museum A. Koenig, Adenauerallee 160, 53113 Bonn, Germany.

LIST OF REFEREES 2017 (*: more than one manuscript)

Francisca Aguiar-Silva, Tomás Altamirano, Sergio Alvarado, Juan Amat, Marina Anciaes, Wayne Arendt, Juan Ignacio Areta*, Christian Artuso, Cristiano Azevedo, Henrique Batalha, Arnaud Bechet, Peter Bednekoff, Marcelo Bertelloti, Carlos Bosque, Donald Brightsmith*, Juli Broggi, Daniel Brooks*, Gustavo Sebastian Cabanne*, Hector Cadena*, Augusto Cardoni, Martina Carrete*, Juan Celis, Cesar Cestari, Sergio Chaparro-Herrera, Flávia Chaves, Yanira Cifuentes Sarmiento*, Christopher Clark, Kristina Cockle*, Mariano Codesido, Cintia Cornelius*, Alejandro Correa, Natalia Cozzani, Victor Cueto, Fernando D'Horta, Liliana D'Alba, Sylvia Margarita de la Parra Martinez, Miguel Angel De Labra Hernandez, Kaspar Delhey*, Adrian Di Giacomo, Alejandro Di Giacomo, Maria Echeverry-Galvis*, Patricia Escalante-Pliego, Priscilla Esclarski, Cristian Estades, Andrés Estay, José Ferrer-Paris, Ricardo Figueroa, Rosendo Fraga, Juan Freile, Martin Frixione, Julio Gallardo, Alejandro Gatto, Isabel Gómez Villafañe, Daniel Gonzalez, Carlos Gussoni, Diego Hoffmann*, Silvina Ippi, Juan Pablo Isacch*, Jaime Jimenez, Erik Johnson, Matías Juhant, Jordan Karubian, Cecília Kierulff, Alejandro Kusch*, Carlos Lara, Thiago Laranjeiras, Javier Lenzi, A. Lezama, Rodrigo Lorenzón, Regina Macedo, Maria Maglianese, Lilian Manica*, Fernando Mapelli, Nancy Marinero, Vanessa Martínez-García, Juan Masello*, Eric Mellink, João Menezes, Tiberio Monterrubio-Rico, Italo Mourthe, Marcia Muñoz, Michael Murphy, Adolfo Navarro Siguenza*, David Ocampo, George Olah*, Nadinni Oliveira de Matos Sousa, Francisco Ornelas, Raul Ortiz-Pulido*, Jane Packard, Facundo Palacio, Michael Patten, Jorge Perez, Marco Aurelio Pizo, Matías Pretelli, Juan Quiñónez Guzmán, José Ragusa-Netto, Jaime Ramos, John Rappole, Jaime Rau, Miguel Ángel Rendon, Ignacio Roesler*, Rafael Rueda-Hernández, Ernesto Ruelas Inzunza, Roman Ruggera, Miguel Saggese, Alejandro Salinas-Melgoza, Luis Sanchez-Gonzalez, Luis Sandoval*, Ivan Sazima, Alejandro Schaaf*, Nathaniel Seavy, Raul Sedano, Luciano Segura, Luís Silveira, Samuel Snow, A Sosa, Jeff Stratford, Jean Marc Thiollay*, Ricardo Torres, Mauricio Ugarte-Lewis, Sandra Valderrama, Hein van Grouw, Edson Varga Lopes, Leopoldo Vázquez-Reyes, Carlos Vereza, Jhonson Vizcarra, Grazielle Volpato, André Weller*, Pablo Yorio, Agustin Zarco, Kristof Zyskowski*.

INDEX OF KEY WORDS AND NAMES 2017

<i>Abies guatemalensis</i> , 155–162	<i>Alopocheilidon fucata</i> , 281–290
<i>Aburria jacutinga</i> , 281–290	<i>Amadonastur lacernulatus</i> , 281–290
<i>Acanthistius brasilianus</i> , 103–111	<i>Amaurolimnas concolor</i> , 281–290
<i>Accipiter bicolor</i> , 281–290	<i>Amaurospiza moesta</i> , 281–290
<i>Accipiter poliogaster</i> , 281–290	<i>Amazilia brevirostris</i> , 281–290
<i>Accipiter striatus</i> , 281–290	<i>Amazilia castaneiventris</i> , 223–235
<i>Accipiter superciliosus</i> , 281–290	<i>Amazilia chionogaster</i> , 77–87
Acosta-Rojas, D. C., 295–307	<i>Amazilia cyanifrons</i> , 223–235
<i>Actitis macularius</i> , 89–96	<i>Amazilia fimbriata</i> , 281–290
Active pursuit, 309–311	<i>Amazilia lactea</i> , 281–290
<i>Aegolius harrisi</i> , 281–290	<i>Amazilia versicolor</i> , 281–290
<i>Agamia agami</i> , 89–96	Amazon, 11–21
<i>Agelaioides badius</i> , 77–87, 119–128	<i>Amazona aestiva</i> , 281–290
<i>Agelasticus cyanopus</i> , 281–290	<i>Amazona brasiliensis</i> , 281–290
Aggressive encounters, 23–26	<i>Amazona vinacea</i> , 281–290
Aging techniques, 129–133	<i>Amazonetta brasiliensis</i> , 89–96, 281–290
Agnolin, F., 321–331	<i>Ammodramus humeralis</i> , 119–128, 281–290
<i>Aiphanes horrida</i> , 295–307	<i>Anabacerthia amaurotis</i> , 281–290
Alonso, J. A., 11–21	<i>Anabacerthia lichtensteini</i> , 281–290

- Anabazenops fuscus*, 281–290
Anacardium excelsum, 223–235
Anairetes parulus, 77–87, 191–199
Anas bahamensis, 89–96
Anas flavirostris, 89–96, 119–128
Anas georgica, 89–96, 119–128
Anas platalea, 89–96
Anas versicolor, 89–96
 Andes, 269–275
 Andriola, J. V. P., 309–311
Anhima cornuta, 89–96
Anhinga anhinga, 89–96, 281–290
Aniba perutilis, 295–307
Anodorhynchus hyacinthinus, 187–190, 213–217
 Anomaly, 143–145
Anthracothorax nigricollis, 281–290
Anthus correndera, 243–252
Anthus correndera chilensis, 243–252
Anthus lutescens, 281–290
Anthus sp., 77–87
Antrostomus sericocaudatus, 281–290
Aphantochroa cirrochloris, 281–290
Aphrastura spinicauda, 191–199
Apis mellifera scutellata, 213–217
 Aquatic birds, 89–96
Ara chloropterus, 213–217, 253–260
Ara macao cyanoptera, 213–217
Ara militaris, 213–217
Aramides cajaneus, 89–96, 281–290
Aramides saracura, 89–96, 119–128, 281–290
Aramides ypecaha, 89–96, 119–128
Aramus guarauna, 89–96, 119–128
Ardea alba, 89–96, 119–128, 281–290
Ardea cocoi, 89–96, 119–128, 281–290
 Arecaceae, 295–307
Arenaria interpres, 89–96
 Arequipa, 219–221
 Areta, J. I., 243–252
Argemone subfusiforme, 43–50
 Argentina, 43–50, 51–56, 103–111, 243–252, 321–331
 Armesto, J. J., 191–199
Arremon schlegeli canidorsum, 223–235
Arremon semitorquatus, 281–290
Arremonops conirostris, 209–212
 Arthropods consumption, 191–199
 Artificial habitats, 89–96
Arundinicola leucocephala, 281–290
Asio clamator, 51–56, 281–290
Asio flammeus, 77–87, 281–290
Asio stygius, 281–290
Asthenes baeri, 119–128
Asthenes dorbigny, 77–87
Athene cunicularia, 281–290
Attila phoenicurus, 281–290
Attila rufus, 281–290
Automolus leucophthalmus, 281–290
Avena sativa, 43–50
 Aves, 281–290
 Avian biogeography, 11–21
Bactris gasipaes, 295–307
Bactris setulosa, 295–307
Bactris sp., 295–307
 Baladrón, A. V., 51–56
 Balas McNab, R., 213–217
 Barbieri, E., 27–36
 Barceló, M., 97–101, 113–117
Basileuterus culicivorus, 119–128, 223–235, 281–290
Basileuterus hypoleucus, 281–290
Basileuterus rufifrons, 223–235
Batara cinerea, 281–290
 Batisteli, A. F., 291–294
 Becard, 201–207
 Behavior, 37–41, 253–260
Beilschmiedia sulcata, 295–307
Biatas nigropectus, 281–290
 Bioacoustics, 23–26, 243–252
 Biogeographic pattern, 155–162
 Biotic homogenization, 77–87
 Bird abundance, 77–87
 Bird behavior, 291–294
 Bird communities, 223–235
 Bird list, 11–21
 Bird richness, 77–87
 Birds diet, 191–199
 Bó, M. S., 51–56
 Bodrati, A., 201–207
 Bosholn, M., 23–26
Botaurus pinnatus, 89–96
Bothriurus burmeisteri, 237–241
 Boyd, J., 213–217
 Brazil, 27–36, 281–290, 291–294, 309–311
 Breeding, 261–268
 Breeding biology, 37–41
 Breeding phenology, 57–66
 Breeding season, 97–101, 113–117
 Brightsmith, D.J., 213–217
 Brillouin formula, 191–199
 Brooding behavior, 269–275
Brotogeris chiriri, 281–290
Brotogeris tirica, 281–290
 Brown rat, 237–241
Bubo magellanicus, 237–241
Bubo virginianus, 281–290
Bubulcus ibis, 77–87, 119–128, 281–290
 Buenos Aires province, 321–331
Buteo brachyurus, 281–290
Butorides striata, 89–96, 119–128, 281–290
Butorides striata,
 By-catch, 27–36
 Caatinga, 89–96
Cacicus chrysopterus, 281–290
Cacicus haemorrhous, 281–290
Cairina moschata, 281–290
Calidris bairdii, 89–96
Calidris canutus, 89–96
Calidris fuscicollis, 89–96
Calidris melanotos, 89–96
Calidris subruficollis, 89–96
Calliphlox amethystina, 281–290
Callonetta leucophrys, 89–96, 119–128
Calothorax lucifer, 67–75
 Camera traps, 313–320

- Campephilus leucopogon*, 321–331
Campephilus magellanicus, 321–331
Campephilus robustus, 281–290
Camptostoma obsoletum, 281–290
Campylorhamphus falcularius, 281–290
Cantorchilus longirostris, 281–290
Cantorchilus thoracicus, 163–174
 Canyon of Chicamocha, 223–235
Capsella bursa-pastoris, 43–50
Capsiempis flaveola, 281–290
Caracara plancus, 119–128, 281–290
 Carbó-Ramírez, P., 1–10
 Cárdenas, S., 295–307
 Cardinalidae, 37–41
 Cardona, L. M., 295–307
 Cardoso, T. A. L., 89–96
Carduus thoermeri, 43–50
Cariama cristata, 281–290
Carpornis cucullata, 281–290
Carpornis melanocephala, 281–290
 Carvalho, B. M., 27–36
 Castillo-Guerrero, J. A., 57–66
Catamenia analis, 77–87
Cathartes aura, 281–290
Catharus fuscescens, 281–290
Catharus ustulatus, 223–235
 Cavarzere, V., 281–290
Celeus flavescens, 281–290
 Celis-Diez, J. L., 191–199
 Central America, 181–185
Ceroxylon quindiuense, 295–307
 Cerro Montezuma, 37–41
Certhiaxis cinnamomeus, 281–290
 Cestari, C., 277–280
Chaetura cinereiventris, 281–290
Chaetura meridionalis, 281–290
Chamaedorea linearis, 295–307
Chamaeza campanisona, 281–290
Chamaeza meruloides, 281–290
Charadrius collaris, 89–96
Chauna torquata, 89–96
 Cheli, G., 237–241
Chenopodium álbum, 43–50
 Chestnut-throated Huet-huet, 97–101
 Chile, 97–101, 113–117, 191–199, 243–252
 Chiloé Island, 191–199
 Chimalapas, 313–320
Chiroxiphia caudata, 281–290
Chloris chloris, 77–87
Chloroceryle aenea, 89–96, 281–290
Chloroceryle amazona, 89–96, 119–128, 281–290
Chloroceryle inda, 89–96, 281–290
Chlorophanes spiza, 209–212, 281–290
Chlorophonia cyanea, 281–290
Chlorospingus flavopectus, 209–212
Chlorostilbon lucidus, 77–87, 119–128, 281–290
Chlorothraupis stolzmanni, 37–41
Chondrohierax uncinatus, 281–290
Chordeiles minor, 119–128
Chroicocephalus maculipennis, 89–96
Chrysomus ruficapillus, 281–290
Cichlocolaptes leucophrus, 281–290
Ciconia maguari, 89–96, 119–128
Cinclodes fuscus, 77–87
Cinnamomum triplinerve, 295–307
 Circular statistics, 129–133
Circus buffoni, 89–96, 119–128
Cissopis leverianus, 281–290
Cistothorus platensis, 119–128, 281–290
Claravis geoffroyi, 281–290
Claravis pretiosa, 281–290
 Cloudforest, 269–275
Clytolaema rubricauda, 281–290
Cnemalobus sp., 237–241
Cnemotriccus fuscatus, 281–290
 Cóbar-Carranza, A. J., 155–162
Coccyzus americanus, 223–235
Coccyzus euleri, 281–290
Coccyzus melacoryphus, 119–128, 281–290
Cochlearius cochlearius, 281–290
 Cockle, K. L., 201–207
Coereba flaveola, 209–212, 281–290
Colaptes campestris, 119–128, 281–290, 321–331
Colaptes melanochloros, 77–87, 119–128, 281–290, 321–331
Colaptes naroskyi, 321–331
Colaptes rupicola, 77–87
Colibri coruscans, 77–87
Colibri serrirostris, 281–290
 Collazos-González, S. A., 223–235
Colonia colonus, 281–290
 Colony size, 57–66
 Colpa, 253–260
Columba livia, 77–87, 281–290
Columbina picui, 77–87, 119–128
Columbina squammata, 281–290
Columbina talpacoti, 119–128, 281–290
 Competition, 67–75
 Composition, 77–87
Conirostrum speciosum, 281–290
Conopias trivirgatus, 281–290
Conopophaga lineata, 281–290
Conopophaga melanops, 281–290
Conopophagidae, 281–290
 Conservation, 77–87, 119–128, 135–141, 281–290
Contopus cinereus, 281–290
Coragyps atratus, 119–128, 281–290
Corapipo altera, 209–212
 Correndera Pipit, 243–252
Coryphistera alaudina, 119–128
Corythopis delalandi, 281–290
Coscoroba coscoroba, 89–96
 Costa Rica, 135–141, 181–185, 209–212
 Costán, A. S., 43–50
 Courtship, 277–280
 Courtship display, 23–26
 Cracidae, 155–162, 313–320
Cranioleuca obsoleta, 281–290
Cranioleuca pallida, 281–290
Crax blumenbachii, 313–320
Crax fasciolata, 313–320
Crax rubra, 313–320

- Crotophaga ani*, 281–290
Crypturellus noctivagus, 281–290
Crypturellus obsoletus, 281–290
Crypturellus parvirostris, 281–290
Crypturellus tataupa, 281–290
Cucumis anguria, 43–50
Curaeus curaeus, 191–199
 Cursach, J. A., 77–87
Cyanocorax caeruleus, 281–290
Cyanocorax cristatellus, 281–290
Cyanoloxia brissonii, 281–290
Cyanoloxia glaucoacaerulea, 281–290
Cyathea, 269–275
Cyclarhis gujanensis, 119–128, 281–290
Cygnus melanocoryphus, 89–96
Cypseloides fumigatus, 281–290
Cypseloides senex, 281–290
Cyrtograpus angulatus, 103–111
Dacnis cayana, 209–212, 281–290
Dacnis nigripes, 281–290
Dacnis venusta, 209–212
Dacryodes sp., 295–307
Dacryodes trinitensis, 295–307
 Darkling beetles, 237–241
 Darwin's gecko, 237–241
 De Lamo, D., 261–268
 De Lea, M., 209–212
 de Paula, G. A., 187–190
 Decaying trees, 187–190
 Deffaci, A. C., 119–128
Dendrocincla homochroa, 209–212
Dendrocincla turdina, 281–290
Dendrocolaptes platyrostris, 281–290
Dendrocygna autumnalis, 89–96, 281–290
Dendrocygna bicolor, 89–96
Dendrocygna viduata, 89–96, 119–128, 281–290
Dendropanax macrocarpus, 295–307
 Díaz-Alvan, J., 11–21
 Diet composition, 51–56
 Diet, 27–36, 103–111
Diglossa carbonaria, 77–87
 Dispersal, 209–212
 Distribution, 243–252
Diuca diuca, 77–87
 Diversity, 119–128
 Dominance, 277–280
Donacobius atricapilla, 281–290
Donacospiza albifrons, 281–290
Dromococcyx pavoninus, 281–290, 309–311
 Drylands, 89–96
Drymis granadensis, 155–162
Drymophila ferruginea, 281–290
Drymophila malura, 281–290
Drymophila ochropyga, 281–290
Drymophila rubricollis, 281–290
Drymophila squamata, 281–290
Dryocopus galeatus, 281–290
Dryocopus lineatus, 281–290, 321–331
Dysithamnus mentalis, 281–290
Dysithamnus stictothorax, 281–290
Dysithamnus xanthopterus, 281–290
 Eared Dove, 43–50
 Ecuador, 269–275
 Edge effect, 119–128
 Eggs, 37–41, 269–275
Egretta caerulea, 89–96, 281–290
Egretta thula, 89–96, 119–128, 281–290
Elaenia albiceps, 77–87, 191–199
Elaenia chilensis, 281–290
Elaenia flavogaster, 119–128, 281–290
Elaenia mesoleuca, 281–290
Elaenia obscura, 281–290
Elaenia parvirostris, 77–87, 119–128, 281–290
Elaenia sp., 119–128
Elaenia spectabilis, 119–128, 281–290
Elanoides forficatus, 281–290
Elanus leucurus, 77–87, 281–290
Eleoscytalopus indigoticus, 281–290
 Elliot, K., 135–141
Emberizoides herbicola, 281–290
Embernagra platensis, 77–87, 119–128, 281–290
Emmallodera crenaticostata, 237–241
Empidonomus varius, 119–128, 281–290
Engraulis anchoita, 103–111
Enicognathus ferrugineus, 77–87
Enterolobium contortisiliquum, 187–190
 Espinal, 43–50
Eunicidae spp., 103–111
Eupetomena macroura, 281–290
Euphonia chalybea, 281–290
Euphonia chlorotica, 281–290
Euphonia cyanocephala, 281–290
Euphonia imitans, 209–212
Euphonia laniirostris, 209–212
Euphonia pectoralis, 281–290
Euphonia violacea, 281–290
Eurypyga helias, 89–96
Euterpe precatoria, 295–307
 EVI, 261–268
 Exotic species, 77–87
 Extinction risk, 155–162
 Fagan, M. E., 163–174
Falco femoralis, 281–290
Falco ruficularis, 281–290
Falco sparverius, 77–87, 119–128, 281–290
 Feeding behavior, 187–190, 295–307
 Feeding ecology, 103–111
 Feeding methods, 309–311
 Feeding visits, 269–275
 Fischer, E., 187–190
 Fishery discards, 103–111
Florisuga fusca, 281–290
Fluvicola nengeta, 281–290
 Food habit, 187–190
 Food-niche breadth, 51–56
 Foraging preferences, 67–75
 Forest succession, 209–212
Formicarius colma, 281–290
Formicivora grisea, 223–235
 Formoso, A. E., 237–241
Forpus xanthopterygius, 281–290
 Fossil bird, 321–331

- Fragmentation, 163–174
Fregata magnificens, 27–36
 Frixione, M. G., 261–268
 Frugivory, 209–212, 295–307
 Fruit consumption, 209–212
 Fruit morphology, 295–307
Fulica leucoptera, 89–96
Fumaria officinalis, 43–50
 Furnariidae, 269–275
Furnarius rufus, 77–87, 119–128, 281–290
 Gallés, A., 129–133
Gallinago paraguayae, 89–96, 281–290
Gallinula galeata, 89–96, 119–128, 281–290
 Galván-Piña, V. H., 57–66
 Gap crossing, 163–174
 Garcia-Anleu, R., 213–217
Geonoma densa, 295–307
Geonoma undata, 295–307
Geonoma weberbaueri, 295–307
 Geophagy, 253–260
Geospizopsis plebejus, 77–87
Geothlypis aequinoctialis, 281–290
Geotrygon montana, 281–290
Geranoaetus albicaudatus, 119–128, 281–290
Geranoaetus melanoleucus, 281–290
Geranoaetus polyosoma, 97–101, 113–117
Geranoospiza caerulescens, 281–290
Glaucidium brasilianum, 281–290
Glaucidium minutissimum, 281–290
Glaucis hirsutus, 281–290
Gnorimopsar chopi, 281–290
 Golfo San Jorge, 103–111
 González-García, F., 155–162
 Gradients, 223–235
Grallaria varia, 281–290
 Grallariidae, 181–185, 281–290
 Granivory, 43–50
 Gray-mantled Wren, 175–179
 Greeney, H. F., 181–185, 269–275
Griseotyrannus aurantioatrocristatus, 119–128
 Guallar, S., 129–133
 Guatemala, 213–217
Gubernetes yetapa, 281–290
 Guigeno, M. F., 135–141
 Guillermo-Ferreira, R., 291–294
Guira guira, 77–87, 119–128, 281–290
 Gulick, S., 213–217
 H/L ratio, 1–10
Habia rubica, 281–290
 Habitat, 243–252
 Habitat assessment, 135–141
 Habitat fragmentation, 281–290
Haemorrhous mexicanus, 1–10
 Haffey, W., 209–212
 Hallux, 143–145
Haplospiza unicolor, 281–290
Harpagus diodon, 281–290
 Hartmann, M. T., 119–128
 Hartmann, P. A., 119–128
Hedyosmum cuatrecazanum, 295–307
Helianthus annuus, 43–50
Heliobletus contaminatus, 281–290
Heliomaster furcifer, 119–128
Heliomaster squamosus, 281–290
Heliornis fulica, 89–96
Heliophryx auritus, 281–290
Hemithraupis guira, 281–290
Hemithraupis ruficapilla, 281–290
Hemitriccus diops, 281–290
Hemitriccus margaritaceiventer, 223–235
Hemitriccus nidipendulus, 281–290
Hemitriccus obsoletus, 281–290
Hemitriccus orbitatus, 281–290
 Henao Díaz, F., 295–307
Henicorhina leucophrys, 147–153
Henicorhina leucophrys manastarae, 147–153
Henicorhina leucophrys meridana, 147–153
Henicorhina leucophrys sanluisensis, 147–153
Henicorhina leucophrys tamae, 147–153
Henicorhina leucophrys venezuelensis, 147–153
Henicorhina leucosticta, 163–174
 Hernández-Vázquez, S., 57–66
Herpetotheres cachinnans, 281–290
Herpsilochmus rufimarginatus, 281–290
Heteronetta atricapilla, 89–96
Heterospizias meridionalis, 281–290
Heterosquilla polydactyla, 103–111
 Hierarchical Cluster Analysis, 281–290
Himantopus himantopus, 89–96
Himantopus mexicanus, 89–96
 Hinojosa-Larios, J. A., 57–66
Hirundinea ferruginea, 281–290
Hirundo rustica, 77–87
Histiopus montanus, 237–241
Homonota darwinii, 237–241
 Horned Guan, 155–162
Humiria sp., 295–307
 Hummingbirds, 23–26
 Hunting pressure, 155–162
Hydropsalis albicollis, 281–290
Hydropsalis forcipata, 281–290
Hydropsalis parvula, 281–290
Hydropsalis torquata, 281–290
Hylithus tentyroides, 237–241
Hylocharis chrysurus, 119–128
Hylocharis cyanus, 281–290
Hylocharis leucotis, 129–133
Hylopezus dives, 181–185
Hylopezus nattereri, 281–290
Hylophilus poicilotis, 281–290
Hypoedaleus guttatus, 281–290
Icterus pyrrhopterus, 281–290
Ictinia plumbea, 201–207, 281–290
Idotea baltica, 103–111
Ilicura militaris, 281–290
 Immune function, 1–10
 Impact, 119–128
 Incubation, 37–41, 269–275
 Insectivore, 163–174
 Interaction, 277–280
 Interannual changes, 57–66
 Interspecific network, 201–207

- Interview, 135–141
Iodopleura pipra, 281–290
 Ippi, S., 191–199
Ixobrychus exilis, 281–290
Jabiru mycteria, 89–96
Jacana jacana, 89–96, 119–128, 281–290
 Jofré, G., 321–331
 Johnson, A., 269–275
 Johnson, O., 175–179
 Juvenile, 277–280
 Kalinina, V., 135–141
Knipolegus cyanirostris, 281–290
Knipolegus lophotes, 281–290
Lampornis amethystinus, 129–133
Laniisoma elegans, 281–290
Lanio cristatus, 281–290
Lanio cucullatus, 281–290
Lanio melanops, 281–290
 Laps, R., 187–190
 Lara, C., 67–75
Larus dominicanus, 27–36, 89–96, 103–111
Larus maculipennis, 77–87
Laterallus leucopyrrhus, 281–290
Laterallus melanophaius, 281–290
Lathrotriccus euleri, 281–290
 Lauraceae, 295–307
 Lee, A. T. K., 253–260
Legatus leucophaius, 281–290
 Lek, 23–26
 Leones Island, 237–241
Leopardus guigna, 113–117
Lepidocolaptes angustirostris, 119–128, 281–290
Lepidocolaptes falcinellus, 281–290
Leptasthenura aegithaloides, 191–199
Leptasthenura platensis, 119–128
Leptasthenura setaria, 281–290
Lepthasthenura aegithaloides, 77–87
Lepthasthenura fuliginiceps, 77–87
Leptodon cayanensis, 281–290
Leptopogon amaurocephalus, 281–290
Leptotila rufaxilla, 281–290
Leptotila verreauxi, 119–128, 281–290
 Lesser Rhea, 261–268
Leucochloris albicollis, 77–87, 281–290
 Leukocyte profile, 1–10
 Leveau, C. M., 77–87
 Leveau, L. M., 77–87
Limosa haemastica, 89–96
Liolaemus camarones, 237–241
Lipaugus lanioides, 281–290
 Lipids, 295–307
Lochmias nematura, 281–290
 Logistic regression, 147–153
 Londoño, G. A., 37–41
Lophornis chalybeus, 281–290
 Loreto, 11–21
 Loures-Ribeiro, A., 89–96
Lurocalis semitorquatus, 281–290
Lycopsis arvensis, 43–50
 Machado-Stredel, F., 147–153
Machetornis rixosa, 119–128, 281–290
Mackenziaena leachii, 281–290
Mackenziaena severa, 281–290
Malacoptila striata, 281–290
 Malformation, 143–145
Manacus aurantiacus, 209–212
Manacus manacus, 277–280, 281–290
 Manakin, 277–280
 Marcon, A. P., 143–145, 309–311
Margarornis, 269–275
 Echeverry-Galvis, M. A., 223–235
 Marinao, C., 103–111
 Márquez-Luna, U., 67–75
 Martínez-Morales, M. A., 155–162
 Maya Biosphere Reserve, 213–217
 Medrano, F., 243–252
Megaceryle torquata, 89–96, 281–290
Megarynchus pitangua, 119–128, 281–290
Megascops atricapilla, 281–290
Megascops choliba, 281–290
Melanerpes candidus, 119–128, 281–290
Melanerpes flavifrons, 281–290
 Mellink, E., 57–66
Merluccius hubbsi, 103–111
Merulaxis ater, 281–290
Mesembrinibis cayennensis, 89–96, 281–290
Metriopelia ceciliae, 77–87
 Mexico, 1–10, 57–66, 129–133, 313–320
Miconia glaberrima, 155–162
Micrastur ruficollis, 281–290
Micrastur semitorquatus, 213–217, 281–290
Microspingus melanoleucus, 119–128
Milvago chimachima, 281–290
Milvago chimango, 77–87
Mimus dorsalis, 77–87
Mimus saturninus, 77–87, 119–128, 281–290
Mimus thenca, 77–87
Mionectes olivaceus, 223–235
Mionectes rufiventris, 281–290
 Miotto, M. L., 27–36
Mitragenus araneiformis, 237–241
Mixines spp., 103–111
Molothrus bonariensis, 77–87, 119–128, 281–290
Molothrus rufoaxillaris, 119–128
Momotus lessonii, 209–212
 Moroni, E., 291–294
Morphnus guianensis, 281–290
 Morphometrics, 147–153
 Motacillidae, 243–252
 Multivariate Analysis, 281–290
Munida gregaria, 103–111
 Muniz, G., 309–311
 Muñoz, C. E., 191–199
Muscipipra vetula, 281–290
Muscisaxicola rufivertex, 77–87
Mustelirallus erythrops, 89–96
Mycteria americana, 89–96, 119–128
Myiarchus apicalis, 223–235
Myiarchus ferox, 281–290
Myiarchus swainsoni, 281–290
Myiarchus tyrannulus, 281–290
Myiobius atricaudus, 281–290

- Myiobius barbatus*, 281–290
Myiodynastes maculatus, 119–128, 281–290
Myiopagis caniceps, 281–290
Myiopagis viridicata, 281–290
Myiophobus fasciatus, 281–290
Myiopsitta monachus, 77–87, 119–128
Myiornis auricularis, 281–290
Myiothlypis flaveola, 281–290
Myiothlypis leucoblephara, 119–128, 281–290
Myiothlypis rivularis, 281–290
Myiozetetes similis, 281–290
Myrcianthes leucoxyla, 295–307
Myrmoderus squamosus, 281–290
Myrmotherula minor, 281–290
Myrmotherula unicolor, 281–290
Nacella spp., 103–111
Nannopterum brasilianus, 119–128
Nasutitermes, 187–190
 Natural predation, 213–217
Nectandra acutifolia, 295–307
Nectandra aff. *Laurel*, 295–307
Nectandra cf. *purpurea*, 295–307
Nectandra membranacea, 295–307
Nectandra sp., 295–307
Nectandra turbacensis, 295–307
Neopelma chrysolophum, 281–290
 Neotropical hummingbirds, 129–133
Nereidae spp., 103–111
 Nest attendance, 269–275
 Nest predation, 291–294
 Nest structure, 269–275
 Nest, 37–41, 181–185, 219–221
 Nesting, 175–179, 269–275
 Nestling development, 269–275
 Nestling, 181–185
Netta erythrophthalma, 89–96
Netta peposaca, 89–96
 Nicoya Mountains, 135–141
Nomonyx dominicus, 89–96
Nonnula rubecula, 281–290
 Norambuena, H. V., 243–252
Notharchus swainsoni, 281–290
Nothura maculosa, 77–87, 119–128, 281–290
Numenius phaeopus, 89–96
 Nunes, J. F., 23–26
Nyctibius griseus, 281–290
Nycticorax nycticorax, 89–96, 281–290
Nyctiphrynus ocellatus, 281–290
Nystalus chacuru, 281–290
Ochthoeca oenanthoides, 77–87
Ocotea aff. *Austinii*, 295–307
Ocotea floribunda, 295–307
Ocotea sp., 295–307
Octopus tehuelchus, 103–111
Odontophorus capueira, 281–290
Odontorchilus branickii, 175–179
Oenocarpus bataua, 295–307
Oenocarpus mapora, 295–307
Onychorhynchus swainsoni, 281–290
Opisthocomus hoazin, 89–96
Orchesticus abeillei, 281–290
Oreopanax hederaceum, 155–162
Oreophasis derbianus, 155–162, 313–320
Orepanax sp., 155–162
Ortalis poliocephala, 313–320
Ortalis vetula, 313–320
Orthogonys chloricterus, 281–290
 Ortiz, C. A., 219–221
 Ortiz, P., 243–252
 Ortiz-Pulido, R., 67–75
 Otoliths, 26–37
Oxyruncus cristatus, 281–290
Oxyura vittata, 89–96
Pachyramphus castaneus, 201–207, 281–290
Pachyramphus marginatus, 281–290
Pachyramphus polychopterus, 201–207, 281–290
Pachyramphus validus, 201–207, 281–290
Pachyramphus viridis, 201–207, 281–290
 Pampas region, 51–56
Pandion haliaetus, 89–96, 281–290
Panicum bergii, 43–50
Panicum miliaceum, 43–50
 Pantanal, 187–190
Panyptila cayennensis, 281–290
Parabuteo leucorrhous, 281–290
 Paraiba, 89–96
Parathesis sp., 155–162
Pardirallus nigricans, 281–290
Pardirallus sanguinolentus, 89–96, 119–128
 Parental care, 97–101, 113–117, 269–275
Paroaria coronata, 119–128
 Parrot, 253–260
Paspalum notatum, 43–50
Passer domesticus, 77–87, 119–128, 281–290
Passiflora membranacea, 155–162
Patagioenas cayennensis, 281–290
Patagioenas maculosa, 77–87, 119–128
Patagioenas picazuro, 77–87, 119–128, 281–290
Patagioenas plumbea, 281–290
Patagona gigas, 77–87
 Patagonia, 237–241, 261–268
Patagonogenius quadricollis, 237–241
Patagonotothen cornucola, 103–111
 Pazos, G., 237–241
Peisos petrunkevitchi, 103–111
 Pellets, 27–36
Penelope obscura, 281–290
Penelope purpurascens, 313–320
Penelopina nigra, 313–320
 Pérez-Emán, J., 147–153
 Pérez-Irineo, G., 313–320
Persea caerulea, 295–307
Persea sp., 155–162, 295–307
 Peru, 11–21, 175–179, 219–221
 Petalands, 11–21
Petrochelidon pyrrhonota, 281–290
Phacellodomus erythrophthalmus, 281–290
Phacellodomus ferrugineigula, 281–290
Phacellodomus sibilatrix, 119–128
Phacellodomus striaticollis, 119–128
Phaethornis anthophilus, 223–235
Phaethornis eurynome, 281–290

- Phaethornis pretrei*, 281–290
Phaethornis squalidus, 281–290
Phaetusa simplex, 89–96
Phalacrocorax brasilianus, 89–96, 281–290
Phibalura flavirostris, 281–290
Philydor atricapillus, 281–290
Philydor rufum, 281–290
Phimosus infuscatus, 89–96, 119–128
Phoebe cinnamomifolia, 295–307
Phrygilus fruticeti, 77–87
Phrygilus patagonicus, 191–199
Phrygilus punensis, 77–87
Phyllomyias fasciatus, 281–290
Phyllomyias griseocapilla, 281–290
Phyllomyias virescens, 281–290
Phylloscartes oustaleti, 281–290
Phylloscartes paulista, 281–290
Phylloscartes sylviolus, 281–290
Phylloscartes ventralis, 281–290
Phytotoma rara, 77–87
Phytotoma rutila, 77–87
Piaya cayana, 281–290
Picidae, 321–331
Piculus aurulentus, 281–290
Piculus flavigula, 281–290
Picumnus cirratus, 281–290
Picumnus temminckii, 281–290
Pilherodius pileatus, 281–290
Pinus ayacahuite, 155–162
Pionopsitta pileata, 281–290
Pionus maximiliani, 281–290
Pipraeidea bonariensis, 77–87, 281–290
Pipraeidea melanonota, 281–290
Pipridae, 277–280
Piprites chloris, 281–290
Piranga flava, 281–290
Piranga olivacea, 223–235
Piranga rubra, 223–235
Pitangus sulphuratus, 77–87, 119–128, 281–290
Platalea ajaja, 89–96, 119–128
Plathestes sp., 237–241
Platyrrinchus leucoryphus, 281–290
Platyrrinchus mystaceus, 281–290
Plaxiphora aurata, 103–111
Plegadis chihi, 77–87, 89–96
Pleistocene, 321–331
Pleoticus muelleri, 103–111
Plumage traits, 129–133
Pluvialis dominica, 89–96
Pluvialis squatarola, 89–96
Podager nacunda, 119–128
Podiceps major, 89–96
Podilymbus podiceps, 89–96, 281–290
Poecilotriccus plumbeiceps, 281–290
Point counts, 135–141
Poliocrania exsul, 163–174
Polioptila dumicola, 119–128
Polygonum aviculare, 43–50
Ponce-Santizo, G., 213–217
Poospiza cabanisi, 281–290
Poospiza hypochondria, 77–87
Population, 261–268
Porphyrio martinicus, 89–96, 281–290
Porphyriops melanops, 89–96
Port, J., 269–275
Porzana albicollis, 281–290
Predation risk, 97–101, 113–117
Predation, 43–50, 163–174
Premnoplex brunnescens, 269–275
Premnornis guttuliger, 269–275
Prestoea acuminata, 295–307
Prey frequency, 51–56
Prey size, 51–56
Prey-capture behavior, 309–311
Principal Coordinate Analysis, 281–290
Procnias nudicollis, 281–290
Procnias tricaruculatus, 135–141
Progne chalybea, 119–128, 281–290
Progne tapera, 281–290
Pronotaria citrea, 223–235
Protective nest association, 201–207
Prunus barbata, 155–162
Psarocolius decumanus, 281–290
Pseudastur polionotus, 281–290
Pseudocolaptes, 269–275
Pseudoleistes guirahuro, 119–128, 281–290
Pseudoleistes virescens, 77–87
Pseudoseisura lophotes, 119–128
Psilopsiagon aymara, 77–87
Psilorhamphus guttatus, 281–290
Psittacara leucophthalmus, 281–290
Psittacine, 253–260
Pteroglossus aracari, 281–290
Pteroglossus bailloni, 281–290
Pterotochos castaneus, 97–101, 113–117
Pterotochos tarnii, 191–199
Pulsatrix koeniswaldiana, 281–290
Pulsatrix perspicillata, 281–290
Pygochelidon cyanoleuca, 77–87, 119–128, 281–290
Pyriglena leucoptera, 281–290
Pyrocephalus rubinus, 119–128, 281–290
Pyroderus scutatus, 281–290
Pyrrhocomma ruficeps, 281–290
Pyrrhura frontalis, 281–290
Quercus acatenanguensis, 155–162
Quercus benthamiae, 155–162
Quercus sapotifolia, 155–162
Quiñónez-Guzmán, J. M., 155–162
Raimondi's Yellow-Finch, 219–221
Ramphastidae Vigors., 281–290
Ramphastidae, 291–294
Ramphastos dicolorus, 201–207, 281–290
Ramphastos toco, 281–290, 291–294
Ramphastos vitellinus, 281–290
Ramphocaenus melanurus, 281–290
Ramphocelus bresilius, 281–290
Ramphocelus carbo, 281–290
Ramphocelus costaricensis, 209–212
Ramphodon naevius, 281–290
Ramphotrigon megacephalum, 281–290
Raneya brasiliensis, 103–111
Raptor, 51–56, 201–207

- Rattus norvegicus*, 237–241
 Rectrix morphology, 129–133
 Reproductive biology, 181–185
Rhea americana, 119–128
Rhea pennata pennata, 261–268
Rhodostemonodaphne grandis, 295–307
Rhopias gularis, 281–290
Rhynchops niger, 89–96
Rhytipterna simplex, 281–290
 Richness, 89–96
 Road ecology, 119–128
 Rodríguez-Estrella, E., 57–66
Rollandia rolland, 89–96
Rostrhamus sociabilis, 89–96, 281–290
Rupornis magnirostris, 77–87, 119–128, 281–290
 Rusty-winged Barbtail, 269–275
 Salinas, D., 191–199
Saltator aurantiirostris, 77–87, 119–128
Saltator coerulescens, 119–128
Saltator fuliginosus, 281–290
Saltator maxillosus, 281–290
Saltator maximus, 209–212
Saltator similis, 281–290
Saltator striatipectus, 209–212, 223–235
 Sánchez-Martínez, M., 37–41
 Santos-Moreno, A., 313–320
Sappho sparganurus, 77–87
 Sarasola, J. H., 43–50
Sarcoramphus papa, 281–290
Sarkidiornis melanotos, 89–96
Satrapa icterophrys, 119–128, 281–290
Scelorchilus rubecula, 191–199
Schiffornis virescens, 281–290
Schistochlamys melanopsis, 281–290
Schistochlamys ruficapillus, 281–290
Schoeniophylax phryganophilus, 119–128
 Sciaenidae, 26–37
Sclerurus macconnelli, 281–290
Sclerurus scansor, 281–290
Scotobius akidioides, 237–241
Scytalopus magellanicus, 191–199
Scytalopus speluncae, 281–290
 Seabirds, 26–37, 57–66
 Seed dispersal, 43–50, 295–307
 Seed morphology, 295–307
Selenidera maculirostris, 281–290
 Sentinel behavior, 253–260
Sephanoides sephaniodes, 191–199
Serpophaga nigricans, 281–290
Serpophaga subcristata, 77–87, 119–128, 281–290
 Serra de Paranapiacaba, 281–290
Setaria parviflora, 43–50
Setophaga petechia, 223–235
Setophaga pitaiyumi, 77–87, 281–290
 Sexual dimorphism, 147–153
 Sexual selection, 277–280
Sicalis flaveola, 77–87, 119–128, 281–290
Sicalis luteola, 77–87, 119–128, 191–199, 281–290
Sicalis olivascens, 77–87
Sicalis raimondii, 219–221
 Silva, V. P., 119–128
 Simonetti, J. A., 97–101, 113–117
Sirystes sibilator, 281–290
Sittasomus griseicapillus, 281–290
 Size, 147–153
 Sobroza, T. V., 23–26
 Socolar, J., 11–21
Sorghum bicolor, 43–50
Sorghum halepense, 43–50
 South American Temperate Rainforest, 191–199
 Spach, H. L., 27–36
Spinus atratus, 77–87
Spinus barbatus, 191–199
Spinus magellanicus, 77–87
Spinus psaltria, 209–212
Spinus uropygialis, 77–87
Spizaetus melanoleucus, 281–290
Spizaetus ornatus, 281–290
Spizaetus tyrannus, 281–290
Sporagra magellanicus, 281–290
Sporophila angolensis, 281–290
Sporophila caerulescens, 77–87, 119–128, 281–290
Sporophila falcirostris, 281–290
Sporophila frontalis, 281–290
Sporophila hypoxantha, 281–290
Sporophila leucoptera, 281–290
Sporophila lineola, 281–290
Sporophila nigricollis, 223–235
Sporophila sp., 119–128
Steatornis caripensis, 295–307
 Stein, A. C., 135–141
Stelgidopteryx ruficollis, 281–290
Stenocereus griseus, 223–235
Stephanophorus diadematus, 281–290
Stephanoxis lalandi, 281–290
Stephanoxis loddigesii, 23–26
Sterna hirundinacea, 27–36
Sterna sp., 237–241
Sternula superciliaris, 89–96
 Stevenson, P. R., 295–307
Streptoprocne biscutata, 281–290
Streptoprocne zonaris, 281–290
 Striped Owl, 51–56
Strix huhula, 281–290
Strix hylophila, 281–290
Sturnella loyca, 77–87
Sturnella militaris, 89–96
Sturnella superciliaris, 77–87, 281–290
Styrax sp., 155–162
 Suazo, C. G., 77–87
Suiriri suiriri, 119–128, 281–290
Sula leucogaster, 27–36, 57–66
Sylviorthorhynchus desmursii, 191–199
Symplocos hartwegii, 155–162
Synallaxis albescens, 119–128
Synallaxis cinerascens, 281–290
Synallaxis frontalis, 119–128, 281–290
Synallaxis ruficapilla, 281–290
Synallaxis spixi, 281–290
Syndactyla rufosuperciliata, 281–290
Syrigma sibilatrix, 89–96, 281–290
Tachybaptus dominicus, 89–96, 281–290

- Tachycineta albiventer*, 89–96, 281–290
Tachycineta leucopyga, 77–87, 191–199
Tachycineta leucorrhoa, 77–87, 281–290
Tachyphonus coronatus, 281–290
 Tala forest, 51–56
Tangara cayana, 281–290
Tangara cyanocephala, 281–290
Tangara cyanoptera, 281–290
Tangara cyanoventris, 281–290
Tangara desmaresti, 281–290
Tangara guttata, 209–212
Tangara gyrola, 209–212
Tangara icterocephala, 209–212
Tangara larvata, 209–212
Tangara ornata, 281–290
Tangara palmarum, 281–290
Tangara peruviana, 281–290
Tangara preciosa, 281–290
Tangara sayaca, 119–128, 281–290
Tangara seledon, 281–290
Tangara vitriolina, 223–235
Tapera naevia, 119–128, 281–290
Terenura maculata, 281–290
 Territorial behavior, 23–26
Tersina viridis, 281–290
Thalurania glaucopis, 281–290
 Thamnophilidae, 163–174
Thamnophilus atrinucha, 163–174
Thamnophilus caerulescens, 119–128, 281–290
Thamnophilus doliatus, 281–290
Thamnophilus ruficapillus, 281–290
Theristicus caudatus, 89–96, 119–128, 281–290, 291–294
Theristicus melanopis, 77–87
Theristicus caerulescens, 89–96
 Thicket Antpitta, 181–185
Thlypopsis sordida, 281–290
 Thraupidae, 209–212, 219–221, 223–235
Thraupis episcopus, 209–212
Thraupis sayaca, 77–87
 Threskiornithidae, 291–294
Thryophilus nicefori, 223–235
Tiaris bicolor, 223–235
Tiaris fuliginosus, 281–290
Tiaris olivaceus, 209–212
Tigrisoma fasciatum, 89–96, 281–290
Tigrisoma lineatum, 89–96, 119–128
Tinamus solitarius, 281–290
Tityra cayana, 281–290
Tityra inquisitor, 281–290
Todirostrum cinereum, 281–290
Todirostrum poliocephalum, 281–290
Tolmomyias sulphurescens, 281–290
 Tonetti, V. R., 281–290
Topobea multiflora, 209–212
Touit melanonotus, 281–290
Touit surdus, 281–290
Trattinnickia sp., 295–307
Trichanthera gigantea, 223–235
Triclaria malachitacea, 281–290
Tringa flavipes, 89–96
Tringa melanoleuca, 89–96, 281–290
Tringa solitaria, 89–96
Triticum aestivum, 43–50
Troglodytes aedon, 77–87, 191–199
Troglodytes musculus, 119–128, 281–290
 Troglodytidae, 163–174
Trogon rufus, 281–290
Trogon surrucura, 281–290
Trogon viridis, 281–290
Trogoniformes, 281–290
 Trophic ecology, 237–241
 Tropical dry forest, 223–235
 Tropical rain forest, 313–320
Turdus albicollis, 281–290
Turdus amaurochalinus, 119–128, 281–290
Turdus assimilis, 209–212
Turdus chiguanco, 77–87
Turdus falcklandii, 77–87, 191–199
Turdus flavipes, 281–290
Turdus fuscater, 77–87
Turdus grayi, 209–212
Turdus leucomelas, 281–290
Turdus rufiventris, 77–87, 119–128, 281–290
Turdus subalaris, 281–290
 Tyrannidae, 143–145, 281–290
Tyranniscus burmeisteri, 281–290
Tyrannus melancholicus, 77–87, 119–128, 281–290
Tyrannus savana, 77–87, 119–128, 281–290
Tyto furcata, 281–290
 Udrizar Sauthier, D. E., 237–241
 Understory, 313–320
Upucerthia andaecola, 77–87
 Urbanization, 77–87
 Urbanization level, 1–10
Urubitinga urubitinga, 281–290
 Uruguay, 321–331
Vanellus cayanus, 89–96, 281–290
Vanellus chilensis, 77–87, 119–128, 281–290
 Vargas-Jiménez, J. D., 181–185
 Vargas-Peixoto, D., 23–26
 Venezuela, 147–153
Veniliornis lignarius, 191–199
Veniliornis mixtus, 119–128
Veniliornis spilogaster, 281–290
 Victoriano, P. F., 243–252
 Vigilance, 253–260
 Villegas, M., 77–87
Vireo olivaceus, 223–235, 281–290
Volatinia jacarina, 281–290
 Walker, B., 209–212
 White-sand forest, 11–21
 Williamson, J. L., 163–174
 Wren, 147–153
Xenops minutus, 281–290
Xenops rutilans, 281–290
Xiphocolaptes albicollis, 281–290
Xiphorhynchus fuscus, 281–290
Xolmis cinereus, 281–290
Xolmis irupero, 119–128, 143–145
Xolmis pyrope, 191–199
Xolmis velatus, 281–290

Yorio, P., 103–111

Zea mays, 43–50

Zenaida auriculata, 43–50, 77–87, 119–128, 281–290

Zevallos, D. G., 103–111

Zonotrichia capensis, 77–87, 119–128, 281–290

Zuria, I., 1–10

