

The subthalamic nucleus : a novel motor-associative- limbic interface

Citation for published version (APA):

Temel, Y. (2007). The subthalamic nucleus : a novel motor-associative-limbic interface. Maastricht: Universiteit Maastricht.

Document status and date:

Published: 01/01/2007

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

STELLINGEN

BEHOREND BIJ HET PROEFSCHRIFT

**The subthalamic nucleus:
a novel motor-associative-limbic interface**

1. Deep brain stimulation of the subthalamic nucleus has long-lasting beneficial effects on motor disability in patients suffering from advanced Parkinson disease.

This thesis

2. Up to half of the subthalamic nucleus-stimulated patients can experience behavioural side-effects including cognitive alterations and affective changes. In approximately 10% of the cases these can be severe.

This thesis

3. Modulation of the subthalamic nucleus by electrical stimulation evokes specific changes in motor, cognitive, and affective behaviour in animal models, which depends on the stimulation parameters used.

This thesis

4. The upstream connections of the subthalamic nucleus with associative and limbic regions and the recently discovered downstream relation with the midbrain serotonergic neurons possibly underlie the behavioural side-effects of subthalamic nucleus stimulation. This mechanism provides a rational basis for the clinical management of these side-effects.

This thesis

5. "Handle tissue as you do people, gently and with respect".

Peter Donaghy (neurosurgeon)

6. "A sincere and steadfast concern for the well being of each patient is an incorporated attribute, affecting every aspect of this concept. We must help the patient."

M. Gazi Yasargil

7. Discovery consists of seeing what everybody has seen and thinking what nobody has thought.

Albert von Szent-Gyorgi

8. "Great minds discuss ideas; Average minds discuss events; Small minds discuss people."

Anonymous

9. You may have the most original observation or idea, but as long as you do not publish it, it does not exist.

10. Health insurance companies are becoming stronger and stronger. They do not only determine our practice, but have prestigious buildings with luxurious waiting rooms, and more important, offer free coffee.