



ISSN: 2348-1900

# Plant Science Today

<http://www.plantsciencetoday.online>

## Research Communication

# New distribution record of a rare taxa *Gottschelia schizopleura* (Spruce) Grolle, of Jungermanniales occurring in Anamudi shola National Park in the Western Ghats of Kerala

Mufeed, B. and C. N. Manju\*

PG & Research Department of Botany, The Zamorin's Guruvayurappan College (affiliated to the University of Calicut), Kozhikode, Kerala 673014, India

### Article history

Received: 06 December 2017  
Accepted: 11 December 2017  
Published: 05 February 2018

### Abstract

A rare liverwort *Gottschelia schizopleura* (Spruce) Grolle, of Jungermanniales is discovered from the Western Ghats of Kerala. A brief description with colour plate is provided.

© Mufeed & Manju (2018)

### Editor

K K Sabu

### Keywords

Marchantiophyta; Jungermanniales; Lophoziaceae; Rare; Western Ghats

### Publisher

Horizon e-Publishing Group

### Citation

Mufeed B, Manju CN. New distribution record of a rare taxa *Gottschelia schizopleura* (Spruce) Grolle, of Jungermanniales occurring in Anamudi shola National Park in the Western Ghats of Kerala. *Plant Science Today* 2018;5(1):29-31. <https://dx.doi.org/10.14719/pst.2018.5.1.367>

### Correspondence

Manju C N

✉ [manjucali@gmail.com](mailto:manjucali@gmail.com)

## Introduction

The genus *Gottschelia* of the family Lophoziaceae is represented with four species viz., *G. schizopleura* (Spruce) Grolle, widespread in the palaeotropics, *G. crenata* Grolle from New Guinea (1,2), *G. patoniae* Grolle, Schill. & D.G.Long was described from the Eastern Himalaya (3) and a fourth species *G. grollei* D.G.Long & Vañ'a from China (4). *G. crenata* was later replaced by *G. maxima* (Steph.) Grolle (3). The *G. schizopleura* was instituted as *Jungermannia schizopleura* by Spruce (5) and later described under the name of *Anastrophyllum cucullifolium* by Stephani (6), and as *Jamesoniella microphylla* (Nees)

Schiffn., by Pande and Singh (7). Later, Grolle (1) described it as *Gottschelia schizopleura* (Spruce) Grolle. During recent survey from Anamudi Shola National Park in the Western Ghats of Kerala, authors could collect an interesting species of Jungermanniales. On critical study it was identified as *Gottschelia schizopleura* (Spruce) Grolle. It is a rare terricolous liverwort earlier reported from Nilgiri hills of Tamil Nadu in India (7,9). The present collection of this genus along with the species from Anamudi Shola National Park shows its extended distribution and reported here as a new record for Kerala state.




Fig.1. *Gottschelia schizopleura*; a&b. habit from the field, c. ventral surface of mature branch, d&e. dorsal surface of branch, f. leaf lobe, g. leaf base, h. leaf cells, i. leaf apex, j. leaf margin cells, k. c.s of stem

## Taxonomy

**Type locality:** Madagascar (Boswell) as *Jungermannia schizopleura*.

*Gottschelia schizopleura* (Spruce) Grolle., *J. Hattori Bot. Lab.* 31: 16. 1968; Udar et Kumar, *J. Indian Bot. Soc.* 61: 250. 1982; *Jungermannia schizopleura* Spruce, *Trans. Proc. Bot. Soc. Edinberg* 15: 577.1885; *Anastrophyllum cucullifolium* Steph., *Spec. Hepat.* 6: 104 (1917); *Jamesoniella microphylla* (Nees) Schiffn., in Pande and Singh, *Bull. Bot. Soc. Univ. Saugar* 11: 1. 1959.

Plants greenish to reddish brown, 20-30 mm long, rigid, suberect, stem erect, smooth, 160-170 µm in diameter, branching lateral, cortical region 2-3 layered thick, deep brown cells, 8-12×10-18µm, medullary cells hyaline, cells 18-24 µm, thin

walled; rhizoids very few at the base of the stem; leaves alternate, obliquely inserted, succubus, ventral margin overlap entire stem, ovate to oblong, interlocks dorsally, upper leaves large, 0.7×0.8 mm, basal smaller with 0.3-0.4 mm, apex obtuse, leaf margin smooth, incurved, marginal cells 14-20 µm, flat or incurved, median cells 20 ×26 µm, basal cells distinct, 26-36 µm, thin to thick walled with prominent bulging trigones, intermediate nodular thickening present, oil bodies numerous per cell; underleaves absent, reproductive structures not observed (Fig. 1).

**Global distribution:** Africa- E. Africa, Madagascar, Asia- China, Celebes, India, Indonesia (Borneo, Java, Sumatra) Malaysia, Malacca, Philippines, Sri Lanka, Norfolk Island, Papua New Guinea, West Iran, South India. (1,2,3,7,9,10 & 11)

**Distribution in India:** South India: Tamil Nadu (Avalanche, ca. 2439 m; Palni Hills, ca. 2000 m, Ootacamund (Dodabetta), ca. 2400 m; Kerala (Anamudi Shola National Park in Idukki district-present collection) (7&8).

**Ecology:** Terricolous, grows on moist and shady soil and also on rocky patch along with *Campylopus flexuosus* at high altitude grass lands.

**Specimen examined:** India, Kerala, Idukki district (Anamudi Shola National Park (Iddalymotta), 2400m, 24.3.2016, *Mufeed*, 10003a (ZGC), 10003b (CALI).

**Authors contribution:** MB carried out the field work and collected the specimens, prepared the photoplate, MCN identified the specimen upto genus level and prepared the manuscript.

#### Competing Interest

The authors have declared that there are no competing interests.

#### Acknowledgements

The authors are thankful to Dr. D. K. Singh (Rtd.), Scientist G, Botanical Survey of India, Kolkata for confirming the identity of the species. We thank the authorities of the Zamorin's Guruvayurappan College for providing facilities and encouragement. Also acknowledge the help rendered by the officials of Kerala Forest department for providing permission to collect bryophyte specimens from the area. The author C.N. Manju is very much thankful to Kerala State Council for Science Technology & Environment (KSCSTE), Thiruvananthapuram for providing financial assistance.

#### References

- Grolle R. *Gottschelia*- eine neue Jungermanniales-Gattung der Palaotropis. *J. Hattori Bot.Lab.*1968.31: 13-39.
- Schuster RM. Austral Hepaticae. Part II. *Nova Hedwigia*, Beiheft. 2002. 119: I–VIII, 1–606.
- Grolle R, Schill DB & Long DG. Notes on *Gottschelia* (Jungermanniales, Lophoziaceae), with a description of *G. patoniae*, a new species from the East Himalaya. *J.Bryol.*2003. 25: 3–6. <https://doi.org/10.1179/037366803125002608>
- Long DG & Vañá J. The genus *Gottschelia* Grolle (Jungermanniopsida, Lophoziaceae) in China, with a description of *G. grollei*, sp. nov. *J. Bryol.* 2007.29: 165–168.
- Spruce R. Hepaticae of the Amazon and the Andes of Peru and Ecuador. Transactions and Proceedings of the Botanical Society of Edinburgh. 1884-85. 15, 1-11, 1-308, 309-588.
- Stephani F. Species Hepaticarum. Geneve.1917.6: 1-128.
- Pande SK & Singh VB., On *Jamesoniella microphylla* (Nees) Schiffn.- new to Indian bryoflora. *Bull. Bot. Soc., University of Saugar.*1959.11, 1-2.
- Alam A., Morphotaxonomy of three rare terricolous taxa of Jungermanniales occurring in Nilgiri hills (Western Ghats) India. *Int. J. Eenvt.* 2014. 3(2): 263-275. <https://doi.org/10.3126/ije.v3i2.10640>
- Udar, R. & Kumar, A., 1981. Studies in Indian Jungermanniaceae-I *Gottschelia schizopleura* (Spruce) Grolle- A rare taxon. *J. Indian Bot. Soc.* 61, 250-253.
- Inoue H. Bryophyta Selecta Exsiccata. Fascicle IV. Tokyo: National Science Museum.1973.151–200
- Piippo S. Annotated catalogue of Chinese Hepaticae and Anthocerotae. *J. Hattori Bot. Lab.* 1990.68: 1– 192.

