

VEGFR-1 function and dysfunction in monocytes

Citation for published version (APA):

Tchaikovski, V. E. (2009). VEGFR-1 function and dysfunction in monocytes. Maastricht: Datawyse / Universitaire Pers Maastricht.

Document status and date:

Published: 01/01/2009

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these

- · Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Download date: 04 Dec. 2019

Stellingen behorende bij het proefschrift

VEGFR-1 function and dysfunction in monocytes

- 1. The role of VEGF receptor 1 is a mystery with respect to VEGF-mediated angiogenesis. (Robert S. Kerbel, N Engl J Med, 2008)
- 2. TK domain of VEGFR-1 plays a crucial role in the induction of monocyte migration in response to PIGF-1 or VEGF-A. (this thesis)
- 3. Selective alteration of VEGFR-1 signaling (in contrast to fMLP-induced signaling) in diabetes indicates a higher sensitivity, i.e. vulnerability of the VEGFR-1 system. (this thesis)
- 4. Elevated RAGE expression and oxidative stress in diabetic monocytes contribute to desensitization of VEGFR-1. *(this thesis)*
- 5. Oxidative stress induces oxidative modifications of PTPs resulting in their inhibition in diabetic monocytes. *(this thesis)*
- 6. Intensive glucose control in patients with type 2 diabetes mellitus reduces the progression of microvascular disease, but the effect on macrovascular complications remains uncertain. (Duckworth et al, N Engl J Med, 2009)
- 7. Viewing a stressful soccer match more than doubles the risk of an acute cardiovascular event. (Wilbert-Lampe et al, N Engl J Med, 2008)
- 8. Drugs don't work in patients who don't take them. (C. Everett Koop)
- 9. If you don't take a temperature, you can't find a fever. (Rule 10 of "House of God", S. Shem)
- 10. The first law of dietetics seems to be if it tastes good, it is bad for you. (Isaac Asimov)

Vadim Tchaikovski, the 16th of December 2009