

Arrhythmia management by the implantable dual chamber defibrillator : possibilities and limitations

Citation for published version (APA):

Dijkman, B. (2001). Arrhythmia management by the implantable dual chamber defibrillator : possibilities and limitations. Maastricht: Datawyse / Universitaire Pers Maastricht.

Document status and date:

Published: 01/01/2001

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

STELLINGEN

1. De ontwikkeling in ICD therapie in het afgelopen decennium overtreft de ontwikkelingen in andere disciplines van de cardiologie.
2. De tweekamer ICD zal nooit door een eenkamer apparaat geëvenaard kunnen worden in aritmie diagnostiek en mogelijkheden tot verdere verbetering.
3. Het functioneren van nieuwe algoritmes in ICDs kan alleen dan goed beoordeeld worden, als zij ook daadwerkelijk zijn getest, conform het gezegde "if you do not take the temperature, you will not find the fever".
4. Het uitblijven van atriale aritmieën bij de meeste ICD patiënten met kamerritmestoomissen en een ernstig ziek hart is een verrassende bevinding.
5. Het verhinderen van bindweefselvorming bij het ouder worden, is een belangrijke stap in het voorkomen van boezemfibrilleren.
6. Voor de kwaliteit van de medische zorg in het academisch ziekenhuis is aandacht voor arbeidsvreugde en medezeggenschap van de artsen minstens even belangrijk als hun financiering.
7. Verdere verbetering van risicostratificatie voor het onverwacht optreden van ernstige kamerritmestoomissen, op grond van klinische gegevens is niet te verwachten.
8. Niets is dwazer dan verstandig te zijn op het foute moment (Erasmus).
9. In veel gevallen is de aanmaning "Nosce te ipsum" (ken jezelf) niet bruikbaar. Je kan beter de ander doorzien.
10. Mensen wiens principes zo week zijn als was, moeten niet in de zon komen en zullen nooit kunnen vliegen.
11. Statistiek heeft iets weg van een bikini, het versluiert altijd de meest interessante informatie.