



Zurich Open Repository and Archive University of Zurich Main Library Strickhofstrasse 39 CH-8057 Zurich www.zora.uzh.ch

Year: 2013

Search for narrow resonances using the dijet mass spectrum in pp collisions at s $\sqrt{=8}$ TeV

CMS Collaboration; Chatrchyan, S; Khachatryan, V; Sirunyan, A M; et al; Chiochia, V; Kilminster, B; Robmann, P

Abstract: Results are presented of a search for the production of new particles decaying to pairs of partons (quarks, antiquarks, or gluons), in the dijet mass spectrum in proton-proton collisions at $s\sqrt{-8}$ TeV. The data sample corresponds to an integrated luminosity of 4.0 fb-1, collected with the CMS detector at the LHC in 2012. No significant evidence for narrow resonance production is observed. Upper limits are set at the 95% confidence level on the production cross section of hypothetical new particles decaying to quark-quark, quark-gluon, or gluon-gluon final states. These limits are then translated into lower limits on the masses of new resonances in specific scenarios of physics beyond the standard model. The limits reach up to 4.8 TeV, depending on the model, and extend previous exclusions from similar searches performed at lower collision energies. For the first time mass limits are set for the Randall–Sundrum graviton model in the dijet channel.

DOI: https://doi.org/10.1103/PhysRevD.87.114015

Posted at the Zurich Open Repository and Archive, University of Zurich ZORA URL: https://doi.org/10.5167/uzh-92387 Published Version

Originally published at:

CMS Collaboration; Chatrchyan, S; Khachatryan, V; Sirunyan, A M; et al; Chiochia, V; Kilminster, B; Robmann, P (2013). Search for narrow resonances using the dijet mass spectrum in pp collisions at s $\sqrt{=8}$ TeV. Physical Review D (Particles, Fields, Gravitation and Cosmology), 87(11):114015. DOI: https://doi.org/10.1103/PhysRevD.87.114015

Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8$ TeV

S. Chatrchyan *et al.** (CMS Collaboration)

(Received 19 February 2013; published 17 June 2013)

Results are presented of a search for the production of new particles decaying to pairs of partons (quarks, antiquarks, or gluons), in the dijet mass spectrum in proton-proton collisions at $\sqrt{s} = 8$ TeV. The data sample corresponds to an integrated luminosity of 4.0 fb⁻¹, collected with the CMS detector at the LHC in 2012. No significant evidence for narrow resonance production is observed. Upper limits are set at the 95% confidence level on the production cross section of hypothetical new particles decaying to quark-quark, quark-gluon, or gluon-gluon final states. These limits are then translated into lower limits on the masses of new resonances in specific scenarios of physics beyond the standard model. The limits reach up to 4.8 TeV, depending on the model, and extend previous exclusions from similar searches performed at lower collision energies. For the first time mass limits are set for the Randall–Sundrum graviton model in the dijet channel.

DOI: 10.1103/PhysRevD.87.114015

PACS numbers: 13.85.Rm, 12.60.Cn, 13.87.Ce, 14.80.-j

We report on a search for narrow dijet resonances in pp collisions at $\sqrt{s} = 8$ TeV. This search is applicable to all new particles for which the natural resonance width is small compared to the CMS dijet mass resolution [1]. The data sample corresponds to an integrated luminosity of 4.0 fb⁻¹ collected with the Compact Muon Solenoid (CMS) [2] at the CERN Large Hadron Collider (LHC) in the spring of 2012.

Many extensions of the standard model (SM) predict the existence of new massive objects that couple to quarks or antiquarks (q or \bar{q}) and gluons (g), resulting in resonances in the dijet mass spectrum. The most stringent bounds on these resonances come from previous CMS [3–5] and ATLAS [6–9] searches. The results presented in this Letter extend the search sensitivity to higher values of the resonance masses.

We consider the following specific models of narrow dijet resonances produced via the *s* channel: string resonances [10,11]; E_6 diquarks [12]; excited quarks assuming the dimensionless constants accounting for possible deviations from the standard model couplings to be f = f' = fs = 1 [13,14]; axigluons [15,16]; coloroctet colorons [17]; the S8 resonance predicted in technicolor models [18]; new gauge bosons (W' and Z') [19]; Randall–Sundrum (RS) gravitons assuming $k/\bar{M}_{\rm Pl} = 0.1$, where *k* is related to the curvature of the fifth dimension and $\bar{M}_{\rm Pl}$ is the effective 4D Planck scale [20]. More details on these models and the parameters we assume can be found in Refs. [1,4].

A detailed description of the CMS experiment can be found elsewhere [2]. The CMS coordinate system has the origin at the center of the detector. The z axis points along the direction of the counterclockwise beam; y is the vertical direction and x is chosen to make a right-handed coordinate system; ϕ is the azimuthal angle, θ is the polar angle, and the pseudorapidity is defined as $\eta \equiv$ $-\ln[\tan(\theta/2)]$. The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter providing an axial field of 3.8 T. Within the field volume are located the silicon pixel and strip tracker ($|\eta| < 2.5$), as well as the barrel and endcap calorimeters ($|\eta| < 3$): a lead tungstate crystal electromagnetic calorimeter and a brass/ scintillator hadronic calorimeter. An iron/quartz fiber calorimeter is located in the forward region $(3 < |\eta| < 5)$, outside the field volume. For triggering purposes and to facilitate the reconstruction of hadronizing particles as jets, the calorimeter cells are grouped into towers projecting radially outward from the center of the detector.

Offline particle candidates are reconstructed by using the particle flow (PF) algorithm [21], which categorizes the candidates as muons, electrons (with associated bremsstrahlung photons), photons (unconverted and converted), and charged/neutral hadrons. These PF candidates are then clustered into jets using the anti- k_T algorithm [22] with a distance parameter R = 0.5, implemented in the FASTJET package [23]. The jet four-momentum, computed as the vectorial sum of the four-momenta of the constituent PF candidates, is adjusted with corrections derived from Monte Carlo (MC) simulations, test beam results, and *pp* collision data [24]. The corrections also account for the presence of multiple *pp* collisions in the same or adjacent bunch crossings (pileup interactions) [25].

Events are selected by requiring at least one reconstructed primary vertex in each event within the range |z| < 24 cm. We select jets with $p_T > 30$ GeV and $|\eta| < 2.5$ that meet identification criteria based on the number of

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

constituent particles and their energy fractions [26]. The other jets in the event are ignored. Events with fewer than two selected jets are discarded.

To improve the dijet invariant mass resolution, we account for final state radiation (FSR) by forming a wide jet [4,27] around each leading jet. The wide jets are formed by clustering additional jets to the closest leading jet within a distance $\Delta R = \sqrt{\Delta \eta^2 + \Delta \phi^2} < 1.1$. The four-momentum of each wide jet is computed as the sum of the fourmomenta of the constituent jets. To suppress background events coming from quantum chromodynamics (QCD) processes, we require that the pseudorapidity separation of the two wide jets satisfies $|\Delta \eta_{ii}| < 1.3$, and that both wide jets are reconstructed in the region $|\eta| < 2.5$. These angular requirements maximize the search sensitivity for isotropic decays of dijet resonances in the presence of QCD background. The dijet mass is given by $m_{jj} =$ $\sqrt{(E_{j1}+E_{j2})^2-|\vec{p}_{j1}+\vec{p}_{j2}|^2}$, where E_{ji} and \vec{p}_{ji} (i=1, 2)are the energy and the momentum of a wide jet. We select events with $m_{ii} > 890$ GeV to maintain a fully efficient trigger as discussed below.

Events are filtered using a two-tier trigger system. Events satisfying loose jet requirements at the first level (L1) are passed to the high level trigger (HLT), where jets are clustered from PF candidates built online. Online jets with transverse momenta $p_T > 40$ GeV and $|\eta| < 3.0$ are used to compute H_T , the scalar sum of the jet p_T , and m_{jj} , the invariant mass of the two wide jets. Events with $H_T > 650$ GeV or $m_{jj} > 750$ GeV are accepted. For the offline analysis selection presented above, the combined L1 and HLT triggers are found to be more than 99.9% efficient.

We show in Fig. 1 the dijet mass distribution in bins approximately equal in width to the dijet mass resolution [3]. The data are compared with the expected leading-order (LO) QCD background generated by using PYTHIA v6.424 [28], including a GEANT4-based [29] simulation of the CMS detector. This approach follows closely that described in [30], but uses the CTEQ6L PDF (Z2 tune) instead of the CTEQ5L PDF (Z1 tune). The QCD prediction uses a renormalization and factorization scale $\mu = p_T$ of the hard-scattered partons and CTEQ6L1 parton distribution functions [31], and has been normalized to the data. The normalization factor of 1.34 was found to be consistent with the next-to-leading-order *K* factor [32,33]. The shape of the PYTHIA prediction agrees with the data within the statistical precision.

For comparison we also display in Fig. 1 the shape expected for a W' boson with a mass of 1.5 TeV and an E_6 diquark with a mass of 3.5 TeV. The signal samples are generated by using PYTHIA with the D6T tuning [28] and the same GEANT4-based CMS simulation used for the QCD background sample. The predicted mass distributions have a Gaussian core from the jet energy resolution and a tail towards lower mass values, primarily due to FSR. The

contribution of this low-mass tail to the line shape depends on the parton content of the resonance $(qq, q\bar{q}, qg, and$ gg). Resonances decaying to gluons, which are more susceptible than quarks to the FSR, have a larger tail. For high-mass resonances, there is also another significant contribution depending on both parton distributions and the natural width of the Breit-Wigner resonance shape: when the resonance is produced by interaction of nonvalence partons in the proton, the low-mass component of the Breit-Wigner resonance shape is amplified by a larger parton probability at low fractional momentum, producing a large tail at low-mass values. The shapes shown for a hypothetical W' boson and an E_6 diquark in Fig. 1 result from Crystal Ball [34] fits to the generated event distributions.

The background from QCD multijet production is described by the analytical function

$$\frac{d\sigma}{dx} = \frac{P_0(1-x)^{P_1}}{x^{P_2+P_3\ln(x)}},$$



FIG. 1 (color online). The dijet mass spectrum from wide jets (points) compared with a smooth fitted curve (solid line) and with the predicted QCD background [28] (dashed line). The QCD background curve has been normalized to the data (see text) and a linear smoothing between the bins has been applied. The vertical bars on the data points represent the statistical uncertainty, the horizontal bars indicate the bin widths. The shaded band shows the contribution from the systematic uncertainty in the jet energy scale. Also shown are the predictions for a W' boson with a mass of 1.5 TeV, and an E_6 diquark with a mass of 3.5 TeV, obtained fitting the expected distribution to a Crystal Ball [34] function and normalizing the area to the predicted cross section. The bottom part of the plot displays the bin-by-bin residuals (data minus the integral over a bin of the smooth function fitted to the data) divided by the statistical uncertainty in the data.

PHYSICAL REVIEW D 87, 114015 (2013)

with the variable $x = m_{jj}/\sqrt{s}$ and four free parameters P_0 , P_1 , P_2 , and P_3 . This functional form has been used in previous searches [3,6,7,35] to describe both data and QCD predictions. The fit is performed maximizing a binned likelihood, the bins being defined as in Fig. 1. The fit result, also shown in Fig. 1, has a chi-squared (χ^2) of 25.7 for 32 degrees of freedom. The bottom part of the figure shows the difference between the data and the fit value, normalized to the statistical uncertainty in the data. Assuming a pure $q\bar{q}$ final state, the largest upward deviation of the data corresponds to a local significance of 2.3 σ and a global significance of 0.6 σ once including the look elsewhere effect. Different assumptions on the final state composition gives smaller values.

A data-driven determination of the background is obtained through a smooth fit to the data. We use the dijet mass spectrum from wide jets, the background parametrization, and the dijet resonance shapes to set specific limits on new particles produced from and decaying to the same parton pair qq (or $q\bar{q}$), qg, and gg. A separate limit is determined for each process (denoted simply qq, qg, gg) because of the dependence of the signal line shape on the final state, induced by the different amount of FSR for gluons and quarks.

The systematic uncertainty in the determination of the dijet mass is dominated by the uncertainty in the jet energy scale [24] and the uncertainty in the jet energy resolution. The jet energy scale uncertainty translates into a 1.3%



FIG. 2 (color online). Observed upper limits at 95% C.L. on $\sigma \times \mathcal{B} \times A$ for resonances decaying to qq, qg, and gg final state (points and solid lines) compared with the expected limits (dot-dashed dark lines) and their variation at the 1σ and 2σ levels (shaded bands). Predicted cross sections for various resonance assumptions are shown. The signal shape for the RS model is obtained by weighting the shapes for qq and gg final states according to LO calculations of the relative branching fractions.

relative uncertainty in the dijet mass, roughly independent from the mass value; it is propagated to the search by shifting the reconstructed dijet mass of the signal by 1.3% compared to the nominal resolution value. The jet energy resolution uncertainty translates into an uncertainty of 10% in the resolution of the dijet mass [24]; this uncertainty is propagated to the search by smearing and unsmearing the reconstructed dijet mass of the signal according to a Gaussian distribution with σ fixed at 10% of the mass value.

The precision of the overall signal normalization is limited by the knowledge of the integrated luminosity (4.4%) [36]. The statistical uncertainty in the background parametrization introduces a systematic uncertainty in the signal strength. We verified that the use of different parametrizations for the description of the background has a negligible effect compared to the statistical uncertainty in the data, over the whole dijet spectrum. Similarly, MC studies show that the dependence of the signal mass shapes on the number of pileup interactions is negligible. The systematic uncertainties included in this analysis reduce the lower limit on resonance masses by less than \sim 15 GeV, depending on the model.

To set upper limits on the signal cross section we use a Bayesian formalism [37] with a uniform prior for the positive signal cross section; a null probability is assigned to negative values of the cross section; log-normal priors are used to model systematic uncertainties, which are treated as nuisance parameters. We calculate the posterior probability density as a function of resonance cross section independently at each value of the resonance mass. The data are fitted to the background function plus a signal line shape, the signal cross section being a free parameter. The resulting fit function with the signal cross section set to zero is used as the background hypothesis. The uncertainty in the background shape is incorporated by marginalizing over the background fit parameters (not including the signal cross section) after diagonalizing the covariance matrix to account for the correlations in the parameters. This method of using the data first to constrain the background fit and second to extract the limit induces a bias in the coverage of the limits. The actual coverage was estimated for the qq resonances to be 92.1 \pm 0.4%, 95.2 \pm 0.4%, and 95.8 \pm 0.3% at respective signal masses of 1500, 2500, and 3000 GeV.

We show in Fig. 2 the observed upper limits at the 95% confidence level (C.L.) on $\sigma \times B \times A$, i.e. the product of the cross section (σ), the branching fraction (\mathcal{B}) of the resonance into the relevant final state, and the acceptance (*A*) for reconstructing two jets with $|\Delta \eta_{jj}| < 1.3$ and $|\eta| < 2.5$, for narrow resonances which decay into qq, qg, and gg final states. For example the acceptance for an isotropic decays is $A \approx 0.6$, roughly independent of resonance mass. For the RS graviton, which couples either to a pair of gluons or to a quark-antiquark pair, the model-dependent

limits on cross section are derived using a weighted average of the qq and gg dijet mass shapes, where the weights correspond to the relative branching fractions for these two final states, calculated at LO [20]. The expected limits on cross sections shown in Fig. 2 are estimated with pseudoexperiments generated using background shapes which are determined by signal-plus-background fits to the data.

The observed and expected upper limits can be compared to the predictions for $\sigma \times \mathcal{B} \times A$ before including any detector simulation, in order to determine mass limits on new particles. The calculations shown are obtained in the narrow-width approximation using CTEQ6L1 parton distributions [31]. New particles are excluded at the 95% C.L. in mass regions for which the theoretical curve lies above our upper limit for the appropriate final state.

We list in Table I the observed cross section limits for qq, qg, and gg resonances, as a function of the resonance mass. We determine the expected lower limit on the mass of new resonances by comparing the expected cross section limits to the model predictions. The observed and expected mass exclusions are reported in Table II for various models.

In summary, a search for narrow resonances decaying into a pair of jets has been performed using a data sample corresponding to an integrated luminosity of 4.0 fb⁻¹ collected in pp collisions at $\sqrt{s} = 8$ TeV. In the analyzed data sample there is no significant evidence for new

TABLE I. Observed upper limits at the 95% C.L. on $\sigma \times \mathcal{B} \times A$ for resonances decaying to qq, qg, and gg final states as a function of the resonance mass. Experimental systematic uncertainties are taken into account in the limit calculation.

	Upper limit on $\sigma \times \mathcal{B} \times A$ (pb)		
Mass [GeV]	qq	qg	88
1000	0.62	0.75	1.6
1200	0.37	0.40	0.69
1400	0.18	0.19	0.27
1600	0.12	0.15	0.21
1800	0.16	0.18	0.23
2000	0.050	0.058	0.089
2200	0.036	0.041	0.055
2400	0.031	0.034	0.043
2600	0.019	0.021	0.029
2800	0.010	0.012	0.016
3000	0.012	0.015	0.020
3200	0.017	0.020	0.026
3400	0.016	0.018	0.024
3600	0.0090	0.011	0.015
3800	0.0039	0.0047	0.0063
4000	0.0026	0.0034	0.0045
4200	0.0021	0.0026	0.0036
4400	0.0020	0.0026	0.0036
4600	0.0017	0.0023	0.0035
4800	0.0016	0.0021	0.0031

TABLE II. Observed and expected exclusions at the 95% C.L. on the mass of various resonances. Experimental systematic uncertainties are included.

Model	Final state	Observed excluded mass range [TeV]	Expected excluded mass range [TeV]
String resonance Excited quark E_6 diquark Axigluon/coloron S8 resonance W' boson Z' boson	98 98 99 99 99 88 99 9	[1.0, 4.78] $[1.0, 3.19]$ $[1.0, 4.28]$ $[1.0, 3.27]$ $[1.0, 2.79]$ $[1.0, 1.73]$ $[1.0, 1.62]$	$ \begin{bmatrix} 1.0, 4.75 \\ 1.0, 3.47 \end{bmatrix} $ $ \begin{bmatrix} 1.0, 4.16 \\ 1.0, 3.60 \end{bmatrix} $ $ \begin{bmatrix} 1.0, 2.54 \\ 1.0, 1.97 \end{bmatrix} $ $ \begin{bmatrix} 1.0, 1.97 \\ 1.0, 1.58 \end{bmatrix} $
RS graviton	$q\bar{q} + gg$	[1.0, 1.45]	[1.0, 1.29]

particle production. Upper limits are set on the product $\sigma \times \mathcal{B} \times A$ that can be applied to any model of narrow dijet resonance production. Specific lower limits are presented on the mass of string resonances, excited quarks, axigluons, colorons, S8 resonances, E_6 diquarks, W' and Z' bosons starting at 1.0 TeV and extending up to 4.8 TeV for some models. In most cases, these limits extend the previous exclusions obtained using the dijet mass spectrum. The first mass limit on Randall–Sundrum gravitons decaying to dijets is shown.

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC and the CMS detector provided by the following funding agencies: BMWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MEYS (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); MoER, SF0690030s09 and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and (France); BMBF, DFG, and HGF CNRS/IN2P3 (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Republic of Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); MSI (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MON, RosAtom, RAS and RFBR (Russia); MSTD (Serbia); SEIDI and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); ThEPCenter, IPST and NSTDA (Thailand); TUBITAK and TAEK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

- R. M. Harris and K. Kousouris, Int. J. Mod. Phys. A 26, 5005 (2011).
- [2] CMS Collaboration, JINST 3, S08004 (2008).
- [3] CMS Collaboration, Phys. Rev. Lett. **105**, 211801 (2010).
- [4] CMS Collaboration, J. High Energy Phys. 01 (2013) 013.
- [5] CMS Collaboration, arXiv:1212.1910.
- [6] ATLAS Collaboration, Phys. Rev. Lett. **105**, 161801 (2010).
- [7] ATLAS Collaboration, New J. Phys. 13, 053044 (2011).
- [8] ATLAS Collaboration, Phys. Lett. B 708, 37 (2012).
- [9] ATLAS Collaboration, J. High Energy Phys. 01 (2013) 029.
- [10] L. A. Anchordoqui, H. Goldberg, D. Lüst, S. Nawata, S. Stieberger, and T. R. Taylor, Phys. Rev. Lett. 101, 241803 (2008).
- [11] S. Cullen, M. Perelstein, and M. E. Peskin, Phys. Rev. D 62, 055012 (2000).
- [12] J.L. Hewett and T.G. Rizzo, Phys. Rep. 183, 193 (1989).
- [13] U. Baur, I. Hinchliffe, and D. Zeppenfeld, Int. J. Mod. Phys. A 02, 1285 (1987).
- [14] U. Baur, M. Spira, and P. M. Zerwas, Phys. Rev. D 42, 815 (1990).

- [15] P. H. Frampton and S. L. Glashow, Phys. Lett. B 190, 157 (1987).
- [16] R.S. Chivukula, A. Farzinnia, E.H. Simmons, and R. Foadi, Phys. Rev. D 85, 054005 (2012).
- [17] E. H. Simmons, Phys. Rev. D 55, 1678 (1997).
- [18] T. Han, I. Lewis, and Z. Liu, J. High Energy Phys. 12 (2010) 085.
- [19] E. Eichten, I. Hinchliffe, K. D. Lane, and C. Quigg, Rev. Mod. Phys. 56, 579 (1984).
- [20] L. Randall and R. Sundrum, Phys. Rev. Lett. 83, 4690 (1999).
- [21] CMS Collaboration, CMS Physics Analysis Summary, CMS-PAS-PFT-09-001, 2009, http://cds.cern.ch/record/ 1194487.
- [22] M. Cacciari, G.P. Salam, and G. Soyez, J. High Energy Phys. 04 (2008) 063.
- [23] M. Cacciari and G. P. Salam, Phys. Lett. B 641, 57 (2006).
- [24] CMS Collaboration, JINST 6, P11002 (2011).
- [25] M. Cacciari and G.P. Salam, Phys. Lett. B 659, 119 (2008).
- [26] CMS Collaboration, CMS Physics Analysis Summary CMS-PAS-JME-10-003, 2010, http://cds.cern.ch/record/ 1279362.

S. CHATRCHYAN et al.

- [27] CMS Collaboration, Phys. Lett. B 704, 123 (2011).
- [28] T. Sjöstrand, S. Mrenna, and P.Z. Skands, J. High Energy Phys. 05 (2006) 026.
- [29] S. Agostinelli *et al.* (GEANT4), Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).
- [30] R. Field, arXiv:1010.3558.
- [31] J. Pumplin, D. R. Stump, J. Huston, H.-L. Lai, P. Nadolsky, and W.-K. Tung, J. High Energy Phys. 07 (2002) 012.
- [32] S. D. Ellis, Z. Kunszt, and D. E. Soper, Phys. Rev. Lett. 69, 1496 (1992).

- [33] W. T. Giele, E. W. N. Glover, and D. A. Kosower, Nucl. Phys. B403, 633 (1993).
- [34] T. Skwarnicki, Ph.D. thesis, Crackow Institute of Nuclear Physics (1986), DESY Report No. DESY-F31-86-02.
- [35] T. Aaltonen *et al.* (CDF Collaboration), Phys. Rev. D **79**, 112002 (2009).
- [36] CMS Collaboration, CMS Physics Analysis Summary CMS-PAS-LUM-12-001, 2012, http://cds.cern.ch/record/ 1482193.
- [37] J. Beringer *et al.* (Particle Data Group), Phys. Rev. D 86, 010001 (2012), see Section 36: Statistics.

S. Chatrchyan,¹ V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² E. Aguilo,² T. Bergauer,² M. Dragicevic,² J. Erö,² C. Fabjan,^{2,b} M. Friedl,² R. Frühwirth,^{2,b} V. M. Ghete,² N. Hörmann,² J. Hrubec,² M. Jeitler,^{2,b} W. Kiesenhofer,² V. Knünz,² M. Krammer,^{2,b} I. Krätschmer,² D. Liko,² I. Mikulec,² M. Pernicka,^{2,a} D. Rabady,^{2,c} B. Rahbaran,² C. Rohringer,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² W. Waltenberger,² C.-E. Wulz,^{2,b} V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Alderweireldt,⁴ M. Bansal,⁴ S. Bansal,⁴ T. Cornelis,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ S. Luyckx,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ A. Van Spilbeeck,⁴ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ R. Gonzalez Suarez,⁵ A. Kalogeropoulos,⁵ M. Maes,⁵ A. Olbrechts,⁵ S. Tavernier,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Villella,⁵ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ T. Hreus,⁶ A. Léonard,⁶ P. E. Marage,⁶ A. Mohammadi,⁶ T. Reis,⁶ L. Thomas,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ J. Wang,⁶ V. Adler,⁷ K. Beernaert,⁷ A. Cimmino,⁷ S. Costantini,⁷ G. Garcia,⁷ M. Grunewald,⁷ B. Klein,⁷ J. Lellouch,⁷ A. Marinov,⁷ J. Mccartin,⁷ A. A. Ocampo Rios,⁷ D. Ryckbosch,⁷ M. Sigamani,⁷ N. Strobbe,⁷ F. Thyssen,⁷ M. Tytgat,⁷ S. Walsh,⁷ E. Yazgan,⁷ N. Zaganidis,⁷ S. Basegmez,⁸ G. Bruno,⁸ R. Castello,⁸ L. Ceard,⁸ C. Delaere,⁸ T. du Pree,⁸ D. Favart,⁸ L. Forthomme,⁸ A. Giammanco,^{8,d} J. Hollar,⁸ V. Lemaitre,⁸ J. Liao,⁸ O. Militaru,⁸ C. Nuttens,⁸ D. Pagano,⁸ A. Pin,⁸ K. Piotrzkowski,⁸ M. Selvaggi,⁸ J. M. Vizan Garcia,⁸ N. Beliy,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. H. Hammad,⁹ G. A. Alves,¹⁰ M. Correa Martins Junior,¹⁰ T. Martins,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. L. Aldá Júnior,¹¹ W. Carvalho,¹¹ J. Chinellato,^{11,e} A. Custódio,¹¹ E. M. Da Costa,¹¹ D. De Jesus Damiao,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ H. Malbouisson,¹¹ M. Malek,¹¹ D. Matos Figueiredo,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ L. Soares Jorge,¹¹ A. Sznajder,¹¹ E. J. Tonelli Manganote,^{11,e} A. Vilela Pereira,¹¹ T. S. Anjos,^{12b} C. A. Bernardes,^{12b} F. A. Dias,^{12a,f} T. R. Fernandez Perez Tomei,^{12a} E. M. Gregores,^{12b} C. Lagana,^{12a} F. Marinho,^{12a} P. G. Mercadante,^{12b} S. F. Novaes,^{12a} Sandra S. Padula,^{12a} V. Genchev,^{13,c} P. Iaydjiev,^{13,c} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ M. Vutova,¹³ A. Dimitrov,¹⁴ R. Hadjiiska,¹⁴ V. Kozhuharov,¹⁴ L. Litov,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ J. G. Bian,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ C. H. Jiang,¹⁵ D. Liang,¹⁵ S. Liang,¹⁵ X. Meng,¹⁵ J. Tao,¹⁵ J. Wang,¹⁵ X. Wang,¹⁵ Z. Wang,¹⁵ H. Xiao,¹⁵ M. Xu,¹⁵ J. Zang,¹⁵ Z. Zhang,¹⁵
C. Asawatangtrakuldee,¹⁶ Y. Ban,¹⁶ Y. Guo,¹⁶ W. Li,¹⁶ S. Liu,¹⁶ Y. Mao,¹⁶ S. J. Qian,¹⁶ H. Teng,¹⁶ D. Wang,¹⁶
L. Zhang,¹⁶ W. Zou,¹⁶ C. Avila,¹⁷ C. A. Carrillo Montoya,¹⁷ J. P. Gomez,¹⁷ B. Gomez Moreno,¹⁷ A. F. Osorio Oliveros,¹⁷ J. C. Sanabria,¹⁷ N. Godinovic,¹⁸ D. Lelas,¹⁸ R. Plestina,^{18,g} D. Polic,¹⁸ I. Puljak,¹⁸ Z. Antunovic,¹⁹ M. Kovac,¹⁹ V. Brigljevic,²⁰ S. Duric,²⁰ K. Kadija,²⁰ J. Luetic,²⁰ D. Mekterovic,²⁰ S. Morovic,²⁰ L. Tikvica,²⁰ A. Attikis,²¹ G. Mavromanolakis,²¹ J. Mousa,²¹ C. Nicolaou,²¹ F. Ptochos,²¹ P. A. Razis,²¹ M. Finger,²² M. Finger, Jr.,²² Y. Assran,^{23,h} S. Elgammal,^{23,i} A. Ellithi Kamel,^{23,j} A. M. Kuotb Awad,^{23,k} M. A. Mahmoud,^{23,k} A. Radi,^{23,1,m} M. Kadastik,²⁴ M. Müntel,²⁴ M. Murumaa,²⁴ M. Raidal,²⁴ L. Rebane,²⁴ A. Tiko,²⁴ P. Eerola,²⁵ G. Fedi,²⁵ M. Voutilainen,²⁵ J. Härkönen,²⁶ A. Heikkinen,²⁶ V. Karimäki,²⁶ R. Kinnunen,²⁶ M. J. Kortelainen,²⁶ T. Lampén,²⁶ K. Lassila-Perini,²⁶ S. Lehti,²⁶ T. Lindén,²⁶ P. Luukka,²⁶ T. Mäenpää,²⁶ T. Peltola,²⁶ E. Tuominen,²⁶ J. Tuominiemi,²⁶ E. Tuovinen,²⁶ D. Ungaro,²⁶ L. Wendland,²⁶ A. Korpela,²⁷ T. Tuuva,²⁷ M. Besancon,²⁸ S. Choudhury,²⁸ F. Couderc,²⁸ M. Dejardin,²⁸ D. Denegri,²⁸ B. Fabbro,²⁸ J. L. Faure,²⁸ F. Ferri,²⁸ S. Ganjour,²⁸ A. Givernaud,²⁸ P. Gras,²⁸ G. Hamel de Monchenault,²⁸ P. Jarry,²⁸ E. Locci,²⁸ J. Malcles,²⁸ L. Millischer,²⁸
A. Nayak,²⁸ J. Rander,²⁸ A. Rosowsky,²⁸ M. Titov,²⁸ S. Baffioni,²⁹ F. Beaudette,²⁹ L. Benhabib,²⁹ L. Bianchini,²⁹
M. Bluj,^{29,n} P. Busson,²⁹ C. Charlot,²⁹ N. Daci,²⁹ T. Dahms,²⁹ M. Dalchenko,²⁹ L. Dobrzynski,²⁹ A. Florent,²⁹ R. Granier de Cassagnac,²⁹ M. Haguenauer,²⁹ P. Miné,²⁹ C. Mironov,²⁹ I. N. Naranjo,²⁹ M. Nguyen,²⁹ C. Ochando,²⁹

P. Paganini,²⁹ D. Sabes,²⁹ R. Salerno,²⁹ Y. Sirois,²⁹ C. Veelken,²⁹ A. Zabi,²⁹ J.-L. Agram,^{30,0} J. Andrea,³⁰ D. Bloch,³⁰ D. Bodin,³⁰ J.-M. Brom,³⁰ E. C. Chabert,³⁰ C. Collard,³⁰ E. Conte,^{30,o} F. Drouhin,^{30,o} J.-C. Fontaine,^{30,o} D. Gelé,³⁰ U. Goerlach,³⁰ P. Juillot,³⁰ A.-C. Le Bihan,³⁰ P. Van Hove,³⁰ S. Beauceron,³¹ N. Beaupere,³¹ O. Bondu,³¹ G. Boudoul,³¹ S. Brochet,³¹ J. Chasserat,³¹ R. Chierici,^{31,c} D. Contardo,³¹ P. Depasse,³¹ H. El Mamouni,³¹ J. Fay,³¹ S. Gascon,³¹ M. Gouzevitch,³¹ B. Ille,³¹ T. Kurca,³¹ M. Lethuillier,³¹ L. Mirabito,³¹ S. Perries,³¹ L. Sgandurra,³¹ V. Sordini,³¹ Y. Tschudi,³¹ P. Verdier,³¹ S. Viret,³¹ Z. Tsamalaidze,^{32,p} C. Autermann,³³ S. Beranek,³³ B. Calpas,³³ M. Edelhoff,³³ L. Feld,³³ N. Heracleous,³³ O. Hindrichs,³³ R. Jussen,³³ K. Klein,³³ J. Merz,³³ A. Ostapchuk,³³ A. Perieanu,³³ F. Raupach,³³ J. Sammet,³³ S. Schael,³³ D. Sprenger,³³ H. Weber,³³ B. Wittmer,³³ V. Zhukov,^{33,q} M. Ata,³⁴ J. Caudron,³⁴ E. Dietz-Laursonn,³⁴ D. Duchardt,³⁴ M. Erdmann,³⁴ R. Fischer,³⁴ A. Güth,³⁴ T. Hebbeker,³⁴ C. Heidemann,³⁴ K. Hoepfner,³⁴ D. Klingebiel,³⁴ P. Kreuzer,³⁴ M. Merschmeyer,³⁴ A. Meyer,³⁴ M. Olschewski,³⁴ K. Padeken,³⁴ P. Papacz,³⁴ H. Pieta,³⁴ H. Reithler,³⁴ S. A. Schmitz,³⁴ L. Sonnenschein,³⁴ J. Steggemann,³⁴ D. Teyssier,³⁴ S. Thüer,³⁴ M. Weber,³⁴ M. Bontenackels,³⁵ V. Cherepanov,³⁵ Y. Erdogan,³⁵ G. Flügge,³⁵ H. Geenen,³⁵ M. Geisler,³⁵ W. Haj Ahmad,³⁵ F. Hoehle,³⁵ B. Kargoll,³⁵ T. Kress,³⁵ Y. Kuessel,³⁵ J. Lingemann,^{35,e} A. Nowack,³⁵ I. M. Nugent,³⁵ L. Perchalla,³⁵ O. Pooth,³⁵ P. Sauerland,³⁵ A. Stahl,³⁵ M. Aldaya Martin,³⁶ I. Asin,³⁶ N. Bartosik,³⁶ J. Behr,³⁶ W. Behrenhoff,³⁶ U. Behrens,³⁶ M. Bergholz,^{36,r} A. Bethani,³⁶ K. Borras,³⁶ A. Burgmeier,³⁶ A. Cakir,³⁶ L. Calligaris,³⁶ A. Campbell,³⁶ E. Castro,³⁶ F. Costanza,³⁶ D. Dammann,³⁶ C. Diez Pardos,³⁶ T. Dorland,³⁶ G. Eckerlin,³⁶ D. Eckstein,³⁶ G. Flucke,³⁶ A. Geiser,³⁶ I. Glushkov,³⁶ P. Gunnellini,³⁶ S. Habib,³⁶ J. Hauk,³⁶ G. Hellwig,³⁶ H. Jung,³⁶ M. Kasemann,³⁶ P. Katsas,³⁶ C. Kleinwort,³⁶ H. Kluge,³⁶ A. Knutsson,³⁶ M. Krämer,³⁶ D. Krücker,³⁶ E. Kuznetsova,³⁶ W. Lange,³⁶ J. Leonard,³⁶ W. Lohmann,^{36,r} B. Lutz,³⁶ R. Mankel,³⁶ I. Marfin,³⁶ M. Marienfeld,³⁶ I.-A. Melzer-Pellmann,³⁶ A. B. Meyer,³⁶ J. Mnich,³⁶ A. Mussgiller,³⁶ S. Naumann-Emme,³⁶ O. Novgorodova,³⁶ F. Nowak,³⁶ J. Olzem,³⁶ H. Perrey,³⁶ A. Petrukhin,³⁶ D. Pitzl,³⁶ A. Raspereza,³⁶ P. M. Ribeiro Cipriano,³⁶ C. Riedl,³⁶ E. Ron,³⁶ M. Rosin,³⁶ J. Salfeld-Nebgen,³⁶ R. Schmidt,^{36,r} T. Schoerner-Sadenius,³⁶ N. Sen,³⁶ A. Spiridonov,³⁶ M. Stein,³⁶ R. Walsh,³⁶ C. Wissing,³⁶ V. Blobel,³⁷ H. Enderle,³⁷ J. Erfle,³⁷ U. Gebbert,³⁷ M. Görner,³⁷ M. Gosselink,³⁷ J. Haller,³⁷ T. Hermanns,³⁷ R. S. Höing,³⁷ K. Kaschube,³⁷ G. Kaussen,³⁷ H. Kirschenmann,³⁷ R. Klanner,³⁷ J. Lange,³⁷ T. Peiffer,³⁷ N. Pietsch,³⁷ D. Rathjens,³⁷ C. Sander,³⁷ H. Schettler,³⁷ P. Schleper,³⁷ E. Schlieckau,³⁷ A. Schmidt,³⁷ M. Schröder,³⁷ T. Schum,³⁷ M. Seidel,³⁷ J. Sibille,^{37,s} V. Sola,³⁷ H. Stadie,³⁷ G. Steinbrück,³⁷ J. Thomsen,³⁷ L. Vanelderen,³⁷ C. Barth,³⁸ C. Baus,³⁸ J. Berger,³⁸ C. Böser,³⁸ T. Chwalek,³⁸ W. De Boer,³⁸ A. Descroix,³⁸ A. Dierlamm,³⁸ M. Feindt,³⁸ M. Guthoff,^{38,c} C. Hackstein,³⁸ F. Hartmann,^{38,c} T. Hauth,^{38,c} M. Heinrich,³⁸ H. Held,³⁸ K. H. Hoffmann,³⁸ U. Husemann,³⁸ I. Katkov,^{38,q} J. R. Komaragiri,³⁸ P. Lobelle Pardo,³⁸ D. Martschei,³⁸ S. Mueller,³⁸ Th. Müller,³⁸ M. Niegel,³⁸ A. Nürnberg,³⁸ O. Oberst,³⁸ A. Oehler,³⁸ J. Ott,³⁸ G. Quast,³⁸ K. Rabbertz,³⁸ F. Ratnikov,³⁸ N. Ratnikova,³⁸ S. Röcker,³⁸ F.-P. Schilling, ³⁸ G. Schott, ³⁸ H. J. Simonis, ³⁸ F. M. Stober, ³⁸ D. Troendle, ³⁸ R. Ulrich, ³⁸ J. Wagner-Kuhr, ³⁸
S. Wayand, ³⁸ T. Weiler, ³⁸ M. Zeise, ³⁸ G. Anagnostou, ³⁹ G. Daskalakis, ³⁹ T. Geralis, ³⁹ S. Kesisoglou, ³⁹ A. Kyriakis, ³⁹ D. Loukas, ³⁹ A. Markou, ³⁹ C. Markou, ³⁹ E. Ntomari, ³⁹ L. Gouskos, ⁴⁰ T. J. Mertzimekis, ⁴⁰ A. Panagiotou, ⁴⁰ N. Saoulidou, ⁴⁰ I. Evangelou, ⁴¹ C. Foudas, ⁴¹ P. Kokkas, ⁴¹ N. Manthos, ⁴¹ I. Papadopoulos, ⁴¹ G. Bencze, ⁴² C. Hajdu, ⁴² P. Hidas,⁴² D. Horvath,^{42,t} F. Sikler,⁴² V. Veszpremi,⁴² G. Vesztergombi,^{42,u} A. J. Zsigmond,⁴² N. Beni,⁴³ S. Czellar,⁴³ J. Molnar,⁴³ J. Palinkas,⁴³ Z. Szillasi,⁴³ J. Karancsi,⁴⁴ P. Raics,⁴⁴ Z. L. Trocsanyi,⁴⁴ B. Ujvari,⁴⁴ S. B. Beri,⁴⁵ V. Bhatnagar,⁴⁵ N. Dhingra,⁴⁵ R. Gupta,⁴⁵ M. Kaur,⁴⁵ M. Z. Mehta,⁴⁵ M. Mittal,⁴⁵ N. Nishu,⁴⁵ L. K. Saini,⁴⁵ A. Sharma,⁴⁵ J. B. Singh,⁴⁵ Ashok Kumar,⁴⁶ Arun Kumar,⁴⁶ S. Ahuja,⁴⁶ A. Bhardwaj,⁴⁶ B. C. Choudhary,⁴⁶ S. Malhotra,⁴⁶ M. Naimuddin,⁴⁶ K. Ranjan,⁴⁶ P. Saxena,⁴⁶ V. Sharma,⁴⁶ R. K. Shivpuri,⁴⁶ S. Banerjee,⁴⁷ S. Bhattacharya,⁴⁷ K. Chatterjee,⁴⁷ S. Dutta,⁴⁷ B. Gomber,⁴⁷ Sa. Jain,⁴⁷ Sh. Jain,⁴⁷ R. Khurana,⁴⁷ A. Modak,⁴⁷ S. Mukherjee,⁴⁷ D. Roy,⁴⁷ S. Sarkar,⁴⁷ M. Sharan,⁴⁷ A. Abdulsalam,⁴⁸ D. Dutta,⁴⁸ S. Kailas,⁴⁸ V. Kumar,⁴⁸ A. K. Mohanty,^{48,c} L. M. Pant,⁴⁸ P. Shukla,⁴⁸ T. Aziz,⁴⁹ R. M. Chatterjee,⁴⁹ S. Ganguly,⁴⁹ M. Guchait,^{49,v} A. Gurtu,^{49,w} M. Maity,^{49,x} G. Majumder,⁴⁹ K. Mazumdar,⁴⁹ G. B. Mohanty,⁴⁹ B. Parida,⁴⁹ K. Sudhakar,⁴⁹ N. Wickramage,⁴⁹ S. Banerjee,⁵⁰ S. Dugad,⁵⁰ H. Arfaei,^{51,y} H. Bakhshiansohi,⁵¹ S. M. Etesami,^{51,z} A. Fahim,^{51,y} M. Hashemi,^{51,aa} H. Hesari,⁵¹ A. Jafari,⁵¹ M. Khakzad,⁵¹ M. Mohammadi Najafabadi,⁵¹ S. Paktinat Mehdiabadi,⁵¹ B. Safarzadeh, ^{51,bb} M. Zeinali, ⁵¹ M. Abbrescia, ^{52a,52b} L. Barbone, ^{52a,52b} C. Calabria, ^{52a,52b} S. S. Chhibra, ^{52a,52b} A. Colaleo, ^{52a} D. Creanza, ^{52a,52c} N. De Filippis, ^{52a,52c} M. De Palma, ^{52a,52b} L. Fiore, ^{52a} G. Iaselli, ^{52a,52c} G. Maggi,^{52a,52c} M. Maggi,^{52a} B. Marangelli,^{52a,52b} S. My,^{52a,52c} S. Nuzzo,^{52a,52b} N. Pacifico,^{52a} A. Pompili,^{52a,52b} G. Pugliese,^{52a,52c} G. Selvaggi,^{52a,52b} L. Silvestris,^{52a} G. Singh,^{52a,52b} R. Venditti,^{52a,52b} P. Verwilligen,^{52a} G. Zito,^{52a} G. Abbiendi,^{53a} A. C. Benvenuti,^{53a} D. Bonacorsi,^{53a,53b} S. Braibant-Giacomelli,^{53a,53b} L. Brigliadori,^{53a,53b}

P. Capiluppi,^{53a,53b} A. Castro,^{53a,53b} F. R. Cavallo,^{53a} M. Cuffiani,^{53a,53b} G. M. Dallavalle,^{53a} F. Fabbri,^{53a} A. Fanfani,^{53a,53b} D. Fasanella,^{53a,53b} P. Giacomelli,^{53a} C. Grandi,^{53a} L. Guiducci,^{53a,53b} S. Marcellini,^{53a} G. Masetti,^{53a} M. Meneghelli,^{53a,53b,c} A. Montanari,^{53a} F. L. Navarria,^{53a,53b} F. Odorici,^{53a} A. Perrotta,^{53a} F. Primavera, 53a,53b A. M. Rossi, 53a,53b T. Rovelli, 53a,53b G. P. Siroli, 53a,53b N. Tosi, 53a,53b R. Travaglini, 53a,53b S. Albergo, 54a,54b G. Cappello, 54a,54b M. Chiorboli, 54a,54b S. Costa, 54a,54b R. Potenza, 54a,54b A. Tricomi, 54a,54b C. Tuve, ^{54a,54b} G. Barbagli, ^{55a} V. Ciulli, ^{55a,55b} C. Civinini, ^{55a} R. D'Alessandro, ^{55a,55b} E. Focardi, ^{55a,55b}
 S. Frosali, ^{55a,55b} E. Gallo, ^{55a} S. Gonzi, ^{55a,55b} M. Meschini, ^{55a} S. Paoletti, ^{55a} G. Sguazzoni, ^{55a} A. Tropiano, ^{55a,55b} L. Benussi,⁵⁶ S. Bianco,⁵⁶ S. Colafranceschi,^{56,cc} F. Fabbri,⁵⁶ D. Piccolo,⁵⁶ P. Fabbricatore,^{57a} R. Musenich,^{57a} S. Tosi,^{57a,57b} A. Benaglia,^{58a} F. De Guio,^{58a,58b} L. Di Matteo,^{58a,58b,c} S. Fiorendi,^{58a,58b} S. Gennai,^{58a,c} A. Ghezzi,^{58a,58b} M. T. Lucchini,^{58a,c} S. Malvezzi,^{58a} R. A. Manzoni,^{58a,58b} A. Martelli,^{58a,58b} A. Massironi,^{58a,58b} D. Menasce,^{58a} L. Moroni,^{58a} M. Paganoni,^{58a,58b} D. Pedrini,^{58a} S. Ragazzi,^{58a,58b} N. Redaelli,^{58a} T. Tabarelli de Fatis,^{58a,58b} S. Buontempo,^{59a} N. Cavallo,^{59a,59c} A. De Cosa,^{59a,59b,c} O. Dogangun,^{59a,59b} I. Tabareni de Faus, A. S. Buomempo, A. Cavano, A. De Cosa, O. Dogangun,
 F. Fabozzi, ^{59a,59c} A. O. M. Iorio, ^{59a,59b} L. Lista, ^{59a} S. Meola, ^{59a,59d,c} M. Merola, ^{59a} P. Paolucci, ^{59a,c} P. Azzi, ^{60a} N. Bacchetta, ^{60a,c0b} A. Branca, ^{60a,60b,c} R. Carlin, ^{60a,60b} P. Checchia, ^{60a} T. Dorigo, ^{60a} M. Galanti, ^{60a,60b} F. Gasparini, ^{60a,60b} U. Gasparini, ^{60a,60b} A. Gozzelino, ^{60a} K. Kanishchev, ^{60a,60c} S. Lacaprara, ^{60a} I. Lazzizzera,^{60a,60c} M. Margoni,^{60a,60b} A. T. Meneguzzo,^{60a,60b} J. Pazzini,^{60a,60b} N. Pozzobon,^{60a,60b} P. Ronchese,^{60a,60b} F. Simonetto,^{60a,60b} E. Torassa,^{60a} M. Tosi,^{60a,60b} S. Vanini,^{60a,60b} S. Ventura,^{60a} P. Zotto,^{60a,60b} G. Zumerle,^{60a,60b} M. Gabusi,^{61a,61b} S. P. Ratti,^{61a,61b} C. Riccardi,^{61a,61b} P. Torre,^{61a,61b} P. Vitulo,^{61a,61b} M. Biasini,^{62a,62b} G. M. Bilei,^{62a} L. Fanò,^{62a,62b} P. Lariccia,^{62a,62b} G. Mantovani,^{62a,62b} M. Menichelli,^{62a} A. Nappi,^{62a,62b,a} F. Romeo,^{62a,62b} A. Saha,^{62a} A. Santocchia,^{62a,62b} A. Spiezia,^{62a,62b} S. Taroni,^{62a,62b} P. Azzurri, ^{63a,63c} G. Bagliesi, ^{63a} J. Bernardini, ^{63a} T. Boccali, ^{63a} G. Broccolo, ^{63a,63c} R. Castaldi, ^{63a} R. T. D'Agnolo,^{63a,63c,c} R. Dell'Orso,^{63a} F. Fiori,^{63a,63b,c} L. Foà,^{63a,63c} A. Giassi,^{63a} A. Kraan,^{63a} F. Ligabue,^{63a,63c} T. Lomtadze,^{63a} L. Martini,^{63a,dd} A. Messineo,^{63a,63b} F. Palla,^{63a} A. Rizzi,^{63a,63b} A. T. Serban,^{63a,ee} P. Spagnolo,^{63a} P. Squillacioti,^{63a,c} R. Tenchini,^{63a} G. Tonelli,^{63a,63b} A. Venturi,^{63a} P. G. Verdini,^{63a} L. Barone,^{64a,64b} F. Cavallari,^{64a}
 D. Del Re,^{64a,64b} M. Diemoz,^{64a} C. Fanelli,^{64a,64b} M. Grassi,^{64a,64b,c} E. Longo,^{64a,64b} P. Meridiani,^{64a,c} F. Micheli,^{64a,64b} S. Nourbakhsh,^{64a,64b} G. Organtini,^{64a,64b} R. Paramatti,^{64a} S. Rahatlou,^{64a,64b} L. Soffi,^{64a,64b} N. Amapane,^{65a,65b} R. Arcidiacono,^{65a,65c} S. Argiro,^{65a,65b} M. Arneodo,^{65a,65c} C. Biino,^{65a} N. Cartiglia,^{65a} S. Casasso,^{65a,65b} M. Costa,^{65a,65b} N. Demaria,^{65a} C. Mariotti,^{65a,c} S. Maselli,^{65a} E. Migliore,^{65a,65b} V. Monaco,^{65a,65b} M. Musich,^{65a,c5} M. M. Obertino,^{65a,65c} N. Pastrone,^{65a} M. Pelliccioni,^{65a} A. Potenza,^{65a,65b} A. Romero,^{65a,65b}
M. Ruspa,^{65a,65c} R. Sacchi,^{65a,65b} A. Solano,^{65a,65b} A. Staiano,^{65a} S. Belforte,^{66a} V. Candelise,^{66a,66b} M. Casarsa,^{66a}
F. Cossutti,^{66a,c} G. Della Ricca,^{66a,66b} B. Gobbo,^{66a} M. Marone,^{66a,66b,c} D. Montanino,^{66a,66b} A. Penzo,^{66a} A. Schizzi, ^{66a,66b} T. Y. Kim, ⁶⁷ S. K. Nam, ⁶⁷ S. Chang, ⁶⁸ D. H. Kim, ⁶⁸ G. N. Kim, ⁶⁸ D. J. Kong, ⁶⁸ H. Park, ⁶⁸
 D. C. Son, ⁶⁸ J. Y. Kim, ⁶⁹ Zero J. Kim, ⁶⁹ S. Song, ⁶⁹ S. Choi, ⁷⁰ D. Gyun, ⁷⁰ B. Hong, ⁷⁰ M. Jo, ⁷⁰ H. Kim, ⁷⁰ T. J. Kim, ⁷⁰
 K. S. Lee, ⁷⁰ D. H. Moon, ⁷⁰ S. K. Park, ⁷⁰ Y. Roh, ⁷⁰ M. Choi, ⁷¹ J. H. Kim, ⁷¹ C. Park, ⁷¹ I. C. Park, ⁷¹ S. Park, ⁷¹ G. Ryu, ⁷¹
 Y. Choi, ⁷² Y. K. Choi, ⁷² M. S. Kim, ⁷² E. Kwon, ⁷² B. Lee, ⁷² J. Lee, ⁷² S. Lee, ⁷² H. Seo, ⁷² I. Yu, ⁷² M. J. Bilinskas,⁷³ I. Grigelionis,⁷³ M. Janulis,⁷³ A. Juodagalvis,⁷³ H. Castilla-Valdez,⁷⁴ E. De La Cruz-Burelo,⁷⁴ I. Heredia-de La Cruz,⁷⁴ R. Lopez-Fernandez,⁷⁴ J. Martínez-Ortega,⁷⁴ A. Sanchez-Hernandez,⁷⁴ L. M. Villasenor-Cendejas,⁷⁴ S. Carrillo Moreno,⁷⁵ F. Vazquez Valencia,⁷⁵ H. A. Salazar Ibarguen,⁷⁶ E. Casimiro Linares,⁷⁷ A. Morelos Pineda,⁷⁷ M. A. Reyes-Santos,⁷⁷ D. Krofcheck,⁷⁸ A. J. Bell,⁷⁹ P. H. Butler,⁷⁹ R. Doesburg,⁷⁹ S. Reucroft,⁷⁹ H. Silverwood,⁷⁹ M. Ahmad,⁸⁰ M. I. Asghar,⁸⁰ J. Butt,⁸⁰ H. R. Hoorani,⁸⁰ S. Khalid,⁸⁰ W. A. Khan,⁸⁰ T. Khurshid,⁸⁰ S. Qazi,⁸⁰ M. A. Shah,⁸⁰ M. Shoaib,⁸⁰ H. Bialkowska,⁸¹ B. Boimska,⁸¹ T. Frueboes,⁸¹ M. Górski,⁸¹ M. Kazana,⁸¹ K. Nawrocki,⁸¹ K. Romanowska-Rybinska,⁸¹ M. Szleper,⁸¹ G. Wrochna,⁸¹ P. Zalewski,⁸¹ G. Brona,⁸² K. Bunkowski,⁸² M. Cwiok,⁸² W. Dominik,⁸² K. Doroba,⁸² A. Kalinowski,⁸² M. Konecki,⁸² J. Krolikowski,⁸² M. Misiura,⁸² W. Wolszczak,⁸² N. Almeida,⁸³ P. Bargassa,⁸³ A. David,⁸³ P. Faccioli,⁸³ P. G. Ferreira Parracho,⁸³ M. Gallinaro,⁸³ J. Seixas,^{83,c} J. Varela,⁸³ P. Vischia,⁸³ P. Bunin,⁸⁴ M. Gavrilenko,⁸⁴ I. Golutvin,⁸⁴ V. Karjavin,⁸⁴ V. Konoplyanikov,⁸⁴ G. Kozlov,⁸⁴ A. Lanev,⁸⁴ A. Malakhov,⁸⁴ P. Moisenz,⁸⁴ V. Palichik,⁸⁴ V. Perelygin,⁸⁴ M. Savina,⁸⁴ S. Shmatov,⁸⁴ S. Shulha,⁸⁴ V. Smirnov,⁸⁴ A. Volodko,⁸⁴ A. Zarubin,⁸⁴ S. Evstyukhin,⁸⁵ V. Golovtsov,⁸⁵ Y. Ivanov,⁸⁵ V. Kim,⁸⁵ P. Levchenko,⁸⁵ V. Murzin,⁸⁵ V. Oreshkin,⁸⁵ I. Smirnov,⁸⁵ V. Sulimov,⁸⁵ L. Uvarov,⁸⁵ S. Vavilov,⁸⁵ A. Vorobyev,⁸⁵ An. Vorobyev,⁸⁵ Yu. Andreev,⁸⁶ A. Dermenev,⁸⁶ S. Gninenko,⁸⁶ N. Golubev,⁸⁶ M. Kirsanov,⁸⁶ N. Krasnikov,⁸⁶ V. Matveev,⁸⁶ A. Pashenkov,⁸⁶ D. Tlisov,⁸⁶ A. Toropin,⁸⁶ V. Epshteyn,⁸⁷ M. Erofeeva,⁸⁷ V. Gavrilov,⁸⁷ M. Kossov,⁸⁷ N. Lychkovskaya,⁸⁷ V. Popov,⁸⁷

G. Safronov,⁸⁷ S. Semenov,⁸⁷ I. Shreyber,⁸⁷ V. Stolin,⁸⁷ E. Vlasov,⁸⁷ A. Zhokin,⁸⁷ V. Andreev,⁸⁸ M. Azarkin,⁸⁸ I. Dremin,⁸⁸ M. Kirakosyan,⁸⁸ A. Leonidov,⁸⁸ G. Mesyats,⁸⁸ S. V. Rusakov,⁸⁸ A. Vinogradov,⁸⁸ A. Belyaev,⁸⁹ E. Boos,⁸⁹ M. Dubinin,^{89,f} L. Dudko,⁸⁹ A. Ershov,⁸⁹ A. Gribushin,⁸⁹ V. Klyukhin,⁸⁹ O. Kodolova,⁸⁹ I. Lokhtin,⁸⁹ A. Markina,⁸⁹ S. Obraztsov,⁸⁹ M. Perfilov,⁸⁹ S. Petrushanko,⁸⁹ A. Popov,⁸⁹ L. Sarycheva,^{89,a} V. Savrin,⁸⁹ A. Snigirev,⁸⁹ I. Azhgirey,⁹⁰ I. Bayshev,⁹⁰ S. Bitioukov,⁹⁰ V. Grishin,^{90,c} V. Kachanov,⁹⁰ D. Konstantinov,⁹⁰ V. Krychkine,⁹⁰ V. Petrov,⁹⁰ R. Ryutin,⁹⁰ A. Sobol,⁹⁰ L. Tourtchanovitch,⁹⁰ S. Troshin,⁹⁰ N. Tyurin,⁹⁰ A. Uzunian,⁹⁰ A. Volkov,⁹⁰ P. Adzic,^{91,ff} M. Djordjevic,⁹¹ M. Ekmedzic,⁹¹ D. Krpic,^{91,ff} J. Milosevic,⁹¹ M. Aguilar-Benitez,⁹² J. Alcaraz Maestre,⁹² P. Arce,⁹² C. Battilana,⁹² E. Calvo,⁹² M. Cerrada,⁹² M. Chamizo Llatas,⁹² N. Colino,⁹² B. De La Cruz,⁹² A. Delgado Peris,⁹² D. Domínguez Vázquez,⁹² C. Fernandez Bedoya,⁹² J. P. Fernández Ramos,⁹² A. Ferrando, ⁹² J. Flix, ⁹² M. C. Fouz, ⁹² P. Garcia-Abia, ⁹² O. Gonzalez Lopez, ⁹² S. Goy Lopez, ⁹² J. M. Hernandez, ⁹² M. I. Josa,⁹² G. Merino,⁹² J. Puerta Pelayo,⁹² A. Quintario Olmeda,⁹² I. Redondo,⁹² L. Romero,⁹² J. Santaolalla,⁹² M. S. Soares,⁹² C. Willmott,⁹² C. Albajar,⁹³ G. Codispoti,⁹³ J. F. de Trocóniz,⁹³ H. Brun,⁹⁴ J. Cuevas,⁹⁴ J. Fernandez Menendez,⁹⁴ S. Folgueras,⁹⁴ I. Gonzalez Caballero,⁹⁴ L. Lloret Iglesias,⁹⁴ J. Piedra Gomez,⁹⁴ J. A. Brochero Cifuentes,⁹⁵ I. J. Cabrillo,⁹⁵ A. Calderon,⁹⁵ S. H. Chuang,⁹⁵ J. Duarte Campderros,⁹⁵ M. Felcini,^{95,gg} M. Fernandez,⁹⁵ G. Gomez,⁹⁵ J. Gonzalez Sanchez,⁹⁵ A. Graziano,⁹⁵ C. Jorda,⁹⁵ A. Lopez Virto,⁹⁵ J. Marco,⁹⁵ R. Marco,⁹⁵ C. Martinez Rivero,⁹⁵ F. Matorras,⁹⁵ F. J. Munoz Sanchez,⁹⁵ T. Rodrigo,⁹⁵ A. Y. Rodríguez-Marrero,⁹⁵ A. Ruiz-Jimeno,⁹⁵ L. Scodellaro,⁹⁵ I. Vila,⁹⁵ R. Vilar Cortabitarte,⁹⁵ D. Abbaneo,⁹⁶ E. Auffray,⁹⁶ G. Auzinger,⁹⁶ M. Bachtis,⁹⁶ P. Baillon,⁹⁶ A. H. Ball,⁹⁶ D. Barney,⁹⁶ J. Bendavid,⁹⁶ J. F. Benitez,⁹⁶ C. Bernet,^{96,g} G. Bianchi,⁹⁶ P. Bloch,⁹⁶ A. Bocci,⁹⁶ A. Bonato,⁹⁶ C. Botta,⁹⁶ H. Breuker,⁹⁶ T. Camporesi,⁹⁶ G. Cerminara,⁹⁶ T. Christiansen,⁹⁶ J. A. Coarasa Perez, ⁹⁶ D. d'Enterria, ⁹⁶ A. Dabrowski, ⁹⁶ A. De Roeck, ⁹⁶ S. De Visscher, ⁹⁶ S. Di Guida, ⁹⁶ M. Dobson, ⁹⁶ N. Dupont-Sagorin, ⁹⁶ A. Elliott-Peisert, ⁹⁶ J. Eugster, ⁹⁶ B. Frisch, ⁹⁶ W. Funk, ⁹⁶ G. Georgiou, ⁹⁶ M. Giffels,⁹⁶ D. Gigi,⁹⁶ K. Gill,⁹⁶ D. Giordano,⁹⁶ M. Girone,⁹⁶ M. Giunta,⁹⁶ F. Glege,⁹⁶ R. Gomez-Reino Garrido,⁹⁶ P. Govoni,⁹⁶ S. Gowdy,⁹⁶ R. Guida,⁹⁶ J. Hammer,⁹⁶ M. Hansen,⁹⁶ P. Harris,⁹⁶ C. Hartl,⁹⁶ J. Harvey,⁹⁶ B. Hegner,⁹⁶ A. Hinzmann,⁹⁶ V. Innocente,⁹⁶ P. Janot,⁹⁶ K. Kaadze,⁹⁶ E. Karavakis,⁹⁶ K. Kousouris,⁹⁶ K. Krajczar,⁹⁶ P. Lecoq,⁹⁶ Y.-J. Lee,⁹⁶ P. Lenzi,⁹⁶ C. Lourenço,⁹⁶ N. Magini,⁹⁶ T. Mäki,⁹⁶ M. Malberti,⁹⁶ L. Malgeri,⁹⁶ M. Mannelli,⁹⁶ L. Masetti,⁹⁶ F. Meijers,⁹⁶ S. Mersi,⁹⁶ E. Meschi,⁹⁶ R. Moser,⁹⁶ M. Mulders,⁹⁶ P. Musella,⁹⁶ E. Nesvold,⁹⁶ L. Orsini,⁹⁶ E. Palencia Cortezon,⁹⁶ E. Perez,⁹⁶ L. Perrozzi,⁹⁶ A. Petrilli,⁹⁶ A. Pfeiffer,⁹⁶ M. Pierini,⁹⁶ M. Pimiä,⁹⁶ D. Piparo,⁹⁶ G. Polese,⁹⁶ L. Quertenmont,⁹⁶ A. Racz,⁹⁶ W. Reece,⁹⁶ J. Rodrigues Antunes,⁹⁶ G. Rolandi,^{96,hh} C. Rovelli,^{96,ii} M. Rovere,⁹⁶ H. Sakulin,⁹⁶ F. Santanastasio,⁹⁶ C. Schäfer,⁹⁶ C. Schwick,⁹⁶ I. Segoni,⁹⁶ S. Sekmen,⁹⁶ A. Sharma,⁹⁶ P. Siegrist,⁹⁶ P. Silva,⁹⁶ M. Simon,⁹⁶ P. Sphicas,^{96,ij} D. Spiga,⁹⁶ A. Tsirou,⁹⁶ G. I. Veres,^{96,u} J. R. Vlimant,⁹⁶ H. K. Wöhri,⁹⁶ S. D. Worm,^{96,kk} W. D. Zeuner,⁹⁶ W. Bertl,⁹⁷ K. Deiters,⁹⁷ W. Erdmann,⁹⁷ K. Gabathuler,⁹⁷ R. Horisberger,⁹⁷ Q. Ingram,⁹⁷ H. C. Kaestli,⁹⁷ S. König,⁹⁷ D. Kotlinski,⁹⁷ U. Langenegger,⁹⁷ F. Meier,⁹⁷ D. Renker,⁹⁷ T. Rohe,⁹⁷ F. Bachmair,⁹⁸ L. Bäni,⁹⁸ P. Bortignon,⁹⁸ M. A. Buchmann,⁹⁸ B. Casal,⁹⁸ N. Chanon,⁹⁸ A. Deisher,⁹⁸ G. Dissertori,⁹⁸ M. Dittmar,⁹⁸ M. Donegà,⁹⁸ M. Dünser,⁹⁸ P. Eller,⁹⁸ K. Freudenreich,⁹⁸ C. Grab,⁹⁸ D. Hits,⁹⁸ P. Lecomte,⁹⁸ W. Lustermann,⁹⁸ A. C. Marini,⁹⁸ P. Martinez Ruiz del Arbol,⁹⁸ N. Mohr,⁹⁸ F. Moortgat,⁹⁸ D. Hits, P. Leconte, W. Lustermann, A. C. Martin, P. Martinez Kuiz dei Arbor, N. Moni, P. Moortgat, C. Nägeli,^{98,11} P. Nef,⁹⁸ F. Nessi-Tedaldi,⁹⁸ F. Pandolfi,⁹⁸ L. Pape,⁹⁸ F. Pauss,⁹⁸ M. Peruzzi,⁹⁸ F. J. Ronga,⁹⁸ M. Rossini,⁹⁸ L. Sala,⁹⁸ A. K. Sanchez,⁹⁸ A. Starodumov,^{98,mm} B. Stieger,⁹⁸ M. Takahashi,⁹⁸ L. Tauscher,^{98,a} A. Thea,⁹⁸ K. Theofilatos,⁹⁸ D. Treille,⁹⁸ C. Urscheler,⁹⁸ R. Wallny,⁹⁸ H. A. Weber,⁹⁸ L. Wehrli,⁹⁸ C. Amsler,^{99,nn} V. Chiochia,⁹⁹ C. Favaro,⁹⁹ M. Ivova Rikova,⁹⁹ B. Kilminster,⁹⁹ B. Millan Mejias,⁹⁹ P. Otiougova,⁹⁹ P. Robmann,⁹⁹ V. Chlothia, C. Pavalo, M. Pova Kikova, B. Khimister, B. William Mejras, T. Odougova, T. Kobinani, H. Snoek,⁹⁹ S. Tupputi,⁹⁹ M. Verzetti,⁹⁹ M. Cardaci,¹⁰⁰ Y. H. Chang,¹⁰⁰ K. H. Chen,¹⁰⁰ C. Ferro,¹⁰⁰ C. M. Kuo,¹⁰⁰ S. W. Li,¹⁰⁰ W. Lin,¹⁰⁰ Y. J. Lu,¹⁰⁰ A. P. Singh,¹⁰⁰ R. Volpe,¹⁰⁰ S. S. Yu,¹⁰⁰ P. Bartalini,¹⁰¹ P. Chang,¹⁰¹ Y. H. Chang,¹⁰¹ Y. W. Chang,¹⁰¹ Y. Chao,¹⁰¹ K. F. Chen,¹⁰¹ C. Dietz,¹⁰¹ U. Grundler,¹⁰¹ W.-S. Hou,¹⁰¹ Y. Hsiung,¹⁰¹ K. Y. Kao,¹⁰¹ Y. J. Lei,¹⁰¹ R.-S. Lu,¹⁰¹ D. Majumder,¹⁰¹ E. Petrakou,¹⁰¹ X. Shi,¹⁰¹ J. G. Shiu,¹⁰¹ Y. M. Tzeng,¹⁰¹ X. Wan,¹⁰¹ M. Wang,¹⁰¹ B. Asavapibhop,¹⁰² E. Simili,¹⁰² N. Srimanobhas,¹⁰² N. Suwonjandee,¹⁰² A. Adiguzel,¹⁰³ M. N. Bakirci,^{103,00} S. Cerci,^{103,pp} C. Dozen,¹⁰³ I. Dumanoglu,¹⁰³ E. Eskut,¹⁰³ S. Girgis,¹⁰³ G. Gokbulut,¹⁰³ E. Gurpinar,¹⁰³ I. Hos,¹⁰³ E. E. Kangal,¹⁰³ T. Karaman,¹⁰³ G. Karapinar,^{103,qq} A. Kayis Topaksu,¹⁰³ G. Onengut,¹⁰³ K. Ozdemir,¹⁰³ S. Ozturk,^{103,rr} A. Polatoz,¹⁰³ K. Sogut,^{103,ss} D. Sunar Cerci,^{103,pp} B. Tali,^{103,pp} H. Topakli,^{103,oo} M. Vergili,¹⁰³ I. V. Akin,¹⁰⁴ T. Aliev,¹⁰⁴ B. Bilin,¹⁰⁴ S. Bilmis,¹⁰⁴ M. Deniz,¹⁰⁴ H. Gamsizkan,¹⁰⁴ A. M. Guler,¹⁰⁵ M. Vergin, T. V. Akin, T. Anev, B. Binn, S. Binns, M. Deniz, T. Ganiszkan, A. M. Guter,
K. Ocalan, ¹⁰⁴ A. Ozpineci, ¹⁰⁴ M. Serin, ¹⁰⁴ R. Sever, ¹⁰⁴ U. E. Surat, ¹⁰⁴ M. Yalvac, ¹⁰⁴ M. Zeyrek, ¹⁰⁴ E. Gülmez, ¹⁰⁵
B. Isildak, ^{105,tt} M. Kaya, ^{105,uu} O. Kaya, ^{105,uu} S. Ozkorucuklu, ^{105,vv} N. Sonmez, ^{105,ww} H. Bahtiyar, ^{106,xx} E. Barlas, ¹⁰⁶
K. Cankocak, ¹⁰⁶ Y. O. Günaydin, ^{106,yy} F. I. Vardarlı, ¹⁰⁶ M. Yücel, ¹⁰⁶ L. Levchuk, ¹⁰⁷ J. J. Brooke, ¹⁰⁸ E. Clement, ¹⁰⁸

D. Cussans,¹⁰⁸ H. Flacher,¹⁰⁸ R. Frazier,¹⁰⁸ J. Goldstein,¹⁰⁸ M. Grimes,¹⁰⁸ G. P. Heath,¹⁰⁸ H. F. Heath,¹⁰⁸ L. Kreczko,¹⁰⁸ S. Metson,¹⁰⁸ D. M. Newbold,^{108,kk} K. Nirunpong,¹⁰⁸ A. Poll,¹⁰⁸ S. Senkin,¹⁰⁸ V. J. Smith,¹⁰⁸ T. Williams,¹⁰⁸ L. Basso,^{109,zz} K. W. Bell,¹⁰⁹ A. Belyaev,^{109,zz} C. Brew,¹⁰⁹ R. M. Brown,¹⁰⁹ D. J. A. Cockerill,¹⁰⁹ J. A. Coughlan,¹⁰⁹ K. Harder,¹⁰⁹ S. Harper,¹⁰⁹ J. Jackson,¹⁰⁹ B. W. Kennedy,¹⁰⁹ E. Olaiya,¹⁰⁹ D. Petyt,¹⁰⁹ J. A. Coughlan,¹⁰⁹ K. Harder,¹⁰⁹ S. Harper,¹⁰⁹ J. Jackson,¹⁰⁹ B. W. Kennedy,¹⁰⁹ E. Olaiya,¹⁰⁹ D. Petyt,¹⁰⁹
B. C. Radburn-Smith,¹⁰⁹ C. H. Shepherd-Themistocleous,¹⁰⁹ I. R. Tomalin,¹⁰⁹ W. J. Womersley,¹⁰⁹ R. Bainbridge,¹¹⁰
G. Ball,¹¹⁰ R. Beuselinck,¹¹⁰ O. Buchmuller,¹¹⁰ D. Colling,¹¹⁰ N. Cripps,¹¹⁰ M. Cutajar,¹¹⁰ P. Dauncey,¹¹⁰
G. Davies,¹¹⁰ M. Della Negra,¹¹⁰ W. Ferguson,¹¹⁰ J. Fulcher,¹¹⁰ D. Futyan,¹¹⁰ A. Gilbert,¹¹⁰ A. Guneratne Bryer,¹¹⁰
G. Hall,¹¹⁰ Z. Hatherell,¹¹⁰ J. Hays,¹¹⁰ G. Iles,¹¹⁰ M. Jarvis,¹¹⁰ G. Karapostoli,¹¹⁰ M. Kenzie,¹¹⁰ L. Lyons,¹¹⁰
A.-M. Magnan,¹¹⁰ J. Marrouche,¹¹⁰ B. Mathias,¹¹⁰ R. Nandi,¹¹⁰ J. Nash,¹¹⁰ A. Nikitenko,^{110,mm} J. Pela,¹¹⁰
M. Pesaresi,¹¹⁰ K. Petridis,¹¹⁰ M. Pioppi,^{110,aaa} D. M. Raymond,¹¹⁰ S. Rogerson,¹¹⁰ A. Rose,¹¹⁰ C. Seez,¹¹⁰
P. Sharp,^{110,a} A. Sparrow,¹¹⁰ M. Stoye,¹¹⁰ A. Tapper,¹¹⁰ M. Vazquez Acosta,¹¹⁰ T. Virdee,¹¹⁰ S. Wakefield,¹¹⁰
N. Wardle,¹¹⁰ T. Whyntie,¹¹⁰ M. Chadwick,¹¹¹ J. E. Cole,¹¹¹ P. R. Hobson,¹¹¹ A. Khan,¹¹¹ P. Kyberd,¹¹¹ D. Leggat,¹¹¹ D. Leslie,¹¹¹ W. Martin,¹¹¹ I. D. Reid,¹¹¹ P. Symonds,¹¹¹ L. Teodorescu,¹¹¹ M. Turner,¹¹¹ K. Hatakeyama,¹¹² H. Liu,¹¹² T. Scarborough,¹¹² O. Charaf,¹¹³ S. I. Cooper,¹¹³ C. Henderson,¹¹³ P. Rumerio,¹¹³ A. Avetisyan,¹¹⁴ T. Bose,¹¹⁴ C. Fantasia,¹¹⁴ A. Heister,¹¹⁴ P. Lawson,¹¹⁴ D. Lazic,¹¹⁴ J. Rohlf,¹¹⁴ D. Sperka,¹¹⁴ J. St. John,¹¹⁴ L. Sulak,¹¹⁴ J. Alimena,¹¹⁵ S. Bhattacharya,¹¹⁵ G. Christopher,¹¹⁵ D. Cutts,¹¹⁵ Z. Demiragli,¹¹⁵ A. Ferapontov,¹¹⁵ A. Garabedian,¹¹⁵ U. Heintz,¹¹⁵ S. Jabeen,¹¹⁵ G. Kukartsev,¹¹⁵ E. Laird,¹¹⁵ G. Landsberg,¹¹⁵ M. Luk,¹¹⁵ M. Narain,¹¹⁵ M. Segala,¹¹⁵ T. Sinthuprasith,¹¹⁵ T. Speer,¹¹⁵ R. Breedon,¹¹⁶ G. Breto,¹¹⁶ M. Narain, ¹¹⁵ M. Segala, ¹¹⁵ T. Sinthuprasith, ¹¹³ T. Speer, ¹¹⁵ R. Breedon, ¹¹⁶ G. Breto, ¹¹⁶
M. Calderon De La Barca Sanchez, ¹¹⁶ M. Caulfield, ¹¹⁶ S. Chauhan, ¹¹⁶ M. Chertok, ¹¹⁶ J. Conway, ¹¹⁶ R. Conway, ¹¹⁶
P. T. Cox, ¹¹⁶ J. Dolen, ¹¹⁶ R. Erbacher, ¹¹⁶ M. Gardner, ¹¹⁶ R. Houtz, ¹¹⁶ W. Ko, ¹¹⁶ A. Kopecky, ¹¹⁶ R. Lander, ¹¹⁶
O. Mall, ¹¹⁶ T. Miceli, ¹¹⁶ R. Nelson, ¹¹⁶ D. Pellett, ¹¹⁶ F. Ricci-Tam, ¹¹⁶ B. Rutherford, ¹¹⁶ M. Searle, ¹¹⁶ J. Smith, ¹¹⁶
M. Squires, ¹¹⁶ M. Tripathi, ¹¹⁶ R. Vasquez Sierra, ¹¹⁶ R. Yohay, ¹¹⁶ V. Andreev, ¹¹⁷ D. Cline, ¹¹⁷ R. Cousins, ¹¹⁷
J. Duris, ¹¹⁷ S. Erhan, ¹¹⁷ P. Everaerts, ¹¹⁷ C. Farrell, ¹¹⁷ J. Hauser, ¹¹⁷ M. Ignatenko, ¹¹⁷ C. Jarvis, ¹¹⁷ G. Rakness, ¹¹⁷
P. Schlein, ^{117,a} P. Traczyk, ¹¹⁷ V. Valuev, ¹¹⁷ M. Weber, ¹¹⁷ J. Babb, ¹¹⁸ R. Clare, ¹¹⁸ M. E. Dinardo, ¹¹⁸ J. Ellison, ¹¹⁸
J. W. Gary, ¹¹⁸ F. Giordano, ¹¹⁸ G. Hanson, ¹¹⁸ H. Liu, ¹¹⁸ O. R. Long, ¹¹⁸ A. Luthra, ¹¹⁸ H. Nguyen, ¹¹⁹ S. Paramesvaran,¹¹⁸ J. Sturdy,¹¹⁸ S. Sumowidagdo,¹¹⁸ R. Wilken,¹¹⁸ S. Wimpenny,¹¹⁸ W. Andrews,¹¹⁹ J. G. Branson,¹¹⁹ G. B. Cerati,¹¹⁹ S. Cittolin,¹¹⁹ D. Evans,¹¹⁹ A. Holzner,¹¹⁹ R. Kelley,¹¹⁹ M. Lebourgeois,¹¹⁹ J. Letts,¹¹⁹ I. Macneill,¹¹⁹ B. Mangano,¹¹⁹ S. Padhi,¹¹⁹ C. Palmer,¹¹⁹ G. Petrucciani,¹¹⁹ M. Pieri,¹¹⁹ M. Sani,¹¹⁹ V. Sharma,¹¹⁹ S. Simon,¹¹⁹ E. Sudano,¹¹⁹ M. Tadel,¹¹⁹ Y. Tu,¹¹⁹ A. Vartak,¹¹⁹ S. Wasserbaech,^{119,bbb} F. Würthwein,¹¹⁹ A. Yagil,¹¹⁹ J. Yoo,¹¹⁹ D. Barge,¹²⁰ R. Bellan,¹²⁰ C. Campagnari,¹²⁰ M. D'Alfonso,¹²⁰
T. Danielson,¹²⁰ K. Flowers,¹²⁰ P. Geffert,¹²⁰ C. George,¹²⁰ F. Golf,¹²⁰ J. Incandela,¹²⁰ C. Justus,¹²⁰ P. Kalavase,¹²⁰
D. Kovalskyi,¹²⁰ V. Krutelyov,¹²⁰ S. Lowette,¹²⁰ R. Magaña Villalba,¹²⁰ N. Mccoll,¹²⁰ V. Pavlunin,¹²⁰ J. Ribnik,¹²⁰
J. Richman,¹²⁰ R. Rossin,¹²⁰ D. Stuart,¹²⁰ W. To,¹²⁰ C. West,¹²⁰ A. Apresyan,¹²¹ A. Bornheim,¹²¹ J. Bunn,¹²¹ Y. Chen,¹²¹ E. Di Marco,¹²¹ J. Duarte,¹²¹ M. Gataullin,¹²¹ D. Kcira,¹²¹ Y. Ma,¹²¹ A. Mott,¹²¹ H. B. Newman,¹²¹ C. Rogan,¹²¹ M. Spiropulu,¹²¹ V. Timciuc,¹²¹ J. Veverka,¹²¹ R. Wilkinson,¹²¹ S. Xie,¹²¹ Y. Yang,¹²¹ R. Y. Zhu,¹²¹ V. Azzolini,¹²² A. Calamba,¹²² R. Carroll,¹²² T. Ferguson,¹²² Y. Iiyama,¹²² D. W. Jang,¹²² Y. F. Liu,¹²² M. Paulini,¹²² H. Vogel,¹²² I. Vorobiev,¹²² J. P. Cumalat,¹²³ B. R. Drell,¹²³ W. T. Ford,¹²³ A. Gaz,¹²³ E. Luiggi Lopez,¹²³ J. G. Smith,¹²³ K. Stenson,¹²³ K. A. Ulmer,¹²³ S. R. Wagner,¹²³ J. Alexander,¹²⁴ A. Chatterjee,¹²⁴ N. Eggert,¹²⁴ L. K. Gibbons,¹²⁴ B. Heltsley,¹²⁴ W. Hopkins,¹²⁴ A. Khukhunaishvili,¹²⁴ B. Kreis,¹²⁴ N. Mirman,¹²⁴ G. Nicolas Kaufman, ¹²⁴ J. R. Patterson, ¹²⁴ A. Ryd, ¹²⁴ E. Salvati, ¹²⁴ W. Sun, ¹²⁴ W. D. Teo, ¹²⁴ J. Thom, ¹²⁴ J. Thompson, ¹²⁴ J. Tucker, ¹²⁴ Y. Weng, ¹²⁴ L. Winstrom, ¹²⁴ P. Wittich, ¹²⁴ D. Winn, ¹²⁵ S. Abdullin, ¹²⁶ M. Albrow, ¹²⁶ J. Anderson,¹²⁶ L. A. T. Bauerdick,¹²⁶ A. Beretvas,¹²⁶ J. Berryhill,¹²⁶ P. C. Bhat,¹²⁶ K. Burkett,¹²⁶ J. N. Butler,¹²⁶ V. Chetluru,¹²⁶ H. W. K. Cheung,¹²⁶ F. Chlebana,¹²⁶ S. Cihangir,¹²⁶ V. D. Elvira,¹²⁶ I. Fisk,¹²⁶ J. Freeman,¹²⁶ Y. Gao,¹²⁶ D. Green,¹²⁶ O. Gutsche,¹²⁶ J. Hanlon,¹²⁶ R. M. Harris,¹²⁶ J. Hirschauer,¹²⁶ B. Hooberman,¹²⁶ S. Jindariani,¹²⁶ M. Johnson,¹²⁶ U. Joshi,¹²⁶ B. Klima,¹²⁶ S. Kunori,¹²⁶ S. Kwan,¹²⁶ C. Leonidopoulos,^{126,ccc} J. Linacre,¹²⁶ D. Lincoln,¹²⁶ R. Lipton,¹²⁶ J. Lykken,¹²⁶ K. Maeshima,¹²⁶ J. M. Marraffino,¹²⁶ V. I. Martinez Outschoorn,¹²⁶ S. Maruyama,¹²⁶ D. Mason,¹²⁶ P. McBride,¹²⁶ K. Mishra,¹²⁶ S. Mrenna,¹²⁶ Y. Musienko, ^{126,ddd} C. Newman-Holmes, ¹²⁶ V. O'Dell, ¹²⁶ O. Prokofyev, ¹²⁶ E. Sexton-Kennedy, ¹²⁶ S. Sharma, ¹²⁶
W. J. Spalding, ¹²⁶ L. Spiegel, ¹²⁶ L. Taylor, ¹²⁶ S. Tkaczyk, ¹²⁶ N. V. Tran, ¹²⁶ L. Uplegger, ¹²⁶ E. W. Vaandering, ¹²⁶
R. Vidal, ¹²⁶ J. Whitmore, ¹²⁶ W. Wu, ¹²⁶ F. Yang, ¹²⁶ J. C. Yun, ¹²⁶ D. Acosta, ¹²⁷ P. Avery, ¹²⁷ D. Bourilkov, ¹²⁷
M. Chen, ¹²⁷ T. Cheng, ¹²⁷ S. Das, ¹²⁷ M. De Gruttola, ¹²⁷ G. P. Di Giovanni, ¹²⁷ D. Dobur, ¹²⁷ A. Drozdetskiy, ¹²⁷

R. D. Field,¹²⁷ M. Fisher,¹²⁷ Y. Fu,¹²⁷ I. K. Furic,¹²⁷ J. Gartner,¹²⁷ J. Hugon,¹²⁷ B. Kim,¹²⁷ J. Konigsberg,¹²⁷ A. Korytov,¹²⁷ A. Kropivnitskaya,¹²⁷ T. Kypreos,¹²⁷ J. F. Low,¹²⁷ K. Matchev,¹²⁷ P. Milenovic,^{127,eee} G. Mitselmakher,¹²⁷ L. Muniz,¹²⁷ R. Remington,¹²⁷ A. Rinkevicius,¹²⁷ N. Skhirtladze,¹²⁷ M. Snowball,¹²⁷ J. Yelton,¹²⁷ M. Zakaria,¹²⁷ V. Gaultney,¹²⁸ S. Hewamanage,¹²⁸ L. M. Lebolo,¹²⁸ S. Linn,¹²⁸ P. Markowitz,¹²⁸ G. Martinez,¹²⁸ J. L. Rodriguez,¹²⁸ T. Adams,¹²⁹ A. Askew,¹²⁹ J. Bochenek,¹²⁹ J. Chen,¹²⁹ B. Diamond,¹²⁹ S. V. Gleyzer,¹²⁹ J. Haas,¹²⁹ S. Hagopian,¹²⁹ V. Hagopian,¹²⁹ M. Jenkins,¹²⁹ K. F. Johnson,¹²⁹ H. Prosper,¹²⁹ V. Veeraraghavan,¹²⁹ M. Weinberg,¹²⁹ M. M. Baarmand,¹³⁰ B. Dorney,¹³⁰ M. Hohlmann,¹³⁰ H. Kalakhety,¹³⁰ I. Vodopiyanov,¹³⁰ F. Yumiceva,¹³⁰ M. R. Adams,¹³¹ L. Apanasevich,¹³¹ Y. Bai,¹³¹ V. E. Bazterra,¹³¹ R. R. Betts,¹³¹ I. Bucinskaite,¹³¹ J. Callner,¹³¹ R. Cavanaugh,¹³¹ O. Evdokimov,¹³¹ L. Gauthier,¹³¹ C. E. Gerber,¹³¹ D. J. Hofman,¹³¹ S. Khalatyan, ¹³¹ F. Lacroix, ¹³¹ C. O'Brien, ¹³¹ C. Silkworth, ¹³¹ D. Strom, ¹³¹ P. Turner, ¹³¹ N. Varelas, ¹³¹ U. Akgun, ¹³² E. A. Albayrak, ¹³² B. Bilki, ^{132,fff} W. Clarida, ¹³² K. Dilsiz, ¹³² F. Duru, ¹³² S. Griffiths, ¹³² J.-P. Merlo, ¹³² H. Mermerkaya,^{132,ggg} A. Mestvirishvili,¹³² A. Moeller,¹³² J. Nachtman,¹³² C. R. Newsom,¹³² E. Norbeck,¹³² H. Ogul,¹³² Y. Onel,¹³² F. Ozok,^{132,xx} S. Sen,¹³² P. Tan,¹³² E. Tiras,¹³² J. Wetzel,¹³² T. Yetkin,¹³² K. Yi,¹³² H. Ogul, T. Ohel, T. Ozok, S. Sell, F. Iall, E. Illas, J. Welzel, T. Tekkil, K. II,
 B. A. Barnett, ¹³³ B. Blumenfeld, ¹³³ S. Bolognesi, ¹³³ D. Fehling, ¹³³ G. Giurgiu, ¹³³ A. V. Gritsan, ¹³³ Z. J. Guo, ¹³³ G. Hu, ¹³³ P. Maksimovic, ¹³³ M. Swartz, ¹³³ A. Whitbeck, ¹³³ P. Baringer, ¹³⁴ A. Bean, ¹³⁴ G. Benelli, ¹³⁴ R. P. Kenny III, ¹³⁴ M. Murray, ¹³⁴ D. Noonan, ¹³⁴ S. Sanders, ¹³⁴ R. Stringer, ¹³⁴ G. Tinti, ¹³⁴ J. S. Wood, ¹³⁴ A. F. Barfuss, ¹³⁵ T. Bolton, ¹³⁵ I. Chakaberia, ¹³⁵ A. Ivanov, ¹³⁵ S. Khalil, ¹³⁵ M. Makouski, ¹³⁵ Y. Maravin, ¹³⁵ S. Shrestha, ¹³⁵ I. Svintradze, ¹³⁵ J. Gronberg, ¹³⁶ D. Lange, ¹³⁶ F. Rebassoo, ¹³⁶ D. Wright, ¹³⁶ A. Baden, ¹³⁷ B. Calvert,¹³⁷ S. C. Eno,¹³⁷ J. A. Gomez,¹³⁷ N. J. Hadley,¹³⁷ R. G. Kellogg,¹³⁷ M. Kirn,¹³⁷ T. Kolberg,¹³⁷ Y. Lu,¹³⁷ M. Marionneau, ¹³⁷ A. C. Mignerey, ¹³⁷ K. Pedro, ¹³⁷ A. Peterman, ¹³⁷ A. Skuja, ¹³⁷ J. Temple, ¹³⁷ M. B. Tonjes, ¹³⁷ S. C. Tonwar, ¹³⁷ A. Apyan, ¹³⁸ G. Bauer, ¹³⁸ W. Busza, ¹³⁸ E. Butz, ¹³⁸ I. A. Cali, ¹³⁸ M. Chan, ¹³⁸ V. Dutta, ¹³⁸ G. Gomez Ceballos, ¹³⁸ M. Goncharov, ¹³⁸ Y. Kim, ¹³⁸ M. Klute, ¹³⁸ A. Levin, ¹³⁸ P. D. Luckey, ¹³⁸ T. Ma, ¹³⁸ S. Nahn, ¹³⁸ C. Paus, ¹³⁸ D. Ralph, ¹³⁸ C. Roland, ¹³⁸ G. Roland, ¹³⁸ G. S. F. Stephans, ¹³⁹ F. Stöckli, ¹³⁸ K. Sumorok, ¹³⁸ K. Sung, ¹³⁸ D. Velicanu, ¹³⁸ E. A. Wenger, ¹³⁸ R. Wolf, ¹³⁸ B. Wyslouch, ¹³⁸ M. Yang, ¹³⁸ Y. Yilmaz, ¹³⁸ A. S. Yoon, ¹³⁸ M. Zanetti, ¹³⁸ V. Zhukova, ¹³⁸ B. Dahmes, ¹³⁹ A. De Benedetti, ¹³⁹ G. Franzoni, ¹³⁹ A. Gude, ¹³⁹ S. C. Kao, ¹³⁹ K. Klapoetke, ¹³⁹ Y. Kubota, ¹³⁹ J. Mans, ¹³⁹ N. Pastika, ¹³⁹ R. Rusack, ¹³⁹ M. Sasseville, ¹³⁹ A. Singovsky, ¹³⁹ N. Tambe, ¹³⁹ J. Turkewitz, ¹³⁹ L. M. Cremaldi, ¹⁴⁰ R. Kroeger, ¹⁴⁰ L. Perera, ¹⁴⁰ R. Rahmat, ¹⁴⁰ D. A. Sanders, ¹⁴⁰ E. Avdeeva, ¹⁴¹ K. Bloom,¹⁴¹ S. Bose,¹⁴¹ D. R. Claes,¹⁴¹ A. Dominguez,¹⁴¹ M. Eads,¹⁴¹ J. Keller,¹⁴¹ I. Kravchenko,¹⁴¹ J. Lazo-Flores,¹⁴¹ S. Malik,¹⁴¹ G. R. Snow,¹⁴¹ A. Godshalk,¹⁴² I. Iashvili,¹⁴² S. Jain,¹⁴² A. Kharchilava,¹⁴² A. Kumar,¹⁴² S. Rappoccio,¹⁴² Z. Wan,¹⁴² G. Alverson,¹⁴³ E. Barberis,¹⁴³ D. Baumgartel,¹⁴³ M. Chasco,¹⁴³ J. Haley,¹⁴³ D. Nash,¹⁴³ T. Orimoto,¹⁴³ D. Trocino,¹⁴³ D. Wood,¹⁴³ J. Zhang,¹⁴³ A. Anastassov,¹⁴⁴ K. A. Hahn,¹⁴⁴ A. Kubik,¹⁴⁴ L. Lusito,¹⁴⁴ N. Mucia,¹⁴⁴ N. Odell,¹⁴⁴ R. A. Ofierzynski,¹⁴⁴ B. Pollack,¹⁴⁴ A. Pozdnyakov,¹⁴⁴
 M. Schmitt,¹⁴⁴ S. Stoynev,¹⁴⁴ M. Velasco,¹⁴⁴ S. Won,¹⁴⁴ D. Berry,¹⁴⁵ A. Brinkerhoff,¹⁴⁵ K. M. Chan,¹⁴⁵ M. Hildreth,¹⁴⁵ C. Jessop,¹⁴⁵ D. J. Karmgard,¹⁴⁵ J. Kolb,¹⁴⁵ K. Lannon,¹⁴⁵ W. Luo,¹⁴⁵ S. Lynch,¹⁴⁵ N. Marinelli,¹⁴⁵ D. M. Morse,¹⁴⁵ T. Pearson,¹⁴⁵ M. Planer,¹⁴⁵ R. Ruchti,¹⁴⁵ J. Slaunwhite,¹⁴⁵ N. Valls,¹⁴⁵ M. Wayne,¹⁴⁵ M. Wolf,¹⁴⁵ D. M. Morse, ¹⁴⁵ T. Pearson, ¹⁴⁵ M. Planer, ¹⁴⁵ R. Ruchti, ¹⁴⁵ J. Slaunwhite, ¹⁴⁵ N. Valls, ¹⁴⁵ M. Wayne, ¹⁴⁵ M. Wolf, ¹⁴⁵ L. Antonelli, ¹⁴⁶ B. Bylsma, ¹⁴⁶ L. S. Durkin, ¹⁴⁶ C. Hill, ¹⁴⁶ R. Hughes, ¹⁴⁶ K. Kotov, ¹⁴⁶ T. Y. Ling, ¹⁴⁶ D. Puigh, ¹⁴⁶ M. Rodenburg, ¹⁴⁶ G. Smith, ¹⁴⁶ C. Vuosalo, ¹⁴⁶ G. Williams, ¹⁴⁶ B. L. Winer, ¹⁴⁶ E. Berry, ¹⁴⁷ P. Elmer, ¹⁴⁷ V. Halyo, ¹⁴⁷ P. Hebda, ¹⁴⁷ J. Hegeman, ¹⁴⁷ A. Hunt, ¹⁴⁷ P. Jindal, ¹⁴⁷ S. A. Koay, ¹⁴⁷ D. Lopes Pegna, ¹⁴⁷ P. Elmer, ¹⁴⁷ D. Marlow, ¹⁴⁷ T. Medvedeva, ¹⁴⁷ M. Mooney, ¹⁴⁷ J. Olsen, ¹⁴⁷ P. Piroué, ¹⁴⁷ X. Quan, ¹⁴⁷ A. Raval, ¹⁴⁷ H. Saka, ¹⁴⁷ D. Stickland, ¹⁴⁷ C. Tully, ¹⁴⁷ J. S. Werner, ¹⁴⁷ S. C. Zenz, ¹⁴⁷ A. Zuranski, ¹⁴⁷ E. Brownson, ¹⁴⁸ A. Lopez, ¹⁴⁸ H. Mendez, ¹⁴⁸ J. E. Ramirez Vargas, ¹⁴⁸ E. Alagoz, ¹⁴⁹ V. E. Barnes, ¹⁴⁹ D. Benedetti, ¹⁴⁹ G. Bolla, ¹⁴⁹ D. Bortoletto, ¹⁴⁹ M. De Mattia, ¹⁴⁹ A. Everett, ¹⁴⁹ Z. Hu, ¹⁴⁹ M. Jones, ¹⁴⁹ O. Koybasi, ¹⁴⁹ M. Kress, ¹⁴⁹ A. T. Laasanen, ¹⁴⁹ N. Leonardo, ¹⁴⁹ V. Maroussov, ¹⁴⁹ P. Merkel, ¹⁴⁹ D. H. Miller, ¹⁴⁹ N. Neumeister, ¹⁴⁹ I. Shipsey, ¹⁴⁹ D. Silvers, ¹⁴⁹ A. Svyatkovskiy, ¹⁴⁹ M. Vidal Marono, ¹⁴⁹ H. D. Yoo, ¹⁴⁹ J. Zablocki, ¹⁴⁹ Y. Zheng, ¹⁴⁹ S. Guragain, ¹⁵⁰ N. Parashar, ¹⁵⁰ A. Adair, ¹⁵¹ J. Roberts, ¹⁵¹ J. Zabel, ¹⁵¹ B. Betchart, ¹⁵² A. Bodek, ¹⁵² Y. S. Chung, ¹⁵² R. Covarelli, ¹⁵² P. de Barbaro, ¹⁵² R. Demina, ¹⁵² Y. Eshaq, ¹⁵² M. Zielinski, ¹⁵² A. Barta, ¹⁵³ S. Arora, ¹⁵⁴ A. Barker, ¹⁵⁴ J. P. Chou, ¹⁵⁴ C. Contreras-Campana, ¹⁵⁴ S. Malik, ¹⁵³ C. Mesropian, ¹⁵³ S. Arora, ¹⁵⁴ A. Barker, ¹⁵⁴ J. P. Chou, ¹⁵⁴ E. Halkiadakis, ¹⁵⁴ D. Hidas, ¹⁵⁴ S. Panwalkar, ¹⁵⁴ M. Park, ¹⁵⁴ R. Patel, ¹⁵⁴ V. Rekovic, ¹⁵⁴ J. Robels, ¹⁵⁴ K. Rose, ¹⁵⁴ S. Salur, ¹⁵⁴ S. Schnetzer, ¹⁵⁴ C. Seitz, ¹⁵⁴ S. Somalwar, ¹⁵⁴ R. Stone, ¹⁵⁴ S. Thomas, ¹⁵⁴ M. Walker, ¹⁵⁴ G. Cerizza, ¹⁵⁵ M. Hollingsworth, ¹⁵⁵ S. Spanier, ¹⁵⁵ Z. C. Yang, ¹⁵⁵ A. York, ¹⁵⁵ R. Eusebi, ¹⁵⁶ W. Flanagan, ¹⁵⁶ J. Gilmore, ¹⁵⁶ T. Kamon, ^{156,hhh} V. Khotilovich, ¹⁵⁶ R. Montalvo, ¹⁵⁶ I. Osipenkov, ¹⁵⁶ Y. Pakhotin, ¹⁵⁶ A. Perloff, ¹⁵⁶ J. Roe, ¹⁵⁶ A. Safonov, ¹⁵⁶ T. Sakuma, ¹⁵⁶ S. Sengupta, ¹⁵⁶ I. Suarez, ¹⁵⁶ A. Tatarinov, ¹⁵⁶ D. Toback, ¹⁵⁶ N. Akchurin, ¹⁵⁷ J. Damgov, ¹⁵⁷ C. Dragoiu, ¹⁵⁷ P. R. Dudero, ¹⁵⁷ C. Jeong, ¹⁵⁷ K. Kovitanggoon, ¹⁵⁷ S. W. Lee, ¹⁵⁷ T. Libeiro, ¹⁵⁷ I. Volobouev, ¹⁵⁷ E. Appelt, ¹⁵⁸ A. G. Delannoy, ¹⁵⁸ C. Florez, ¹⁵⁸ S. Greene, ¹⁵⁸ A. Gurrola, ¹⁵⁸ M. V. Arenton, ¹⁵⁹ M. Balazs, ¹⁵⁹ S. Boutle, ¹⁵⁹ B. Cox, ¹⁵⁹ B. Francis, ¹⁵⁹ J. Goodell, ¹⁵⁹ R. Hirosky, ¹⁵⁹ A. Ledovskoy, ¹⁵⁹ C. Lin, ¹⁵⁹ C. Neu, ¹⁵⁹ J. Wood, ¹⁵⁹ S. Gollapinni, ¹⁶⁰ R. Harr, ¹⁶⁰ P. E. Karchin, ¹⁶⁰ C. Kottachchi Kankanamge Don, ¹⁶⁰ P. Lamichhane, ¹⁶⁰ A. Sakharov, ¹⁶⁰ M. Anderson, ¹⁶¹ D. A. Belknap, ¹⁶¹ L. Borrello, ¹⁶¹ D. Carlsmith, ¹⁶¹ M. Cepeda, ¹⁶¹ S. Dasu, ¹⁶¹ E. Friis, ¹⁶¹ L. Gray, ¹⁶¹ K. S. Grogg, ¹⁶¹ M. Grothe, ¹⁶¹ R. Hall-Wilton, ¹⁶¹ M. Herndon, ¹⁶¹ A. Hervé, ¹⁶¹ P. Klabbers, ¹⁶¹ J. Klukas, ¹⁶¹ A. Lanaro, ¹⁶¹ C. Lazaridis, ¹⁶¹ R. Loveless, ¹⁶¹ A. Mohapatra, ¹⁶¹ M. U. Mozer, ¹⁶¹ I. Ojalvo, ¹⁶¹ F. Palmonari, ¹⁶¹ G. A. Pierro, ¹⁶¹ I. Ross, ¹⁶¹ A. Savin, ¹⁶¹ W. H. Smith, ¹⁶¹ M. J. Swanson ¹⁶¹

(CMS Collaboration)

¹Yerevan Physics Institute, Yerevan, Armenia

²Institut für Hochenergiephysik der OeAW, Wien, Austria

³National Centre for Particle and High Energy Physics, Minsk, Belarus

⁴Universiteit Antwerpen, Antwerpen, Belgium ⁵Vrije Universiteit Brussel, Brussel, Belgium

⁶Université Libre de Bruxelles, Bruxelles, Belgium

⁷Ghent University, Ghent, Belgium

⁸Université Catholique de Louvain, Louvain-la-Neuve, Belgium

⁹Université de Mons, Mons, Belgium

¹⁰Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

¹¹Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

^{12a}Universidade Estadual Paulista, São Paulo, Brazil

^{12b}Universidade Federal do ABC, São Paulo, Brazil

¹³Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria

¹⁴University of Sofia, Sofia, Bulgaria

¹⁵Institute of High Energy Physics, Beijing, China

¹⁶State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

¹⁷Universidad de Los Andes, Bogota, Colombia

¹⁸Technical University of Split, Split, Croatia

¹⁹University of Split, Split, Croatia

²⁰Institute Rudjer Boskovic, Zagreb, Croatia

²¹University of Cyprus, Nicosia, Cyprus

²²Charles University, Prague, Czech Republic

²³Academy of Scientific Research and Technology of the Arab Republic of Egypt,

Egyptian Network of High Energy Physics, Cairo, Egypt

²⁴National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

²⁵Department of Physics, University of Helsinki, Helsinki, Finland

²⁶Helsinki Institute of Physics, Helsinki, Finland

²⁷Lappeenranta University of Technology, Lappeenranta, Finland

²⁸DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France

²⁹Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France

³⁰Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse,

CNRS/IN2P3, Strasbourg, France

³¹Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France

³²Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia

³³*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*

³⁴RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany

³⁵RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany

³⁶Deutsches Elektronen-Synchrotron, Hamburg, Germany

³⁷University of Hamburg, Hamburg, Germany

³⁸Institut für Experimentelle Kernphysik, Karlsruhe, Germany

³⁹Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece

⁴⁰University of Athens, Athens, Greece ⁴¹University of Ioánnina, Ioánnina, Greece ⁴²KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary ⁴³Institute of Nuclear Research ATOMKI, Debrecen, Hungary ⁴⁴University of Debrecen, Debrecen, Hungary ⁴⁵Panjab University, Chandigarh, India ⁴⁶University of Delhi, Delhi, India ⁴⁷Saha Institute of Nuclear Physics, Kolkata, India ⁴⁸Bhabha Atomic Research Centre, Mumbai, India ⁴⁹Tata Institute of Fundamental Research-EHEP, Mumbai, India ⁵⁰Tata Institute of Fundamental Research-HECR, Mumbai, India ⁵¹Institute for Research in Fundamental Sciences (IPM), Tehran, Iran ^{52a}INFN Sezione di Bari, Bari, Italy ^{52b}Università di Bari, Bari, Italy ⁵² Politecnico di Bari, Bari, Italy ^{53a}INFN Sezione di Bologna, Bologna, Italy ^{53b}Università di Bologna, Bologna, Italy ^{54a}INFN Sezione di Catania, Catania, Italy ^{54b}Università di Catania, Catania, Italy ^{55a}INFN Sezione di Firenze, Firenze, Italy ^{55b}Università di Firenze, Firenze, Italy ⁵⁶INFN Laboratori Nazionali di Frascati, Frascati, Italy ^{57a}INFN Sezione di Genova, Genova, Italy ^{57b}Università di Genova, Genova, Italy ^{58a}INFN Sezione di Milano-Bicocca, Milano, Italy ^{58b}Università di Milano-Bicocca, Milano, Italy ^{59a}INFN Sezione di Napoli, Napoli, Italy ^{59b}Università di Napoli "Federico II", Napoli, Italy ^{59c}Università della Basilicata (Potenza), Napoli, Italy ^{59d}Università G. Marconi (Roma), Napoli, Italy ^{60a}INFN Sezione di Padova, Padova, Italy ^{60b}Università di Padova, Padova, Italy ⁶⁰*c*Università di Trento (Trento), Padova, Italy ^{61a}INFN Sezione di Pavia, Pavia, Italy ^{61b}Università di Pavia, Pavia, Italy ^{62a}INFN Sezione di Perugia, Perugia, Italy ^{62b}Università di Perugia, Perugia, Italy ^{63a}INFN Sezione di Pisa, Pisa, Italy ^{63b}Università di Pisa, Pisa, Italy ⁶³cScuola Normale Superiore di Pisa, Pisa, Italy ^{64a}INFN Sezione di Roma, Roma, Italy ^{64b}Università di Roma, Roma, Italy ^{65a}INFN Sezione di Torino, Torino, Italy ^{65b}Università di Torino, Torino, Italy ⁶⁵CUniversità del Piemonte Orientale (Novara), Torino, Italy ^{66a}INFN Sezione di Trieste, Trieste, Italy ^{66b}Università di Trieste, Trieste, Italy ⁶⁷Kangwon National University, Chunchon, Korea ⁶⁸Kyungpook National University, Daegu, Korea ⁶⁹Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea ⁷⁰Korea University, Seoul, Korea ⁷¹University of Seoul, Seoul, Korea ⁷²Sungkyunkwan University, Suwon, Korea ⁷³Vilnius University, Vilnius, Lithuania ⁷⁴Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico ⁷⁵Universidad Iberoamericana, Mexico City, Mexico ⁷⁶Benemerita Universidad Autonoma de Puebla, Puebla, Mexico ⁷⁷Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico ⁷⁸University of Auckland, Auckland, New Zealand ⁷⁹University of Canterbury, Christchurch, New Zealand

⁸⁰National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan

⁸¹National Centre for Nuclear Research, Swierk, Poland

⁸²Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland

⁸³Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal

⁸⁴Joint Institute for Nuclear Research, Dubna, Russia

⁸⁵Petersburg Nuclear Physics Institute, Gatchina (St. Petersburg), Russia

⁸⁶Institute for Nuclear Research, Moscow, Russia

⁸⁷Institute for Theoretical and Experimental Physics, Moscow, Russia

⁸⁸P.N. Lebedev Physical Institute, Moscow, Russia

⁸⁹Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia

⁹⁰State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia

⁹¹University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia

⁹²Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain

⁹³Universidad Autónoma de Madrid, Madrid, Spain

⁹⁴Universidad de Oviedo, Oviedo, Spain

⁹⁵Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain

⁹⁶CERN, European Organization for Nuclear Research, Geneva, Switzerland

⁹⁷Paul Scherrer Institut, Villigen, Switzerland

⁹⁸Institute for Particle Physics, ETH Zurich, Zurich, Switzerland

⁹⁹Universität Zürich, Zurich, Switzerland

¹⁰⁰National Central University, Chung-Li, Taiwan

¹⁰¹National Taiwan University (NTU), Taipei, Taiwan

¹⁰²Chulalongkorn University, Bangkok, Thailand

¹⁰³Cukurova University, Adana, Turkey

¹⁰⁴Middle East Technical University, Physics Department, Ankara, Turkey

¹⁰⁵Bogazici University, Istanbul, Turkey

¹⁰⁶Istanbul Technical University, Istanbul, Turkey

¹⁰⁷National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine

¹⁰⁸University of Bristol, Bristol, United Kingdom

¹⁰⁹Rutherford Appleton Laboratory, Didcot, United Kingdom

¹¹⁰Imperial College, London, United Kingdom

¹¹¹Brunel University, Uxbridge, United Kingdom

¹¹²Baylor University, Waco, Texas, USA

¹¹³The University of Alabama, Tuscaloosa, Alabama, USA

¹¹⁴Boston University, Boston, Massachusetts, USA

¹¹⁵Brown University, Providence, Rhode Island, USA

¹¹⁶University of California, Davis, Davis, California, USA

¹¹⁷University of California, Los Angeles, Los Angeles, California, USA

¹¹⁸University of California, Riverside, Riverside, California, USA

¹¹⁹University of California, San Diego, La Jolla, California, USA

¹²⁰University of California, Santa Barbara, Santa Barbara, California, USA

¹²¹California Institute of Technology, Pasadena, California, USA

¹²²Carnegie Mellon University, Pittsburgh, Pennsylvania, USA ¹²³University of Colorado at Boulder, Boulder, Colorado, USA

- ¹²⁴Cornell University, Ithaca, New York, USA
- ¹²⁵Fairfield University, Fairfield, Connecticut, USA

¹²⁶Fermi National Accelerator Laboratory, Batavia, Illinois, USA

¹²⁷University of Florida, Gainesville, Florida, USA

¹²⁸Florida International University, Miami, Florida, USA

¹²⁹Florida State University, Tallahassee, Florida, USA

¹³⁰Florida Institute of Technology, Melbourne, Florida, USA ¹³¹University of Illinois at Chicago (UIC), Chicago, Illinois, USA

¹³²The University of Iowa, Iowa City, Iowa, USA

¹³³Johns Hopkins University, Baltimore, Maryland, USA

¹³⁴The University of Kansas, Lawrence, Kansas, USA

¹³⁵Kansas State University, Manhattan, Kansas, USA

¹³⁶Lawrence Livermore National Laboratory, Livermore, California, USA

¹³⁷University of Maryland, College Park, Maryland, USA

¹³⁸Massachusetts Institute of Technology, Cambridge, Massachusetts, USA

¹³⁹University of Minnesota, Minneapolis, Minnesota, USA

¹⁴⁰University of Mississippi, Oxford, Mississippi, USA

¹⁴¹University of Nebraska-Lincoln, Lincoln, Nebraska, USA

¹⁴²State University of New York at Buffalo, Buffalo, New York, USA
 ¹⁴³Northeastern University, Boston, Massachusetts, USA
 ¹⁴⁴Northwestern University, Evanston, Illinois, USA
 ¹⁴⁵University of Notre Dame, Notre Dame, Indiana, USA
 ¹⁴⁶The Ohio State University, Columbus, Ohio, USA
 ¹⁴⁷Princeton University, Princeton, New Jersey, USA
 ¹⁴⁸University of Puerto Rico, Mayaguez, Puerto Rico
 ¹⁴⁹Purdue University, West Lafayette, Indiana, USA
 ¹⁵⁰Purdue University Calumet, Hammond, Indiana, USA
 ¹⁵¹The Rockefeller University, New York, New York, USA
 ¹⁵⁴Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA
 ¹⁵⁵University of Tennessee, Knoxville, Tennessee, USA
 ¹⁵⁶Texas A&M University, College Station, Texas, USA

¹⁵⁷Texas Tech University, Lubbock, Texas, USA ¹⁵⁸Vanderbilt University, Nashville, Tennessee, USA

¹⁵⁹University of Virginia, Charlottesville, Virginia, USA

¹⁶⁰Wayne State University, Detroit, Michigan, USA

¹⁶¹University of Wisconsin, Madison, Wisconsin, USA

^aDeceased.

^bAlso at Vienna University of Technology, Vienna, Austria.

^cAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^dAlso at National Institute of Chemical Physics and Biophysics, Tallinn, Estonia.

^eAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^fAlso at California Institute of Technology, Pasadena, CA, USA.

^gAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France.

^hAlso at Suez Canal University, Suez, Egypt.

ⁱAlso at Zewail City of Science and Technology, Zewail, Egypt.

^jAlso at Cairo University, Cairo, Egypt.

^kAlso at Fayoum University, El-Fayoum, Egypt.

¹Also at British University in Egypt, Cairo, Egypt.

^mNow at Ain Shams University, Cairo, Egypt.

ⁿAlso at National Centre for Nuclear Research, Swierk, Poland.

^oAlso at Université de Haute Alsace, Mulhouse, France.

^pAlso at Joint Institute for Nuclear Research, Dubna, Russia.

^qAlso at Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia.

^rAlso at Brandenburg University of Technology, Cottbus, Germany.

^sAlso at The University of Kansas, Lawrence, KS, USA.

^tAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^uAlso at Eötvös Loránd University, Budapest, Hungary.

^vAlso at Tata Institute of Fundamental Research-HECR, Mumbai, India.

^wNow at King Abdulaziz University, Jeddah, Saudi Arabia.

^xAlso at University of Visva-Bharati, Santiniketan, India.

^yAlso at Sharif University of Technology, Tehran, Iran.

^zAlso at Isfahan University of Technology, Isfahan, Iran.

^{aa}Also at Shiraz University, Shiraz, Iran.

^{bb}Also at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Tehran, Iran.

^{cc}Also at Facoltà Ingegneria, Università di Roma, Roma, Italy.

^{dd}Also at Università degli Studi di Siena, Siena, Italy.

^{ee}Also at University of Bucharest, Faculty of Physics, Bucuresti-Magurele, Romania.

^{ff}Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia.

^{gg}Also at University of California, Los Angeles, CA, USA.

^{hh}Also at Scuola Normale e Sezione dell'INFN, Pisa, Italy.

ⁱⁱAlso at INFN Sezione di Roma, Roma, Italy.

^{jj}Also at University of Athens, Athens, Greece.

S. CHATRCHYAN et al.

^{kk}Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.

¹¹Also at Paul Scherrer Institut, Villigen, Switzerland.

mmAlso at Institute for Theoretical and Experimental Physics, Moscow, Russia.

ⁿⁿAlso at Albert Einstein Center for Fundamental Physics, Bern, Switzerland.

^{oo}Also at Gaziosmanpasa University, Tokat, Turkey.

^{pp}Also at Adiyaman University, Adiyaman, Turkey

^{qq}Also at Izmir Institute of Technology, Izmir, Turkey

^{rr}Also at The University of Iowa, Iowa City, IA, USA.

^{ss}Also at Mersin University, Mersin, Turkey.

^{tt}Also at Ozyegin University, Istanbul, Turkey.

^{uu}Also at Kafkas University, Kars, Turkey.

^{vv}Also at Suleyman Demirel University, Isparta, Turkey.

^{ww}Also at Ege University, Izmir, Turkey.

^{xx}Also at Mimar Sinan University, Istanbul, Istanbul, Turkey.

^{yy}Also at Kahramanmaras Sütcü Imam University, Kahramanmaras, Turkey.

²²Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.

^{aaa}Also at INFN Sezione di Perugia, Università di Perugia, Perugia, Italy.

^{bbb}Also at Utah Valley University, Orem, UT, USA.

^{ccc}Now at University of Edinburgh, Scotland, Edinburgh, United Kingdom.

^{ddd}Also at Institute for Nuclear Research, Moscow, Russia.

eee Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.

fffAlso at Argonne National Laboratory, Argonne, IL, USA.

^{ggg}Also at Erzincan University, Erzincan, Turkey.

^{hhh}Also at Kyungpook National University, Daegu, Korea.