



**University of Dundee**

## **Reply - 313 Dermatome-Induced Lacerations**

Nassar, Mahmoud K.; Jordan, Daniel J.; Quaba, Omar

*Published in:*

Journal of Burn Care and Research

*DOI:*

[10.1093/jbcr/irz176](https://doi.org/10.1093/jbcr/irz176)

*Publication date:*

2019

*Document Version*

Peer reviewed version

[Link to publication in Discovery Research Portal](#)

*Citation for published version (APA):*

Nassar, M. K., Jordan, D. J., & Quaba, O. (2019). Reply - 313 Dermatome-Induced Lacerations: Incidence, Management and Preventative Measures. April 2018, Volume 39, Issue Suppl 1, Page S126. *Journal of Burn Care and Research*, 41(2), 441. <https://doi.org/10.1093/jbcr/irz176>

### **General rights**

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

***'Reply – 313 Dermatome-Induced Lacerations: Incidence, Management and Preventative Measures. April 2018, Volume 39, Issue Suppl 1, Page S126.'***

**Authors:**

Mahmoud K Nassar<sup>1</sup>

Daniel J Jordan<sup>2</sup>

Omar Quaba<sup>2</sup>

**Institution:**

1: Department of Plastic Surgery, Aberdeen Royal Infirmary, AB25 2ZN, U.K.

2: Department of Plastic Surgery, Ninewells Hospital, Dundee, DD1 9SY, U.K.

**Corresponding Author:**

Mahmoud K Nassar

Department of Plastic Surgery, Aberdeen Royal Infirmary, AB25 2ZN, U.K.

Email: [kazemnassar@gmail.com](mailto:kazemnassar@gmail.com)

Tel: 01224553258

Presentations: This work has not been presented

Conflict of interest statement: No conflicts of interest declared by any of the authors.

Funding: None.

This is a pre-copyedited, author-produced version of an article accepted for publication in *Journal of Burn Care & Research* following peer review. The version of record Nassar, M.K., Jordan, D.J., & Quaba, O. "Reply – 313 Dermatome-Induced Lacerations: Incidence, Management and Preventative Measures. April 2018, Volume 39, Issue Suppl 1, Page S126", *Journal of Burn Care & Research* is available online at: <https://doi.org/10.1093/jbcr/irz176>.

## **Abstract**

We would like to suggest the use of a simple and relevant mnemonic ('STSG') for the safe use of powered dermatomes to harvest split thickness skin grafts. Safety checklists have been shown to be effective tools for improving patient safety in various clinical settings by improving compliance with good practice and reducing the incidence of adverse events.

## **Keywords**

Powered dermatome; STSG; skin graft; harvest; safety; check list; mnemonic

Accepted Manuscript

## Text

Dear Sir,

I read with interest the article regarding dermatome induced lacerations and would like to suggest the use of a simple and relevant mnemonic ('STSG') for the safe use of powered dermatomes to harvest split thickness skin grafts (STSG's). Safety checklists have been shown to be effective tools for improving patient safety in various clinical settings by improving compliance with good practice and reducing the incidence of adverse events<sup>1</sup>.

In theatre it is often left up to scrub staff (who are in some instances inexperienced with the equipment) to prepare dermatomes for use. Often surgeons neglect or forget to check the dermatome themselves before harvesting a split thickness skin graft despite it, ultimately, being the operator's responsibility. We suggest that the risk of injury or improper graft harvest, related to incorrect dermatome use, can be reduced by surgeons using this simple, easy to recall and quick safety check.

- Size – correct and intended size of blade fitted to dermatome.
- Tight – blade adequately tightened and secured.
- Setting – desired depth setting selected and checked.
- Go – safety lever off and proceed safely with graft harvest.

This check list would ideally be said out loud prior to proceeding with each split thickness skin graft harvest and if used habitually, we suggest it would help improve the safe use of powered dermatomes.

Acknowledgements: None

References:

1: Thomassen Ø, Storesund A, Søfteland E, et al. The effects of safety checklists in medicine: a systematic review. *Acta Anaesthesiol Scand* 2014;58:5–18.

Accepted Manuscript