Magnetohydrodynamic boundary layer flow and heat transfer of nanofluids past a bidirectional exponential permeable stretching/shrinking sheet with viscous dissipation effect

Rahimah Jusoh^a, Roslinda Nazar^b, Ioan Pop^c

^aFaculty of Industrial Sciences and Technology, University Malaysia Pahang, Gambang, Kuantan, Pahang, 26300, Malaysia
^bSchool of Mathematical Sciences, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, UKM Bangi, Selangor, 43600, Malaysia
^cDepartment of Mathematics, Babes-Bolyai University, Cluj-Napoca, R-400084, Romania

ABSTRACT

The problem of boundary layer flow and heat transfer of magnetohydrodynamic (MHD) nanofluids which consist of Fe₃O₄, Cu, Al₂O₃, and TiO₂ nanoparticles and water as the base fluid past a bidirectional exponentially permeable stretching/shrinking sheet is studied numerically. The mathematical model of the nanofluid incorporates the effect of viscous dissipation in the energy equation. By employing a suitable similarity transformation, the conservative equations for mass, momentum, and energy are transformed into the ordinary differential equations. These equations are then numerically solved with the utilization of bvp4c function in MATLAB. The effects of the suction parameter, magnetic parameter, nanoparticle volume fraction parameter, Eckert number, Prandtl number, and temperature exponent parameter to the reduced skin friction coefficient as well as the local Nusselt number are graphically presented. Cu is found to be prominently good in the thermal conductivity. Nevertheless, higher concentration of nanoparticles leads to the deterioration of heat transfer rate. The present result negates the previous literature on thermal conductivity enhancement with the implementation of nanofluid. Stability analysis is conducted since dual solutions exist in this study, and conclusively, the first solution is found to be stable.

KEYWORDS

Dual solutions; Magnetohydrodynamic; Nanofluid; Stability analysis; Viscous dissipation

REFERENCES

- 1. Crane, L. J., 1970, "Flow Past a Stretching Plate," Z. Angew. Math. Phys., 21(4), pp. 645–647. [CrossRef]
- 2. Fang, T. , 2008, "Boundary Layer Flow Over a Shrinking Sheet With Power-Law Velocity," Int. J. Heat Mass Transfer, 51(25–26), pp. 5838–5843. [CrossRef]

- 3. Nadeem, S. , and Haq, R. U. , 2015, "MHD Boundary Layer Flow of a Nanofluid Passed Through a Porous Shrinking Sheet With Thermal Radiation," J. Aerosp. Eng., 28(2), p. 4014061. [CrossRef]
- 4. Mondal, S., Haroun, N. A. H., and Sibanda, P., 2015, "The Effects of Thermal Radiation on an Unsteady MHD Axisymmetric Stagnation-Point Flow Over a Shrinking Sheet in Presence of Temperature Dependent Thermal Conductivity With Navier Slip," PLoS One, 10(9), p. e0138355.
- Magyari, E., and Keller, B., 1999, "Heat and Mass Transfer in the Boundary Layers on an Exponentially Stretching Continuous Surface," J. Phys. D: Appl. Phys., 32(5), pp. 577– 585. [CrossRef]