

University of Groningen

Stability of asymmetric lipid bilayers assessed by molecular dynamics simulations

Esteban-Martin, Santi; Risselada, H. Jelger; Salgado, Jesus; Marrink, Siewert J.

Published in:
Journal of the American Chemical Society

DOI:
[10.1021/ja904450t](https://doi.org/10.1021/ja904450t)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Esteban-Martin, S., Risselada, H. J., Salgado, J., & Marrink, S. J. (2009). Stability of asymmetric lipid bilayers assessed by molecular dynamics simulations. *Journal of the American Chemical Society*, 131(42), 15194-15202. <https://doi.org/10.1021/ja904450t>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Stability of asymmetric lipid bilayers assessed by molecular dynamics simulations

Santi Esteban-Martín¹, H. Jelger Risselada², Jesús Salgado¹, Siewert J. Marrink^{2*}

¹*Instituto de Ciencia Molecular, Universitat de València. Polígono La Coma, s/n. 46980 Paterna (Valencia) Spain,* ²*Groningen Biomolecular Sciences and Biotechnology Institute & Zernike Institute for Advanced Materials, University of Groningen, The Netherlands*

Supporting Information

Figure 1S. Area per lipid along the simulation trajectory for different lipid asymmetries, as indicated in the figure. Data correspond to NPT ensembles run on simulations 1 (64/64), 2 (64/54), 3 (64/44), 4 (64/34), 5 (64/24) and 8, case non porated (64/-).

