



University of Groningen

Occurrence and predictors of pressure ulcers during primary in-patient spinal cord injury rehabilitation

Verschueren, J. H. M.; Post, Marcel W.M.; de Groot, Sonja; van der Woude, L. H. V.; van Asbeck, FWA; Rol, M.

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2010

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA):

Verschueren, J. H. M., Post, M. W. M., de Groot, S., van der Woude, L. H. V., van Asbeck, FWA., & Rol, M. (2010). Occurrence and predictors of pressure ulcers during primary in-patient spinal cord injury rehabilitation. 20. Abstract from VRA congres, .

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

Take-down policyIf you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Download date: 13-11-2019

Occurrence and predictors of pressure ulcers during primary inpatient spinal cord injury rehabilitation

J.H.M. Verschueren, M.W.M. Post, S. de Groot, L.H.V. van der Woude, F.W.A. van Asbeck, M. Rol

Objectives

To determine the occurrence and predictors for pressure ulcers in patients with spinal cord injury (SCI) during primary inpatient rehabilitation in specialized Dutch SCI rehabilitation centres.

Methods

The occurrence, location and stage of pressure ulcers were registered for the period between admission and start of functional rehabilitation (called acute rehabilitation) and the period between start of functional rehabilitation and discharge. Possible risk factors for the occurrence of pressure ulcers during functional rehabilitation (personal and lesion characteristics, complications and functional

independence) were measured at the start of functional rehabilitation and were entered as predictors in univariate and multivariate logistic regression analysis with pressure ulcers during functional rehabilitation as dependent variable.

Results

Data for 193 patients (86%) was available. The occurrence of pressure ulcers, including stage 1, was 36.5% during acute rehabilitation phase and 39.4% during functional rehabilitation. Most pressure ulcers were located at the sacrum (43%), followed by heel (19%) and tuber (15%). The significant risk factors for developing pressure ulcers during functional rehabilita-

tion were motor completeness, tetraparese, pressure ulcer during acute rehabilitation, pneumonia and/or pulmonary disease, low score on FIM self-care, continence, transfers, locomotion and total FIM motor score. Having had a pressure ulcer during acute rehabilitation was the strongest risk factor.

Conclusion

The occurrence of pressure ulcers in our study is comparable to other studies. Many predictors for pressure ulcer development are described. However we only found a few significant risk factors, and of these having had a pressure ulcer during acute rehabilitation being the strongest predictor.

Drs. J.H.M. Verschueren, Aios revalidatie, Sophia Revalidatie, Den Haaa

Dr. M.W.M. Post, Rehabilitation Centre De Hoogstraat, Utrecht Dr. S. de Groot, Rehabilitation Centre Amsterdam; Centre for Human Movement Sciences, University Medical Centre Groningen, University of Groningen

Prof. dr. L.H.V. van der Woude, PhD, Centre for Human Movement Sciences, University Medical Centre Groningen, University of Groningen; Centre for Rehabilitation, University Medical Centre Groningen, University of Groningen

Dr. F.W.A. van Asbeck, Rehabilitation Centre De Hoogstraat, Utrecht Drs. M. Rol, Sophia Rehabilitation Centre, Den Haag