



University of Kentucky  
UKnowledge

---

Agronomy Notes

Plant and Soil Sciences

---

4-1968

## Soil Test Results for 1967

Harold F. Miller  
*University of Kentucky*

**Right click to open a feedback form in a new tab to let us know how this document benefits you.**

Follow this and additional works at: [https://uknowledge.uky.edu/pss\\_notes](https://uknowledge.uky.edu/pss_notes)

 Part of the [Agronomy and Crop Sciences Commons](#)

---

### Repository Citation

Miller, Harold F., "Soil Test Results for 1967" (1968). *Agronomy Notes*. 182.  
[https://uknowledge.uky.edu/pss\\_notes/182](https://uknowledge.uky.edu/pss_notes/182)

This Report is brought to you for free and open access by the Plant and Soil Sciences at UKnowledge. It has been accepted for inclusion in Agronomy Notes by an authorized administrator of UKnowledge. For more information, please contact [UKnowledge@lsv.uky.edu](mailto:UKnowledge@lsv.uky.edu).

\*  
630.717

Ag 86

\* CROPS  
\* SOILS

UNIVERSITY of KENTUCKY • COLLEGE of AGRICULTURE

# AGRONOMY NOTES

DEPARTMENT of AGRONOMY ————— Lexington 40506

LIBRARY

COLLEGE OF AGRICULTURE & HOME ECONOMICS  
UNIVERSITY OF KENTUCKY

Vol. 1, No. 15

APR 22 1968

April 1968

## SOIL TEST RESULTS FOR 1967

Harold Miller  
Extension Specialist in Soils

The results of soil samples tested in laboratories under the supervision of the University of Kentucky Agricultural Experiment Station during 1967 have now been summarized.

Fifty percent of the 37,617 samples tested in the central and county laboratories last year had a pH of 6.0 or below, indicating a need for ground limestone for all field crop production. An additional 38 percent of the samples tested were slightly acid (pH 6.1 to 6.7). Limestone is needed on much of the soil testing in this range for certain crops. Twelve percent of the samples had a pH above 6.7, which indicates no need for limestone. In one Extension area 30 percent of the samples tested were in the strongly and moderately acid range, compared with 72 percent in another area.

Only 9 percent of the samples tested had a low phosphorus level in one Extension area, compared with 62 percent in another. The state average for soils having low phosphorus levels was 44 percent.

The potassium level was in the low range for 40 percent of the samples tested in the state. The 14 Extension areas showed averages varying from 22 to 55 percent of the samples tested having a low potassium level.

Copies of the detailed summary (University of Kentucky Soil Testing Report - 1967) showing the number of samples tested in each county, in each Extension area and throughout the state, along with the percentages falling in each of the soil test categories, are available from the Agronomy Department at the University in Lexington. Should you want copies of the detailed report, send a request to me or to the Agronomy Department stating the number you would like to have.

1.5M-4-68