



University of Kentucky
UKnowledge

Agricultural Engineering Extension Updates

Biosystems and Agricultural Engineering

1987

Grain Drying & Storage - Quick Reference Chart

Doug G. Overhults

University of Kentucky, doug.overhults@uky.edu

Sam McNeill

University of Kentucky, sam.mcneill@uky.edu

Right click to open a feedback form in a new tab to let us know how this document benefits you.

Follow this and additional works at: https://uknowledge.uky.edu/aeu_reports



Part of the [Bioresource and Agricultural Engineering Commons](#)

Repository Citation

Overhults, Doug G. and McNeill, Sam, "Grain Drying & Storage - Quick Reference Chart" (1987). *Agricultural Engineering Extension Updates*. 65.

https://uknowledge.uky.edu/aeu_reports/65

This Report is brought to you for free and open access by the Biosystems and Agricultural Engineering at UKnowledge. It has been accepted for inclusion in Agricultural Engineering Extension Updates by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.



Agricultural Engineering Update



Structures & Environment



Soil & Water



Energy



Safety



Crop Processing



Power & Machinery

AEU-34

GRAIN DRYING & STORAGE - QUICK REFERENCE CHART

Doug G. Overhults & Sam G. McNeill
Extension Agricultural Engineers

OPERATING CONDITIONS (CORN)

Drying System	Suggested Maximum Moisture Content, %	Suggested Airflow CFM/BU	Drying Air Temp., °F	Relevant Fact Sheets
Natural air/Lo temp (full bin drying)	(Sept) 16% (Nov) 18%	1-2	2-10° above outside	AEN-22,23
Layer drying (no stirring)	22	2-5	10-20° above outside	AEN-56
(with stirring)	22	2-5	15-30° above outside	AEN-56,62
Batch-in-bin (4ft/no stirring)	28	8-12	120-140°	AEN-57
(6ft/stirred)	28	7-10	120-160°	AEN-57,62
In-bin continuous flow	28	3-12	120-160°	AEN-62,63
Automatic batch or continuous flow	28	75-150	180-240°	AEN-61

Dryeration - Dry corn to between 16% and 18% with high speed dryer; transfer to tempering bin and hold for 4-10 hours; then aerate at 1/2-1 cfm/BU to remove last 2-3 points of moisture. Move dry cool grain to storage bin.

Dryeration with in-bin cooling - Move hot corn from dryer into storage bin. Cool immediately with 1 cfm/BU to remove 1/2-1 point of moisture.

Combination drying - Dry corn to between 16% and 18% with high speed dryer and move hot to another drying bin. Finish drying with natural air or low temperature system.

(continued)

RECOMMENDED STORAGE MOISTURE CONTENTS FOR KENTUCKY (AEN-45)

	<u>Through Winter</u> (Nov. - March)	<u>Through</u> <u>summer</u>
Corn	15.0	13.0
Soybeans	13.0	11.0
Milo	14.0	13.5
Wheat	13.5	12.5

AERATION & COOLING (AEN-45)

- All grain must be cooled after drying.
- Aeration is recommended for all storages greater than 1000 bushels & storage longer than 30 days.
- Grain should be cooled when it is 15-20 degrees warmer than the monthly average temperature.

APPROXIMATE COOLING TIMES

<u>Cfm per bushel</u>	<u>Hours of Fan</u> <u>Operation per cooling</u>	<u>Operating Procedure</u>
1	15-20	Operate fans when temperature is in desired range and humidity is less than 70%.
3/4	20-25	
1/2	30-40	
1/4	60-80	
-----	-----	-----
1/5	75-100	Fans may be operated continuously until grain is cool.
1/10	150-200	

If no airflow data is available, a rough estimate is 1000 cfm per fan horsepower (i.e. a 5 hp fan will provide about 5000 cfm)

RECOMMENDED GRAIN TEMPERATURES (AEN-45)

<u>MONTH</u>	<u>GRAIN TEMPERATURE</u>
September	65° - 70°
October	55° - 60°
November	45° - 50°
Dec - Feb	35° - 40°

Operating fans at temperatures below 25° is not recommended except in emergency situations.

9/87