Eastern Kentucky University **Encompass**

EKU Faculty and Staff Scholarship

11-2010

Heavy metal concentrations in water and surface sediments of Wilgreen Lake, Madison County, Kentucky

Chad Von Gruenigen Eastern Kentucky University

Walter S. Borowski *Eastern Kentucky University*

Follow this and additional works at: https://encompass.eku.edu/fs research

Part of the Environmental Health and Protection Commons, Environmental Indicators and Impact Assessment Commons, Environmental Monitoring Commons, and the Geochemistry Commons

Recommended Citation

Von Gruenigen, Chad, W.S. Borowski, 2010. Heavy metal concentrations in water and surface sediments of Wilgreen Lake, Madison County, Kentucky Academy of Sciences meeting, November 2010, pg. 31.

This Conference Presentation is brought to you for free and open access by Encompass. It has been accepted for inclusion in EKU Faculty and Staff Scholarship by an authorized administrator of Encompass. For more information, please contact Linda. Sizemore@eku.edu.

Heavy metal concentrations in water and surface sediments of Wilgreen Lake, Madison County, Kentucky

Chad Von Gruenigen and Walter S. Borowski

Department of Geography and Geology, Eastern Kentucky University, Richmond, KY 40475

Heavy metal pollution remains a problem in natural waters, particularly for localities near plausible anthropogenic sources. We assayed the level of heavy metals in surface waters and within surface sediments of Wilgreen Lake, whose watershed drains industrial, urban, and residential areas near Richmond, Kentucky.

Water samples were treated according to Environmental Protection Agency (EPA) protocols and digested with trace-metal-grade nitric and hydrochloric acids. Sediment samples were collected with a grab sampler and digested using established EPA procedures with hydrogen peroxide and trace-metal-grade nitric acid. Both water samples and sediment samples were sent to Activation Laboratories for analysis, and were measured via ICP/MS and ICP/OES, respectively.

All water samples had heavy metal concentrations far below the safety limit for drinking water as determined by the EPA and Kentucky Division of Water (KDW). At several sampling stations, cadmium, lead, and nickel were elevated above chronic criteria for aquatic habitat as established by the KDW. Several metals (cadmium, lead) showed increases in concentration in deeper, anoxic waters compared to oxygenated, surface samples, implying their diffusion out of the sediments. In surface sediments of the lake, heavy metal concentrations show no systematic increase or decrease at stations distributed across the lake. However, two stations located near the inflow of Taylor Fork, showed considerably higher concentrations of arsenic, chromium, cobalt and lead than other grab samples; we are investigating this anomaly.