### The University of Akron IdeaExchange@UAkron

Biology Faculty Research

**Biology Department** 

2-2004

# Maintenance of Androdioecy in the Freshwater Shrimp, Eulimnadia Texana: Field Estimates of Inbreeding Depression and Relative Male Survival

Stephen C. Weeks University of Akron Main Campus, scw@uakron.edu

Richard L. Bernhardt University of Akron Main Campus

Please take a moment to share how this work helps you through this survey. Your feedback will be important as we plan further development of our repository.

Follow this and additional works at: http://ideaexchange.uakron.edu/biology ideas



Part of the Biology Commons

### Recommended Citation

Weeks, Stephen C. and Bernhardt, Richard L., "Maintenance of Androdioecy in the Freshwater Shrimp, Eulimnadia Texana: Field Estimates of Inbreeding Depression and Relative Male Survival" (2004). Biology Faculty Research. 31. http://ideaexchange.uakron.edu/biology ideas/31

This Article is brought to you for free and open access by Biology Department at IdeaExchange@UAkron, the institutional repository of The University of Akron in Akron, Ohio, USA. It has been accepted for inclusion in Biology Faculty Research by an authorized administrator of IdeaExchange@UAkron. For more information, please contact mjon@uakron.edu, uapress@uakron.edu.

## Maintenance of androdioecy in the freshwater shrimp, Eulimnadia texana: field estimates of inbreeding depression and relative male survival

Stephen C. Weeks\* and Richard L. Bernhardt

Department of Biology, Program in Evolution, Ecology and Organismal Biology, The University of Akron, Akron, OH 44325-3908, USA

#### **ABSTRACT**

Androdioecy is a rare form of reproduction, only found in a few plant and animal species, wherein males co-exist with hermaphrodites. This particular form of mixed mating (mixtures of outcrossing and self-fertilization) is predicted to be evolutionarily unstable, with most androdioecious populations thought to be in a transition from hermaphroditism to dioecy, or vice versa. One well-studied androdioecious species is the freshwater clam shrimp Eulimnadia texana. A model by Otto et al. (1993), exploring the stability of this androdioecious system, predicts that males can co-exist with hermaphrodites when males fertilize an average of over twice the number of offspring that an average hermaphrodite produces in a lifetime. This value proportionally increases if males survive less well than hermaphrodites, and proportionally decreases with increased inbreeding depression. In the present study, we measured relative male longevity and inbreeding depression using laboratory-produced selfed and outcrossed eggs reared in the field. Males had lower survival than hermaphrodites in both mating treatments, but the survival difference was greater in the outcrossed relative to the selfed mating treatments (19 vs 9% difference). Inbreeding depression ( $\delta$ ) was estimated at 0.58–0.69, depending on the level of selfing among the parents in the outcrossed treatments. Both estimates of relative male viability and inbreeding depression corresponded well with earlier laboratory estimates of these parameters. Thus the within-pond dynamics outlined in the model of Otto et al. (1993), which are driven by high inbreeding depression and high relative male fertility, may still explain the maintenance of androdioecy in these shrimp. Field estimates of male mating effectiveness are required as a final test of the accuracy of this model.

Keywords: branchiopod crustaceans, evolution of mating systems, genetic load, hermaphrodites.

### **INTRODUCTION**

Androdioecy (populations comprising males and hermaphrodites) is an exceptionally rare mating system (Charlesworth, 1984; Jarne and Charlesworth, 1993; Pannell, 2002), with only a maximum of 53 androdioecious species described in the plant and animal kingdoms

<sup>\*</sup> Author to whom all correspondence should be addressed. e-mail: scw@uakron.edu Consult the copyright statement on the inside front cover for non-commercial copying policies.



www.evolutionary-ecology.com

### Evolutionary Ecology Research is delighted that you wish to consult one of its articles.

You may if your library or laboratory subscribes.

Ask your librarian or library committee why your place does not already subscribe to the low-cost journal that is publishing splendid science in a socially responsible manner. *EER*'s low prices have helped librarians to rein in the indefensible cost increases that have reduced our access to science all over the world! Just ask our partners at <u>SPARC</u> — the Scholarly Publishing & Academic Resources Coalition of the Association of Research Libraries.

Or maybe you should just remind the folks who order your journals to contact us and subscribe! You need — and they should support — the journal that:

- Invented the instant publication of reviewed, revised and accepted e-editions.
- Vests the copyrights of all articles in their authors while preserving the rights of educational and research groups to use its material in classes, seminars, etc. at no additional cost.
- Maintains a unified data-base of articles, thus doing away with your need to worry about issue numbers, author order, and other such impediments to easy access.
- Provides *Webglimpse* so that you can search any word, place, species, variable, phrase or author in any article *EER* has ever published.
- Pioneered e-only subscriptions while maintaining, at the same time, a traditional print edition, too.

Some 10,000 readers per week have it right. *EER* is the place to go for great science, responsible publication policies and easy access!

<u>Click here for the Table of Contents</u> of the most recent issue of *Evolutionary Ecology Research* 

Click here for full access to a sample issue of Evolutionary Ecology Research

**Click here for SUBSCRIPTION INFORMATION**