

### Western Washington University Western CEDAR

Salish Sea Ecosystem Conference

2018 Salish Sea Ecosystem Conference (Seattle, Wash.)

Apr 5th, 2:45 PM - 3:00 PM

## The heavy load: addressing creosote and large debris in the Salish Sea

Chris Robertson

Washington State Dept. of Natural Resources, United States, christopher.robertson@dnr.wa.gov

Follow this and additional works at: https://cedar.wwu.edu/ssec

Part of the Fresh Water Studies Commons, Marine Biology Commons, Natural Resources and Conservation Commons, and the Terrestrial and Aquatic Ecology Commons

Robertson, Chris, "The heavy load: addressing creosote and large debris in the Salish Sea" (2018). *Salish Sea Ecosystem Conference*. 368.

https://cedar.wwu.edu/ssec/2018ssec/allsessions/368

This Event is brought to you for free and open access by the Conferences and Events at Western CEDAR. It has been accepted for inclusion in Salish Sea Ecosystem Conference by an authorized administrator of Western CEDAR. For more information, please contact westerncedar@wwu.edu.

# The Heavy Load: Addressing Creosote and Large Debris In the Salish Sea of Washington State




"This project has been funded wholly or in part by the United States Environmental Protection Agency under assistance agreement PC-01J22301 through the Washington Department of Fish and Wildlife. The contents of this document do not necessarily reflect the views and policies of the Environmental Protection Agency or the Washington Department of Fish and Wildlife, nor does mention of trade names or commercial products constitute endorsement or recommendation for use."

Christopher S Robertson M.Sc. Aquatic Lands Restoration Manager Washington State Department of Natural Resources












Gammanant	I	Transac Y deside	Y Y imit
Component	Averages	Upper Limit	Lower Limit
Anthracene	3.85	4.52	3.18
Dibenzopyrrole (Carbazole)	1.83	1.97	1.70
Cyclopentaphenanthrene	1.55	1.95	1.15
Fluoranthene	7.40	10.03	4.77
Pyrene	5.90	8.13	3.66
11H-Benzo(b)fluorene	0.92	1.31	0.54
11H-Benzo(a)fluorene	0.90	1.27	0.52
Benz(a)anthracene	1.60	2.28	0.92
Chrysene	1.46	2.02	0.90
Benzo fluoranthenes	1.25	1.74	0.76
Benzo(e)pyrene	0.45	0.60	0.30
Benzo(a)pyrene	0.47	0.67	0.27
























































#### 2014 THROUGH 2017 CREOSOTE CLEANUP

2014 2015 2016 2017

2014 TOTAL: -117150 LBS 2015 TOTAL: -182080 LBS 2016 TOTAL: -120680 LBS 2017 TOTAL: -160180 LBS

















## LARGE DEBRIS

















































































## 2017 results: 10 months 85 Sites 9 large debris responses 202 tons of hand hauled creosote and large debris Or 13,466 gallons of creosote.



#### Removed Since 2003:



- ~26,628 tons (53,256,000 lbs.) of marine debris. = 70 Boing 747 jets
- ~ 25,562 pilings (avg. length 50')

- = 2.22 million gallons of creosote OR 75 rail tank cars full.
- ~31,600 sq/ft of overwater structures
- = the area of 5 football fields!



#### **FUTURE PROJECTS**

- ~16,000 pilings remaining
  - We are over half way there!
- Mycoast Application Launch
  - In partnership with the Northwest Straits
     Commission and the makers of
     Mycoast.com. The DNR is launching a state
     wide marine debris reporting app. In 2018.
- Deepwater Derelict Net Removal
  - Partnership with Department of Defense Innovative Readiness Training Program and Natural Resources Consultants.







