

Western Washington University Western CEDAR

Salish Sea Ecosystem Conference

2018 Salish Sea Ecosystem Conference (Seattle, Wash.)

Apr 5th, 4:30 PM - 4:45 PM

Contaminants of emerging concern in bay mussels throughout the Salish Sea

Christopher Andrew James Center for Urban Waters (U.S.), jamesca@uw.edu

James E. West
Washington (State). Department of Fish and Wildlife, James.West@dfw.wa.gov

Sandra M. O'Neill

Washington (State). Department of Fish and Wildlife, sandra.oneill@dfw.wa.gov

Jennifer Lanksbury

Washington (State). Department of Fish and Wildlife, jennifer.lanksbury@dfw.wa.gov

Follow this and additional works at: https://cedar.wwu.edu/ssec

Part of the Fresh Water Studies Commons, Marine Biology Commons, Natural Resources and Conservation Commons, and the Terrestrial and Aquatic Ecology Commons

James, Christopher Andrew; West, James E.; O'Neill, Sandra M.; and Lanksbury, Jennifer, "Contaminants of emerging concern in bay mussels throughout the Salish Sea" (2018). *Salish Sea Ecosystem Conference*. 416.

https://cedar.wwu.edu/ssec/2018ssec/allsessions/416

This Event is brought to you for free and open access by the Conferences and Events at Western CEDAR. It has been accepted for inclusion in Salish Sea Ecosystem Conference by an authorized administrator of Western CEDAR. For more information, please contact westerncedar@wwu.edu.

Contaminants of Emerging Concern in Bay Mussels throughout the Salish Sea

Andy James
University of Washington Tacoma
at Center for Urban Waters

Jennifer Lanksbury, Andrea Carey Mariko Langness, Sandie O'Neill and Jim West Washington Department of Fish and Wildlife



www.eopugetsound.org

Mussel Tissue Screening for Contaminants of Emerging Concern

Objectives to monitoring activities:

 characterize exposures to marine organisms in the nearshore environment

 highlight those which are present and have potential to cause environmental risk



Bay Mussel Sampling

Caged mussels transplanted from a single aquaculture source

Deployed for 2-3 months over winter

- 2013 for targeted
- 2016 non-targeted


Processed and stored at -20°C until analysis

Targeted Analysis

- Pharmaceuticals and Personal Care Products (~140 compounds)
- Nonyl- and octyl-phenols
- Pesticides
- Perfluroinated compounds

Non-Targeted Analysis


• High Resolution Mass Spectrometry



Oxycodone


(opioid pain medication)

- 90% is metabolized in humans
- Some removal through WWTP
- Measured in WWTP effluent
- No reports in Puget Sound water
- May be metabolized by fish (likely not mussels)
- May be bioactive in fish
 (fish have opioid receptor pathways)



Melphalan


(chemotherapy drug)





Carcinogen due to DNA interactions

Potential EDC Shown to induce heritable deletions and mutations in male germ cells (mice)




Virginiamycin

(antibiotic)



Feed-additive for growth promotion in swine, turkey, and broiler chickens.

Produced by *Streptomyces virginiae*



Bay Mussel Sampling

Caged mussels transplanted from a single aquaculture source

Deployed for 2-3 months over winter

- 2013 for targeted
- 2016 non-targeted


Processed and stored at -20°C until analysis

Targeted Analysis

- Pharmaceuticals and Personal Care Products (~140 compounds)
- Nonyl- and octyl-phenols
- Pesticides
- Perfluroinated compounds


Non-Targeted Analysis

• High Resolution Mass Spectrometry





High resolution mass spectrometry





Mussel Tissue Screening







used in birth control and hormone replacement therapy



WDFW Mussel Tissue Screening





endogenous progestogen metabolite

Mussel Tissue Screening

- Evidence that organisms in the nearshore are being exposed to a wide range of compounds,
- Levels will probably not sufficient for toxicity, though do likely affect reproduction and health




Perfluorinated Compounds

Analyzed for 13 different compounds – result was a single detection of PFOSA (<1 ng/g wet weight)

80% of juvenile chinook had PFOS at ~10 ng/g

Lack of accumulation of perfluorinated compounds in mussels may be due to MXR transporter protein expression

Fernández-Sanjuan et al (2013)



Other compounds

4-nonylphenol

Breakdown product of surfactant - exposure probably widespread through Salish Sea

Sertraline

SSRI

<u>Iopamidiol</u>

Contrasting agent. Seem to persist and be present throughout

<u>Amitriptyline</u>

Antidepressant. May bioaccumulate.

