

THE EFFECTS OF WATER CONTAMINANTS ON THE IMMUNE SYSTEM OF FATHEAD MINNOWS

JACOB WALLING

RESEARCH ADVISOR: DR. MARINA CETKOVIC-CVRLJE





WHAT ARE CEC?

- CONTAMINANTS OF EMERGING CONCERN (CEC) CHEMICAL COMPOUNDS FOUND IN THE ENVIRONMENT IN CONCENTRATIONS THAT COULD POTENTIALLY BE HIGH ENOUGH TO DISRUPT SOME COMPONENT OF AQUATIC LIFE IN A NEGATIVE WAY.
- THE EPA GUIDELINES FOR ADDRESSING CEC SINCE 1985.
- NANOPARTICLES, PHARMACEUTICALS, PERSONAL-CARE PRODUCTS, ESTROGEN-LIKE COMPAOUNDS, FLAME RETARDANTS, DETERGENTS, AND SOME INDUSTRIAL CHEMICALS



& r=0%5C



Image retrieved from: http://www.startribune.com/deformed-frogresources/169510706/



- FATHEAD MINNOWS (PIMEPHALES PROMELAS) ARE COMMONLY USED AS A MODEL ORGANISM DUE TO ITS STATUS AS A HABITAT GENERALIST.
- CEC EFFECTS ON BLOOD PARAMETERS, TISSUE GROWTH AND COMPOSITION, GENE EXPRESSION, AND MULTIPLE BEHAVIORS SUCH AS NEST DEFENSE, PREDATORY AVOIDANCE, AND REPRODUCTIVE SUCCESS.
- GAP IN KNOWLEDGE ON THE EFFECTS OF CEC IN THE IMMUNE SYSTEM OF FATHEAD MINNOW MODEL ORGANISM.



THE IMMUNE SYSTEM – INNATE AND ADAPTIVE.

- INNATE IMMUNITY A NON-SPECIFIC RESPONSE THAT CONSISTS OF ALL CELLS, PROTEINS, AND STRUCTURES THAT PREVENT EXPOSURE TO A PATHOGEN OR ADDRESS THE PATHOGEN IMMEDIATELY AFTER EXPOSURE.
- A VERY COMMON AND IMPORTANT CELL OF INNATE IMMUNITY IS THE NEUTROPHIL.
- ADAPTIVE IMMUNITY CONSISTS OF THE CELLS AND MOLECULES THAT COORDINATE AN ATTACK OF A PATHOGEN WITH GREAT SPECIFICITY; LONG-TERM IMMUNITY.
- A VERY COMMON AND IMPORTANT CELL OF ADAPTIVE IMMUNITY IS THE LYMPHOCYTE T-CELL.



Neutrophil



T Cell

Both images retrieved from: https://immunologynotes.com/cells-of-the-immune-system/





- DEVELOP REPRODUCIBLE ASSAYS FOR STUDYING THE FUNCTION OF THE INNATE AND
 ADAPTIVE IMMUNE SYSTEM IN FATHEAD MINNOWS.
- INNATE IMMUNITY ASSAY BASED ON QUANTIFICATION OF NEUTROPHIL FUNCTION THROUGH DEGRANULATION AND MEASUREMENT OF MYELOPEROXIDASE (MPO) RELEASE.
- ADAPTIVE IMMUNITY ASSAY BASED ON QUANTIFICATION OF T-CELL FUNCTION (T-CELL PROLIFERATION)
- TEST THE EFFECT OF COMMON CEC (ESTRADIOL) ON THE FUNCTION OF NEUTROPHILS AND T-CELLS USING THESE ESTABLISHED ASSAYS.









Image Retrieved from: http://www.outdoornews.com/2017/09/28/southern-minnesota-minnow-trappersface-variety-challenges/



Image Retrieved from: https://consultqd.clevelandclinic.org/chronic-kidney-disease-in-african-americar puzzle-pieces-falling-into-place/



Image Retrieved from: https://support.10xgenomics.com/single-cell-vdj/software/visualization/latest/what-isloupe-vdj-browser

Image Retrieved from: https://www.novolab-labware.com/telkamers-marienfeld-dark-line-zonder-klemmen.htm

Neubauer improved CE

Tiefe - Depth Profondeur 0.100mm

0.0025 mm²





http://www.woodleyequipment.com/clinical-trials/laboratorycentrifuge-rental/eppendom tefrigerated-centrifuge-35-72-501.php



1812



https://www.novolab-labware.com/telkamers-marienfeld-dark-line-zonder-klemmen.html

Image Retrieved from: https://www.researchgate.net/publication/268006373_Immunopathogenic_aspects_of_reso lving_and_progressing_appendicitis



- DEGRANULATION ARTIFICALLY STIMULATED BY CALCIUM IONOPHORE
- MYELOPEROXIDASE (MPO) REASED DURING DEGRANULATION
- QUANTIFICATION OF MPO RELEASE THROUGH BINDING TO 3,3',5,5'-Tetramethylbenzidine.



Image Retrieved from: http://www.outdoornews.com/2017/09/28/southern-minnesota-minnow-trappers-face-variety-challenges/



Image Retrieved from: https://www.turbosquid.com/Search/Index.cfm?keyword=spleen



Cells in a stimulated well. (3.8 $\mu g/mL$ ConA in RPMI)

Cells in a nonstimulated control well

Image Retrieved from: https://www.coleparmer.com/i/cole-parmer-low-cost-digital-incubator-2-cubic-ft-acrylic-door-120vac/03∳1340

Plate reader (570 nm)

Image Retrieved from: https://www.thomassci.com/scientific-supplies/96-Well-Plate-Reader

Image Retrieved From: http://northbridgetimes.com/ujvnl-ae-results-2016-announced-for-posts-of-assistant-engineer-civil-em-www-uttarakhandjalvidyut-com/11132

NEUTROPHILS: ISOLATION, CELL COUNTS, VIABILITY & PURITY

NEUTROPHIL DEGRANULATION ASSAYS

LYMPHOCYTES ISOLATION CELL COUNTS, VIABILITY & PURITY

T-CELL PROLIFERATION ASSAY

(RPMI, 26°C, 5% CO₂, 5 DAYS)

T-CELL PROLIFERATION ASSAY (L-15, 25°C, 5 DAYS)

SUMMARY

- FATHEAD MINNOW SPLEEN CONFIRMED AS THE APPROPRIATE ORGAN TO OBTAIN T-CELLS
- REPRODUCIBLE FUNCTIONAL ASSAY FOR EVALUATION OF T-CELL FUNCTION NOT ESTABLISHED
- ANTERIOR KIDNEY CONFIRMED AS THE APPROPRIATE ORGAN TO OBTAIN NEUTROPHILS
- REPRODUCIBLE MPO NEUTROPHIL ASSAY ESTABLISHED
- ESTRADIOL FOUND TO INCREASE NEUTROPHIL MPO RELEASE POST ACUTE EXPOSURE

WHEREAS FURTHER EFFORTS ARE REQUIRED TO OBTAIN FUNCTIONAL ASSAY FOR ADAPTIVE IMMUNITY CELLS, ESTABLISHED NEUTROPHIL MPO ASSAY WILL ALLOW TESTING THE EFFECTS OF CEC ON THE INNATE IMMUNE SYSTEM OF FATHEAD MINNOWS.

- BLY, J. E., CUCHENS, M. A., & CLEM, L. W. (1986). TEMPERATURE-MEDIATED PROCESSES IN TELEOST IMMUNITY: BINDING AND MITOGENIC PROPERTIES OF CONCANAVALIN A WITH CHANNEL CATFISH LYMPHOCYTES. *IMMUNOLOGY*, 58(3), 523-526.
- CARRADICE, D., & LIESCHKE, G. J. (2008). ZEBRAFISH IN HEMATOLOGY: SUSHI OR SCIENCE? BLOOD, 111(7), 3331-3342. DOI:10.1182/BLOOD-2007-10-052761
- ENVIRONMENTAL PROTECTION AGENCY (2016, SEPTEMBER). CONTAMINANTS OF EMERGING CONCERN INCLUDING PHARMACEUTICALS AND PERSONAL CARE PRODUCTS. RETRIEVED FROM HTTPS://WWW.EPA.GOV/WQC/CONTAMINANTS-EMERGING-CONCERN-INCLUDING-PHARMACEUTICALS-AND-PERSONAL-CARE-PRODUCTS
- MARSDEN, M., VAUGHAN, L., FOSTER, T., & SECOMBES, C. (1996). A LIVE (△AROA) AEROMONAS SALMONICIDA VACCINE FOR FURUNCULOSIS PREFERENTIALLY STIMULATES T-CELL RESPONSES RELATIVE TO B-CELL RESPONSES IN RAINBOW TROUT (ONCORHYNCHUS MY KISS). INFECTION & IMMUNITY, 64(9), 3863-3869.

- NOVOA, B., BOWMAN, T., ZON, L., & FIGUERAS, A. (2009). LPS RESPONSE AND TOLERANCE IN THE ZEBRAFISH (DANIO RERIO). FISH & SHELLFISH IMMUNOLOGY, 26(2), 326-331. DOI:10.1016/J.FSI.2008.12.004
- SCHREER, A., TINSON, C., SHERRY, J. P., & SCHIRMER, K. (2005). APPLICATION OF ALAMAR BLUE/5-CARBOXYFLUORESCEIN DIACETATE ACETOXYMETHYL ESTER AS A NONINVASIVE CELL VIABILITY ASSAY IN PRIMARY HEPATOCYTES FROM RAINBOW TROUT. ANALYTICAL BIOCHEMISTRY, 344(1), 76-85. DOI:10.1016/J.AB.2005.06.009
- TILLITT, D. E., GIESY, J. P., & FROMM, P. O. (1988). IN VITRO MITOGENESIS OF PERIPHERAL BLOOD LYMPHOCYTES FROM RAINBOW TROUT (SALMO GAIRDNERI). COMPARATIVE BIOCHEMISTRY AND PHYSIOLOGY PART A: PHYSIOLOGY, 89(1), 25-35. DOI:10.1016/0300-9629(88)91134-6
- YIN, D., HU, S., GU, Y., WEI, L., LIU, S., & ZHANG, A. (2007). IMMUNOTOXICITY OF BISPHENOL A TO CARASSIUS AURATUS LYMPHOCYTES AND MACROPHAGES FOLLOWING IN VITRO EXPOSURE. JOURNAL OF ENVIRONMENTAL SCIENCES, 19(2), 232-237. DOI:10.1016/S1001-0742(07)60038-2

ACKNOWLEDGEMENTS

- MY RESEARCH ADVISOR: DR. MARINA CETKOVIC-CVRLJE
 - CAMERON JOHNSON AND JOSHUA GORDON.
- SCSU OFFICE OF RESEARCH AND SPONSORED PROGRAMS.
- THE AQUATIC TOXICOLOGY LABORATORY: UTKU HASBAY AND DR. SCHOENFUSS
 - THE REST OF THE IMMUNOLOGY RESEARCH LABOATORY:

SHANA ROGAN, KAITI MAILHOT, EMILY BARBARO, SARA THEISEN, LEAH SCHMIDT, KATE KOPECK, KHOLOOD ABUHADID, & AREEJ ZAHRA.