

Washington University in St. Louis

Washington University Open Scholarship

All Computer Science and Engineering
Research

Computer Science and Engineering

Report Number: WUCSE-2003-76

2003-12-04

An Iterative Beam Search Algorithm for Degenerate Primer Selection

Richard Souvenir

Single Nucleotide Polymorphism (SNP) Genotyping is an important molecular genetics process in the early stages of producing results that will be useful in the medical field. Due to inherent complexities in DNA manipulation and analysis, many different methods have been proposed for a standard assay. One of the proposed techniques for performing SNP Genotyping requires amplifying regions of DNA surrounding a large number of SNP loci. In order to automate a portion of this particular method, it is necessary to select a set of primers for the experiment. Selecting these primers can be formulated as the Multiple Degenerate Primer... [Read complete abstract on page 2.](#)

Follow this and additional works at: https://openscholarship.wustl.edu/cse_research



Part of the [Computer Engineering Commons](#), and the [Computer Sciences Commons](#)

Recommended Citation

Souvenir, Richard, "An Iterative Beam Search Algorithm for Degenerate Primer Selection" Report Number: WUCSE-2003-76 (2003). *All Computer Science and Engineering Research*. https://openscholarship.wustl.edu/cse_research/1122

Department of Computer Science & Engineering - Washington University in St. Louis
Campus Box 1045 - St. Louis, MO - 63130 - ph: (314) 935-6160.

An Iterative Beam Search Algorithm for Degenerate Primer Selection

Richard Souvenir

Complete Abstract:

Single Nucleotide Polymorphism (SNP) Genotyping is an important molecular genetics process in the early stages of producing results that will be useful in the medical field. Due to inherent complexities in DNA manipulation and analysis, many different methods have been proposed for a standard assay. One of the proposed techniques for performing SNP Genotyping requires amplifying regions of DNA surrounding a large number of SNP loci. In order to automate a portion of this particular method, it is necessary to select a set of primers for the experiment. Selecting these primers can be formulated as the Multiple Degenerate Primer Design (MDPD) problem. In this thesis, we describe an iterative beam-search algorithm, Multiple, Iterative Primer Selector (MIPS), for MDPD. Theoretical and experimental analyses show that this algorithm performs well compared to the limits of degenerate primer design. Furthermore, MIPS outperforms an existing algorithm which was designed for a related degenerate primer selection problem. Further analysis shows that, due to the composition of the human genome, the results from MIPS may not be realized in practice. Consequently, we address the challenges involved in selecting a suitable set of degenerate primers and possible future improvements to the algorithm.

Short Title: Multiple Degenerate Primer Design

Souvenir, M.Sc. 2003

WASHINGTON UNIVERSITY
SEVER INSTITUTE OF TECHNOLOGY
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

AN ITERATIVE BEAM SEARCH ALGORITHM FOR
DEGENERATE PRIMER SELECTION

by

Richard M. Souvenir, B.S.

Prepared under the direction of Professor W. Zhang

A thesis presented to the Sever Institute of
Washington University in partial fulfillment
of the requirements for the degree of
Master of Science

December, 2003

Saint Louis, Missouri

WASHINGTON UNIVERSITY
SEVER INSTITUTE OF TECHNOLOGY
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

ABSTRACT

AN ITERATIVE BEAM SEARCH ALGORITHM FOR
DEGENERATE PRIMER SELECTION

by Richard M. Souvenir

ADVISOR: Professor W. Zhang

December, 2003

Saint Louis, Missouri

Single Nucleotide Polymorphism (SNP) Genotyping is an important molecular genetics process in the early stages of producing results that will be useful in the medical field. Due to inherent complexities in DNA manipulation and analysis, many different methods have been proposed for a standard assay. One of the proposed techniques for performing SNP Genotyping requires amplifying regions of DNA surrounding a large number of SNP loci. In order to automate a portion of this particular method, it is necessary to select a set of primers for the experiment. Selecting these primers can be formulated as the *Multiple Degenerate Primer Design (MDPD)* problem.

In this thesis, we describe an iterative beam-search algorithm, *Multiple, Iterative Primer Selector (MIPS)*, for MDPD. Theoretical and experimental analyses show that this algorithm performs well compared to the limits of degenerate primer

design. Furthermore, MIPS outperforms an existing algorithm which was designed for a related degenerate primer selection problem. Further analysis shows that, due to the composition of the human genome, the results from MIPS may not be realized in practice. Consequently, we address the challenges involved in selecting a suitable set of degenerate primers and possible future improvements to the algorithm.

Contents

List of Tables	v
List of Figures	vi
List of Abbreviations	viii
Acknowledgments	ix
1 Introduction	1
2 Related Work	4
2.1 Primer Selection Problem	4
2.2 Degenerate Primer Design Problem	4
3 Problem Description and Complexity	7
4 Multiple, Iterative Primer Selector	11
5 Algorithm Complexity	15
5.1 Space	15
5.2 Time	16
6 MIPS Experiments	18
6.1 Beam Size Parameter	18

6.2	Human Dataset	19
6.3	Comparison to HYDEN	20
7	Degenerate Primer Design	23
7.1	Degenerate Primer Efficacy	24
7.1.1	Occurrence probability for one fixed primer	25
7.1.2	Computing the expectation	26
7.1.3	Results	27
7.2	Mispriming	28
7.2.1	Mispriming in i.i.d. Random and Human Genome	29
7.2.2	Reducing Mispriming Events	31
7.2.3	Alternate Strategies to Mispriming	34
8	Conclusions	35
	Appendix A MIPS Pseudocode	36
	Appendix B Supplemental Data	38
	References	47
	Vita	51

List of Tables

2.1	IUPAC-IUB symbols for nucleotide nomenclature	6
5.1	Properties of an execution of the MIPS algorithm	15
6.1	Results on a dataset of 95 human SNP regions.	20
7.1	Actual and predicted coverage of 20-mer primers found on sets of 190 random sequences of length 211. Avg Coverage: average coverage of primer found over 20 random trials. Max Predicted: largest coverage m such that $E_{20,\alpha,m} > 1$	28
7.2	Predicted and actual mispriming rates in simulated PCR experiments with i.i.d. random and human genome.	30
7.3	Mispriming rates in simulated PCR experiments with original and masked input sets	33
7.4	Comparison of MIPS-PT results on original and masked input sets.	33

List of Figures

1.1	Single Nucleotide Polymorphism (SNP) diagram	1
1.2	Example of a typical PCR experiment. The area in bold on the original double-stranded sequence represents the DNA fragment which is the region of interest. Normally this continues for 30 cycles, which would result in a theoretical maximum of 2^{30} fragments for each original molecule. (Diagram from [27])	3
4.1	Pruning of the search space by MIPS-TT	13
5.1	Timing graphs for various input sizes.	17
6.1	The effect of beam size on the (a) running time of the algorithm and (b) number of primers discovered.	19
6.2	The number of degenerate primers selected by HYDEN and MIPS for 20 randomly-generated datasets in solving PT-MDPD for degeneracy thresholds of 10,000 (a) and 100,000 (b).	21
7.1	Results of RepeatMasker on human SNP input dataset.	32
B.1	MIPS-PT output with $\alpha = 4^6$	39
B.2	MIPS-PT output with $\alpha = 4^7$	40
B.3	MIPS-PT output with $\alpha = 4^8$	41

B.4	MIPS-PT output with $\alpha = 4^9$	42
B.5	MIPS-PT output on masked input set with $\alpha = 4^6$	43
B.6	MIPS-PT output on masked input set with $\alpha = 4^7$	44
B.7	MIPS-PT output on masked input set with $\alpha = 4^8$	45
B.8	MIPS-PT output on masked input set with $\alpha = 4^9$	46

List of Abbreviations

- **i.i.d.** independent and identically distributed
- **IUB** International Union of Biochemistry
- **IUPAC** International Union of Pure and Applied Chemistry
- **MDPD** Multiple Degenerate Primer Design
- **MIPS** Multiple, Iterative Primer Selector
- **MP-PCR** Multiplex Polymerase Chain Reaction
- **PCR** Polymerase Chain Reaction
- **PT-MDPD** Primer-Threshold MDPD
- **SNP** Single Nucleotide Polymorphism
- **TT-MDPD** Total-Threshold MDPD

Acknowledgments

I would very much like to thank my adviser, Dr. Weixiong Zhang, for his support of my graduate study financially and more importantly intellectually through our discussions and collaborative efforts. I would also like to acknowledge the other members of my committee, Dr. Jeremy Buhler and Dr. Gary Stormo, who have acted as co-advisors for most of my studies and have offered their time and expertise to assist in the evaluation of my research.

I would like to thank Dante Cannarozzi, Steve Donahue, Kevin Goodier, Christine Julien, Matthew Hampton, Jamie Payton, and Aaron Tenney who have always been willing to lend assistance throughout my progression towards a graduate degree. As friends and colleagues, they have always been willing to share their time by answering questions or providing critiques on practice talks and paper drafts.

I would also like to extend my gratitude to Sharlee Climer, Jianhua Ruan, and Xiaotao Zhang who, as fellow members of the Computational Intelligence Center, have taken the time away from their own research endeavors to share insights which have bolstered the research efforts of us all.

I appreciate very much the efforts of the department faculty who provide an intellectually stimulating environment in which to pursue a graduate education.

I would also like to acknowledge Peggy Fuller, Jean Grothe, Myrna Harbison, and Sharon Matlock, whose efforts ensure that the department functions effectively.

I would especially like to thank my parents, Yves and Elvire L. Souvenir, for all of their love and support.

The research represented in this thesis was supported in part by the NIH under training grant GM08802 and the NSF under ITR/EIA-0113618.

Richard M. Souvenir

*Washington University in Saint Louis
December, 2003*

Chapter 1

Introduction

Single Nucleotide Polymorphisms (SNPs) are singular base differences among DNA sequences from the same species that are partially responsible for individualization. Figure 1 shows an example of a SNP between two sequences. It is estimated that there are roughly three million SNPs in the human genome [15]. Research investigating associations between SNPs and various diseases, along with studies of differences in how individuals respond to common therapies, promise to revolutionize medical science in the coming years [2]. Another interesting biological facet of SNPs is that recent work suggests there may be only a few hundred thousand "blocks" of SNPs in the human genome rather than a random dispersion. These "blocks" provide most of the variability seen in human populations [6]. In spite of all this effort, it is still a daunting task to identify the specific genetic variations occurring in specific individuals in order to determine their associations with important phenotypes. Currently, there

C	G	G	T	A	C	T	T	G	A	G	G	C	T	A	Person 1
C	G	G	T	A	C	T	C	G	A	G	G	C	T	A	Person 2

Figure 1.1: Single Nucleotide Polymorphism (SNP) diagram

are many proposed techniques for the process of determining the SNP composition of a given genome, which is known as SNP Genotyping. In order for these assaying techniques to be effective in large-scale genetic studies of hundreds or thousands of SNPs, they must be scalable, automated, robust, and inexpensive [12].

One technique involves the use of Multiplex PCR (MP-PCR) to amplify the regions around the SNP [12]. Polymerase Chain Reaction (PCR) [16] is a powerful molecular genetics technique which rapidly amplifies a small segment of DNA using two additional DNA fragments known as primers. Figure 1.2 shows how PCR cyclically creates a large number of DNA fragments. MP-PCR is a variation of PCR where multiple DNA fragments are replicated simultaneously. MP-PCR, like all PCR variations, makes use of oligonucleotide primers to define the boundaries of amplification. For each region of DNA that is to be amplified, two primers, generally referred to as the forward and reverse primers, are needed. In MP-PCR, it is necessary to select a pair of forward and reverse primers for each of the regions to be replicated, and for the large-scale amplification required in SNP Genotyping, there can be hundreds, or perhaps thousands, of those regions. The process of selecting such a large set of primers by current methods, including trial-and-error [12], can be time-consuming and difficult.

In this thesis, we begin with a description of the related work in the area. Next, we describe the Multiple Degenerate Primer Design (MDPD) problem and present an algorithm, the *Multiple, Iterative Primer Selector (MIPS)* [24], to solve this problem. We continue by showing how MIPS performs relative to another solution in the domain on real and simulated data. Next, we discuss the difficulty of solving this problem in general by calculating the theoretical limits of any solution and dealing with the issue of erroneous amplification. Finally, we conclude with comments about avenues for possible improvement.




Figure 1.2: Example of a typical PCR experiment. The area in bold on the original double-stranded sequence represents the DNA fragment which is the region of interest. Normally this continues for 30 cycles, which would result in a theoretical maximum of 2^{30} fragments for each original molecule. (Diagram from [27])

Chapter 2

Related Work

There are two problems in primer selection similar to the main problem of this thesis, the Primer Selection Problem and the Degenerate Primer Design Problem.

2.1 Primer Selection Problem

The Primer Selection Problem [20] involves minimizing the number of primers needed to amplify regions of DNA in a set of sequences. It has been shown that this is an NP-hard problem [7] in reductions from other hard problems, including Set Cover and Graph Coloring [4]. There have been a number of proposed heuristics to solve this problem, including a branch-and-bound search algorithm [19]. Also, algorithms have been proposed which incorporate biological data about the primers into the search [17, 5].

2.2 Degenerate Primer Design Problem

Figure 1.2 from the previous chapter shows that in order to perform PCR both forward and reverse primers are needed for the fragment being amplified. Therefore, in a

typical MP-PCR experiment where, the number of primers needed is equal to twice the number of sequences in the input set. In general, the algorithms mentioned above reduce the number of primers needed to 25-50% of this value, which can still be rather high for the large-scale amplification needed for SNP Genotyping.

The desire to design fewer primers leads to the use of degenerate primers. Degenerate primers [13] are primers that make use of the degenerate nucleotides [3], which can be found in Table 2.1. The number of primers that a degenerate primer represents is referred to as its *degeneracy*. For example, consider this degenerate primer, *ACMCM*, where *M* is a degenerate nucleotide which represents either of the bases, *A* or *C*. This degenerate primer is actually representative of the set of 4 primers $\{ACACA, ACACC, ACCCA, ACCCC\}$, and so its degeneracy is 4.

Degenerate primers are as easy to produce as regular primers, and therefore save the molecular biologist time during the primer design phase of the experiment. The use of degenerate primers, however, introduces two new problems. First, the effective concentration of the desired primers is decreased by the presence of undesired primers. Second, the presence of undesired primers can lead to erroneous amplification. Therefore, it is important to use primers of relatively low degeneracy to realize the inherent benefits of degenerate primer design while minimizing the effects of these two problems.

The Degenerate Primer Design (DPD) Problem, is the decision problem of determining whether or not there exists a single degenerate primer below some given degeneracy threshold which can amplify regions of DNA for some number of a set of input sequences. There are two variations of DPD. Maximum Coverage DPD (MC-DPD) is the related maximization problem where the goal is to find the maximum number of sequences that can be amplified by a degenerate primer whose degeneracy falls below some threshold. Minimum Degeneracy DPD (MD-DPD) is the second

Table 2.1: IUPAC-IUB symbols for nucleotide nomenclature

Symbol	Meaning
A	A
C	C
G	G
T	T
U	U
M	A or C
R	A or G
W	A or T
S	C or G
Y	C or T
K	G or T
V	A or C or G
H	A or C or T
D	A or G or T
B	C or G or T
X	G or A or T or C
N	G or A or T or C

variation of DPD whose goal is to find the degenerate primer of minimum degeneracy that amplifies all of the input sequences. Both MC-DPD and MD-DPD have been shown to be NP-Hard problems [14].

Chapter 3

Problem Description and Complexity

Some of the notation from [14] is used to describe this problem. To maintain consistency, lower-case symbols (e.g. l, b, i) represent numerical values, counting variables, or individual characters (possibly degenerate) in a sequence. Upper-case symbols (e.g. P, S) denote primers, sequences, or subsequences. Finally, calligraphic symbols (e.g. \mathcal{S}, \mathcal{C}) represent sets of sequences or primers.

Let $\Sigma = \{A, C, G, T\}$ be the finite fixed alphabet of DNA. A *degenerate primer* is a string P with several possible characters at each position, i.e., $P = p_1 p_2 \cdots p_l$, where $p_i \subseteq \Sigma, p_i \neq \emptyset$ and l is the length of primer P . The *degeneracy* of P is $d(P) = \prod_{i=1}^l |p_i|$. Consider the degenerate primer $P' = \{A\}\{A, C\}\{A, C\}\{A, C\}$. The length of P' is 4 and $d(P') = 8$. For the sake of clarity, we use the IUPAC symbols from Table 2.1 for degenerate nucleotides to represent degenerate primers. Therefore, P' can be represented as $AMMM$ where M is the degenerate nucleotide which represents $\{A, C\}$. Degenerate primers can be constructed by *primer addition*. For any two primers, P^1 and P^2 , their sum P^3 equals $(p_1^1 \cup p_1^2)(p_2^1 \cup p_2^2) \cdots (p_l^1 \cup p_l^2)$.

For any sequence S_i in an input set \mathcal{S} , we say that a degenerate primer P covers S_i if there is a substring F of length l in S_i where for each character f_i in F , $f_i \in p_i$. We now describe the three problems at the heart of this thesis.

Problem 1 (Multiple Degenerate Primer Design(MDPD)). *Given a set of n sequences over an alphabet Σ and integers l and k , is there a set of primers, \mathcal{P} , for which each element is of length l that covers all of the input sequences, where $|\mathcal{P}| \leq k$?*

We now describe two optimization problems that are variants of the MDPD problem which add additional constraints to the final solution \mathcal{P} .

Problem 2 (Primer-Threshold MDPD (PT-MDPD)). *Given a set of n sequences over an alphabet Σ and integers l and α , find a set of primers, \mathcal{P} , for which each element is of length l that covers all of the input sequences, where $\forall P_i \in \mathcal{P}, d(P_i) \leq \alpha$.*

In PT-MDPD, we want a small set of degenerate primers where the degeneracy of each primer in that set is less than some threshold. In the next variation, TT-MDPD, we want a small set of degenerate primers where the sum of the degeneracies of the set is below some threshold.

Problem 3 (Total-Threshold MDPD (TT-MDPD)). *Given a set of n sequences over an alphabet Σ and integers l and α , find a set of primers, \mathcal{P} , for which each element is of length l that covers all of the input sequences, where $\sum_{P_i \in \mathcal{P}} d(P_i) \leq \alpha$.*

We now show that optimal, efficient algorithms for these problems do not likely exist since both are NP-complete [7]. In order to show the necessary proofs, we will restate each problem as a decision problem where we wish to determine whether the solution set, \mathcal{P} , has size less than a given value, k .

For PT-MDPD, we will use a reduction from the Primer Selection Problem (PSP) [20]. The input to PSP is a set of input sequences \mathcal{S}' and a threshold k' , and

the goal is to find a set of (non-degenerate) primers \mathcal{P}' which cover all the sequences in \mathcal{S}' and where $|\mathcal{P}'| \leq k'$.

Theorem 1. *PT-MDPD is NP-complete.*

Proof. To show that PT-MDPD \in NP, given an input set \mathcal{S} , we use the solution \mathcal{P} as a certificate for \mathcal{S} . Checking whether the primers in \mathcal{P} cover all of the sequences in \mathcal{S} can be accomplished in polynomial time in the number of sequences, given the observation that $|\mathcal{P}| \leq |\mathcal{S}|$.

We next prove that $\text{PSP} \leq_P \text{PT-MDPD}$, which shows that our problem is NP-Complete. The reduction begins with an instance of $\text{PSP} = \langle \mathcal{S}', k' \rangle$. To construct an instance of $\text{PT-MDPD} = \langle \mathcal{S}, \alpha, k \rangle$, we simply let $\mathcal{S} = \mathcal{S}'$, $\alpha = 1$, and $k = k'$.

At this point, it should be obvious that a valid solution for PSP yields a valid solution for this construction of PT-MDPD, and vice-versa. Therefore, the remainder of the proof is trivial and therefore omitted. \square

For TT-MDPD, we will use a reduction from the related primer design problem, Degenerate Primer Design (DPD), which has been shown to be NP-Complete [14]. An instance of DPD is a set \mathcal{S}' of n' strings, and integers l' , α' , and m' . A solution is a degenerate primer of length l' and degeneracy at most α' that matches at least m' input strings. For this reduction, we consider a special case of DPD where $m' = n'$.

Theorem 2. *TT-MDPD is NP-complete.*

Proof. To show that TT-MDPD \in NP, given an input set \mathcal{S} , we use the solution \mathcal{P} as a certificate for \mathcal{S} . Checking whether the primers in \mathcal{P} cover all of the sequences in \mathcal{S} and the total weight is less than α can be accomplished in polynomial time.

We next prove that $\text{DPD} \leq_P \text{TT-MDPD}$, which shows that our problem is NP-Complete. The reduction begins with an instance of $\text{DPD} = \langle \mathcal{S}', n', l', \alpha' \rangle$.

The instance of TT-MDPD = $\langle \mathcal{S}, \alpha, l, k \rangle$ is constructed as follows. We simply let $\mathcal{S} = \mathcal{S}'$, $\alpha = \alpha'$, $l = l'$ and $k = 1$.

In this special case of DPD where $m' = n'$ and $k = 1$ for TT-MDPD, the goal of each problem is identical: to find a single degenerate primer of length $l = l'$ with degeneracy $\alpha = \alpha'$ which covers all of the sequences. Therefore a valid solution for one problem yields a valid solution for the other. \square

Chapter 4

Multiple, Iterative Primer Selector

To overcome the difficulty caused by the NP-hardness of MDPD problems, we propose an iterative beam search heuristic, the Multiple, Iterative Primer Selector (MIPS) to make a tradeoff between optimality and tractability. In order to solve PT-MDPD and TT-MDPD, MIPS can run in either of two modes, MIPS-PT and MIPS-TT, respectively. This chapter focuses on MIPS-TT. However, we will highlight how MIPS-PT operates differently.

MIPS progressively constructs a set of primers that covers all the input sequences. Define a k -*primer* to be a degenerate primer that covers k input sequences. The basic algorithm first generates a set of candidate 2-primers, each having some degeneracy value, then iteratively extends all candidate k -primers into $(k+1)$ -primers by generalizing them to cover an additional sequence. Generalization stops when no primer can be extended without exceeding the degeneracy threshold α . At this point, the set of remaining primers cover k_{last} sequences, so we retain the primer of minimum degeneracy, remove the input sequences it covers from consideration, and repeat the algorithm until all sequences are covered.

To guide the search, MIPS uses the degeneracy of a primer as a scoring function. The set of primers that are stored for further extension are known as a *beam*.

Beam search [1] differs from greedy or best-first search in that multiple nodes, degenerate primers in this case, are saved for extension instead of just one. This model of progressively adding to a beam of degenerate primers and updating the scoring function is similar to the Consensus motif-finding model [10].

It is important to note that the degeneracy of a given k -primer increases or remains the same with the addition of new sequence fragments. This observation encourages us to employ a strategy which ignores degenerate primers with high degeneracy, in order to speed up the algorithm. Therefore, the search is restricted only to the primers with the lowest degeneracy. In this algorithm, the number of the candidate primers to restrict the search to at each level can be specified. This constant, b , describes the number of k -primers to save for each level. Increasing b can possibly improve the quality of the solution, but lengthens the running time of the algorithm. In section 6.1, we examine the effect of this parameter, b , on the speed and quality of the solution produced by MIPS.

The constructive search continues until one of two cases occurs. In the first case, all sequences are covered by a single n -primer, where n is the number of sequences in the input set. The algorithm then terminates with that primer as the result. In the second case, no k -primer can be extended to a $(k + 1)$ -primer without exceeding the degeneracy threshold and there exists at least one sequence uncovered. At this point, k_{last} sequences have been covered. The algorithm chooses the best degenerate (k_{last})-primer, P_0 , from the set \mathcal{P} of primers sorted by degeneracy value. The problem then reduces to a smaller instance where the input set is the original set of sequences minus those covered by P_0 . In MIPS-PT, the degeneracy threshold for this subproblem is equivalent to the original threshold, α . In MIPS-TT, the degeneracy threshold is reduced by the degeneracy of P_0 . *The algorithm then restarts on the reduced problem.*

For MIPS-PT, iteratively applying this procedure will eventually return a set of primers to cover the set of input sequences. However, this is not necessarily the case for MIPS-TT. After P_0 is discovered and its sequences are removed from consideration, the new threshold may be too low to cover the rest of the sequences. In this case, MIPS-TT *backtracks* to the previous level, $k_{last} - 1$, and selects the next best primer P'_0 as part of the final solution. Again, MIPS restarts on the sequences that P'_0 has not covered and with a degeneracy limit that is the original α minus the degeneracy of P'_0 .




Figure 4.1: Pruning of the search space by MIPS-TT

Figure 4.1 shows, schematically, an execution of MIPS-TT. For these graphs, the depth of a node represents the number of sequences from the input set covered and the number in a node represents the number of degenerate primers that will be used to cover those sequences. Each node can be expanded into two child nodes. The left child represents covering an additional sequence using an existing degenerate primer and the right child represents covering an additional sequence using a new degenerate primer. The left tree in Figure 4.1 shows a full search. The right tree shows the pruning that takes place in MIPS-TT during the backtracking phrase. Consider the two bold nodes. Both of these cover the same number of sequences with the same number of primers. MIPS-TT will therefore only expand the node whose total score

is better. While this greedy choice may not be optimal, it avoids the exponential expansion seen on the full tree by not exploring the nodes represented by dotted circles.

The pairwise comparison of two sequence fragments is the dominating operation and a rate-limiting step of the algorithm. A majority of these comparisons are between two fragments that share few, if any, nucleotides. To avoid comparisons between dissimilar fragments, the exhaustive pairwise comparison is replaced with a similarity lookup. All of the primer candidates are added to a FASTA-style [18] lookup table. In general, for DNA, a FASTA table fragment length of 6 is recommended [9]. Using the table, each fragment is compared only to the other fragments that are returned.

A pseudo-code description of the MIPS algorithm is given in Appendix A.

Chapter 5

Algorithm Complexity

We now examine the theoretical bounds of MIPS and compare these values to the computing resources consumed in practice. Consult Table 5.1 for a list of variables used in the chapter and what they represent.

Table 5.1: Properties of an execution of the MIPS algorithm

Variable	Represents
n	number of input sequences
m	average sequence length
b	beam size
l	primer length

5.1 Space

From the input set, each primer is stored individually which requires space $O(nml)$. In the implementation, there are four $n \times n$ matrices that are needed for back-tracking and storing degenerate primers that could eventually become part of the final solution. This adds an additional $O(n^2)$ of storage. Therefore, the total amount of space is $O(n^2 + nml)$.

5.2 Time

The time complexity is analyzed in a bottom-up fashion. The procedure of comparing the fragments in the beam to the remaining sequences is called ONE_PASS which is described in Algorithm 3 of Appendix A. ONE_PASS makes $O(bnm)$ primer additions, since there are $O(nm)$ total fragments and b fragments in the beam. Each primer addition requires comparing every character in each of the two primers. Therefore, this portion requires $O(bnml)$ time.

The process of generating new beams of k -primers, for increasing k , is called MIPS_SEARCH, which is described in Algorithm 2 of Appendix A. MIPS_SEARCH uses ONE_PASS to build new beams, and could, in the worst case, build n beams. Therefore, the overall time complexity is $O(bn^2ml)$. The number of times MIPS_SEARCH is executed depends on the amount of back-tracking. This is directly related to the number of primers in the final solution. In the best case, if the solution only requires one primer, there will be only one call to MIPS_SEARCH. In the worst case, if the solution requires n primers (one primer for each input sequence) there will be $n^2/2$ calls to MIPS_SEARCH. Let p be the number of primers in the final solution. The best approximation to the number of MIPS_SEARCH calls is $O(pn)$. This brings the overall time complexity to $O(bn^3mlp)$.

The graphs in Figure 5.1 show how the running time of MIPS changes when various parameters of the input set are manipulated. These graphs correlate with the theoretical predictions of time dependencies. All of these experiments were run on a computer running Red Hat Linux 7.3 with an AMD 1.6GHz CPU and 2GB RAM.




Figure 5.1: Timing graphs for various input sizes.

Chapter 6

MIPS Experiments

MIPS has been applied to both human DNA sequences and randomly generated datasets. The primary dataset is a database of sequences containing regions of human DNA surrounding 95 known SNPs. The sequences varied in length from a few hundred nucleotides to well over one thousand. The location of a SNP on a sequence was marked in order to provide a reference for the forward and reverse primers. To ensure effective PCR product analysis, each primer could not be located within 10 bases of the SNP and the entire PCR product length could not exceed 400 bases.

In this chapter, we perform three experiments. First, we show how the beam size affects the speed and quality of the solution produced by MIPS. Second, we show some results of MIPS on the human dataset of 95 sequences. Finally, we compare MIPS to an algorithm designed to solve the DPD problem considered in [14].

6.1 Beam Size Parameter

Figure 6.1a shows that increasing the beam size linearly increases the running time of the algorithm. Figure 6.1b shows the effect of beam size on the solution quality, or number of primers. These figures show the trade-off between the quality of the




Figure 6.1: The effect of beam size on the (a) running time of the algorithm and (b) number of primers discovered.

solution and the running time of the algorithm. For this particular dataset, there was a decrease of two degenerate primers in the final solution when the beam size was increased from 10 to 100. Moreover, only a slightly better solution was discovered when the beam size was increased to 250. For the average desktop computer, beam sizes larger than a few hundred result in impractical running times. For the input set we used, which contained 95 human DNA sequences, using a beam size of 100 produced solutions that did not significantly improve as the beam size increased. Empirically, a beam size close, in value, to the number of sequences in the input set seems to produce a solution that is balanced in running time and quality.

6.2 Human Dataset

In an unpublished laboratory experiment, a set of degenerate primers of length 20 was manually constructed where each primer was a mixture of 8 specific bases and 12 fully degenerate nucleotides (*e.g.* *AGTCGGTANNNNNNNNNNN*.) For this experiment, the total degeneracy would be $\approx 4^{12}$. MIPS was originally designed to automate this procedure and, possibly, reduce the total degeneracy and/or number of primers used. In practice the desired accuracy in the experiment determines the actual parameter values used for MIPS. Table 6.2 shows the results. For 95 sequences, 190 primers

Table 6.1: Results on a dataset of 95 human SNP regions.

<i>PT-MDPD</i>		<i>TT-MDPD</i>	
<i>Degeneracy</i>	<i># Primers</i>	<i>Degeneracy</i>	<i># Primers</i>
$4^6 \approx 4K$	53	$4^9 \approx 262K$	44
$4^7 \approx 16K$	44	$4^{10} \approx 1M$	37
$4^8 \approx 64K$	36	$4^{11} \approx 4M$	30
$4^9 \approx 262K$	29	$4^{12} \approx 16M$	23

would be needed in the general case. MIPS-PT decreased the total number of primers to 15% of this unoptimized value for a degeneracy limit of $4^9 = 262,144$. Table 6.2 includes the similar results for PT-MDPD and TT-MDPD.

6.3 Comparison to HYDEN

The HYDEN algorithm [14] is a heuristic designed for finding approximate solutions to the DPD problems. Recall that DPD is a set of problems where the general goal is to find a *single* degenerate primer that either covers the most sequences while having a degeneracy value less than a specified threshold or covers all of the sequences with minimum degeneracy. The DPD problem is the most closely related one to our MDPD problem.

HYDEN can solve the PT-MDPD problem indirectly by iteratively solving the MC-DPD problem on smaller and smaller sets. After selecting a pair of degenerate primers under a given bound that covers a certain subset of the sequences in an input set, the algorithm runs again on the remaining sequences. For the reasons described below, iteratively solving MC-DPD is not the most effective way to solve the PT-MDPD problem. However, this was the most reasonable comparison that was possible given the implementation available to us at the time of testing. The graphs in Figure 6.2 shows the number of primers that each algorithm found from




Figure 6.2: The number of degenerate primers selected by HYDEN and MIPS for 20 randomly-generated datasets in solving PT-MDPD for degeneracy thresholds of 10,000 (a) and 100,000 (b).

a randomly generated set of sequences of varying lengths with varying degeneracy thresholds. They are uniformly-distributed i.i.d. sequences of equal length. Each program searched for degenerate primers without allowing any mismatches at any positions.

In general, HYDEN produced more primers than MIPS in attempting to solve PT-MDPD. For a primer degeneracy value of 100,000 and over 100 sequences, the difference was as large as 60% more primers. These results can be partially explained by the differing design requirements of the DPD and MDPD problems. Even when applied iteratively, the goal of the DPD problems is to have a result which could be divided into distinct PCR experiments. The goal of the MDPD problems is to have a set of primers for one large-scale PCR experiment. Specifically, to solve the DPD problem, the HYDEN algorithm must ensure that for any given degenerate forward primer that is discovered, exactly one degenerate reverse primer is used to cover the sequences covered by the forward primer. Therefore, a given degenerate forward primer is restricted to which sequences it is reported to cover based on the presence

of a suitable degenerate reverse primer, and vice-versa. Moreover, the HYDEN algorithm has an additional restriction in which any given degenerate primer is limited to covering either a set of forward or reverse primers, but not both.

Chapter 7

Degenerate Primer Design

The results of the previous chapter suggest that MIPS and other algorithms in the domain can be useful in selecting a set of degenerate primers. However, as previously mentioned, the use of degenerate primers generally introduces problems into the biological assay. In this section, we will discuss these problems in depth, show how they are amplified when the background base composition is non-random (such as in the human genome), re-examine the quality of the solutions MIPS produces, and finally suggest improvements to MIPS.

Representing an unnecessarily large set of primers is a problem introduced by the use of degenerate primers. For this discussion, we define *target primers* to be primers that are intended to be used in the PCR assay, and *auxiliary primers* to be primers represented by degenerate primers, which may or may not bind to fragments in the input set, but are not intended to be used in the PCR assay. The two main problems associated with degenerate primer usage are a decrease in the effective concentration of the target primers and an increase in the possibility of amplifying an unexpected region, or mispriming. In order to explore these problems, in the next two sections we consider the following questions:

- How effective do we expect a given degenerate primer to be? In other words, for the set of primers that a given degenerate primer represents, what is the ratio of target primers to auxiliary primers?
- Given the presence of these auxiliary primers, how often do we expect to see an unexpected PCR product?

7.1 Degenerate Primer Efficacy

Multiplex primer design demands that many input sequences share sites complementary to some common (possibly degenerate) primer. In the general case, the sequences to be co-amplified are not related, so their complementarity to a common primer is largely a matter of chance. We therefore explore the chance-imposed limits of multiplexing, that is, how many unrelated DNA sequences are likely to be covered by a single PCR primer of a given degeneracy?

Let \mathcal{S} be a collection of n DNA sequences of common length m . Call a primer P an (l, α, k) -*primer* for \mathcal{S} if it has length l and degeneracy at most α and covers at least k sequences of \mathcal{S} . A natural way to quantify the limits of multiplexing is to compute the probability that an (l, α, k) -primer exists for \mathcal{S} . However, this probability is difficult to compute, even assuming that \mathcal{S} consists of i.i.d. random DNA with equal base frequencies. We instead compute the *expected* number of (l, α, k) -primers for \mathcal{S} . If this expectation is much less than one, Markov's inequality implies that \mathcal{S} is unlikely to contain any such primer.

We do not count the total number of (l, α, k) -primers for \mathcal{S} but only the number of *maximal* primers. A primer P of degeneracy at most α is said to be *maximal* if increasing P 's degeneracy at any position would cause its total degeneracy to exceed α . The expected number of maximal (l, α, k) -primers for \mathcal{S} is in general less than the

total number of (l, α, k) -primers, but a primer of this type exists for \mathcal{S} if and only if a maximal primer exists. Hence, the former expectation is more useful than the latter for bounding the probability that at least one (l, α, k) -primer exists.

7.1.1 Occurrence probability for one fixed primer

Let P be a primer of length l , such that the j th position of P permits $|p_j|$ different bases. Let \mathcal{S} be a collection of n i.i.d. random DNA sequences of common length m with equal base frequencies, and let T be a single l -mer at a fixed position in some sequence $S_i \in \mathcal{S}$. Say that P matches T if P would hybridize to T . We have that

$$\begin{aligned} \Pr[P \text{ matches } T] &= \prod_{j=1}^l \frac{|p_j|}{4} \\ &= \frac{d(P)}{4^l}. \end{aligned}$$

The probability that P covers S_i , i.e., that it matches *at least one* l -mer of S_i , depends in a complicated way on P 's overlap structure, but if S_i is not too short and $d(P)/4^l \ll 1$ (both of which are typically true), then using Poisson approximation [26],

$$\Pr[P \text{ occurs in } S_i] \approx 1 - e^{-\frac{d(P)}{4^l}(m-l+1)}.$$

Let q be the probability that P matches somewhere in a single sequence of length m , and let $c(P)$ be P 's coverage of \mathcal{S} , i.e., the number of sequences of \mathcal{S} in which P matches at some position. Because the sequences of \mathcal{S} are independent, the probability that P matches in at least k sequences given by the binomial tail probability

$$\Pr[c(P) \geq k] = 1 - \Pr[B(n, q) < k],$$

where $B(n, q)$ is the sum of n independent Bernoulli random variables, each with probability q of success.

7.1.2 Computing the expectation

Let $\Pi(l, \alpha)$ be the set of all maximal primers of length l and degeneracy at most α .

To count the expected number $E_{l, \alpha, k}$ of (l, α, k) -primers for \mathcal{S} , observe that

$$E_{l, \alpha, k} = \sum_{P \in \Pi(l, \alpha)} \Pr[c(P) \geq k].$$

Enumerating all $P \in \Pi(l, \alpha)$ to compute this expectation would be computationally expensive, but this enumeration is not needed for i.i.d. sequences with equal base frequencies. Given these assumptions about \mathcal{S} 's sequences, the probability that P matches a given l -mer does not change if we rearrange its positions (e.g. “*AMC*” versus “*MCA*”) or change the precise nucleotides matched (e.g. “*RTG*” versus “*MCA*”). Let W be a multiset of l values drawn from $\{1, 2, 3, 4\}$ that lists the degeneracies n_j (in any order) of a primer from $\Pi(l, \alpha)$. Then every primer described by the same W has the same probability of covering at least k sequences in \mathcal{S} . Hence, the desired expectation is given by

$$E_{l, \alpha, k} = \sum_W \#(W) \Pr[c(P) \geq k \mid P \text{ described by } W].$$

where the sum ranges over all feasible W for $\Pi(l, \alpha)$ and $\#(W)$ denotes the number of degenerate primers described by W . The probability is computed as described above, so we need only describe how to compute $\#(W)$.

Let W be a multiset with n_1 1's, n_2 2's, n_3 3's, and n_4 4's. If we fix *which* positions in P permit 1, 2, 3, and 4 nucleotides respectively, then there are $4^{n_1} \times$

$6^{n_2} \times 4^{n_3}$ ways of assigning nucleotide sets to these positions. Hence,

$$\#(W) = \binom{l}{n_1 \quad n_2 \quad n_3} 4^{n_1+n_3} 6^{n_2}.$$

Enumerating all feasible W for $\Pi(l, \alpha)$ is straightforward, so the expectation can be computed.

7.1.3 Results

The theoretical estimates of the previous section can be used to evaluate whether a particular primer-design algorithm performs well on the MC-DPD problem, that is, whether it finds degenerate primers with coverage close to the maximum predicted for a given set of input sequences. We evaluated the MIPS algorithm's performance on MC-DPD by comparing the primers it found in random DNA with those expected to exist in theory. For these experiments, we generated test sets of i.i.d. random DNA sequences with equal base frequencies with $n = 190$, and $m = 211$, so that the number and average length of the test sequences roughly matched those of the human DNA test sequences.

We used MIPS to find a single primer with maximum coverage in each test set, subject to varying degeneracy bounds α . Table 7.1 compares the average coverage of primers found by MIPS in 20 trials to the largest coverage k such that $E_{l,\alpha,k}$ for test sets of the specified size is > 1 . Primers with coverage exceeding this value of k are not expected to occur in the test sets, while primers with slightly smaller coverage may or may not occur frequently.

MIPS proved adept at finding primers close to the maximum predicted coverage for relatively small degeneracies ($\alpha \leq 10000$). We therefore have considerable confidence in its ability to find high-coverage primers if they are present. The gap

Table 7.1: Actual and predicted coverage of 20-mer primers found on sets of 190 random sequences of length 211. Avg Coverage: average coverage of primer found over 20 random trials. Max Predicted: largest coverage m such that $E_{20,\alpha,m} > 1$.

degeneracy α	Avg Coverage	Max Predicted
1000	6.30	7
10000	10.55	12
100000	19.30	26

between the best primers found by MIPS and those predicted to occur in theory grows with the degeneracy bound, but we cannot say with certainty whether this fact represents a limitation of the algorithm or of the theoretical estimates, since primers with expectation greater than one may with significant probability still fail to occur. Moreover, the high degeneracies where MIPS might perform poorly are of less practical interest, since single primers with such high degeneracies are experimentally more difficult to work with.

Overall, MIPS appears to be operating close to the theoretical limit for MC-DPD problems of small degeneracy. Although our analysis does not directly address the MDPD problems, any large gap between the most efficient design and the designs produced by MIPS is unlikely to arise from failure to find single high-coverage primers when they exist.

7.2 Mispriming

Due to the presence of auxiliary primers, it is possible that a pair of primers binds to an undesired location and results in an erroneous amplification. *Mispriming* is the occurrence of this event where the unwanted PCR product is indistinguishable, by size, from the targeted products.

Suppose we design a set of degenerate primers with length l , such that the *total degeneracy* of the set is α . We wish to estimate the expected number of mispriming

events when our primer set is applied to a genome of length g . The background model greatly influences the calculations, therefore, we will consider two models separately, an i.i.d. random genome with equal base frequencies and the human genome.

A pair of l -mers cause a mispriming event if and only if they bind to the genome within δ bases of each other, in the appropriate orientations to permit amplification of the sequence between them. Let i index the positions of the genome on its forward strand. Let the 0-1 random variable x_i indicate the event that an l -mer from our primer set is complementary to the forward strand at position i , and let \bar{x}_i be the event that an l -mer is complementary to the reverse-complement strand at i . We say that a mispriming event occurs at i if $\bar{x}_i \cap \bigcup_{j=i}^{i+\delta-1} x_j = 1$. Denote this event by the 0-1 indicator M_i . The total number of mispriming events M in a genome of size g is simply $\sum_{i=1}^g M_i$.

7.2.1 Mispriming in i.i.d. Random and Human Genome

In this section we consider the background model where the genome consists of i.i.d. random sequence with equal base frequencies. For the expectation of a matching event to occur at a position i we have that $E[x_i] = E[\bar{x}_i] = \frac{\alpha}{4^l}$.

Note that the two matching events are independent in an i.i.d. random DNA sequence when the two primers do not overlap. To simplify our calculations, we ignore the effect of overlapping primer boundaries. Using Poisson approximation to estimate the probability of the matching event on the forward strand, we have that

$$\begin{aligned} E[M_i] &= E[\bar{x}_i \cap \bigcup_{j=i}^{i+\delta-1} x_j] \\ &= E[\bar{x}_i] E\left[\bigcup_{j=i}^{i+\delta-1} x_j\right] \\ &\approx E[\bar{x}_i] \left(1 - e^{-\sum_{j=i}^{i+\delta-1} E[x_j]}\right). \end{aligned}$$

Finally, setting $\rho = \alpha/4^l$, we derive the expected mispriming rate as

$$\begin{aligned} E[M] &= \sum_{i=1}^g E[M_i] \\ &\approx g\rho(1 - e^{-\delta\rho}). \end{aligned}$$

To test the accuracy of these calculations, we constructed a human-size genome ($g \approx 3 \times 10^9$) of i.i.d. random sequence of equal base frequencies. We obtained results from MIPS-PT on the human dataset used in Chapter 6. Finally, we simulated a PCR experiment using both the test genome and the human genome (10 Apr 2003) [25, 11], assuming that the primers in the solution would all bind to complementary fragments, thus ignoring inexact binding. In accordance with the calculations, we considered a mispriming event an instance of a matching event occurring in one strand and another matching event occurring on the opposite strand within $\delta = 500$ bp. Table 7.2 shows the total degeneracy of the solution, the number of predicted mispriming events, and finally the number of mispriming events seen in the simulation of the test and human genomes.

Table 7.2: Predicted and actual mispriming rates in simulated PCR experiments with i.i.d. random and human genome.

Total Degeneracy	Predicted	Random Genome	Human Genome
84720	0.009	0	82254
321456	0.133	1	112162
1262260	2.063	6	64938
4824870	30.12	81	201209

The model predicts the mispriming rate well for the test genome, however fails to predict the same for the human genome. In the next section we discuss implications of these results, the complexity involved in properly calculating the expected human mispriming rate and possible heuristics that can be employed to select effective degenerate primers which do not misprime with such high frequency.

Early data from the results of the Human Genome Project [25] strongly suggest that the sequence and frequency of the bases of the human genome is not random. The evidence lies in the presence of interspersed repeats and regions of low-complexity sequence [21, 22]. The presence of repetitive elements in the human genome can affect the mispriming rate of the MIPS solver by violating the implicit assumption that a degenerate primer's mispriming rate is solely determined by the degeneracy of the primer.

7.2.2 Reducing Mispriming Events

Consider an input sequence that contains fragments which are overrepresented in the genome. If MIPS selects any of these loci as the primer binding site in the final solution, the likelihood of a mispriming event increases when screened against the sequence of the human genome. The solution to this problem, therefore, is not to allow MIPS to select these fragments. For this, we processed the input sequences with RepeatMasker [23], which masks sequence fragments which are overrepresented in certain genomes, in our case 'Primates'. Using the human SNP input set, Figure 7.1 shows the results of applying RepeatMasker and the percentage of bases that were masked by the algorithm.

A side effect of using the masked input set was that two of the sequences of the input set were rendered unusable. The masking process effectively reduces the size of the input sequences and therefore the possible binding sites. Two of the input sequences did not contain 20 consecutive unmasked bases, or any possible binding sites, so they were omitted. Table 7.3 shows the reduction in mispriming events when the input sequences are masked by comparing the mispriming rates of the results of MIPS-PT on the unmasked input set versus the masked input set.

```

RepeatMasker summary:
=====
file name: RMemail6411.seq
sequences:      190
total length:  34874 bp (34874 bp excl N-runs)
GC level:      40.59 %
bases masked:  2756 bp ( 7.90 %)
=====
              number of      length  percentage
              elements*    occupied  of sequence
-----
SINEs:              14          1217 bp   3.49 %
  ALUs              8           601 bp   1.72 %
  MIRs              6           616 bp   1.77 %

LINEs:              4           493 bp   1.41 %
  LINE1             3           392 bp   1.12 %
  LINE2             1           101 bp   0.29 %
  L3/CR1            0            0 bp    0.00 %

LTR elements:      5           551 bp   1.58 %
  MaLRs             2           289 bp   0.83 %
  ERVL              1            97 bp   0.28 %
  ERV_classI        2           165 bp   0.47 %
  ERV_classII       0            0 bp    0.00 %

DNA elements:      2           109 bp   0.31 %
  MER1_type         0            0 bp    0.00 %
  MER2_type         1            78 bp   0.22 %

Unclassified:      0            0 bp    0.00 %

Total interspersed repeats: 2370 bp   6.80 %

Small RNA:          2           218 bp   0.63 %

Satellites:         0            0 bp    0.00 %
Simple repeats:     3            95 bp   0.27 %
Low complexity:     3            73 bp   0.21 %
=====

* most repeats fragmented by insertions or deletions
  have been counted as one element

The sequence(s) were assumed to be of primate origin.
RepeatMasker version 07/07/2001 , default mode
run with cross_match version 0.990329
RepBase Update 6.3, vs 05152001

```

Figure 7.1: Results of RepeatMasker on human SNP input dataset.

Table 7.3: Mispriming rates in simulated PCR experiments with original and masked input sets

Degeneracy Threshold	Original	Masked
$4^6 \approx 4K$	82254	164
$4^7 \approx 16K$	112162	1104
$4^8 \approx 64K$	64938	2043
$4^9 \approx 262K$	201209	17337

Empirically, these results seem to indicate that simply removing overrepresented fragments from the input set render the results of MIPS far more useful in practice by reducing the number of predicted PCR artifacts.

Another interesting result of masking the input sequences for this particular dataset is the resulting solution from MIPS-PT. Intuitively, it is expected that reducing the size of the input set would likely increase both the size and total degeneracy of the final solution when compared to the original data set since the likelihood of finding similar fragments is decreased. Table 7.4 shows the number of primers selected and total degeneracy of the final solutions for both the original and masked input set. The full output of MIPS-PT for both of these input sets can be found in Appendix B. For each degeneracy threshold tested, MIPS-PT selected fewer primers for the masked data set and on two occasions the total degeneracy of those primers was also less than that of the original set.

Table 7.4: Comparison of MIPS-PT results on original and masked input sets.

<i>Threshold</i>	<i>Original</i>		<i>Masked</i>	
	<i># Primers</i>	<i>Degeneracy</i>	<i># Primers</i>	<i>Degeneracy</i>
$4^6 \approx 4K$	53	84720	49	128144
$4^7 \approx 16K$	44	321456	42	319872
$4^8 \approx 64K$	36	$1.262 * 10^6$	34	$1.299 * 10^6$
$4^9 \approx 262K$	29	$4.824 * 10^6$	28	$4.277 * 10^6$

7.2.3 Alternate Strategies to Mispriming

Using RepeatMasker on the input set dramatically reduces the number of expected mispriming events by eliminating input sequence fragments which are overrepresented in the genome. However, it is still possible that one or more of the degenerate primers selected represents an overrepresented fragment which does not occur at all in the input set. Consider this simple example where the sequence *ACACACAC* is a repetitive element in the human genome. If the final solution of MIPS includes the primer *MMMMMMMM* where *M* is the degenerate nucleotide which represents $\{A, C\}$, then this solution could lend itself to a large number of mispriming events even though the particular repetitive sequence is not necessarily a part of the input set.

The problem is that certain degenerate primers represent overrepresented sequence fragments and it is not desirable to select these primers in any final solution. Therefore, we want a method to determine whether or not a given degenerate primer is likely to cause a large number of mispriming events *before* it is selected as part of a final solution. A simple workaround would be to maintain a list of each degenerate primer and its frequency in the human genome. A scoring function could then be generated to calculate the likelihood of a degenerate primer being involved in a mispriming event. However, there are over 10^{24} degenerate primers of length 20 and maintaining such a data structure is currently infeasible.

Another workaround would be to dynamically calculate such a likelihood for each primer as they are encountered in the beam search. It is feasible to estimate the probability of a degenerate sequence appearing in a complex background model such as the human genome using a high-order Markov model and a dynamic programming algorithm, similar to the Viterbi algorithm [8].

Chapter 8

Conclusions

SNP Genotyping is poised to become an important procedure in the future of human genomics. Based on sound theoretical principles, the application ideas in various domains are on the verge of implementation. One of the final barriers to realizing this promise rests in a practical, cost-efficient technique for large-scale DNA analysis. The work of this thesis focuses on a problem that arises in high-throughput multiplex PCR experiments, which is a major part of one of the proposed SNP Genotyping techniques.

We developed an iterative beam-search heuristic, MIPS, for this problem which can be used to select a set of degenerate primers for a given set of sequences. This algorithm compares favorably to an existing algorithm for similar problems. Using both theoretical calculations and experimental analysis, we have shown that MIPS provides results which are close to the theoretical limits of degenerate primer design. We also discussed the practical limitations of the algorithm and the modifications that can be employed to improve upon the solutions. MIPS is neither time nor memory intensive and could conceivably be used as a desktop tool. The overall effectiveness of this algorithm will ultimately be determined by the application of the resulting primers in biological experiments.

Appendix A

MIPS Pseudocode

Algorithm 1 MIPS(\mathcal{S}, α)

- 1: *Initialize Global variables* (2-D matrices): BEST - candidate fragments;
COVERED - sequences covered; ALLOWABLE - remaining degeneracy,
 $ALLOWABLE(0, 0) = \alpha$.
 - 2: **for** $p = 1$ to the number of degenerate primers that will be used **do**
 - 3: Let $c =$ the maximum number of sequences that the $(p-1)$ primers covered
 - 4: **while** $c > 0$ **do**
 - 5: *MIPS_SEARCH*($\mathcal{S} - COVERED(p-1, c), ALLOWABLE(p-1, c), p, c$)
 - 6: if this search covers \mathcal{S} , print solution and exit
 - 7: else $c=c-1$
 - 8: **end while**
 - 9: **end for**
-

Algorithm 2 MIPS_SEARCH($\mathcal{S}, \alpha, p, c$)

```

1: Input: Sequence set  $\mathcal{S}$ , degeneracy bound  $\alpha$ , primer number  $p$ , sequences covered
    $c$ .
2: Output: total number of sequences covered
3: Initialize priority queue  $Q$  of size  $b$ ;
4: Perform pair-wise comparisons.
5: for all sequence  $S_i \in \mathcal{S}$  do
6:   for all substring  $S_i[j, l]$  do
7:     Let  $\mathcal{C} = \{ x | \langle f, x \rangle \in T \text{ and } f \text{ is a } k\text{-length substring of } S_i[j, l] \}$ 
8:     for all fragment  $C_k \in \mathcal{C}$  do
9:        $D = S_i[j, L] + C_k$ 
10:      Insert  $D$  into queue  $Q$ 
11:     end for
12:   end for
13: end for
14: Let  $c' = c$ 
15: while queue  $Q$  is not empty do
16:   Let  $P =$  the best element of  $Q$ 
17:   if degeneracy( $P$ ) < degeneracy( $BEST(p, c)$ ) then
18:      $BEST(p, c') = P$ 
19:      $ALLOWABLE(p, c') = \alpha - \text{degeneracy}(P)$ 
20:      $COVERED(p, c') = COVERED(p - 1, c) \cup \text{covers}(P, \mathcal{S})$ 
21:      $Q = ONE\_PASS(Q, \mathcal{S}, \alpha)$ 
22:   end if
23:    $c' = c' + 1$ 
24: end while
25: return ( $c' + 1$ )

```

Algorithm 3 ONE_PASS(Q, \mathcal{S}, α)

```

1: Input: Priority queue  $Q$ , set of sequences  $\mathcal{S}$ , degeneracy bound  $\alpha$ .
2: Output: Priority queue  $Q'$ 
3: for all primer  $P \in Q$  do
4:   for all sequence  $S_i \in \mathcal{S}$  do
5:     if  $S_i \notin \text{covers}(P)$  then
6:       for all substring  $S_i[j, l]$  do
7:          $D = S_i[j, l] + P$ 
8:         Insert  $D$  into queue  $Q'$ 
9:       end for
10:    end if
11:   end for
12: end for
13: return  $Q'$ 

```

Appendix B

Supplemental Data

The following figures are the full output of MIPS-PT on a dataset of regions of human DNA surrounding 95 known SNP locations.

MIPS-PT Output
 Primer Size: 20
 Primer Degeneracy Threshold: 4100
 Beam Size: 100
 Pair Fragment Size: 6

Number of Sequences: 190

Primers	Degeneracy	# Covered
GARATMWCWWYWRMAGAAAT	512	2
GAAYATAGTARGSYTCWKT	128	2
YRTSCATTTATMTTRGASTG	64	2
TCYKSMTSTGAAAYYTRSMK	2048	3
ACYTKKRARTYCCTTHSYST	1536	3
ARRWGGKGCWRGRYSYTRY	2048	3
CAYWAGSCARGABYWRKGT	1536	3
GHWGSARYHTVTRTCACCCC	864	3
TCASMTGKMCAWCAMASTSY	512	3
MASCWYMVATYSTGTGKCTG	768	3
CWSTHTCTRMWCTGYCMTM	768	3
TABAMACHTTYMCAWCAKT	576	3
KATTAKTWVTAAYMAATDAW	576	3
AWBKATGCTSWDTTTTGTSY	576	3
CCTYKMACWTWTMWWAASAG	512	3
TRRCTRARAYAAGWYKCAKG	512	3
CCWMYTCTRSTGRSYKTGCA	512	3
CASARAKSAGWGGCMMWGW	512	3
AKMSACAGAKDKBTTTGCGY	576	3
AGMCAGAGGTVRGAKMHKRG	576	3
AWRWTGWAWBRMAAKRTTT	3072	4
TTCTTTYKMATWGVRSYTC	384	3
WGKHYKTTYCTSWBHTAAA	3456	4
WWAWCMTAWBCMCASRSA	3072	4
TKWCTGYRDKYYTBTSCCTG	2304	4
WTWAWAHTAWGCAWTKARTA	384	3
GDAKGGGWGAYWYCCCTM	384	3
WGDDRARGAAAKTGAGRVWR	3456	4
WKHAAWARKTYWTMAADATT	2304	4
SCCWKTCTCWTTCAVRCCAR	192	3
WMCCTBYWCMCTCTCKMT	1536	4
WHTCTCCACDYCMDCTSYY	3456	4
AKGRRNAAAGGRAAGWVGW	2304	4
YASRRTTTHCWHTYTKCAW	2304	4
YTWSAAWTWTTACARHMAS	1536	4
KTTKSWGKTYTTHMMMACTR	3072	4
TAAMAWRRTSAYTGMMDDT	1536	4
AGAVRAGCARARRGRBSWWA	2304	4
WSAAKAWRCYKADGVTTWAA	2304	4
ATRKKRGRMCTKTGGTRRRW	2048	4
CTGVYTKGARRRAMSWCMT	1536	4
ATWWBTWCTKTKGSYMTTTR	1536	4
MMARAACAVAMACASRYVSA	2304	4
MWKBMARAGVAWWTCAWAA	2304	4
CTYYYYWCCHCCCTBYWYK	2304	4
WGTGYTSSSWTWASWGSYGT	2048	4
WTATTBYCAMMAMKYTTTSW	1536	4
TAGGCADYVAANAABAWWT	8634	4
TTKARKDAACTWHTYWAAG	1152	4
AWMRARARGRARAAMMRKW	4096	5
WMBATTKTKHDTWTTAWMT	3456	5
TWKTTTDTTDKTHDTBTKA	3888	6
AGACYSTGTYWSHWAAAAAD	576	5

Total Degeneracy:	84720	

Figure B.1: MIPS-PT output with $\alpha = 4^6$.

MIPS-PT Output
 Primer Size: 20
 Primer Degeneracy Threshold: 16400
 Beam Size: 100
 Pair Fragment Size: 6

Number of Sequences: 190

Total # Primers: 44		
Primers	Degeneracy	# Covered
TGWADWAABTMHYDARKMAA	10368	3
WMMKCYCADCTRDSTKCYTS	9216	3
AARYCWKSAABATWKTADKS	4608	3
CMYSRWRTCCWGSYTCCCWG	1024	3
BMTBTSAAARGSAACYRYWCA	2304	3
WSMHAKMCCTWBACTGTHCA	1728	3
ASMWCYTBHTSTKAAATTWG	1152	3
KKRDDGTGDGTRARMRKRAA	13824	4
ARTASSWDRHGDRRGWTCMC	13824	4
TYMAWRACTGWKDYMWKGTK	12288	4
TDWTAGAAAANRMAADDWYTW	6912	4
CTCTYWBHWGYTGTDCYW	6912	4
TKTNRSDKATGAGAGDRVWG	6912	4
ASTYTCWWSAYCAKMMMWWY	8192	4
MWGCYTCTKBCMWHYWCABA	6912	4
CCWMYTYWRSTGRVYKTCW	6144	4
AMWYKWAAGAAHDTSTTMY	4608	4
TRAAWYYSTYTMGTGWBWTW	6144	4
TTCTYYKMWYWGVRATBYC	4608	4
MAYTGMTTWTGHRWWWTKWA	3072	4
YHTMATCWKMTKTYWYWT	3072	4
ASACAKARGKVASRDCYWRG	4608	4
SYCWKYCTCHTYCMVRCCAR	4608	4
AKTAABTWWTATYTSYWYWW	3072	4
KBTWAAAYAGWTTADGWHWWT	3456	4
SCCAKWCWCWADWTYYTTB	2304	4
YWMCMCTBYWWCHTCTCYM	9216	5
KGDAKKGRSWGAYWTYCYTT	3072	4
YTASRRTYTHCWHTYTBAYW	13824	5
AGAVRAGCARARRGRBSWWA	2304	4
CTGVYTKGARRRAMSWCANT	1536	4
WAAMAWDRTSAYTGMMDYT	9216	5
WRWGYTSSSWTWABWGSYGT	12288	5
GRDGAABKKARRBTKTAWD	10368	5
SCTKNYWYCWCMYCTVYCA	12288	5
ATWWNTWYTKTKGBHMTTTR	9216	5
TYMTTYARAHWSAWRRYAWA	6144	5
MMMVAACAVAYRMASRSVCA	13824	5
TTKADKDAWMTTWHTYAWAG	6912	5
KAKGMAATBARDRMHDAAVT	15552	6
WMBATTKTKHDTWTYYAWMT	13824	6
AWMVARARSARAAMAMRKW	12288	6
TWKTTTDTTDKTHDTBTKA	3888	6
AKWYYTCTYTCWAAAHWD	13824	7

 Total Degeneracy: 321456

Figure B.2: MIPS-PT output with $\alpha = 4^7$.

MIPS-PT Output
 Primer Size: 20
 Primer Degeneracy Threshold: 66000
 Beam Size: 100
 Pair Fragment Size: 6

Number of Sequences: 190

Total # Primers: 36

Primers	Degeneracy	# Covered
TGCTATGCCAGGTGGCCAG	1	1
YHYAGTWTMAAWBKRYWRMA	18432	3
TDABRMMRYTTTMMWTKATSA	4608	3
YMYMCMTTBYBSHRHYAACT	41472	4
WHTVWCCWHYYKBCTSTSAG	20736	4
SMRABCWNHTBWACAKRWWT	55296	5
DATGRHTRTCYTBWTBHABT	11664	4
YTVWGDGKARKAAMDTSAVA	10368	4
CTCTYHBHWKYTTGBDTCYD	46656	5
CASAVAKVAGGHRGSHHHRW	46656	5
HGTSDVSWKGRARGVSCYSC	41472	5
TTBCYDTWCYMYWWHWMABC	41472	5
RTKTGAWKWRNRTGDRWWTR	24576	5
YTSDBAGCHARRSSWWSKWG	55296	5
MDGGARRCCTBYKSMYWYMW	36864	5
SADRSTRASTKYTYCCHDRW	27648	5
MTTCAHSMHTWRRWTKDRSA	27648	5
TSTCTKYDKKMYBTVCCTK	13824	5
KHAMWWWRTAHKAARMWKTT	18432	5
WDCWKHTYTMTYTMAAWDYH	41472	6
RWWTYHAHWRATATWWHKTB	41472	6
WWWCCCTBYWWHMTMTCWKNT	36864	6
TKMTRKTYTBVAWAWMTDKS	27648	5
CTGVYTKKARRRAMSWYMHT	18432	5
WRADDWKCMAAABKSBAAV	62208	6
TMWCANTGDTKMYKNDADTT	27648	6
WWHWNTHYTKTDKGWMTTTR	55296	6
MHADAHMAVWCAMAVRCNSA	62208	6
WDYYMCMYTCCHVCYWSHCC	41472	6
MYTKYAVWKDAWWWYAWWAA	36864	6
TYBAWKKADCHTRCWTHWWK	41472	6
TATTNBCAMAAHBTWYTVHH	23328	6
WNVANTKHKRAKWWTKTADAT	55296	7
AWMRRRARGRARWAMAHDKW	36864	7
TWKTYDYYDTTDDKKHTNTNTKA	55296	8
AKWYYYTKYYTYHWAAAHWD	55296	9

 Total Degeneracy: 1.26226e+06

Figure B.3: MIPS-PT output with $\alpha = 4^8$.

```

MIPS-PT Output
Primer Size: 20
Primer Degeneracy Threshold: 262200
Beam Size: 100
Pair Fragment Size: 6

Number of Sequences: 190

Total # Primers: 29
Primers      Degeneracy  # Covered
KKRWAWAMTDYWSAARDMA 36864      3
STHTTGKGGKVVKKYWBYY 110592     4
YWYYWDCWKHRAWMHYTKSA 221184     5
MMARDAHBWGAWKYVRGTD 124416     5
GASDDRSHAVRKGMTBHYAG 93312      5
CWGKASRHAGNSYDDGVMST 82944      5
ARHWDWTWKYWCKSMTTYBT 55296      5
GMVDCWRRDAKGWVRMGGVH 186624     6
RYHWSMWTKKHTATKWBDT 165888     6
KBHDTTTTCYDYWCHYWKNKG 248832     6
MTGWWTSTSHMHWASAHDNR 165888     6
HHVVMWSHTHCCYYTCTDHT 209952     6
WADKARMATBKYHBWTBSAY 124416     6
ASAMADWRRKVANVDCYWRG 165888     6
AKTAAAYWWHDHTTTNNWSNW 221184     7
GTGDGCYACHGHNYVDDKYY 93312      6
WHHAWRHYYWGMMAWKANTW 221184     8
YVKGDNBCTMMSYYTCHTSH 248832     7
BNNTKVTKKTCTBVAWRDMT 248832     7
WRSKKBARRKAWGMBWBTS 221184     7
WHAWMBHHTKTKKSYHTWTG 124416     7
DSNAKDGRSDGANWTYYTK 221184     8
WTWMWTYWRAWVRRRHW 147456     8
HMMNAMCABAYDCHSRCVCA 62208      6
WDYYMSMYTCCHVSYWSHCC 165888     7
WRKHHWTBAWRNWADWAATD 248832     9
AWMVRRARSRARWAMAHDKW 110592     8
HHBWTTNDKWDTWTTTWRW 248832     10
WNWBYYTBTYTYHWAAAHWD 248832     11
-----
Total Degeneracy: 4.82487e+06

```

Figure B.4: MIPS-PT output with $\alpha = 4^9$.

MIPS-PT Output
 Primer Size: 20
 Primer Degeneracy Threshold: 6600
 Beam Size: 100
 Pair Fragment Size: 6

Number of Sequences: 188

Total # Primers: 49		
Primers	Degeneracy	# Covered
GWGGKCTRGGTGTGRGAG	16	2
TATGAATWTMBTKATKHAKT	288	3
TATGAATWTMBTKATKHAKT	288	3
TATGAATWTMBTKATKHAKT	288	3
CWSTHTCTRMWTCTGYCMTM	768	3
AWAYRGAGHRWWRAAAAAA	768	3
ATAAMWTGRRAGSMAMRTVA	768	3
CCWYDAACWTTTMMWKAAYAK	768	3
CMRCACRAAKMAGGWGRGMW	512	3
YWARAGGAWKAGCTRTGBTS	384	3
MRGTAWSTTBATAAKMTCT	384	3
SWKTTTCYKYTSMCWKKGGM	4096	4
AMTCTSSCMRDKRWMGTGRY	6144	4
MYHTTTTWYWKHAARAWMTG	4608	4
WDWSTGWKTGAVCWKGRASG	4608	4
RWATGHMATATTKTWRATBH	1728	4
ATWTRSYTWBCKAKTTSHAM	2304	4
GGAWMATRABVAYATBRAWS	3456	4
AMWYKWKGAHDTSTTTMY	4608	4
ASACAKARGKVASRDCYWRG	4608	4
WGTWYBTTTMMWKAHTDTAWA	3456	4
RTBCYSWDTBTAWAAATRYA	3456	4
RGMWYTTTSMCKWVGSMAGM	4096	4
CMYAGWCTSWYYSARRSCAR	4096	4
TRRATTYTBBDCTGWTRWM	3456	4
TGWAWTYWTWDATATHWVKT	2304	4
YWWWAWAMWAWKVATTTART	3072	4
AGHMAWVRTTMWYAMAAAYY	3072	4
TWYAAWTARTKACWDVWCD	3456	4
ARMTTTYTYHTHTSAHTWTB	2592	4
YTASRRTTTHCWHTYTKCAW	2304	4
WACCCTBYWWCHTCTCYMK	2304	4
KTKKSWGKTYTTHMMACTR	3072	4
RTAAMATWKKCCCHSASRBA	2304	4
TAAMAWRRTSAYTGMMDDT	1536	4
CHCHCARGYCASYTWYSWTT	2304	4
AGAVRAGCARARRGRBSWWA	2304	4
ATRKRRGRMCTKTGGTRRRW	2048	4
ATWWBTWCTKTKGSYMTTTR	1536	4
CMADAMMARWCAMARRCNCA	3072	4
MTKKMARWGRAWDTCATWAM	3072	4
TTWHWTTAAAWMMRWGRWWW	6144	5
MTCYYCMYTCYHDCCWCYCC	2304	4
TYTBYWWAMTGTAAADRMM	2304	4
TTTTYYCWMKYWWMCCTTTW	2048	4
TTKARKDAACTTWHYAWAWG	1152	4
AKSHAATKAVDAAWDRAAWG	5184	5
WMBATTKKHRATATYYAWMT	4608	5
AWMRARARGRARAAMAMRKW	4096	5

Total Degeneracy:	128144	

Figure B.5: MIPS-PT output on masked input set with $\alpha = 4^6$.

```

MIPS-PT Output
Primer Size: 20
Primer Degeneracy Threshold: 16400
Beam Size: 100
Pair Fragment Size: 6

Number of Sequences: 188

Total # Primers: 42
Primers      Degeneracy  # Covered
ADAYRGARHDHWWVAAAAA  7776      4
RAANAMWAAATGRSSRHVS  9216      4
TATDWCWKWYTWTTWATVMH 13824     5
ARGMYATSAAANBWMYMTKT  6144      4
KMRADGGRHAAARGRAWGAV  3456      4
YTKVCCTVTGTGNSDCCBBT  7776      4
YTWVTRAMYWYCTTTMTVTH  6912      4
RCARAASSAWBWGYKDTGDT  6912      4
CTRWWTSTSYCYWAGANKHA  6144      4
WRCMCTSHTWCYTCTSYMK  6144      4
WDWSTGWKTGAVCWKGRASG  4608      4
ASACAKARGKVASRDCYWRG  4608      4
GKDMYCAKKRTADAWMTGCW  4608      4
YABAWHKWDTTYTTMAAAAW  3456      4
GGAWMATGWBSACAASVMWS  4608      4
WWYTDWTWTKMRTTWTTTA  3072      4
WRHATKYAYRAATATMWTKW  3072      4
RAYYTCTBCCAKTMTMYRR  4608      4
CMYAGWCTSWYYSARRSCAR  4096      4
AKTAAYTWWKWTKKSZYCWA  4096      4
WTWYTTTHAWAVAWKDTKWA  13824     5
YTWCADWTWATTWHWAAMAH  3456      4
WTTWVTMWCTYVATATYAYK  2304      4
AGAVRAGCARARRGRBSWWA  2304      4
MWWWAWAMYRWGMATYWMRT  16384     5
KGDAAKGRSWGAYWTYCYTT  3072      4
TMTKTGKKTMKYRCHTBTS  13824     5
WTWTHYTDWYTTAWAAHWW  6912      5
CHCHMARGHCABYTWYVWTT  15552     5
TTKYDKKDCWTHAAAAYTDK  10368     5
TGGKGHCYVHRKYTYWSCYC  13824     5
WTWWVTWYTKTKGKWMTKTR  12288     5
RDAACATWTKYSMMMAVRBA  13824     5
TYTHTCTYTYTDDAYYKWYT  6912      5
TTWHWTTAAAWMRWGRWWW  6144      5
TYTBBWWAMTGTAATWDDMH  15552     5
HTTDMRDARRAWWTMATWAA  6912      5
CTKNYYWYWCMYCTVYCAS  12288     5
TTKADKDAWMTTWHTYWAWG  6912      5
AKSHAATKAVDAAWDRAAWG  5184      5
WMBATTKTKHRTATYYAWMT  4608      5
AWMRARARGRARWAMAHRKW  12288     6
-----
Total Degeneracy: 319872

```

Figure B.6: MIPS-PT output on masked input set with $\alpha = 4^7$.

MIPS-PT Output
 Primer Size: 20
 Primer Degeneracy Threshold: 66000
 Beam Size: 100
 Pair Fragment Size: 6

Number of Sequences: 188

Total # Primers: 34

Primers	Degeneracy	# Covered
GVBRRAWRDHTRHSCTKTST	62208	5
AGBABVTTRRMWVTDCTWB	46656	5
YNSHRCAMVAAKHAGRWRRC	55296	5
YWTKBAYTKDYRAMTKYMTK	36864	5
CHRKGMWAADBRCARWST	41472	5
KBBTYTWAAAARMTBWKBYR	41472	5
CASHSWSRBTSSAGCHTBMVA	31104	5
TBTTHMWTGMAYKTKDMWYW	27648	5
AAVVRMTGWKSYVKKDTGGK	27648	5
AAADHYDDNDCMTTNMAAAT	31104	5
RKDMBCAKKRKADAWMTGCW	27648	5
HAHTRDTKYWGHRTHTKTM	62208	6
AMAARYAVMYHTMTKHHTKT	20736	5
WWTTRMWARHATKHHTYTNMA	36864	6
YTWBMATWWWTTABARDMAB	20736	5
RVARWKKWGDARAAARBVA	62208	6
YWWWAWWWWKKNATYTRRT	65536	6
DAAMATHWBCMCWKGKVK	20736	5
CCYASTSTSWYBMAVSMG	18432	5
GMCWKDGHWCGRDDTBTTK	15552	5
RGARRDGBADAARGRNWDA	62208	6
TMNNWTTTHMWHWSTWCAYA	36864	6
TTKBDKDNYYTHHAAAAYTRK	62208	6
WTDKWDKAHTDWRGWAAAW	62208	6
WKSkgwctghrdtyytsHBC	41472	6
WTWVWVWYTKTKGKWHKTR	36864	6
SNAKKGRSDGAHWYTYTTV	55296	6
CTKNYYWYCWCMYCTVYCAS	12288	5
THTBTSTYTYTDNAYYTWYY	27648	6
TYTBHWWWMTGKAADRMH	41472	6
ADVHAATKAVNAADDRAAWG	23328	6
WHBATTKTKHRKATYYMWT	27648	6
TTKADKDAWHTYWHYAWAG	20736	6
AWMVARARSRARWAMAHRKW	36864	7

 Total Degeneracy: 1.29923e+06

Figure B.7: MIPS-PT output on masked input set with $\alpha = 4^8$.

```

MIPS-PT Output
Primer Size: 20
Primer Degeneracy Threshold: 262200
Beam Size: 100
Pair Fragment Size: 6

Number of Sequences: 188

Total # Primers: 28
Primers          Degeneracy  # Covered
GKDMYCAKKRTADAWMTGCW  4608        4
WTDYCYTKHHYTTWDVHWA  186624      6
VMADKAMHHATKRHAGWDNT  186624      6
AWARHHWWRDMRTTNHMART  165888      6
AWYTBHBHTWKMVYWWTYTA  124416      6
TWDRHANRMAWTATTNYMRM  73728       6
VNDRGVAAARDGMWCWBWKS  248832      7
TDWWTKNRHRAANWKAATDW  221184      7
BVADMMYBYTHCCCAMMYSH  186624      6
BHHHWVTTBAKAWKMTSTSK  186624      6
AKHAWHTTKYMDWTBNMCWR  165888      6
NWSWWWTTWWDKAMWAAMAH  147456      7
ADBTWTWTNCAKYWADHDVW  186624      7
CYTBHYHYSSWYCCCWVHCM  82944       6
YWWDAAWMMWHWKNATBTRRT  221184      7
ATWTYHTDWHWHYWRNAAHA  124416      7
DAAMAYHQBMMCMCWKGKVK  82944       6
WABVDTTTMMDHITYTMMWWW  124416      7
CMCAGWBKNWHKVARRCMHR  165888      7
ATDKKRGRMMYNKGGKRRVW  147456      7
WTWDVWDYTKTKGKHHTKTR  124416      7
DSNAKDGRSDGANWTYYYTK  221184      8
MYTKHANWKDAWDWYAWWAA  110592      7
HBSKGWCTGHRDYYTSHBC  93312       7
TTKHNDDAWMTTWHYYHAWR  248832      8
RRSNRAKGRDDAARKRRAWS  147456      8
WHBATTKTKHRDAWHYHWMT  186624      8
AWMVWRARSRARDAMAHRKW  110592      8
-----
Total Degeneracy: 4.27738e+06

```

Figure B.8: MIPS-PT output on masked input set with $\alpha = 4^9$.

References

- [1] R. Bisiani. Search, beam. In S. C. Shapiro, editor, *Encyclopedia of Artificial Intelligence*, pages 1467–1468. Wiley-Interscience, New York, NY, 2nd edition, 1992.
- [2] F.S. Collins and V.A. McKusick. Implications of the human genome project for medical science. *JAMA*, 285:2447–2448, 2001.
- [3] Cornish-Bowden. IUPAC-IUB symbols for nucleotide nomenclature. *Nucleic Acids Research*, 13:3021–3030, 1985.
- [4] K. Doi and H. Imai. A greedy algorithm for minimizing the number of primers in multiple PCR experiments. *Genome Informatics*, pages 73–82, 1999.
- [5] K. Doi and H. Imai. Complexity properties of the primer selection problem for PCR experiments. In *Proceedings of the 5th Japan-Korea Joint Workshop on Algorithms and Computation*, pages 152–159, 2000.
- [6] S.B. Gabriel, S.F. Schaffner, H. Nguyen, J.M. Moore, J. Roy, B. Blumenstiel, J. Higgins, M. DeFelice, A. Lochner, M. Faggart, S.N. Liu-Cordero, C. Rotimi, A. Adeyemo, R. Cooper, R. Ward, E.S. Lander, M.J. Daly, and D. Altshuler. The structure of haplotype blocks in the human genome. *Science*, 296:2225–2229, 2002.

- [7] M. R. Garey and D. S. Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. Freeman, New York, NY, 1979.
- [8] Jr. G.D. Forney. The Viterbi algorithm. In *Proc. IEEE*, volume 61, pages 268–278, 1973.
- [9] D. Gusfield. *Algorithms on Strings, Trees, and Sequences: Computer Science and Computational Biology*, chapter 15, page 377. Press Syndicate of the University of Cambridge, 1997.
- [10] G.Z. Hertz and G.D. Stormo. Identifying DNA and protein patterns with statistically significant alignments of multiple sequences. *Bioinformatics*, 15:563–577, 1999.
- [11] UCSC genome browser. Web site.
- [12] P. Kwok. Methods for genotyping single nucleotide polymorphisms. *Annu. Rev. Genomics Human Genetics*, 2:235–58, 2001.
- [13] S. Kwok, S.Y. Chang, J.J. Sninsky, and A. Wang. A guide to the design and use of mismatched and degenerate primers. *PCR Methods and Appl.*, 3:S39–S47, 1994.
- [14] C. Linhart and R. Shamir. The degenerate primer design problem. *Bioinformatics*, 18, Suppl. 1:S172–S180, 2002.
- [15] G. Marth, R. Yeh, M. Minton, R. Donaldson, Q. Li, S. Duan, R. Davenport, R. Miller, and P. Kwok. Single-nucleotide polymorphisms in the public domain: how useful are they? *Nature Genetics*, 27, 2001.

- [16] K. Mullis, F. Faloona, S. Scharf, R. Saiki, G. Horn, and H. Erlich. Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. In *Cold Spring Harb Symp Quant Biol*, volume 51(pt 1), pages 263–73, 1986.
- [17] P. Nicodeme and J. Steyaert. Selecting optimal oligonucleotide primers for multiplex PCR. In *Proceedings of Fifth Conference on Intelligent Systems for Molecular Biology ISMB97*, pages 210–213, 1997.
- [18] W.R. Pearson and D.J. Lipman. Improved tools for biological sequence analysis. In *PNAS*, volume 85, pages 2444–2448, 1988.
- [19] W.R. Pearson, G. Robins, D.E. Wrege, and T. Zhang. A new approach to primer selection problem in polymerase chain reaction experiments. In *Third International Conference on Intelligent Systems for Molecular Biology*, pages 285–291. AAAI Press, 1995.
- [20] W.R. Pearson, G. Robins, D.E. Wrege, and T. Zhang. On the primer selection problem in polymerase chain reaction experiments. *Discrete Applied Mathematics*, 71, 1996.
- [21] A.F.A Smit. Origin of interspersed repeats in the human genome. *Curr. Opin. Genet. Devel.*, 6(6):743–749, 1996.
- [22] A.F.A Smit. *Structure and Evolution of Mammalian Interspersed Repeats*. PhD thesis, USC, 1996.
- [23] A.F.A. Smit and P. Green. RepeatMasker. <http://ftp.genome.washington.edu/RM/RepeatMasker.html>.
- [24] R. Souvenir, J. Buhler, G. Stormo, and W. Zhang. Selecting degenerate multiplex PCR primers. In *Proceedings of the 3rd Workshop on Algorithms in Bioinformatics*, 2003.

- [25] The Genome Sequencing Consortium. Initial sequencing and analysis of the human genome. *Nature*, 409:860–921, 2001.
- [26] M.S. Waterman. *Introduction to Computational Biology*. Chapman & Hall, 1995.
- [27] J. Wolfe. Web site, 2003. <http://www.ucl.ac.uk/ucbhjow/b241/techniques.html>.

Vita

Richard M. Souvenir

- Date of Birth** September 3, 1979
- Place of Birth** Chicago, Illinois
- Degrees** B.S., Applied Science (Computer Science and Biology), August 2001, from Washington University.
- Publications** Richard Souvenir, Jeremy Buhler, Gary Stormo, and Weixiong Zhang. “Selecting Degenerate Multiplex PCR Primers” in *Proceedings of the Third Workshop on Algorithms in Bioinformatics (WABI-03)*, Budapest, Hungary, September 2003.
- Jeremy Buhler, Richard Souvenir, Weixiong Zhang, and Robi Mitra. “Design of High-Throughput Assay for Alternative Splicing Using Polymerase Colonies” in *Proceedings of the Pacific Symposium on Biocomputing (PSB-04)*, Hawaii, January 2004.
- December, 2003