

Original Article

Role of ICT and usability of Honeypots in Kenet member institutions in Western Kenya as proactive detection tools for monitoring cyber related incidences

N. B. Okelo^{*1}, Peter Odhiambo Ogada², George Raburu² and S. Liyala²

¹School of Mathematics and Actuarial Science, Jaramogi Oginga Odinga University Science and Technology, P.O. Box 210-40601, BONDO-Kenya

²School of Informatics and Innovative Systems, Jaramogi Oginga Odinga University of Science and Technology, P.O. Box 210-40601, BONDO-Kenya

*Corresponding Author

N. B. Okelo

School of Mathematics and Actuarial Science
Jaramogi Oginga Odinga University Science and Technology
P.O. Box 210-40601, BONDO-Kenya
E-mail: bnyaare@yahoo.com

Keywords:

Honeypots,
Botnet attacks,
Cybercrimes,
Cyberfraud

Abstract

With the advent of the ever changing technology and the intense sophistication in methods and means of committing illegal activities, crime is no longer narrowly defined vis-a-vis the law but there is need to be able to handle technologically oriented crimes commonly referred to as Cybercrimes. Cybercrimes are crimes that involve the use of computers to undertake illegal. Collection of statistics associated with cybercrimes can be quite tricky and daunting, since their collection and tabulation can only be done when aggrieved parties report them. Some of these illegal activities that constitute cybercrimes include, but not limited to, creation of counterfeit currency or official documents using computer scanners and graphics programs, embezzlement of funds using computers to skim very small sums of money from a large number of accounts, distribution of child pornography on the Internet, and theft of digital property. Other crimes that can also be committed include fraud, hate crimes, stalking, gambling, hacking; spread of malware, phishing, spamming, Botnet attacks, DDoS attacks, espionage and money laundering. In this paper we present results on usability of HoneyPots in KENET member institutions in western Kenya as proactive detection tools for monitoring cyber related incidences.

1. Introduction

As increased cyber related incidents continue to be noted and documented in Kenya, as a result of the rapid deployment of the fiber optic cable [1], the need to setup proactive detection tools for use by Computer Incident Response Teams (CIRTs) becomes more evident. CIRTs act as Police stations where cyber related security incidents are reported and recorded. Such teams, especially in institutions with high speed fiber optic connections, should have the mandate of coordinating response; managing cyber security incidents within their districts of jurisdiction and collaboration with partnering institutions. Numerous reports showing a steady increase in cyber related incidences that easily qualify as cyber crimes, yet crime is still being looked at in the traditional sense in terms of something that is against the law. Modern societies generally regard crimes as offences against the public or the state, as distinguished from torts - wrongs against private parties that can give rise to a civil cause of action [2].

2. Literature Review

2.1 Cyber security; General State of affairs

Cyberspace and related technologies have eroded society's ability to enforce criminal laws as they apply to attacks on communications between computers, on data stored on computers and on real world systems controlled by computers [3]. This is because these technologies have contributed immensely to the introduction and spread of cyber crimes. Cybercrimes are a type of crime that involves the abuse of information technology. The term cybercrime covers a series of crimes which range from cyber terrorism to industrial espionage. Cybercrimes are thus extensive phenomenon expressed via of an intricate ecosystem of operators, victims and instruments [3]. Cybercrime is a criminal phenomenon centered on the abuse of information technology, and its manifestations range from cyber terrorism to industrial espionage [4]. Cybercrime today is a particularly extensive and complex phenomenon

© ASD Publisher All rights reserved.

expressed via an intricate ecosystem of operators, victims and instruments which, over the years, has acquired a complex organizational hierarchy all over the world. Cyberfraud which is a subcomponent of cybercrimes differs from other cybercrimes, because of the undue profits enjoyed by the fraudster, gained by illegally manipulating IT systems, or for other peculiarities based on the legislation in force in the various countries. In 2010, the European Electronic Crime Task Force decided to explore the dynamics of Cyberfraud at European level [4].

3. Results and Discussion

3.1 Type of Honeypot on network

14.3% of respondents indicated running Physical HoneyPots, 1.4% indicated running Virtual HoneyPots, while 84.3% were running neither HoneyPots. HoneyPots are yet to penetrate the various constituencies.

Table 1: Type of Honeypot on network

| | | Frequency | % | Valid % | Cumulative % |
|---------|----------|-----------|-------|---------|--------------|
| Valid | Physical | 10 | 14.3 | 90.9 | 90.9 |
| | Virtual | 1 | 1.4 | 9.1 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.2 Number of Honeypots deployed and running

12.9% of respondents indicated running two or less HoneyPots, while 1.4% of the respondents were running 3-5, or 6 and greater HoneyPots. 84.3% were running none. HoneyPots are, once again a new concept, and are yet to penetrate the various constituencies.

Table 2: Number of HoneyPots deployed and running

| | | Frequency | % | Valid % | Cumulative % |
|---------|--------|-----------|-------|---------|--------------|
| Valid | <=2 | 9 | 12.9 | 81.8 | 81.8 |
| | 3 - 5 | 1 | 1.4 | 9.1 | 90.9 |
| | >= 6 | 1 | 1.4 | 9.1 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.3 Number of HoneyPots deployed and running

14.3% of respondents running HoneyPots indicated that their HoneyPots **Often** received suspicious activity, while 1.4% indicated that their HoneyPots **So Often** received suspicious activity.

Table 3: HoneyPot recorded suspicious activity

| | | Frequency | % | Valid % | Cumulative % |
|---------|----------|-----------|-------|---------|--------------|
| Valid | Often | 10 | 14.3 | 90.9 | 90.9 |
| | So Often | 1 | 1.4 | 9.1 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.4 Kind of honeypot imitated

Table 4: Kind of honeypot imitated

| | | Frequency | % | Valid % | Cumulative % |
|---------|----------------------|-----------|-------|---------|--------------|
| Valid | Production HoneyPots | 9 | 12.9 | 81.8 | 81.8 |
| | Personal HoneyPots | 2 | 2.9 | 18.2 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.5 Primary reason for running HoneyPot

12.9% of respondents running HoneyPots indicated that their primary reason for running their HoneyPot was monitor malware threats, 1.4% for Research on threats and securing their networks respectively.

Table 5: Primary reason for running HoneyPot

| | | Frequency | % | Valid % | Cumulative % |
|---------|-------------------------|-----------|-------|---------|--------------|
| Valid | Research on threats | 1 | 1.4 | 9.1 | 9.1 |
| | Securing the network | 1 | 1.4 | 9.1 | 18.2 |
| | Monitor malware threats | 9 | 12.9 | 81.8 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.6 Major challenges in running HoneyPots

1.4% of respondents running HoneyPots indicated that the major challenges they faced as they run HoneyPots was lack of qualified staff to handle the HoneyPots, while 14.3% of respondents running HoneyPots indicated that they faced no challenges.

Table 6: Major challenges in running HoneyPots

| | | Frequency | % | Valid % | Cumulative % |
|---------|-------------------------------------|-----------|-------|---------|--------------|
| Valid | Qualified staff to handle HoneyPots | 1 | 1.4 | 9.1 | 9.1 |
| | None | 10 | 14.3 | 90.9 | 100.0 |
| | Total | 11 | 15.7 | 100.0 | |
| Missing | System | 59 | 84.3 | | |
| Total | | 70 | 100.0 | | |

3.7 Reasons for NOT running a HoneyPot in your LAN setup

84.3% of respondents that do not run HoneyPots indicated that they do not run them for the following reasons. 24.3% were not aware of HoneyPots existence, 15.7% indicated a lack of skills to

interpret HoneyPot traffic, 14.3% felt HoneyPots were a Security risk if compromised, 11.4% indicated budgetary constraints, 10% cited a lack of technical staff to handle them, while 8.6% felt their data centers had poor infrastructure to allow for setup of such equipment.

Table 7: Reasons for not running a HoneyPot in your LAN setup

| | | Frequency | % | Valid % | Cumulative % |
|---------|-------------------------------------|-----------|-------|---------|--------------|
| Valid | Lack of technical staff | 7 | 10.0 | 11.9 | 11.9 |
| | Lack of awareness | 17 | 24.3 | 28.8 | 40.7 |
| | Budgetary Constraints | 8 | 11.4 | 13.6 | 54.2 |
| | Poor data centre infrastructure | 6 | 8.6 | 10.2 | 64.4 |
| | They are a security risk | 10 | 14.3 | 16.9 | 81.4 |
| | Lack of skills to interpret traffic | 11 | 15.7 | 18.6 | 100.0 |
| | Total | 59 | 84.3 | 100.0 | |
| Missing | System | 11 | 15.7 | | |
| Total | | 70 | 100.0 | | |

3.8 Malware domain list is our external source providing information on our domain

64.3% of the respondents indicated that **Malware domain list** was their external source for providing information on malicious or problematic URLs, IPs or Domains. 35.7% of the rest of respondents felt otherwise.

Table 8: Malware domain list is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 45 | 64.3 | 64.3 | 64.3 |
| | No | 25 | 35.7 | 35.7 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.9 SpamCop is our external source providing information on our domain

20% of the respondents indicated that **SpamCop** was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 80% of other respondents indicated otherwise.

Table 9: SpamCop is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 14 | 20.0 | 20.0 | 20.0 |
| | No | 56 | 80.0 | 80.0 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.10 Cert.br data feed is our external source providing information on our domain

7.1% of the respondents indicated that **Cert.br data feed** was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 92.9% of other respondents indicated otherwise.

Table 10: Cert.br data feed is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 5 | 7.1 | 7.1 | 7.1 |
| | No | 65 | 92.9 | 92.9 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.11 Cert.br Spampot is our external source providing information on our domain

10% of the respondents indicated that **Cert.br Spampot** was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 90% of other respondents indicated otherwise.

Table 11: Cert.br Spampot is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 7 | 10.0 | 10.0 | 10.0 |
| | No | 63 | 90.0 | 90.0 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.12 NoAH is our external source providing information on our domain

2.9% of the respondents indicated that NoAH was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 97.1% of other respondents indicated otherwise.

Table 13: NoAH is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 2 | 2.9 | 2.9 | 2.9 |
| | No | 68 | 97.1 | 97.1 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.13 HoneySpider Network is our external source providing information on our domain

5.7% of the respondents indicated that HoneySpider Network was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 94.3% of other respondents indicated otherwise.

Table 14: HoneySpider Network is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 4 | 5.7 | 5.7 | 5.7 |
| | No | 66 | 94.3 | 94.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.14 HoneySpider Network is our external source providing information on our domain

61.4% of the respondents indicated that HoneySpider Network was their external source for providing information on malicious or problematic URLs, IPs or Domains, while 38.6% of other respondents indicated otherwise.

Table 15: Google safe browsing alerts is our external source providing information on our domain

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 43 | 61.4 | 61.4 | 61.4 |
| | No | 27 | 38.6 | 38.6 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.15 Use of closed sources of information that cannot be disclosed

27.1% of the respondents indicated that they were using other closed sources of information that they could not disclose, while 72.9% of other respondents indicated otherwise.

Table 16: Use closed sources of information that cannot be disclosed

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 19 | 27.1 | 27.1 | 27.1 |
| | No | 51 | 72.9 | 72.9 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.16 Usability of HoneyPots as proactive detection tools for monitoring cyber related incidents

3.16.1 Collection of information on other constituencies

18.6% of the respondents indicated that they collect information about incidents related to other constituencies. 72.9% indicated that they don't, 4.3% were not sure, while 4.3% could not tell.

Table 17: Collection of information on other constituencies

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------------|-----------|-------|---------|--------------|
| Valid | Yes | 13 | 18.6 | 18.6 | 18.6 |
| | No | 51 | 72.9 | 72.9 | 91.4 |
| | Not sure | 3 | 4.3 | 4.3 | 95.7 |
| | cannot tell | 3 | 4.3 | 4.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.16.2 Sharing collected information with other players

25.7% of the respondents indicated that they did share collected information with other constituencies, while 74.3% indicated otherwise.

Table 18: Sharing collected information with other players

| | | Frequency | % | Valid % | Cumulative % |
|-------|-------|-----------|-------|---------|--------------|
| Valid | Yes | 18 | 25.7 | 25.7 | 25.7 |
| | No | 52 | 74.3 | 74.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

3.16.3 Type of information shared

7.1% of the respondents who shared information collected, indicated that they shared mostly types of malware attacks, 2.9% were not sure.

Table 19: Type of information shared

| | | Frequency | % | Valid % | Cumulative % |
|-------|--------------------------|-----------|------|---------|--------------|
| Valid | Types of Malware attacks | 5 | 7.1 | 71.4 | 71.4 |
| | Not sure | 2 | 2.9 | 28.6 | 100.0 |
| | Total | 7 | 10.0 | 100.0 | |
| | Missing System | 63 | 90.0 | | |
| Total | 70 | 100.0 | | | |

3.16.4 Form of information shared

7.1% of the respondents indicated that they shared the information in raw data, 14.3% shared in processed data, while 4.3% shared in interpreted data.

Table 20: Form of information shared

| | | Frequency | % | Valid % | Cumulative % |
|----------------|------------------|-----------|------|---------|--------------|
| Valid | Raw data | 5 | 7.1 | 27.8 | 27.8 |
| | Processed data | 10 | 14.3 | 55.6 | 83.3 |
| | Interpreted data | 3 | 4.3 | 16.7 | 100.0 |
| | Total | 18 | 25.7 | 100.0 | |
| Missing System | 52 | 74.3 | | | |
| Total | 70 | 100.0 | | | |

3.16.5 Conditions for sharing information

7.1% of the respondents indicated that they shared the information under public conditions, while 20% shared under Limited accesses.

Table 21: Conditions for sharing information

| | | Frequency | % | Valid % | Cumulative % |
|-------|----------------|-----------|------|---------|--------------|
| Valid | Public | 5 | 7.1 | 26.3 | 26.3 |
| | Limited access | 14 | 20.0 | 73.7 | 100.0 |
| | Total | 19 | 27.1 | 100.0 | |
| | Missing System | 51 | 72.9 | | |
| Total | 70 | 100.0 | | | |

3.16.6 Missing kind of tools for detecting incidents

47.1% of the respondent indicated that HoneyPots were the kind of tools missing for detecting incidents; 20% indicated IDS/IPS; 18.6% indicated Internet scanners; 2.9% indicated none, while 10% indicated Firewalls.

Table 22: Missing kind of tools for detecting incidents

| | | Frequency | % | Valid % | Cumulative % |
|---------|------------------|-----------|-------|---------|--------------|
| Valid | Honeypots | 33 | 47.1 | 47.8 | 47.8 |
| | IDS/IPS | 14 | 20.0 | 20.3 | 68.1 |
| | Internet canners | 13 | 18.6 | 18.8 | 87.0 |
| | None | 2 | 2.9 | 2.9 | 89.9 |
| | Firewalls | 7 | 10.0 | 10.1 | 100.0 |
| | Total | 69 | 98.6 | 100.0 | |
| Missing | System | 1 | 1.4 | | |
| Total | | 70 | 100.0 | | |

3.16.7 Kind of information from closed sources

11.4% of the respondent that use closed sources of information indicated proxies' logs were the kind of information provided by their closed sources of information. 4.3% indicated Routers routing logs; 4.3% indicated Dbase logs; 2.9% indicated Anti Virus engines; while another 2.9% indicated Sandboxes for malware logs.

Table 23: Kind of information from closed sources of information

| | | Frequency | % | Valid % | Cumulative % |
|---------|----------------------------|-----------|-------|---------|--------------|
| Valid | Proxies for logs | 8 | 11.4 | 44.4 | 44.4 |
| | Routers for routing logs | 3 | 4.3 | 16.7 | 61.1 |
| | DBMS for Dbase logs | 3 | 4.3 | 16.7 | 77.8 |
| | AV engines for virus logs | 2 | 2.9 | 11.1 | 88.9 |
| | Sandboxes for malware logs | 2 | 2.9 | 11.1 | 100.0 |
| | Total | 18 | 25.7 | 100.0 | |
| Missing | System | 52 | 74.3 | | |
| Total | | 70 | 100.0 | | |

3.16.8 TOP 3 best sources for gathering information from closed sources

Table 24: TOP 3 best sources for gathering information

| | | Frequency | % | Valid % | Cumulative % |
|----------|----------------------|-----------|-------|---------|--------------|
| Valid | Honeypots | 17 | 24.3 | 24.3 | 24.3 |
| | Cuckoo | 2 | 2.9 | 2.9 | 27.1 |
| | AV engines | 24 | 34.3 | 34.3 | 61.4 |
| | IDS/IPS | 5 | 7.1 | 7.1 | 68.6 |
| | Sans Security alerts | 19 | 27.1 | 27.1 | 95.7 |
| | Darknets | 3 | 4.3 | 4.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |
| A Source | Honeypots | 14 | 20.0 | 20.0 | 20.0 |
| | Cuckoo | 7 | 10.0 | 10.0 | 30.0 |
| | AV engines | 21 | 30.0 | 30.0 | 60.0 |
| | IDS/IPS | 8 | 11.4 | 11.4 | 71.4 |
| | Sans Security alerts | 10 | 14.3 | 14.3 | 85.7 |
| | Darknets | 10 | 14.3 | 14.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |
| B Source | Honeypots | 30 | 42.9 | 42.9 | 42.9 |
| | Cuckoo | 4 | 5.7 | 5.7 | 48.6 |
| | AV engines | 13 | 18.6 | 18.6 | 67.1 |
| | IDS/IPS | 9 | 12.9 | 12.9 | 80.0 |
| | Sans Security alerts | 9 | 12.9 | 12.9 | 92.9 |
| | Darknets | 5 | 7.1 | 7.1 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |
| C Source | Honeypots | 14 | 20.0 | 20.0 | 20.0 |
| | Cuckoo | 7 | 10.0 | 10.0 | 30.0 |
| | AV engines | 21 | 30.0 | 30.0 | 60.0 |
| | IDS/IPS | 8 | 11.4 | 11.4 | 71.4 |
| | Sans Security alerts | 10 | 14.3 | 14.3 | 85.7 |
| | Darknets | 10 | 14.3 | 14.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

This question required the respondents to pick the best three sources for gathering information in order of personal priority. The tables generated are as indicated above. From the above three tables, the average responses was determined to get the final TOP 3 best sources for gathering information as indicated by the respondents. The best were identified as Anti Virus engines 31.4%, HoneyPots 21.47% and Sans Security alerts 18.6% in that order.

Table 25: Summary of Top 3 Best sources of gathering information

| Source | A | B | C | TOTAL | AVE |
|----------------------|---------------|---------------|---------------|-------|--------------|
| HoneyPots | 24.3% | 20.0% | 20.0% | 64.3% | 21.4% |
| Cuckoo | 2.9% | 10.0% | 10.0% | 22.9% | 7.6% |
| AV Engines | 34.3% | 30.0% | 30.0% | 94.3% | 31.4% |
| IDS/IPS | 7.1% | 11.4% | 11.4% | 29.9% | 10.0% |
| Sans Security alerts | 27.1% | 14.3% | 14.3% | 55.7% | 18.6% |
| Darknets | 4.3% | 14.3% | 14.3% | 32.9% | 11.0% |
| Total | 100.0% | 100.0% | 100.0% | | 100.0 |

4. Conclusion

There is need to conduct a research survey across all institutions that are affiliated to KENET as well as all government ministries and agencies to determine their preparedness in terms of detecting and monitoring cyber related incidents. This will help in facilitating a deeper understanding of cyber network traffic within KENET infrastructure and the country, and thereby be able to pinpoint ways of improving our networks security.

References

- [1] Kenya Cyber Security Report (2014). *Serianu Limited*. Nairobi: Serianu Ltd.
- [2] Canada, L. C. (2004). *What Is a Crime? Defining Criminal Conduct*. Vancouver/Toronto: UBCPress.
- [3] Brenner S. W., L. L. (2005). *Distributed Security: A New Model of Law Enforcement*. *John Marshall Journal of Computer & Information Law, Forthcoming*.
- [4] European Cybercrime Survey. (2011). EECTF. Rome: EECTF.
- [5] Babbie, E. (2007). *The Practice of Social Research*. Twelfth Edition. USA: Chapman University.
- [6] CAK. (2014). *KE-CIRT*. Retrieved from www.cck.go.ke: <http://www.cck.go.ke/>
- [7] Carter, L. W. (2004). *SANS Institute*. Retrieved from <http://www.sans.org>: <http://www.sans.org/reading-room/whitepapers/casestudies/setting-honeypot-bait-switch-router-1465>
- [8] Cunningham, C. C. (2013). *Honeypot-Aware Advanced Botnet Construction and Maintenance*. University of Central Florida, School of Electrical Engineering and Computer Science. Orlando, FL: University of Central Florida.
- [9] Denzin, N.K., & Lincoln, Y.S. (1994). *Handbook on Qualitative Research*. Thousand Oaks, CA: Sage
- [10] Economic Times. (2009, August 19). *Cybercrime india and brazil major hub*. Retrieved from www.articles.economictimes.indiatimes.com:
- [11] ENISA. (2012). *Proactive Detection of Security Incidents*. Polska: ENISA.
- [12] Goodman Marc D. (1997). Why the Police don't care about computer crime. *Harvard journal of law and Technology*, 1-30.
- [13] IATAC. (2009). *Measuring Cyber Security and Information Assurance*. In (Information Assurance Technology Analysis Centr) IATAC, *Measuring Cyber Security and Information Assurance*. Fort Belvoir, Virginia: Defense Technical Information Center.
- [14] KENET. (2014). *Our History*. Retrieved from www.kenet.or.ke: <https://www.kenet.or.ke/>
- [15] KENET, CERT report. (2014). *Welcome to the KENET CERT*. Retrieved from www.kenet.or.ke: <https://www.kenet.or.ke/>
- [16] Kombo, D. K., & Delno, L. A. T. (2006). *Proposal and Thesis Writing: An Introduction*. Nairobi: Pauline's publications Africa.
- [17] London Daily News. (2009). *www.cyberlawtimes.com*. Retrieved from www.cyberlawtimes.com: <http://www.cyberlawtimes.com/cyberlaw/3-million-online-crimes-a-year-new-cyber-crime-squad-to-be-established/>

- [18] Newswise. (2009). *China linked to 70 % of worlds spam says computer forensics expert*. Retrieved from [www.newswise.com: http://www.newswise.com/articles/china-linked-to-70-percent-of-worlds-spam-says-computer-forensics-expert](http://www.newswise.com/articles/china-linked-to-70-percent-of-worlds-spam-says-computer-forensics-expert)
- [19] Pariyani, R. (2014). *www.manupatra.co.in*. Retrieved from [manupatra.co.in: http://www.manupatra.co.in/newslines/articles/Upload/779E337A-DDF8-41AE-ACA4-89F3CB746F2D.pdf](http://www.manupatra.co.in/newslines/articles/Upload/779E337A-DDF8-41AE-ACA4-89F3CB746F2D.pdf)
- [20] Pathan, A.-S. K. (1990/91). *The State of the Art in Intrusion Prevention and Detection*. Natick, Massachusetts: CRC Press, Taylor & Francis Group.
- [21] Ping Wang, L. W. (2010). Honeypot detection in advanced botnet attacks. *Int. J. Information and Computer Security*, 30-32.
- [22] Punch, F.K. (2010). *Introduction to Social Research: Quantitative and Qualitative Approaches*. Second Edition. New Delhi: Sage Publications Ltd.
- [23] Sabine, L., & Everitt, B.S. (2004). *A Handbook of Statistical Analysis Using SPSS*. USA: Chapman & Hall /CRC Press on 30/08/2012.
- [24] Saini H., Rao Y. S., Panda T.C.(2012) International Journal of Engineering Research and Applications (IJERA) ISSN: 2248-9622 www.ijera.com Vol. 2, Issue 2, Mar-Apr 2012, pp.202-209.
- [25] Schuttler, K. (2014). *Eastern Michigan University College of Technology*. Retrieved from [www.emich.edu: www.emich.edu/ia/pdf/research/Honeypotresearch.pdf](http://www.emich.edu/www.emich.edu/ia/pdf/research/Honeypotresearch.pdf)
- [26] Spitzner, L. (2002). *Honeypots: Tracking Hackers*. Boston, Massachusetts: Addison Wesley.
- [27] Spitzner, L. (2002, December 10). *Windowsecurity*. Retrieved from [www.windowsecurity.com: www.windowsecurity.com/whitepapers/honeypots/Honeypots_Definitions_and_Value_of_Honeypots.html](http://www.windowsecurity.com/whitepapers/honeypots/Honeypots_Definitions_and_Value_of_Honeypots.html)