#### Fanshawe College FIRST: Fanshawe Innovation, Research, Scholarship, Teaching

Faculty & Staff Publications - Public Safety

School of Public Safety

2018

#### Empathy levels among Canadian paramedic students

Lucy Kus Fanshawe College of Applied Arts and Technology

Cassidy Gosling Fanshawe College of Applied Arts and Technology

Taylor Wilson Fanshawe College of Applied Arts and Technology

Alan Batt Fanshawe College of Applied Arts and Technology

Follow this and additional works at: https://first.fanshawec.ca/fhcsps\_publicsafety\_facultystaffpublications

#### **Recommended** Citation

Kus, Lucy; Gosling, Cassidy; Wilson, Taylor; and Batt, Alan, "Empathy levels among Canadian paramedic students" (2018). *Faculty & Staff Publications - Public Safety*. 6. https://first.fanshawec.ca/fhcsps\_publicsafety\_facultystaffpublications/6

This Conference Proceeding is brought to you for free and open access by the School of Public Safety at FIRST: Fanshawe Innovation, Research, Scholarship, Teaching. It has been accepted for inclusion in Faculty & Staff Publications - Public Safety by an authorized administrator of FIRST: Fanshawe Innovation, Research, Scholarship, Teaching. For more information, please contact first@fanshawe.ca.



\*

\*

\*

### **Empathy levels among Canadian paramedic students**

Lucy Kus BSc(Hons.), Cassidy Gosling BSc(Hons.), Taylor Wilson, Alan M. Batt MSc PhD(c) Paramedic Programs, Fanshawe College, Ontario, Canada.

# Background

- Empathy is an important factor in communication between healthcare provider and patient.
- Empathy improves patient satisfaction healthcare provider buffers and burnout
- Previous studies have shown that empathy can improve patient care.
- Previous studies in Australian

43 students participated in the study; 27 males and 15 females (1 unknown).

Results

- Substance abuse had the lowest mean empathy score (42.88, SD±10.62) (*Table 1. & Fig. 1*)
- Physical disability had the highest mean empathy score (53.0, SD±7.22)
- Females demonstrated a higher mean empathy score of 266.40 (SD±29.99)


A total of 37 respondents (86%) indicated that more empathy training was required in the program.

**Results (cont.)** 

- Suggestions to improve empathy training included increasing high-fidelity simulation, inviting guest speakers, and undertaking more mental health service placements.
- selection of quotes • A from



paramedic students have demonstrated that empathy scores are paramedic students, among IOW scores decrease as one progresses through paramedic education, and empathy scores vary significantly for certain medical conditions.



(Fig. 2) and higher mean scores across four of the five medical conditions.

- First years had a higher mean score compared to second years.
- There were no significant differences in scores between age groups.

Table 1. Mean Medical Condition Regard Scale scores for each medical condition

Medical condition	Mean	SD
Intellectual Disability	50.42	8.73
Physical Disability	53.00	7.22
Suicide Attempt	49.47	7.75
Substance Abuse	42.88	10.62
Mental Health Emergency	49.58	10.02

respondents, of interest to the research question, were selected, and are outlined below (Fig. 3)

Figure 3. Selected free-texts responses from respondents (aggregated)

> "...include holistic/biopsychosocial views of health..."

"...LTC [long-term care] placements only made people feel less empathy for the elderly patients..."

"...you can't teach empathy..."

## Objective

- This study aimed to determine the empathy levels displayed by Canadian paramedic students towards patients with various medical conditions.
- We hypothesized that across certain medical conditions, patients are not regarded with the same levels of empathy.

# Methods

This was a cross-sectional survey study of a convenience sample of first and second year paramedic students at

#### Figure 1. Mean empathy scores across medical conditions




Figure 2. Mean empathy scores by gender Empathy


\*

# Conclusion

- Paramedic students demonstrated varying levels of empathy toward certain medical conditions.
- Male students are less empathetic than their female peers, and second year students are less empathetic than first years.
- These results are consistent with existing findings Australian in paramedic students.
- Our results suggest that paramedic students may benefit from focused empathy education and training, as self-reported by survey respondents.

Fanshawe College, Ontario, Canada.

- Ethics approval was received from Fanshawe College REB.
- The Medical Condition Regard Scale (MCRS) was used to measure empathy levels across five medical conditions: physical disability, intellectual disability, suicide attempt, health mental emergency, and substance abuse.
- Free-text fields allowed respondents to share their views on empathy



Students have mixed ideas (Figure 3) on the empathy training required in order to understand and improve empathy towards patients, but they do identify a definite need.

Integration of empathy education into the paramedic curriculum could prove beneficial, although the exact type of education, duration, delivery method further curriculum warrants and research.