



IDC Manufacturing Insights Whitepaper:
Designing Environmental Sustainability into Product Research and Development

PDF (727 K)

Export citation

E-mail article

[Abstract](#) | [Article](#) | [Figures/Tables \(5\)](#) | [References \(49\)](#)

Materials Chemistry and Physics

Volume 131, Issues 1-2, 15 December 2011, Pages 223-229

doi:10.1016/j.matchemphys.2011.09.011 | [How to Cite or Link Using DOI](#)[Permissions & Reprints](#)

Synthesis and characterization of CdS/PVA nanocomposite thin films from a complexing agent free system

 D. Saikia^a,   P.K. Saikia^b, P.K. Gogoi^c, M.R. Das^d, P. Sengupta^d, M.V. Shelke^e
^a Material Science Laboratory, Department of Physics, Sibsagar College, Joysagar 785665, India^b Department of Physics, Dibrugarh University, Dibrugarh 786004, India^c Center for Nanoscience and Composite Materials, Department of Chemistry, Dibrugarh University, Dibrugarh 786004, India^d Materials Science Division, CSIR-North East Institute of Science and Technology, CSIR, Jorhat 785006, India^e Materials Chemistry Division, CSIR-National Chemical Laboratory, CSIR, Dr. Homi Bhabha Road, Pune 411008, India

Received 24 November 2010; revised 18 July 2011; Accepted 6 September 2011. Available online 7 October 2011.

Abstract

CdS/PVA nanocomposite thin films have been deposited on glass substrates by in situ thermolysis of precursors dispersed in polyvinyl alcohol (PVA). The synthetic technique reported in this study is free from complexing agent and hence no need to control the pH of the solution as in the case of conventional CBD. The as-prepared films were characterized by X-ray diffraction (XRD), scanning electron microscopy (SEM), transmission electron microscopy (TEM), selected area electron diffraction (SAED), UV-vis spectroscopy, and photoluminescence (PL) spectra. The XRD and SAED results indicated the formation of CdS nanoparticles with hexagonal phase in the PVA matrix. The photoluminescence and UV-vis spectroscopy revealed that CdS/PVA films showed quantum confinement effect. From the shift in optical band gap, particle sizes were calculated using effective mass approximation (EMA) method and it was found to be in agreement with the results obtained from TEM observations. The SEM results indicated that as grown films were homogeneous with no visible pinholes and cracks. The film prepared at 100 °C was found to be suitable for application as a window layer in solar cell.

Highlights

► Polymer–CdS nanocomposite thin films have been synthesized by in situ thermolysis of the precursors confined in polymer matrix. ► The synthetic method is free from complexing agent. ► The film was prepared within a short period (10–60 min) compared to conventional CBD method, which takes longer time. ► Our method can yield pinhole free, homogeneous and transparent films very well adhered to the substrate. ► The film is suitable for application as a window layer in solar cell.

Keywords: CdS/PVA; Nanocomposite; Thermolysis; Optical properties

Article Outline

1. Introduction
 2. Experimental details
 3. Results and discussion
 - 3.1. Optical studies
 - 3.2. Structural and surface morphology
 - 3.3. TEM analysis
 4. Conclusion
- [Acknowledgements](#)

Related Articles

- Synthesis and optical properties of CdS/PVA nanocompos...
Materials Chemistry and Physics
- The role of tautomerization in acetylacetone as a compl...
Journal of Molecular Structure: THEOCHEM
- Fabrication of core–shell latex spheres with CdS/poly...
Colloids and Surfaces A: Physicochemical and Engineerin...
- Optical and photophysical properties of Ag/CdS nanocomp...
Journal of Photochemistry and Photobiology A: Chemistry
- The enhanced photocatalytic activity of CdS/TiO₂ nanoco...
Applied Surface Science

[View more related articles](#)

My Applications

[Add](#) | [Manage Applications](#) 

Table Download

Gadget timed out while loading

MostDownloaded

Most downloaded articles from the last three months in this journal:

[Mechanisms of PVP in the preparation of silver nanoparticles](#)
[Bandgap studies on anatase titanium dioxide nanoparticles](#)
[Effect of TiO₂ electrode thickness on photovoltaic properties of dye sensitized solar cell based on randomly oriented Titania nanotubes](#)
[View the most downloaded articles for Materials Chemistry and Physics](#)

Provided by ScienceDirect Top25

[Hide Applications](#)

Cited by (0)


• This article has not yet been cited.

Provided by Scopus

Related reference work articles e.g. encyclopedias

- Cadmium Sulfide and Telluride
Encyclopedia of Materials: Science and Technology
- 9.23 - Coordination Complexes as Precursors for Semicon...
Comprehensive Coordination Chemistry II
- Nanowire Thin Films for Flexible Macroelectronics
Encyclopedia of Materials: Science and Technology
- Metal Compounds as Phosphors
Comprehensive Coordination Chemistry II

[References](#)

 Corresponding author. Tel.: +91 94350 55085.

Copyright © 2011 Elsevier B.V. All rights reserved.

Materials Chemistry and Physics

Volume 131, Issues 1-2, 15 December 2011, Pages 223-229

[Home + Recent Actions](#) [Browse](#) [Search](#) [My settings](#) [My alerts](#)

[Help](#)

[About ScienceDirect](#)
[What is ScienceDirect](#)
[Content details](#)
[Set up](#)
[How to use](#)
[Subscriptions](#)
[Developers](#)

[Contact and Support](#)
[Contact and Support](#)

[About Elsevier](#)
[About Elsevier](#)
[About SciVerse](#)
[About SciVal](#)
[Terms and Conditions](#)
[Privacy policy](#)
[Information for advertisers](#)



Copyright © 2011 Elsevier B.V. All rights reserved. SciVerse® is a registered trademark of Elsevier Properties S.A., used under license. ScienceDirect® is a registered trademark of Elsevier B.V.